

OKLAHOMA DEPARTMENT OF CORRECTIONS
Initial Physical Examination and Laboratory Requirement: Male

Initial Physical Examination and Laboratory Requirement: Male (5-6A-4365M)

<p>Initial PE Age 39 and younger (5-5B-4312)</p>	<ul style="list-style-type: none"> • Cholesterol, Total • CMP • CBC • Hepatitis C Profile (CPL 162) if known risk factors/exposure, and/or meets certain medical condition per MSRM 140137.06 "Management of Hepatitis C" • HCV Antibody with Reflex RNA (CPL 4677) "Once in lifetime and annually in those with continued high-risk behaviors" • Tuberculin skin test (5-6A4365M (b# 3)) • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-6A-4354M, 5-6A-4365M (b# 3)) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum – PA) CMP
<p>Initial PE Ages 40-49 yrs.</p>	<ul style="list-style-type: none"> • Lipid Profile • CMP • CBC • Hepatitis Profile (CLP 162) if known risk factors/exposure, meets certain medical conditions or if born 1946-1964 per MSRM 140137.06 "Management of Hepatitis C" • HCV Antibody with Reflex RNA (CPL 4677) "Once in lifetime and annually in those with continued high-risk behaviors" • Tuberculin skin test (5-6A4365M (b# 3)) • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-6A4365M (b# 3)) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum – PA)
<p>Initial PE Ages 50-64 yrs.</p>	<ul style="list-style-type: none"> • Lipid Profile • ECG • Digital rectal exam • CMP • CBC • Hepatitis Profile (CLP 162) if known risk factors/exposure, meets certain medical conditions or if born 1946-1964 per MSRM 140137.06 "Management of Hepatitis C" • HCV Antibody with Reflex RNA (CPL 4677) "Once in lifetime and annually in those with continued high-risk behaviors" • Fecal occult blood testing or at receiving facility • Tuberculin skin test (5-6A4365M (b# 3)) • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-6A4365M (b# 3)) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum – PA)
<p>Initial PE Ages 65 and older</p>	<ul style="list-style-type: none"> • Lipid Profile • ECG • Digital rectal exam • CMP • CBC • Hepatitis C Profile (CPL 162) if known risk factors/exposure, and/or meets certain medical condition per MSRM 140137.06 "Management of Hepatitis C" • HCV Antibody with Reflex RNA (CPL 4677) "Once in lifetime and annually in those with continued high-risk behaviors" • Fecal occult blood testing or at receiving facility • Tuberculin skin test (5-6A4365M (b# 3)) • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-6A4365M (b# 3)) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum – PA)