Management of Human Immunodeficiency Virus Infection/1			
Acquired Immunodeficiency Syndrome			
I. Identification of HIV infection (4-ACRS-4C-10)			
II. Surveillance	2		
III. Initial Evaluation			3
A. History			3
B. Physical Exam			3
C. Lab and other Diagnos	stic Tests		4
IV. Treatment			
 A. Antiretroviral Medication 	ons		4
B. Opportunistic Infection	Prophylaxis		5
C. Vaccines			6
V. Goals of therapy			6
VI. Isolation			
VII. Routine Follow-Up			
A. Chronic Clinic Visit			
B. Annually			
VII. HIV/AIDS Confidential Case Reporting			
VIII. References			
IX. Action			9
Reference Forms	Reference Forms		
Attachments			9
Section-14 Office of Medical Services Resource Manual	MSRM 140137-03	Page: 1	Effective Date: 04/23/2018
Management of Human Immunodeficiency Virus Infection/Acquired Immunodeficiency Syndrome Immunodeficiency Syndrome Immunodeficiency Syndrome			
Joel McCurdy, M.D., Chief Medical Officer Signature on File Oklahoma Department of Corrections			

Management of Human Immunodeficiency Virus Infection/ Acquired Immunodeficiency Syndrome

This guideline is intended to provide general information about the primary care treatment of human immunodeficiency virus infection. This plan will address the management of HIV/AIDS infection and procedures for identification, surveillance, immunization (when applicable), treatment follow-up, and isolation (when Indicated) 4-4357M. Standards for treatment of this disease are evolving rapidly and the guideline upon which this document is based is updated on a frequent basis. When antiretroviral therapy is initiated or changed consultation is required with the chief medical officer, Office of Medical Services/or designee.

I. Identification of HIV infection (4-ACRS-4C-10)

All inmates upon reception and at the inmates request as clinically indicated will receive a serologic test for HIV antibody and pre-test and post-test counseling.

Section-14 Office of Medical Services Resource Manual	MSRM 140137-03	Page: 2	Effective Date: 04/23/2018
	MSRM 140137-03	Page: 2	Effective Date: 04/23/2018

- A. Pre-test counseling may be provided through videotapes, pamphlets, brochures, and fact sheets. Post-test counseling will be conducted on a one-to-one basis with a clinical staff member.
- B. A clinical staff member or a trained HIV counselor will be available to answer the inmate's questions concerning HIV during each counseling session.
- C. The goals of HIV counseling will include but will not be limited to:
 - 1. Identify inmates who are unaware, uninformed, misinformed, or in denial of their risk for HIV infection and facilitate an accurate self-perception of the risk.
 - 2. Prepare inmates for and give them information concerning the interpretation of HIV test results, the natural history of HIV infection, its effects on physical and mental health, the role of health maintenance, and available treatments.
 - 3. Assist inmates in negotiating a relevant risk reduction plan and attempt to secure a commitment from them to reduce their HIV risk.
 - 4. Include patient referrals to the appropriate individuals for psychological support and provide them with encouragement to make desired behavioral changes.
 - Include patient referrals to appropriate drug treatment services for individuals whose substance abuse problems enhance their HIV risk.
 - 6. Include information concerning the increased risk of HIV transmission associated with other sexually transmitted diseases and make patients referrals for additional sexually transmitted diseases examination and treatment.
 - 7. Include patient referrals for high-risk negative inmates who require additional medical, preventive, and psychosocial services.
 - 8. Communicate the importance of the inmates' responsibility to disclose appropriate information concerning notification of past sexual and needle-sharing partners.

II. Surveillance

Both HIV infection and AIDS are reportable diseases in the state of Oklahoma, and are to be reported to the OSDH by telephone (405) 271-4060 or FAX (800) 898-6734 within one business day from diagnosis, utilizing ODH form 295 "Reportable disease Card". In addition, inmates with newly diagnosed HIV/AIDS should be reported to the nurse manager (Infection Control) fax

Section-14 Office of Medical Services Resource Manual	MSRM 140137-03	Page: 3	Effective Date: 04/23/2018
			,

405.962.6147 at the Office of Medical Services, and logged on the monthly medical Services report.

III. Initial Evaluation

The initial evaluation should determine the presence of opportunistic infections or other complications (i.e. wasting, malignancies, dementia) of HIV infection, either currently or by history. Additionally, a thorough medication history is crucial for making decisions in the event of antiretroviral resistance. Documentation of the chronic illness will be documented in accordance with OP-140137 entitled "Chronic Illness Management" and utilizing the "Chronic Illness and/or Routine/Physical Examination" form, (DOC 140137 A).

A. History

- 1. HIV risk factors
- 2. Illnesses opportunistic infections, tuberculosis, sexually transmitted diseases, malignancies,
- 3. Medication history including current and past antiretroviral use
- 4. Allergies
- 5. Review of systems
 - a. General weight loss, fatigue, night sweats, body shape changes
 - b. Skin rashes, nodules, zoster
 - c. Oral pain, ulcers, dentition
 - d. GI dysphagia, diarrhea, hematochezia
 - e. Pulmonary cough, dyspnea, chest pain
 - f. Genitourinary dysuria, renal stones
 - g. Neurological dementia, motor symptoms, focal symptoms

B. Physical Exam

- 1. Complete set of vital signs (weight, temperature, pulse, respiration, blood pressure).
- 2. Skin molluscum, kaposi's sarcoma, zoster, seborrheic dermatitis
- 3. Lymph nodes generalized vs. localized (lymphoma)

Section-14 Office of Medical Services Resource Manual	MSRM 140137-03	Page: 4	Effective Date: 04/23/2018
--	----------------	---------	----------------------------

- 4. HEENT oral candidiasis, leukoplakia, visual acuity, baseline dilated retinal exam, then dilated retinal exam for visual complaints or every 6 months if CD4<50
- 5. Chest lung sounds, crackles, consolidation
- 6. Abdomen masses, organomegaly
- 7. GU pelvic exam, pap smear, anal exam
- 8. Neurologic motor exam, mental status
- 9. Mental health referral
- C. Lab and other Diagnostic Tests

CMP, CBC, UA, RPR, PPD baseline, Toxoplasma Ab, CD4, viral load.

Newly diagnosed inmates with no history of treatment will also need a HIV Genotype.

IV. Treatment

Primary treatment of HIV infection is complex and guidelines are changing rapidly. When antiretroviral therapy is initiated or changed consultation is required with the Chief Medical Officer, Office of Medical Services/ or designee.

A. Antiretroviral Medications

- Indications
 - a. All inmates diagnosed with the human immunodeficiency virus (HIV) or Acquired Immune Deficiency Syndrome (AIDS).
- Agents standard of care is treatment with at least three antiretroviral agents. Monotherapy is contraindicated, and dual therapy is contraindicated. Treatment decisions should take into account patient education, anticipated side effects, pill burden, frequency of dosing, food interactions, and other medications the patient is taking.

B. Opportunistic Infection Prophylaxis

- 1. CD4 <200 Pneumocystis jiroveci pneumonia (PJP) prophylaxis (previously known as pneumocystis carinii-PCP)
 - a. Preferred Bactrim DS one tablet P.O. daily
 - b. Alternatives Dapsone, Atovaquone, aerosolized Pentamidine
- 2. CD4 <100 Toxoplasma prophylaxis
 - a. Preferred Bactrim DS one tablet daily
 - b. Alternatives Dapsone + Pyrimethamine, Atovaquone
- 3. CD4 <50 Mycobacterium avium-cellulare (MAC) prophylaxis
 - a. Preferred Azithromycin 1200mg P.O. weekly
 - b. Alternatives Clarithromycin, Rifabutin
- 4. Any CD4 count patients with a history of infection with PJP, Cytomegalovirus (CMV), MAC, Cryptococcus, Histoplasma, Coccidioides, or Toxoplasma may require lifelong preventive therapy specific to their disease.

Treatment for latent TB infection per current CDC guidelines will be administered to all HIV positive patients with TB skin test results of greater than or equal to 5 mm of induration in accordance to the "2002 USPHS/IDSA Guidelines for the Prevention Of Opportunistic Infections in Persons Infected with Human Immunodeficiency Virus". Should any revision of these guidelines occur prior to any revision of this, those revised guidelines will be utilized in the interim.

Section-14 Office of Medical Services Resource Manual	MSRM 140137-03	Page: 6	Effective Date: 04/23/2018
--	----------------	---------	----------------------------

C. Vaccines

- 1. Influenza (annually)
- 2. Pneumovax (two doses of the vaccine, separated by five or more years, is recommended for immunocompromised persons).
- 3. Tetanus (as indicated otherwise)
- 4. Hepatitis A-B vaccination (If no serologic evidence of Immunity)

V. Goals of therapy

- A. Maximal and durable suppression of viral load (<400). NOTE <u>Any</u> detectable viral load > 400 in a patient on HAART requires urgent intervention. Contact the chief medical officer, Office of Medical Services for advice.
- B. Restoration of immune function (increasing CD4 count)
- C. Prevention of opportunistic infections
- D. Enhance quality of life
- E. Patient education

VI. Isolation

Isolation is not required for inmates with HIV/AIDS infection. Patients with acute or chronic infection should be counseled on measures for preventing further transmission to others. Standard precautions should be followed.

VII. Routine Follow-Up

Once goals of therapy have been reached and the patient is stable, routine follow-up in chronic clinic should be arranged as follows:

A. Chronic Clinic Visit

- 1. Review medication regimen adherence, side effects
- 2. Interval history review of symptoms, as above
- 3. Exam skin, mouth, lymph nodes, chest, abdomen, weight

Section-14 Office of Medical Services Resource Manual	MSRM 140137-03	Page: 7	Effective Date: 04/23/2018

- 4. Lab CD4, viral load, (CMP and CBC if on antiretrovirals; more frequently if toxicity symptoms occur). A viral load (HIV-1-RNA) of greater than 400 copies for a patient who is on Highly Active Anti-Retroviral Therapy necessitates immediate consideration of a need for change in therapy. The Chief Medical Officer (or designee) or Infectious Disease Specialty Physician at OU should be contacted for treatment advice and follow-up.
- 5. Categorize in accordance with "Severity of Common Chronic Illness" (OP-140137, Attachment A).

B. Annually

- 1. Review medication regimen
- 2. Interval history
- 3. Complete physical exam
- Dilated retinal exam
- 5. PAP smear every 6 months for female inmates
- 6. Dental exam
- 7. Fasting Lipid Panel
- 8. RPR

VII. HIV/AIDS Confidential Case Reporting

- A. The facility's Infection Control Coordinator or a qualified health care professional shall confidentially maintain a current inmate roster for inmates who have HIV confirmed positive test results and all confirmed AIDS cases.
- B. The inmate roster will include the following information:
 - 1. Name
 - 2. DOC number
 - 3. Date of positive reactivity to the ELISA and/or Western Blot seriological test
- C. The inmate roster will contain the following warning label:

- 1. This roster of names is confidential and is only available to ODOC correctional officers, probation and parole officers or other employee or employees of the Pardon and Parole Board who has or will have direct contact with an inmate when such inmate is infected with HIV/AIDS disease, pursuant to 63 O.S. 1-523. Failure to comply with this will result in disciplinary action, including termination, and may also subject the violator to civil liability and criminal prosecution pursuant to 63 O.S. 1-502.2 for failure to protect the privacy of a person named on the roster. Failure to comply with this restriction also violated the Health Insurance Portability and Accountability Act (HIPAA) and may subject the violator to civil monetary and criminal penalties.
- 2. This roster will be restricted from unauthorized individuals in accordance with 63 O.S. 1-523.
- D. Offender rosters will be located within the facility head or assistant facility head's office and regional district office. The facility head, assistant facility head, and the deputy / regional director / divisions head will be responsible for maintaining the security and confidentiality of the roster. The facility head or the designee will be responsible for notifying the district office when an inmate is released to probation and parole district.
- E. Any authorized employee reviewing the HIV inmate roster will document each occurrence in the appropriate logbook. The log book entry must contain the following language with the employee's signature and appropriate date:
 - "My signature below signifies that I have read and understand the warning restriction and the facility local procedure concerning the HIV inmate Roster."
- E. The facility head will implement local procedures to notify sheriff's deputies taking custody of inmates for the ODOC for any reason that the facility has an HIV/AIDS roster. The deputies may review the roster if they desire to do so but the review must be in accordance with the department's procedures and they must read the warning and sign the log.

VIII. References

OP-140137 entitled, "Chronic Illness Management"

OP-140301 entitled, "Tuberculosis Control Program"

Okla. Statutes 63 O.S. 1-1-502.2, 63 O.S. 1-1-523

Section-14 Office of Medical Services Resource Manual	MSRM 140137-03	Page: 9	Effective Date: 04/23/2018

Panel on Antiretroviral Guidelines for Adults and Adolescents. Guidelines for the use of antiretroviral agents in HIV-1-infected adults and adolescents available at: https://clinicalinfo.hiv.gov/en/guidelines/adult-and-adolescent-arv/whats-new-guidelines
December 18, 2019

Panel on Opportunistic Infections in HIV-Infected Adults and Adolescents. Guidelines for the Prevention and Treatment of Opportunistic Infections in HIV-Infected Adults and Adolescents. 2020. Available at https://clinicalinfo.hiv.gov/en/guidelines/adult-and-adolescent-opportunistic-infection/whats-new-guidelines August 18, 2020

IX. Action

The chief medical officer, Office of Medical Services will be responsible for compliance with this procedure.

Any exceptions to this procedure will require prior written approval from the director.

This procedure will be effective as indicated.

Replaced: Medical Services Resource Manual 140137-03 entitled "Management of "Human Immunodeficiency Virus Infection/ Acquired Immunodeficiency Syndrome" dated August 18, 2014.

Distribution: Office of Medical Services Resource Manual

Referenced Forms	Title	Located In
DOC 140137A	"Chronic Illness Note/Physical Examination""	OP-140137
Attachments		
Attachment A	"Severity Classification of Common Chronic Illness"	<u>OP-140137</u>