



OKLAHOMA STATE  
DEPARTMENT OF HEALTH

# State of the County's Health Report

## Working Together For Health

### Johnston County

Oklahoma ranks near the bottom in many key health status indicators. Most of these outcomes are related to conditions that Oklahomans must live with every day. Poverty, lack of insurance, limited access to primary care, and inadequate prenatal care, along with associated risky health behaviors (low fruit/vegetable consumption, low physical activity, a high prevalence of smoking) all contribute to the poor health status of our citizens.

The vision of the Oklahoma Health Improvement Plan (OHIP) involves local partnerships and communities working together to improve and sustain the physical, social, and mental well-being of all people in Oklahoma. The targeted flagship initiatives of children's health improvement, tobacco use prevention, and obesity reduction will help to maximize opportunities for all Oklahomans to lead healthy lives. If you would like more information about OHIP, please visit the Oklahoma State Department of Health website at [http://www.ok.gov/health/Organization/Board\\_of\\_Health/OHIP.html](http://www.ok.gov/health/Organization/Board_of_Health/OHIP.html).

This report focuses on health factors and demographics in Johnston County. Awareness and thoughtful application of this health data can assist us in our joint endeavors to improve the health status of our local citizens.



*Together We Can Move Forward*

### Inside This Issue

Table of Contents	1	Tobacco Use Prevention	7
County Demographics	2	Healthy People 2010 Table	8
Top 10 Leading Causes of Death	2	Health Care Costs Summary	9
Top 10 Leading Causes of Death Table	3	County Health Department Usage	10
Nutrition & Overweight	4	Health Education	11
Physical Activity & Fitness	4	Primary Care Map	11
Diabetes	5	Board of Health Map	12
Teen Births	5	Oklahoma Health Improvement Plan	12
Infant Mortality	6	Reference List	13
Low Birth Weight	6	Turning Point	14
Injury & Violence	7	Contact Information	14

# County Demographics

## Population estimates<sup>1</sup>

- o 4.8% increase from 1990 to 2000 (10,030 to 10,516)
- o 2.2% decrease from 2000 to 2008 (10,516 to 10,286)
- o Ranked 47th for growth in state

## 2008 Census Estimates<sup>2</sup>

- Hispanic/Latino ethnicity = 3.6%
- Race
  - o Whites = 78.4%
  - o Native Americans = 18.5%
  - o Blacks = 2.7%
- Age
  - o Under 5 = 7.4%
  - o 65 and over = 15.2%
  - o Median age = 38.0 years


## 2000 Census<sup>3</sup>

- Housing units
  - o Occupied = 4,057 (85%)
  - o Vacant = 725 (15%)

- Disability (ages 21 to 64) = 31.4% state = 21.5% national = 19.2%
  - o 43.9% of disabled (ages 21-64) are employed

- Individuals below poverty = 22.0% state = 14.7% national = 12.4%
- Families below poverty = 17.8% state = 11.2% national = 9.2%

## 1990, 2000, & 2008 Population by Age Groups, Johnston County




# Top 10 Leading Causes of Death

The top 10 leading causes of death<sup>4</sup> table on the next page displays a broad picture of the causes of death in Johnston County. Since many health-related issues are unique to specific ages, this table provides causes of death by age group at a glance. The causes of death that are present across almost every age group have been highlighted. From 1983 to 1993 heart disease killed 1,129 people in Johnston County and is still the leading cause of death with all age groups combined.


From 2006-2008, the total charges for all heart disease-related hospitalizations for Johnston County residents was \$23,733,303.00, which translated to an average of \$34,148.64 per discharge.<sup>5</sup> Total charges are an indicator of community health, however, these are hospital-based charges and not payments or costs of actual illness. The direct and indirect costs of disease are actually much higher (i.e., loss of employee wages, loss of tax revenue, loss of years of life).

## Heart Disease Death Rates by Demographic Groups, Johnston County, 2002-2006<sup>4</sup>



\* Age-Adjusted Death Rate per 100,000 Population

## Age-Adjusted Death Rates by County, OSDH Vital Statistics, 2002-2006<sup>4</sup>



## Top 10 Causes of Death by Age Group Johnston County 2002-2006

Rank	0-4	05-14	15-24	25-34	35-44	45-54	55-64	65+	All Ages
1	SIDS < 4	CANCER < 4	UNINTENT. INJURY 9	UNINTENT. INJURY 8	UNINTENT. INJURY 8	HEART DISEASE 16	HEART DISEASE 27	HEART DISEASE 152	HEART DISEASE 200
2	CANCER < 4	CONGENITAL ANOMALIES < 4	SUICIDE < 4	CANCER < 4	CANCER 5	CANCER 10	CANCER 23	CANCER 84	CANCER 125
3	CONGENITAL ANOMALIES < 4		HOMICIDE < 4	SUICIDE < 4	HEART DISEASE 5	DIABETES MELLITUS 6	BRONCHITIS/ EMPHYSEMA/ ASTHMA 4	BRONCHITIS/ EMPHYSEMA/ ASTHMA 42	UNINTENT. INJURY 48
4				VIRAL HEPATITIS < 4	DIABETES MELLITUS < 4	UNINTENT. INJURY 5	UNINTENT. INJURY 4	DIABETES MELLITUS 26	BRONCHITIS/ EMPHYSEMA/ ASTHMA 47
5					HOMICIDE < 4	LIVER DISEASE < 4	DIABETES MELLITUS < 4	STROKE 24	DIABETES MELLITUS 36
6					HYPERTENSION < 4	VIRAL HEPATITIS < 4	STROKE	INFLUENZA/ PNEUMONIA 20	STROKE
7					LIVER DISEASE < 4	FIVE CAUSES TIED < 4	LIVER DISEASE < 4	NEPHRITIS 16	INFLUENZA/ PNEUMONIA 21
8					STROKE < 4		NEPHRITIS < 4	ALZHEIMER'S DISEASE 14	NEPHRITIS 18
9					SUICIDE < 4		FOUR CAUSES TIED < 4	UNINTENT. INJURY 14	ALZHEIMER'S DISEASE 15
10								PARKINSON'S DISEASE 8	LIVER DISEASE 10

Note: The numbers less than 4 have been shown as "< 4" to protect the privacy of the subjects

Data source: Vital Statistics, Health Care Information Division, Oklahoma State Department of Health

Produced by: Community Development Service, Oklahoma State Department of Health

March 2009


# Nutrition & Overweight

With obesity at epidemic levels, steps need to be taken to control this issue. Surveillance systems have improved and been expanded to obtain more accurate county-level data. While efforts continue on this front, communities must utilize this information to improve the problem itself. With health care costs being, on average, \$395 more for a person under the age of 65 who is obese than a person of the same age who is not obese<sup>6</sup>, estimated health care costs related to obesity for Johnston County soar to almost \$8.9 thousand. These costs only go up when the 65 and over population are included.

The Youth Risk Behavior Surveillance System (YRBS)<sup>7</sup>, while not producing county-level data, shows that in 2005, 2007, and 2009 combined, 15.8% of high school children participating in the survey classified themselves as overweight. Further, 14.7% classified themselves as obese. Interestingly, 8.9% of the males said they were obese compared to 5.8% of females. This trend was reversed in the overweight category with 8.0% of females and 7.8% of males, statewide. Although, neither weight category is statistically significant by gender.


According to the Behavioral Risk Factor Surveillance System (BRFSS, 2003 & 2005)<sup>8</sup>, 69.5% of Johnston County adults did not eat the recommended 5 servings of fruits and vegetables a day. Increasing fruit and vegetable consumption is an economical way to control many health-related issues such as obesity and diabetes.

**Percent of Adults who are Overweight, BRFSS, 2003-2008<sup>8</sup>**



\* Note: Data classified by Quartiles


**Percent of Adults who are Obese, BRFSS, 2003-2008<sup>8</sup>**



\* Note: Data classified by Quartiles

# Physical Activity & Fitness

**Percent of Adults with No Physical Activity Within Past Month, BRFSS, 2003-2008<sup>8</sup>**



\* Note: Data classified by Quartiles

The increasing inactivity of the U.S. population is contributing to an increase in numerous poor health-related outcomes. Physical inactivity robs the body of precious energy needed to function properly, in turn health declines, and rates of various chronic diseases escalate.

According to the 2003-2008 BRFSS<sup>8</sup>, it is estimated that 32.6% (2,416) of people in Johnston County had no leisure activity in the past month (at the time they were surveyed) and three-quarters of the adults (78.8%) did not reach the recommended physical activity level.


Statewide, 55% of high school students did not participate in physical activity for at least 60 minutes per day on five or more days in a week.<sup>7</sup> Efforts need to be made to increase physical activity for our youth to build long-term healthy habits.

# Diabetes

As stated previously, poor nutrition and lack of physical activity are linked to many chronic issues including diabetes. It is often hard to distinguish between Type I and Type II diabetes in large datasets but looking at the overall impact of diabetes is necessary to examine a community's health.

From 2006 to 2008, there were 85 hospital discharges for diabetes among Johnston County residents.<sup>5</sup> This accounted for a total of 410 days in the hospital and \$1,640,305.00 in total charges.<sup>5</sup> This was an average of 4.8 days and \$19,297.71 in charges.<sup>5</sup>

**Percent of Adults Who Have Ever Been Told They Have Diabetes, BRFSS, 2004-2008<sup>8</sup>**



According to the 2004-2008 BRFSS, it is estimated that 8.3% (615) of Johnston County citizens have been diagnosed by a health professional as having diabetes.

In 2007, the per capita annual healthcare costs for people with diabetes was \$11,744 compared to \$5,106 for people without diabetes.<sup>9</sup> Persons with diabetes accumulate an estimated \$8,147,040.63 in health care costs in one year for Johnston County. Actual hospital charges account for only 6.1% of the total health care impact of diabetes.

\* Note: Data classified by Quartiles

# Teen Births


While births to teen mothers (age 15 to 19) have been on the decline in both the U.S. and Oklahoma, Oklahoma has moved down in the rankings according to the United Health Foundation.<sup>10</sup> In 1993, the rate for teen births in the U.S. was 60.3 per 1,000 15-19 year old females and 67.1 in Oklahoma, ranking 35th in the country.<sup>10</sup> In 2003, the rate decreased to 47.7 in the U.S. and 59.7 in Oklahoma, accounting for a decrease of 21% and 11%, respectively.<sup>10</sup> However, while the rate decreased, Oklahoma continued to fall in the rankings (41st). In 2009, the rate of teen births stayed the same for Oklahoma (59.6) but the state ranked 45th in the country.<sup>10</sup>

Children of teen mothers are more likely to display poor health and social outcomes than those of older mothers, such as premature birth, low birth weight, higher rates of abuse and neglect, and are more likely to go into foster care or do poorly in school.<sup>11</sup>

According to Oklahoma Vital Statistics, Johnston County had a teen birth rate of 90.9 in 2007, which accounted for a 8% increase from 2003 (83.8) and a 112% increase from 1993 (42.8)<sup>12</sup>. The map represents a five-year average of teen birth rates, 2003-2007.<sup>12</sup>

On average in Oklahoma, births to teen mothers accumulate \$3,807 a year for each teenage birth<sup>13</sup>, which is often passed on to citizens. With an average of 29.6 births per year (2003-2007)<sup>12</sup>, teen pregnancy costs the citizens of Johnston County \$94,720.00 a year.

**Rate of Births to Teen Mothers (Age 15-19), OSDH Vital Statistics, 2003-2007<sup>12</sup>**




\* Note: Data classified by Quartiles

# Infant Mortality

Protecting the most vulnerable populations is a task for every Oklahoman, socio-demographic variables have repeatedly been shown to affect infant mortality and birth weight. Income, education, race/ethnicity, access to medical care and social services, and social support are just a few of the characteristics that alter these rates, both positively and negatively.<sup>16</sup> Differences in infant mortality rates are most apparent within racial categories. From 2003-2005 within the U.S., the infant mortality rate among white mothers was 5.7 deaths per 1,000 live births, while black or African American mothers had an infant mortality rate of 13.3 and American Indian mothers a rate of 8.4. Interestingly, Hispanic mothers had rates similar to white mothers.<sup>15</sup>

**Infant Mortality Rate,  
Oklahoma Vital Statistics, 2002-2006<sup>4</sup>**



**Legend**

- 3.1 - 6.3
- 6.4 - 7.8
- 7.9 - 9.5
- 9.6 - 26.8
- Missing

State = 8.0 per 1,000 births  
 National = 6.8 per 1,000 births (2003-2005)  
 \* Note: Data classified by Quartiles

Within Oklahoma, this trend continues. From 2002-2006, the infant mortality rate was highest for black or African American mothers (16.0), followed by American Indian (8.4), White (7.1), and Asian (5).<sup>4</sup> The Hispanic infant mortality rate was 7.9.<sup>4</sup>

With an average of 412 infant deaths a year across Oklahoma<sup>4</sup>, it is difficult to obtain stable county-level data by race. From 2002-2006, the overall infant mortality rate for Johnston County was 5.8. This accounted for a 28% decrease from the state rate of 8.0 deaths per 1,000 live births.<sup>4</sup>

In addition, the infant mortality rate in Johnston County accounted for 300 years of potential life lost based on an average age of death in Oklahoma of 75 years of age.<sup>4</sup>


# Low Birth Weight

Birth weight has been a long standing indicator of long-term health outcomes as birth weight has been linked to certain adult chronic conditions such as high blood pressure, Type II diabetes, and heart disease.<sup>17</sup> Low birth weight is defined as any baby born weighing less than 2,500 grams or 5 pounds and 8 ounces (including very low birth weight = less than 1,500 grams/3 pounds, 5 ounces).<sup>17</sup> Low birth weight is associated with premature births, multiple births, birth defects, chronic health problems or infections in the mother, smoking, alcohol or drug use, placental problems, inadequate maternal weight gain or socioeconomic factors.<sup>17</sup> Understanding the trends behind low birth weight can assist in pinpointing causes specific to a community.

In Oklahoma from 2003-2007, 8.1% of the live births were less than 2,500 grams. As with infant mortality, babies born to black or African American mothers have the highest rates of low birth weight (14.1%), followed by White (7.5%), American Indian and Asian (6.9% each).<sup>12</sup> This trend is similar to the national data.<sup>18</sup>

In Johnston County, from 2003-2007 the low birth weight rate was 7.6%.<sup>12</sup> This was a 6.2% decrease from the state and national low birth weight rate. Because of the small numbers that occur in this category, county level data by race is unavailable.

**Percent of Live Births with Low and Very Low Birth Weight,  
OSDH Vital Statistics, 2003-2007<sup>12</sup>**



**Legend**

- 4.2 - 7.0
- 7.1 - 7.8
- 7.9 - 8.6
- 8.7 - 11.7
- Missing

State = 8.1% of live births  
 National = 8.1% of live births (2003-2006)  
 Note: % of births with birth weight under 2500 grams  
 Data classified by Quartiles

# Injury and Violence


Across the nation and the state of Oklahoma, unintentional and violence-related injuries are on the rise. Unintentional injuries account for the 5th leading cause of death in the United States and Oklahoma for 2002-2006. For persons ages 1 to 44 in Oklahoma, unintentional injuries are the leading cause of death.<sup>4</sup>

This trend does not change much in Johnston County. Unintentional injuries are the leading cause of death for ages 15 to 44 in Johnston County.

It is estimated that for every motor vehicle-related death \$1.3 million in economic costs are incurred (2008 data).<sup>16</sup> For Johnston County, which has an average of 3.6 motor vehicle-related deaths a year<sup>4</sup>, the estimated economic costs are almost \$4.7 million a year.

Violence-related injuries (homicide and suicide) in Johnston County are ranked in the top 10 causes of death for persons from 15 to age 44 and suicide is the 2nd leading cause of death for ages 15 to 24.<sup>4</sup>

**Age-Adjusted Suicide Rate by County, OSDH Vital Statistics, 2002-2006<sup>4</sup>**




# Tobacco Use Prevention

According to the 2005 State of the State's Health Report<sup>19</sup>, tobacco use among Oklahomans has remained fairly stable from 1990 to 2002. The good news is that total cigarette sales in Oklahoma (tribal and non-tribal combined) have dropped from 98.2 packs per capita in fiscal year 2005 to 86.7 packs per capita during fiscal year 2008. The national average dropped during this same time period.<sup>20</sup>

Tobacco use is no longer just the problem of the individual but also the community as a whole. With health care costs on the rise, targeting areas such as tobacco use is an effective way to control those costs.


**Per Capita Cigarette Sales: Oklahoma & United States<sup>20</sup>**



the rise, targeting areas such as tobacco use is an effective way to control those costs. The Oklahoma Tobacco Helpline (1-800-QUIT-NOW), supported jointly by the Oklahoma Tobacco Settlement Endowment Trust and the Oklahoma State Department of Health, continues to experience high call volume. Over 37,800 Oklahomans received free cessation assistance through the Helpline in fiscal year 2009.<sup>20</sup> Since inception of the Helpline in August 2003, over 110,000 Oklahomans have received free cessation assistance.<sup>20</sup>

The CDC estimated that a person who used tobacco accrued over \$3,300 in health care costs per year.<sup>21</sup> According to the BRFSS (2005-2009)<sup>8</sup>, it is estimated that 26.5% (1,964) of adults in Johnston County use tobacco of some sort. Medical costs accumulated by those persons are over \$6.5 million a year for Johnston County.

**Percent of Adults by Smoking Status, Johnston County, 2001-2009, Five-Year Averages<sup>8</sup>**



# Healthy People 2010 Table

Healthy People 2010 Indicators	Most Recent Data: Year(s)						2010 Target
	Johnston County		Oklahoma		United States		
Prevalence of Obese (Aged 18+)	2002-2008	28.8%	2008	31.0%	2008	26.7%	15%
No Leisure-Time Physical Activity (Aged 18+)	2002-2008	35.1%	2008	31.5%	2008	24.6%	20%
Prevalence of Smoking (Aged 18+)	2002-2008	28.3%	2008	24.7%	2008	18.4%	12%
Infant Mortality (Per 1,000 of births)	2002-2006	5.8	2006	8.1	2006	6.8	4.5
Low Birth Weight Infants (Percent of live births)	2002-2007	7.3%	2006	8.3%	2006	8.3%	5%
Very Low Birth Weight Infants (Percent of live births)	2002-2007	1.5%	2006	1.6%	2006	1.5%	0.9%
First Trimester Prenatal Care (Percent of births)	2002-2007	79.7%	2006	75.6%	2006	83.2%	90%
Prevalence of Diabetes (Aged 18+)	2002-2008	9.4%	2008	11.3%	2008	9.2%	2.5%
Lack of Health Insurance (Aged 18-64)	2002-2008	17.8%	2008	22.8%	2008	17.1%	0%
Prevalence of Binge Drinking (Aged 18+)	2002-2008	12.7%	2008	12.2%	2008	15.6%	6%
Coronary Heart Disease Death *	2002-2006	224.2	2006	184.5	2006	144.4	166.0
Cancer Death *	2002-2006	200	2006	194.9	2006	180.8	159.9
Unintentional Injury Death *	2002-2006	92.6	2006	55.6	2006	39.3	17.5
Transportation-Related Death *	2002-2006	36.3	2006	21.0	2006	14.5	9.2

Note: \* means (Age-adjusted death per 100,000 to the 2000 U.S. standard population).

Reference:

- [1] Healthy People 2010 volume I and II, U.S. Department of Health and Human Services, November 2000.
- [2] Centers for Disease Control and Prevention (CDC), Wide-Ranging Online Data for Epidemiologic Research: Data for Oklahoma and United States.
- [3] CDC, National Center for Chronic Disease Prevention and Health Promotion, the Behavioral Risk Factor Surveillance System (BRFSS): Data for Oklahoma and United States.
- [4] Oklahoma State Department of Health (OSDH), OK2SHARE, BRFSS: Data for Oklahoma Counties.
- [5] OSDH, OK2SHARE, Vital Statistics: Data for Oklahoma Counties.



# Health Care Cost Summary

---

## Cardiovascular Disease (Heart Disease)

- Average hospital discharges per year<sup>5</sup> = 232
- Average charges<sup>5</sup> = \$34,148.64
- Total—\$7,912,239.29 a year

## Obesity

- 30.4% of population<sup>8</sup> (2,253)
- \$395 in additional medical costs per person aged 18-64<sup>6</sup>
- Total—\$889,935.00

## Diabetes

- Average hospital discharges per year<sup>5</sup> = 28.3
- Average charges<sup>5</sup> = \$19,297.71
- Total—\$546,768.33 a year

## Teen Pregnancy

- Average 30 births to females aged 15-19 a year<sup>12</sup>
- \$3,200 in costs a year<sup>13</sup>
- Total—\$94,720.00 a year

## Motor Vehicle-Related Injury Death

- Average 3.6 deaths per year<sup>4</sup>
- \$1,300,000.00 in economic costs per death<sup>16</sup>
- Total—\$4,680,000.00 a year

## Tobacco Use

- 26.5% of population<sup>8</sup> (1,964)
- \$3,300 in health care costs<sup>21</sup>
- Total—\$6,481,200.00 a year


Grand Total for  
Johnston County:

**\$20,604,862.62**



# County Health Department Usage

## County Health Department Unduplicated Clients, and Visits by Program, Johnston County, State Fiscal Year 2009



Data Note: Data is reflective of all services offered in a county, including county health departments and contracts.

■ Unduplicated Clients ■ Visits

JOHNSTON


### Population-Based Services by Event Type, Johnston County, SFY09

Event Type	Number of Events	Total Attendees
Health Fair	1	28
<b>Grand Total</b>	<b>1</b>	<b>28</b>

### Population-Based Services by Main Topic, Johnston County, SFY09

Topic	Number of Events	Total Attendees
General Health Department Services	1	28
<b>Grand Total</b>	<b>1</b>	<b>28</b>

# Health Education



## CATCH Kids Club Sites

- CKC Pilot Sites 2009-2010 (17)
- ★ NEW CKC Sites 2009-2010 (40)


**Johnston County Health Educator**  
 Janie Pennington-Cagle  
 1080 S. Byrd  
 Tishomingo, OK 73460  
 580-371-2470  
 janiep@health.ok.gov

**OSDH Health Education**  
 Kathy Payne, Director  
 1000 NE 10th St, room 506  
 Oklahoma City, OK 73117  
 405-271-6127  
 KPayne@health.ok.gov

If you have an after-school program that is interested in learning more about CATCH Kids Club, a physical activity and nutrition program for children grades K-5, please contact the local health educator or Kathy Payne for information.

# Primary Care Coverage Map


**Rate of Primary Care Physicians per 100,000 Population, 2009 - 2010**



Note: The number of Primary Care Physicians for each county is represented under the county name.

Source: 2009-2010 Physician Survey, Office of Primary Care and Rural Health, Community Development Service, Oklahoma State Department of Health

# OSDH Board of Health Map



## Board of Health Members

- Alfred Baldwin, Jr.
- Barry L. Smith, J.D.
- Cris Hart-Wolfe (Treasurer)
- Jenny Alexopoulos, M.D. (President)
- Kenneth Miller, MD
- Michael D. Anderson, PhD (State at Large)
- R. Murali Krishna, M.D. (Vice-President)
- Richard G. Davis, DDS
- Ronald Woodson, MD

Created: 11.03.2010  
Source: Oklahoma State Department of Health

# Oklahoma Health Improvement Plan



For the complete OHIP, including a full list of partners, visit [www.ok.gov/health](http://www.ok.gov/health) and click the "Oklahoma Health Improvement Plan" link.



### [STRATEGIC PLANNING]

#### FLAGSHIP GOALS

- Tobacco Use Prevention
- Obesity Reduction
- Children's Health

#### INFRASTRUCTURE GOALS

- Public Health Finance
- Workforce Development
- Access to Care
- Health Systems Effectiveness

#### SOCIETAL & POLICY INTEGRATION

- Policies and Legislation
- Social Determinants of Health & Health Equity

OKLAHOMA HEALTH IMPROVEMENT PLAN

## Reference List

---

1. U.S. Census Bureau, Population Estimates, Accessed February 12, 2010 from [www.census.gov](http://www.census.gov).
2. U.S. Census Bureau, 2008 Census Estimates, Accessed February 12, 2010 from [www.census.gov](http://www.census.gov).
3. U.S. Census Bureau, Census 2000 Summary File 3, Accessed February 12, 2010 from [www.census.gov](http://www.census.gov)
4. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Death Statistics - Final, Accessed April 13, 2010, [www.health.ok.gov/ok2share](http://www.health.ok.gov/ok2share).
5. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Inpatient Discharge Statistics, Accessed May 20, 2010, [www.health.ok.gov/ok2share](http://www.health.ok.gov/ok2share). Note: Data does not include federal or tribal facilities.
6. Sturm, R., 2002. The effects of obesity, smoking, and drinking on medical problems and costs. *Health Affairs*, 21, 245.
7. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Youth Risk Behavior Survey (YRBS), [www.health.ok.gov/ok2share](http://www.health.ok.gov/ok2share).
8. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Behavioral Risk Factor Surveillance Survey (BRFSS), [www.health.ok.gov/ok2share](http://www.health.ok.gov/ok2share).
9. Winning at Work—Diabetes Facts, American Diabetes Association, Accessed May 24, 2010 from [www.diabetes.org](http://www.diabetes.org)
10. United Health Foundation, America's Health Rankings, [www.americashealthrankings.org](http://www.americashealthrankings.org)
11. Healthy Teen Network, Unique Needs of Children Born to Teen Parents, Accessed May 24, 2010 from [www.healthteennetwork.org](http://www.healthteennetwork.org)
12. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Birth Statistics—Final, [www.health.ok.gov/ok2share](http://www.health.ok.gov/ok2share).
13. Than National Campaign to prevent Teen Pregnancy, By the Numbers: The Public Costs of Teen Childbearing in Oklahoma, November 2006.
14. Finch, B. K., 2003. Early origins of the gradient: The relationship between socioeconomic status and infant mortality in the United States. *Demography*, 40, 675-699.
15. United States Department of Health and Human Services (US DHHS), Centers of Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Office of Analysis and Epidemiology (OAE), Division of Vital Statistics (DVS), Linked Birth / Infant Death Records 2003-2005 on CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/lbd-current.html> on May 25, 2010 4:08:29 PM
16. National Safety Council, Estimating the Costs of Unintentional Injuries, Accessed May 25, 2010 from [http://www.nsc.org/news\\_resources/injury\\_and\\_death\\_statistics/Pages/EstimatingtheCostsofUnintentionalInjuries.aspx](http://www.nsc.org/news_resources/injury_and_death_statistics/Pages/EstimatingtheCostsofUnintentionalInjuries.aspx).
17. March of Dimes, Low Birthweight Fact Sheet, Accessed May 25, 2010 from [http://www.marchofdimes.com/professionals/14332\\_1153.asp#head2](http://www.marchofdimes.com/professionals/14332_1153.asp#head2).
18. United States Department of Health and Human Services (US DHHS), Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics, Natality public-use data 2003-2006, on CDC WONDER Online Database, March 2009. Accessed at <http://wonder.cdc.gov/natality-current.html> on May 25, 2010 5:09:49 PM
19. Oklahoma State Department of Health, 2005 State of the State's Health, Accessed May 25, 2010 from <http://www.ok.gov/health/pub/boh/state05/index.html>.
20. Oklahoma State Department of Health, Tobacco Use Prevention Service.
21. Centers for Disease Control and Prevention. Annual smoking-attributable mortality, years of potential life lost, and economic costs—United States, 1995–1999. *MMWR* 2002;51(14):300–303.



**OKLAHOMA STATE DEPARTMENT OF HEALTH**

Community and Family Health Services  
 Community Development Service  
 1000 NE 10th St, Room 508  
 Oklahoma City, OK 73117  
 Phone: 405-271-6127

Report compiled by:  
 Miriam McGaugh, Ph.D.  
 Epidemiologist  
 and  
 Shu-Chuan Lin, Ph.D.  
 Epidemiologist

***Working Together For Health***

Johnston County Health Department  
 Administrator: Mendy Spohn  
 1080 South Byrd  
 Tishongo, OK 73460  
 580-371-2470  
<http://www.ok.gov/health>

The Oklahoma Turning Point Initiative is public health improvement in action involving partnerships between the state and county departments of health, local communities, and policy-makers. The Oklahoma Turning Point engine is fueled by a community-based decision making process whereby local communities tap into the capacities, strengths, and vision of their citizens to create and promote positive, sustainable changes in the public health system, and the public’s health.

**We are at a cross roads in our state and in Johnston County. Please come and be part of the solutions that will lead Oklahoma and Johnston County to becoming a healthy place to live, work and learn.**

“If we are together nothing is impossible.  
 If we are divided all will fail.” - [Winston Churchill](#)

If you are interested in learning more about Turning Point or becoming involved in local activities, please contact:

Arlinda Copeland  
 Pushmataha County Health Department  
 318 W Main  
 Antlers, OK 74523  
 (580) 298-6624  
 Email: [ArlindaC@health.ok.gov](mailto:ArlindaC@health.ok.gov)  
 Website: [www.okturningpoint.org](http://www.okturningpoint.org)

## Tishomingo Development Team

Coalition Priorities:

1. Leadership
2. Children and Youth
3. Community Image
4. Community Promotion
5. Health and Wellness
6. Business Involvement
7. Going Green

2009 Significant Outcomes:

- ◆ Completed Youth Leadership – Johnston Co.
- ◆ Farmers Market
- ◆ Youth skate board park
- ◆ Implemented after school program entitled— 8th Period
- ◆ Maintained TDT Website
- ◆ Hosted Fit and Fun Summer Youth Camp
- ◆ Hosted 23rd Annual Alfalfa Bike Run
- ◆ Conducted community needs assessment