

1.5 Number of State Agency surveyors who participated in this survey:

--	--

1.6 Approximate time spent on site performing this survey (hours):

--	--

1.7 Does the hospital participate in Medicare via accredited "deemed" status?

- YES
- NO

American Osteopathic Association (AOA)/HFAP

1.8a If YES, which AO(s)? (Check all that apply)

DNV Healthcare (DNV)

The Joint Commission (TJC)

1.8b If YES, according to the hospital, what was the end date of the most recent accreditation survey?

m		/	d						

PART 3: DATA COLLECTION AND ANALYSIS - QUALITY INDICATOR TRACERS

Instructions for Part #3 Questions:

Select 3 quality indicators (not patient safety analyses) and trace them answering the following multipart question. Focus on indicators with related QAPI activities or projects. At least one of the indicators must have been in place long enough for most questions to be applicable.

Elements to be Assessed	Indicator #1	Indicator #2	Indicator #3
3.1 Write in indicator selected.			
Indicator selection identified through:	<input type="radio"/> 1 <input type="radio"/> 3 <input type="radio"/> 5	<input type="radio"/> 1 <input type="radio"/> 3 <input type="radio"/> 5	<input type="radio"/> 1 <input type="radio"/> 3 <input type="radio"/> 5
3.1.a Can the hospital provide evidence that each quality indicator selected is related to improved health outcomes? (e.g. based on QIO, guidelines from a nationally recognized organization, hospital specific evidence, peer-reviewed research, etc.)	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5

PART 3: DATA COLLECTION AND ANALYSIS - QUALITY INDICATOR TRACERS (CONTINUED)

Elements to be Assessed	Indicator #1	Indicator #2	Indicator #3
3.1.b Is the scope of data collection appropriate to the indicator, e.g., an indicator related to labor and delivery might be appropriate to all areas of that unit and the ED, but indicators related to hand hygiene would require data from multiple parts of the hospital.	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
3.1.c Is the method (e.g., chart reviews, monthly observations, etc.) and frequency of data collection specified?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
3.1.d Is there evidence that the data are actually collected in the manner and frequency specified for this indicator? E.g., Is there evidence of late, incomplete, or wrong data collection?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5

PART 3: DATA COLLECTION AND ANALYSIS - QUALITY INDICATOR TRACERS (CONTINUED)

Elements to be Assessed	Indicator #1	Indicator #2	Indicator #3
3.1.e If unit staff play a role in data collection, is collection consistent with the specifications for how the data are to be collected?	<input type="radio"/> YES	<input type="radio"/> YES	<input type="radio"/> YES
	<input type="radio"/> NO	<input type="radio"/> NO	<input type="radio"/> NO
	<input type="radio"/> N/A	<input type="radio"/> N/A	<input type="radio"/> N/A
	<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1
	<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2
	<input type="radio"/> 3	<input type="radio"/> 3	<input type="radio"/> 3
3.1.f Are data that has been collected aggregated in accordance with the hospital methodology specified for this indicator?	<input type="radio"/> 4	<input type="radio"/> 4	<input type="radio"/> 4
	<input type="radio"/> 5	<input type="radio"/> 5	<input type="radio"/> 5
	<input type="radio"/> YES	<input type="radio"/> YES	<input type="radio"/> YES
	<input type="radio"/> NO	<input type="radio"/> NO	<input type="radio"/> NO
	<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1
	<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2
3.1.g Are the collected data analyzed?	<input type="radio"/> 3	<input type="radio"/> 3	<input type="radio"/> 3
	<input type="radio"/> 4	<input type="radio"/> 4	<input type="radio"/> 4
	<input type="radio"/> 5	<input type="radio"/> 5	<input type="radio"/> 5
	<input type="radio"/> YES	<input type="radio"/> YES	<input type="radio"/> YES
	<input type="radio"/> NO	<input type="radio"/> NO	<input type="radio"/> NO
	<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1
	<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2
	<input type="radio"/> 3	<input type="radio"/> 3	<input type="radio"/> 3
	<input type="radio"/> 4	<input type="radio"/> 4	<input type="radio"/> 4
	<input type="radio"/> 5	<input type="radio"/> 5	<input type="radio"/> 5
	<input type="radio"/> YES	<input type="radio"/> YES	<input type="radio"/> YES
	<input type="radio"/> NO	<input type="radio"/> NO	<input type="radio"/> NO

PART 3: DATA COLLECTION AND ANALYSIS - QUALITY INDICATOR TRACERS (CONTINUED)

Elements to be Assessed	Indicator #1	Indicator #2	Indicator #3
3.1.h If the indicator is the type that measures a rate, are rates calculated for points in time and over time, and are comparisons made to performance benchmarks when available (e.g. established by nationally recognized organizations)?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
3.1.i When feasible, is aggregated data broken down into subsets that allow comparison of performance among hospital units covered by the indicator? For example, a hand hygiene indicator should allow comparison among different inpatient units.	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to any of 3.1.a through 3.1.i, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(a)(1), (a)(2), (b)(1), & (b)(3) (Tag A-273)			

PART 3: DATA COLLECTION AND ANALYSIS - QUALITY INDICATOR TRACERS (CONTINUED)

Elements to be Assessed	Indicator #1	Indicator #2	Indicator #3
<p>3.1.j If the data analysis identified areas needing improvement, is there evidence that the hospital instituted interventions (activities and/or projects) to address them?</p> <ul style="list-style-type: none"> • Check N/A if analysis did not lead to interventions, but the hospital could demonstrate that other areas were of higher priority. • Check NO if analysis did not lead to interventions and the hospital could not demonstrate that other improvement activities were of higher priority. 	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
<p>3.1.k Are interventions evaluated for success?</p>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5

PART 3: DATA COLLECTION AND ANALYSIS - QUALITY INDICATOR TRACERS (CONTINUED)

Elements to be Assessed	Indicator #1	Indicator #2	Indicator #3
3.1.l If interventions taken were not successful, were new interventions developed?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
3.1.m If interventions were successful, did evaluation continue longer to assess if success was sustained?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to any of 3.1.j through 3.1.m, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(b)(2)(ii), (c)(1), & (c)(3) (Tag A-283)			

PART 4 – APPLYING QUALITY INDICATOR INFORMATION - ACTIVITIES AND PROJECTS

Elements to be Assessed	Manner of Assessment Code (Enter all that apply) & Surveyor Notes
4.1 Can the hospital provide evidence that its improvement activities focus on areas that are high risk (severity), high volume (incidence or prevalence), or problem-prone?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to 4.1, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(c)(1)(i) & (ii) (Tag A-283)	
4.2 Can the hospital provide evidence that it conducts distinct performance improvement projects?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
4.3 Is the number of projects proportional to the scope and complexity of the hospital's services and operations? No fixed ratio is required, but smaller hospitals with a smaller number of distinct services would be expected to have fewer projects than a large hospital with many different services.	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5

PART 4 - APPLYING QUALITY INDICATOR INFORMATION – ACTIVITIES AND PROJECTS (CONTINUED)

Elements to be Assessed		Manner of Assessment Code (Enter all that apply) & Surveyor Notes
<p>4.4 Does the scope of projects reflect the scope and complexity of the hospital's services and operations?</p> <p>For example, if the hospital offers more complex services, such as neonatal intensive care, or open heart surgery, have there been QAPI project(s) related to any of those services?</p>	<p><input type="radio"/> YES <input type="radio"/> NO</p>	<p><input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5</p>
<p>If no to any of 4.2 through 4.4, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(d)(1) (Tag A-297)</p>		
<p>4.5 Can the hospital provide evidence showing why each project was selected?</p> <p><i>(NOTE: If the project is a QIO cooperative project or an IT project, such as computer ordered physician entry for medications or an electronic medical record, no rationale is required. Check N/A in these cases)</i></p>	<p><input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A</p>	<p><input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5</p>
<p>If no to 4.5, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(d)(3) (Tag A-297)</p>		

PART 5 – PATIENT SAFETY – ADVERSE EVENTS AND MEDICAL ERRORS

Elements to be Assessed		Manner of Assessment Code (Enter all that apply) & Surveyor Notes
5.1 In this multipart question evaluate if the hospital's leadership sets expectations for patient safety? Specifically:		
5.1.a Is there evidence of widespread staff training or communication to convey expectations for patient safety to all staff? (e.g. training related to steps to take in a situation that feels unsafe, how to report medical errors (including near misses/close calls) adverse events, etc.)	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.1.b Is there evidence that the hospital has adopted policies supporting a non-punitive approach to staff reporting of medical errors (including near misses/close calls), adverse events, and situations they consider unsafe?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.1.c On each unit surveyed, can staff explain what the hospital's expectations are for their role in promoting patient safety?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to 5.1.a, 5.1.b, or 5.1.c, the hospital would be at risk on a non-PSJ, non-pilot survey for a deficiency citation related to 42 CFR 482.21(e)(3) (Tag A-286)		

PART 5: PATIENT SAFETY – ADVERSE EVENTS AND MEDICAL ERRORS (CONTINUED)

Elements to be Assessed		Manner of Assessment Code (Enter all that apply) & Surveyor Notes
5.2. In this multipart question evaluate if the hospital has a systematic process to identify medical errors (including near misses/close calls) and adverse events on an ongoing basis? Specifically:		
5.2.a On each unit/program surveyed, can staff describe what is meant by medical errors (including near misses/close calls) and adverse events?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.2.b On each unit/program surveyed, can staff explain how and/or to whom they should report medical errors (including near misses/close calls) and adverse events?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.2.c Does the hospital employ methods, in addition to staff incident reporting, to identify possible medical errors (including near misses/close calls) and adverse events? (Examples of other methods include, but are not limited to, retrospective medical record reviews, review of claims data, unplanned readmissions, or patient complaints/grievances, interview or survey of patients, etc.)	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5

PART 5: PATIENT SAFETY – ADVERSE EVENTS AND MEDICAL ERRORS (CONTINUED)

Elements to be Assessed	Manner of Assessment Code (Enter all that apply) & Surveyor Notes
5.2.d Can the hospital provide evidence of medical errors (including near misses/close calls) and adverse events identified through staff reports or other methods?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
if no to any 5.2.a through 5.2.d, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(a)(2) & 482.21(c)(2) (Tag A-286)	
5.3 Is there QAPI program collaboration with infection control officer(s) to identify and track avoidable healthcare-acquired infections?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.4 Is there evidence that problems identified by infection control officer(s) are addressed through QAPI program activities?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
if no to 5.3 or 5.4, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.42(b)(1) (Tag A-756) and 482.21(a)(2) (Tag A-286)	

PART 5: PATIENT SAFETY – ADVERSE EVENTS AND MEDICAL ERRORS (CONTINUED)

Elements to be Assessed	YES NO	Manner of Assessment Code (Enter all that apply) & Surveyor Notes
5.5 Does the QAPI program identify and track medication administration errors, adverse drug reactions, and drug related incompatibilities?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to 5.5, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.25(b)(6) (Tag A-508) and 42 CFR 482.21(a)(2) (Tag A-286)		
5.6 Is there a QAPI program process for staff to report blood transfusion reactions, and reviews of reported blood transfusion reactions to identify medical errors (including near misses/close calls) and/or adverse events?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to 5.6, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.23(c)(4) (Tag A-410) and at 42 CFR 482.21(a)(2) (Tag A-286)		
5.7 Did the survey team have prior knowledge of, or identify while on-site, serious preventable adverse events that the hospital failed to identify?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If yes to 5.7, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(a)(2) (Tag A-286)		

PART 5: PATIENT SAFETY – ADVERSE EVENTS AND MEDICAL ERRORS (CONTINUED)

Elements to be Assessed	Manner of Assessment Code (Enter all that apply) & Surveyor Notes
<p>5.8 Has the hospital conducted causal analyses of all serious preventable adverse events it has identified?</p> <p>Use as your sample all serious preventable events identified by the hospital in the period 12 months prior to the survey date? (Note: for events that occurred less than 2 months prior to the survey date, the hospital may have started, but not yet completed a causal analysis.)</p>	<p><input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A</p> <p><input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5</p>
<p>If no to 5.8, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(a)(2) (Tag A-286)</p>	

<p>PART 5: CAUSAL ANALYSIS TRACERS</p> <p>Instructions for Questions #5.9 and 5.10: If the answer to Question #5.9 is "yes", select three causal analyses the hospital has completed for adverse events or near misses (close calls) during the last 12 - 24 months. Analyses may be of a single event/near miss or a group of similar types of events/near misses. Answer the questions in #5.10 for each analysis selected. (For at least one causal analysis selected, there should be sufficient time after implementation of preventive measures for the hospital to have evaluated the impact of those measures.) For initial certification surveys of new hospitals, this section may not apply, depending on whether any serious preventable adverse events have occurred and been identified.</p>			
5.9 Has the hospital conducted any causal analyses in the 12 - 24 months prior to the survey date? If yes continue, if no, skip 5.10 and all 5.10 sub-questions	<p><input type="radio"/> YES <input type="radio"/> NO</p>		
Elements to be Assessed	Causal Analysis #1	Causal Analysis #2	Causal Analysis #3
<p>5.10 Write in selected causal analysis, using a code or other means to avoid capturing identifiable information on this worksheet.</p>			
<p>Causal analysis selection identified through (check all that apply):</p>	<p><input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5</p>	<p><input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5</p>	<p><input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5</p>

PART 5: CAUSAL ANALYSIS TRACERS (CONTINUED)

Elements to be Assessed	Causal Analysis #1	Causal Analysis #2	Causal Analysis #3
5.10.a Has the hospital identified potential underlying causes?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.10.b Has the hospital identified all parts of the hospital utilizing similar processes/at similar risk?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.10.c Has the hospital developed and implemented preventive actions based on the analysis in at least one area of the hospital?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5

PART 5: CAUSAL ANALYSIS TRACERS (CONTINUED)

Elements to be Assessed	Causal Analysis #1	Causal Analysis #2	Causal Analysis #3
5.10.d Has the hospital evaluated the impact of the preventive actions, including tracking reoccurrences of similar events/near misses?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.10.e If evaluation showed the intervention(s) did not meet goals, did the hospital implement a revised intervention and evaluate it?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
5.10.f Has the hospital implemented preventive actions found to be effective in all parts of the hospital utilizing similar processes/at similar risk, unless there are documented reasons for not doing so?	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to any, 5.10.a through 5.10.f, the hospital would be at risk on a non-PSJ, non-pilot survey for a deficiency citation related to 42 CFR 482.21(a)(1) & (a)(2) & (c)(2) (Tag A-286)			

PART 6 – BROAD QAPI REQUIREMENTS AND LEADERSHIP RESPONSIBILITIES

Elements to be Assessed	Manner of Assessment Code (Enter all that apply) & Surveyor Notes
<p>6.1 Is there evidence that the hospital has a formal QAPI program - including written policies and procedures, budgeted resources, and clearly identified responsible staff - approved by the governing body after input from the CEO and medical staff leadership?</p>	<p> <input type="radio"/> YES <input type="radio"/> NO </p> <p align="center"> <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 </p>
<p>If no to 6.1, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(e)(1) & (2) (Tag A-309)</p>	
<p>6.1.a Has the hospital maintained and made available for surveyor review evidence of its QAPI program?</p>	<p> <input type="radio"/> YES <input type="radio"/> NO </p> <p align="center"> <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 </p>
<p>If no to 6.1.a, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21 (Tag A-263)</p>	
<p>6.2. In this multipart question evaluate if the hospital's QAPI program is hospital-wide. Specifically:</p>	
<p>6.2.a Using information on services offered from the Hospital/CAH Data Base Worksheet, can the QAPI manager provide evidence of QAPI monitoring related to each service?</p>	<p> <input type="radio"/> YES <input type="radio"/> NO </p> <p align="center"> <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 </p>
<p>If no to 6.2.a, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21 (Tag A-263 or A-308)</p>	

PART 6 -- BROAD QAPI REQUIREMENTS AND LEADERSHIP RESPONSIBILITIES (CONTINUED)

Elements to be Assessed	Manner of Assessment Code (Enter all that apply) & Surveyor Notes
<p>6.2.b Using information from the hospital identifying services provided under arrangement (contract), can the QAPI manager provide evidence of QAPI monitoring for each service related to clinical care provided under contract or arrangement? (Exclusively administrative contractual services, e.g., payroll preparation, are not required to be included in the QAPI program.)</p>	<p> <input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> N/A </p> <p> <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 </p>
<p>If no to 6.2.b, the hospital would be at risk on a non-PSJ, non-pilot survey for a deficiency citation related to 42 CFR 482.12(e) and 482.21 (Tags A-083 and either A-263 or A-308)</p>	
<p>6.3 Is there evidence that the governing body, hospital CEO, Medical Staff leadership, and other senior administrative officials, e.g., Director of Nursing, each play a role in QAPI program planning and implementation?</p>	<p> <input type="radio"/> YES <input type="radio"/> NO </p> <p> <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 </p>
<p>If no to 6.3, the hospital would be at risk on a non-PSJ, non-pilot survey for a deficiency citation related to 42 CFR 482.21(e)(2) (Tag A-309)</p>	
<p>6.4 Is there evidence, e.g. in minutes, that the hospital's governing body:</p>	
<p>6.4.a Approves QAPI program indicators selected and frequency of data collection?</p>	<p> <input type="radio"/> YES <input type="radio"/> NO </p> <p> <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 </p>
<p>If no to 6.4.a, the hospital would be at risk on a non-PSJ, non-pilot survey for a deficiency citation related to 42 CFR 482.21(b)(3) (Tag A-273)</p>	

PART 6 – BROAD QAPI REQUIREMENTS AND LEADERSHIP RESPONSIBILITIES (CONTINUED)

Elements to be Assessed		Manner of Assessment Code (Enter all that apply) & Surveyor Notes
6.4.b Ensures the QAPI program annually determines the number of distinct QAPI projects to be conducted in the coming year?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
6.4.c Actively reviews the results of QAPI data collection, analyses, activities, projects and makes decisions based on such review?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to either, 6.4.b or 6.4.c, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(e)(2) & (e)(5) (Tag A-309)		
6.4.d Holds the CEO accountable for the effectiveness of the QAPI program?	<input type="radio"/> YES <input type="radio"/> NO	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5
If no to 6.4.d, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(e)(2) and 482.12(b) (Tags A-309 & A-057)		

PART 6 – BROAD QAPI REQUIREMENTS AND LEADERSHIP RESPONSIBILITIES (CONTINUED)

Elements to be Assessed	Manner of Assessment Code (Enter all that apply) & Surveyor Notes
<p>6.5 Regarding resource allocation:</p> <p>6.5.a Is there evidence of the amount of resources (funding and personnel) dedicated to the hospital's QAPI program and the functions for which those resources are used?</p>	<p><input type="radio"/> YES</p> <p><input type="radio"/> NO</p> <p><input type="radio"/> 1</p> <p><input type="radio"/> 2</p> <p><input type="radio"/> 3</p> <p><input type="radio"/> 4</p> <p><input type="radio"/> 5</p>
<p>If no to 6.5.a, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(e)(4) (Tag A-315)</p> <p>6.5.b If there are condition-level QAPI program deficiencies, is there evidence that lack of QAPI resources are a significant contributing cause of these deficiencies?</p>	<p><input type="radio"/> YES</p> <p><input type="radio"/> NO</p> <p><input type="radio"/> N/A</p> <p><input type="radio"/> 1</p> <p><input type="radio"/> 2</p> <p><input type="radio"/> 3</p> <p><input type="radio"/> 4</p> <p><input type="radio"/> 5</p>
<p>If yes to 6.5.b, the hospital would be at risk on a non-PSI, non-pilot survey for a deficiency citation related to 42 CFR 482.21(e)(4) (Tag A-315)</p>	