

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-002671, in compliance with the agency's Maintenance Policy and Procedures.

Signed

Name of Position: Director/Records Custodian

Date of Attestation: 10/23/2024



Board of Tests for Alcohol and Drug Influence Enfancing public safety by ensuing the accuracy and scientific reliability of blood and breath testing 2/17

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 10/23/2024

SERIAL: 80-002671

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Maintenance, Calibration and Operation
- Bench Check
- BOT Dry Gas Certificate of Analysis
- Ilmo Specialty Gases Certificate of Analysis
- Mock Subject Test
- BOT Certificate of Analysis on Certified Solutions (4)
- Guth Laboratories Certificate of Analysis (4)



Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

CERTIFICATE of MAINTENANCE, CALIBRATION, and OPERATION

This certifies the **Intoxilyzer 8000** referenced below, manufactured by CMI, Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, is maintained by the Board of Tests for Alcohol and Drug Influence in accordance with 40 O.A.C. 30-1-3. The instrument reported below is hereby deemed to be in compliance with Board rules via linearity accuracy examination and operational/functional procedure evaluation also referred to as a "Bench Check". The Intoxilyzer 8000 appears on the National Highway Traffic Safety Administration's Conforming Products List of Evidential Breath Alcohol Measurement Devices (82 FR 50940 *et seq*) as an approved device. In accordance with 40 O.A.C. 25-1-2, this instrument is approved and certified for use in the State of Oklahoma as an automated evidential breath-alcohol measurement device by the Board of Tests pursuant to 47 O.S. § 759.

All analyses conducted by this instrument are considered precise, valid, and in accordance with 40 O.A.C. 30-1-3(b) Operating Procedure(s). A printed breath test operator affidavit containing the seal of the Board by this instrument confirms a calibration check successfully verified the instrument's calibration at the time of test. The printed breath test affidavit also serves as proof that safeguards in place to protect the breath samples, including but not limited to Ambient Air Interference, Radio Frequency Interference, Residual Mouth Alcohol, Deficient Samples, etc. were not triggered and the test is a true and accurate scientific measurement of the person's alcohol concentration.

- Maintenance was performed on the Intoxilyzer 8000, Serial No. <u>80-002671</u> on <u>10/23/2024</u> in accordance with 40 O.A.C. 30-1-3 and internal BOT maintenance policy and procedures.
- A dry gas canister appearing on the National Highway Traffic Safety Administration's Conforming Products List of Calibrating Units for Breath Alcohol Testers (77 FR 64588 *et seg*) and approved in accordance with 40 O.A.C. 25-1-3 and BOT maintenance policy was installed.
 - Manufacturer: ILMO Unit: 208 ppm / 105 L
 - Cylinder Lot No. Canister No.: 23324080A2-042
 - BOT analysis average test result: 0.081
 - Cylinder expiration date: 10/5/2026

In accordance with 40 O.A.C. 25-1-2.1, the approved reference standards and equipment were used:

Simulator Model			
Guth 2100	Guth 2100	Guth 2100	Guth 2100
Serial #			
DR2834	DR3694	DR2455	DR3641
Concentration			
.02	.04	.10	.20
LOT #	The second second		10.00
23360	23400	24110	23340
Manufactured Date			
9/25/2023	10/24/2023	3/5/2024	9/18/2023
Expiration Date			
9/25/2025	10/24/2025	3/5/2026	9/18/2025
Solution Commission Date			
10/23/2024	10/23/2024	10/23/2024	10/23/2024

State Director

Title

Completed by BOT Personnel:

3.

Christopher Pape Signature/Name Certified b Joshua Smith Signature Name

Breath-Alcohol Testing Program Administrator Title

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

NCH CHECK DATE	10:35:1		ISTRUMENT LOCATION	L			
TRUMENT TYPE Intoxilyzer					INSTRUMENT SERIAL NUMBER		
1		TEST RE	SULTS				
Diagnosti PASS Mouth Alcoho PASS							
RFI Tes PASS	E .	Du	plicate Breath	Sampling Re	sults		
Abort Te PASS	st	Value	Test 1	Test 2	Control Test		
Improper Samı PASS	ole Test	.02	0.018	0.018	0.018		
Interferent Dete PASS	ect Test	.04	0.037	0.037	0.037		
No Sample Giv	en Test	.10	0.095	0.095	0.094		
PASS Insufficient Sam PASS	nple Test		100	SS	0.132		
Air Blank Contami PASS							
Range Exceed PASS	ed Test						
I swear under penalt	y of perjury that is	CERTIFYING		instrument	have complied		
the Intoxliyzer Benc							
Mint	An			10	123/20		
U TH VY	pre-			PERMIT #			

PAPE, CHRISTOPHER

CMI Form OKBE1 01/2019

0000023020



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Dry Gas

ALPHA INSTRUMENT		
Intoxilyzer - Alcohol	Analyzer	
Model 8000		80-002591
10/15/2024		14:11

Test	g/210L	Time
Air Blank	0.000	14:12
Cal Check	0.081	14:12
Air Blank	0.000	14:13
Cal Check	0.081	14:13
Air Blank	0.000	14:13
Cal Check	0.081	14:14
Air Blank	0.000	14:14
Cal Check	0.082	14:15
Air Blank	0.000	14:15
Cal Check	0.081	14:15
Air Blank	0.000	14:16
Cal Check	0.081	14:16
Air Blank	0.000	14:17
Cal Check	0.081	14:17
Air Blank	0.000	14:18
Cal Check	0.082	14:18
Air Blank	0.000	14:18
Cal Check	0.082	14:19
Air Blank	0.000	14:19
Cal Check	0.082	14:20
Air Blank	0.000	14:20
Cal Check Stats		1 4 1 1 1 1 1
Average	0.0814	
Std Dev	0.0005	
Rel Std Dev(%)	0.6343	

Known Breat	h-Alcohol Equivalent (g/210L) Ratio of Nitrogen a 0.08 g/210L = 208 PPM ÷ 2605*			
Manufacturer: ILMO	Manufacturer Cert. No.: 16780	^{Cylinder Size:} 105L		
Lot No.: 23324080A2	Cylinder No.: 042	Expiration Date: 10/05/2026		
calibrating unit in accordance with 47 O.S. testers published by the U.S. Department Anal. Toxicol. (1996) 20(6): pp. 484-491.	759, 40 OAC 25-1-3, and appears on the current co of Transportation in the Federal Register [77 FR 645 [g/210L = PPM +2605].	ble reference standard meets the requirements for use as a onforming products list of calibrating units for breath alcohol 88 et seq]. * See Dubowski, K.M. and Essary N., <i>Journal of</i>		
Signature	Date: 10/1	5/2024		
Name Christopher Pape	Permit No.: 2	Permit No.: 23020		



7 Eastgate Dr. • P.O. Box 790 • Jacksonville, IL 62651-0790 217-245-2183 • Fax: 217-243-7634 • www.ilmoproducts.com

Certificate of Analysis

Certificate ID:	16780
Part #:	BAC105L080T
Cylinder Size:	105L
Lot Number:	23324080A2 -
Expiration:	10/5/2026 🛩

RCVD 9/27/2024

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents: 105 Liters @ 1000 psig 70°F (21°C)

Component:	Reported Concent
Ethanol	208 ppm
Nitrogen	Balance

Analytical orted Accuracy acentration: (U, k=2): a

Accuracy Analytical (U, k=2): abs Method:

+/-0.002 BAC(G/210L) NDIR [5.2 ppm]

ï

Distributed by:

CMI Inc. 316 East Ninth Street Owensboro, KY 42303 Phone 866-835-0690 www.alcoholtest.com

Store in dry area, away from sources of heat,

area to exceed 52 °C (125 °F).

ignition and direct sunlight. Do not allow storage

*Reference Standard:

NIST Traceable Certified Reference Material - 262.3 µmol/mol Ethanol In Nitrogen - Serial No. ND7017 Lot No. 080722E2

Specialty Gas Lab Tech

09-16-2024 Issuance Date



Plannio

The calibration results within this certificate were obtained at the facility listed above using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service. This certificate applies only to the items described and shall not be reproduced other than in full, without written approval from the issuing facility.

ISO/IEC 17025:2017 Accredited Laboratory

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

7/17

							-	and the second second	15	distant of the second				
RREST DATE 10/23/2024		ARREST TIME			55		CIT	Y #	C	TATION	"			
RREST LOCATION					120	CITY	_L				OK	LAHC	MA	÷.
BREATHTEST,	FRANK					1		F BIRTH	981	SEX M		HEIGHT		VEIGHT
DRESS		atch the		CITY	Justin G	1.000				TATE		ZIP COL	DE	
3600 MARTIN	LUTHER	KING			HOMA C			Incore	10110	OK	Line on the	73:		E SEL IEI
HURSICENSE #	L.N., Y			1.1.1	EXPIRATION D	$\frac{1}{20}$		OK	D			NCTIONS	1	RSEMEN
HICLE MAKE MOCK		MODEL	CK					IOCK			OK	N N	PLAC N	ARD
hway, street, tumpike, public p; uence of alcohol and/or other in sscribe driving behavior or circu MOCK SUBJECT scribe person's condition (odor.	ntoxicaling substances imstances): TEST	as prohibited by law												
ROUTINE MAINT	ENANCE, I	NSTALLED THE PER	ISON WAS INFO		IE IMPLIED CO	_				_		_	_	
EATH-ALCOHOL ANALYSIS	RECORD, REPORT (OF THE PERSON NA	AMED IN SECT	ION 1 ABOVE,	and LOG OF TE	ST AND	MAINT	ENANCE RE	ECORD.					Sectio
DUIPMENT	RECORD, REPORT (SE	ERIAL NUMBER	R S	PECIALIST				ECORD.	-				Sectio
DUIPMENT	RECORD, REPORT (SE	RIAL NUMBER	2671 s	PECIALIST	OF	TES	STS	ECORD.			_		Sectio
DUIPMENT I - 8000 ANDARD DYV	RECORD, REPORT (SE	ERIAL NUMBER 80-002 TAI	R S	PECIALIST	OF PERMIT	TES	STS			-			Sectio
DUIPMENT I – 8000 IANDARD DYY ANUFACTURER	RECORD, REPORT (SE	ERIAL NUMBER 80-002 TAI 0 LO	RGET VALUE 0.080	BOARD	OF PERMIT 23 DATE C	TES T NUMB 020		ED					Sectio
DUIPMENT I - 8000 FANDARD DYY ANUFACTURER I LMO		SE	ERIAL NUMBER 80-002 TAI 0 LO 2	2671 S RGET VALUE 0.080 T# 233240	BOARD	OF 23 DATE C 10	TES T NUMB 020 CYLINDE /23	ER ER INSTALL 202	ed 4					Sectio
2UIPMENT I – 8000 TANDARD DYY ANUFACTURER I LMO BSERVATION START [TEST		SE {	ERIAL NUMBER 80-002 TAI C LO 2	2671 RGET VALUE 0.080 IT# 233240 15-minute	BOARD	OF 23 DATE C 10) depr	TES T NUMB 020 CYLINDE /23 ivatio	ER INSTALL 202 n/observ	ED 4 vation					Sectio
DUIPMENT I – 8000 IANDARD DYY ANUFACTURER I LMO BSERVATION START 1 1 2 0 1 0	DATE	SE {	ERIAL NUMBER 80-002 TAI C LO 2	2671 RGET VALUE 0.080 17# 233240 15-minute period was	BOARD 80A2 (or greater s observed	OF 23 DATE C 10) depr prior t	TES T NUMB 020 CYLINDE /23 ivatio o and	ER INSTALL /202 n/observ	ED 4 vation					Sectio
DUIPMENT I - 8000 TANDARD DYY ANUFACTURER ILMO BSERVATION START 120 10	DATE	SE {	ERIAL NUMBER 80 - 002 TAI 0 LO' 2 A	2671 RGET VALUE 0.080 17# 233240 15-minute period was	BOARD	OF 23 DATE C 10) depr prior t	TES T NUMB 020 CYLINDE /23 ivatio o and	ER INSTALL /202 n/observ	ED 4 vation					Sectie
QUIPMENT I - 8000 TANDARD DYY ANUFACTURER ILMO BSERVATION START 1120 10 ESULT TABLE	DATE 0/23/2024	4 11:1 11:1	ERIAL NUMBER 80-002 TAI 0 10 2 4 5 5 5 5 5 5 5 5 5 5 5 5 5	2671 REETVALUE 0.080 TH 233240 15-minute period was to th dminister procee	PECIALIST BOARD 80A2 c (or greater s observed e time of te red said E e with the fure of th	OF PERMIT 23 DATE C 10) depr prior t st adm Breath c appl	TES T NUMB 020 220 221 123 ivatio o and ninistr n-Alc licab	ETS ER /202 n/observ continu ation. cohol T le oper	eD 4 vation ing fest ir rating	1		5/20	26 STAT	Section of the sectio
DUIPMENT I - 8000 ANDARD DYY ANUFACTURER ILMO SERVATION START 120 10 SULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume	DATE 9/23/202 g/210L 0.00 2.062 LITE 0.00 0.00 0.00 0.00 2.152 LITE	4 4 11: 11: RS 11: 11: 11: 11: 11: 11:	A A Image: Signal Action Image: Signal Action Signal <td< td=""><td>2671 S RGET VALUE 0.080 TH 233240 15-minute period was to th dminister ompliance</td><td>PECIALIST BOARD 80A2 c (or greater s observed e time of te red said E e with the fure of th</td><td>OF PERMIT 23 DATE C 10) depr prior t st adm Breath c appl</td><td>TES T NUMB 020 220 221 123 ivatio o and ninistr n-Alc licab</td><td>ETS ER /202 n/observ continu ation. cohol T le oper</td><td>eD 4 vation ing fest ir rating</td><td>1</td><td></td><td></td><td>26 STAT</td><td>Section of Oburnet</td></td<>	2671 S RGET VALUE 0.080 TH 233240 15-minute period was to th dminister ompliance	PECIALIST BOARD 80A2 c (or greater s observed e time of te red said E e with the fure of th	OF PERMIT 23 DATE C 10) depr prior t st adm Breath c appl	TES T NUMB 020 220 221 123 ivatio o and ninistr n-Alc licab	ETS ER /202 n/observ continu ation. cohol T le oper	eD 4 vation ing fest ir rating	1			26 STAT	Section of Oburnet
DUIPMENT I - 8000 TANDARD DYY ANUFACTURER ILMO SSERVATION START 120 10 SULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test	DATE 9/23/202 g/210L 0.00 2.062 LITE 0.00 0.00 0.00 0.00	4 4 Tin 11:: 11:: RS 11:: 11:: 11:: RS 8 RS	FRIAL NUMBER 80-002 TAI CO LO' 2 A me 51 52 54 55 55 56	2671 RGET VALUE RGET VALUE 0.080 TH 233240 15-minute period was to th dminister procece	PECIALIST BOARD 80A2 c (or greater s observed te time of te red said F e with the lure of th	OF PERMIT 23 DATE C 10) depr prior t st adm Breath e Boa	TES T NUMB 020 220 221 123 ivatio o and ninistr n-Alc licab	ETS ER /202 n/observ continu ation. cohol T le oper	eD 4 vation ing fest ir rating	1	TO / OF	5/20	26 STAT	OF OFFICE
DUIPMENT I - 8000 ANDARD DYY ANUFACTURER ILMO BSERVATION START TEST 1220 10 SULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Subject Test Breath Volume Air Blank Subject Test Breath Volume Air Blank	DATE 9/23/202 g/210L 0.00 0.00 2.062 LITE 0.00 0.00 0.00 0.00 2.152 LITE 0.00	4 Tir 11:: 11:: RS 11:: 11:: 11:: 11:: 11:: 1	A TAI 1 C 1 C 2 C 1 C 51 I 52 CO 54 S 55 S 56 PAP	2671 REETVALUE RGETVALUE 0.080 TH 233240 15-minute period was to th dminister procece GNATURE OF C	PECIALIST BOARD 80A2 c (or greater s observed e time of te red said E e with the fure of th	OF PERMIT 23 DATE C 10) depr prior t st adm Breath e Boa	TES T NUMB 020 /23 ivatio o and hinistr h-Alc licab ard o	ETS ER /202 n/observ continu ation. cohol T le oper	eD 4 vation ing fest ir rating	1	TO / OF	5/201	26 STAT	OT OF THE A
1120 10 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank Cal Check	DATE 9/23/202 g/210L 0.00 0.00 2.062 LITE 0.00 0.00 0.00 2.152 LITE 0.00 0.00 0.00	4 4 Tin 11: 11: RS 11: 11: 11: 11: 11: 11: 11: 11	ERIAL NUMBER 80-002 TAI 0 10 2 A me 51 I ac 52 CO 52 54 55 55 55 NAME PAP BADGE	2671 RGET VALUE 0.080 T# 233240 15-minute period was to th dminister ompliance proceed FRE, CHRI 000004	PECIALIST BOARD 80A2 c (or greater s observed e time of te red said E e with the dure of th OPERATOR	OF PERMI 23 DATE C 10) depr prior t st adm Breath e Boa	TES TNUMB 020 (23) ivatio o and hinistr h-Alc licab ard o	ETS ER /202 n/observ continu ation. cohol T le oper	ED 4 vation ing fest in rating	1	LO/OS	Test R	26 STAT	No to DEMONITOR

2. Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated test results, if applicable, the State of Oklahoma may revoke your Oklahoma driving privileges. If you hold a commercial driver license or were driving a commercial motor vehicle, the State of Oklahoma may disqualify your privilege to operate a commercial motor vehicle. You will continue to have driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oklahoma.

3. The State of Oklahoma. To confirm or change your address on file, contact Service Oklahoma.

4. The Revocation and/or Disqualification will be effective 55 days from the date of the Order, including 10 days allowed for mailing. 47 O.S. §§2-116, 753, 754.

5. The Order of Revocation and/or Disqualification will contain important information about your rights to appeal the revocation and/or disqualification of your driving privileges. To appeal the applicable Order of Revocation and/or Disqualification your petition must be filed with the District Court of the County in which you were arrested within 40 days of the date of the order, including 10 days allowed for mailing. 47 O.S. §§2-116, 6-211.

In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct." Section 4

Date:		Place (location when signed):		Signature of arresting officer	۹
		TOPHER		BOARD OF TESTS	X 34 (3 (
BADG OC	e)00000484	AGENCY ADDRESS INTER-AGENCY			PHONE 4054252460
OTH	ER WITNESSES:		-12	/ 22.23	Section 5
1	NAME		TITLE	ADDRESS	PHONE
2	NAME		TITLE	ADDRESS	PHONE

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

													Section 1
ARREST DATE 10/23/2024		ARREST TI			COUNTY#		CITY #	CIT	ATION #	1			V
ARREST LOCATION BOT						CITY				OK	LAHC	MA	
BREATHTEST,	FRANK						E OF BIRTH 3/15/1	981	M		HEIGHT		еібнт 175
ADDRESS 3600 MARTIN	LUTHER	KING	3	OKLAHO	MA CI	TY)K		ZIP COI 73	DE 111	T. I
H083463197	1000				0/31/		2 OK	D		RESTR	ICTIONS	ENDO	RSEMENTS
MOCK.			MOCK				MOCK			NTE DK	N N	PLACA N	RD
On the above date, time, and location highway, street, tumpike, public particular to the particular terms of te													

influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances):

MOCK SUBJECT TEST

Describe person's condition (odor, actions, etc.):

ROUTINE MAINTENANCE, INSTALLED NEW CYLINDER

THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST

		OF TESTS	BOARD	NUMBER -002671			EQUIPMENT	
		PERMIT NUMBER		0.080			Dry	
VLINDER EXPIRES	DATE CYLINI	DATE CYLINDER INSTALLED	080A2	LOT # 23324			MANUFACTURER	
		r) deprivation/observatio				OBSERVATION START TEST DATE		
OF THE STATE		prior to and continuing est administration.			Time	g/210L	Test	
		Breath-Alcohol Test e applicable operatir	ce with th	complian	11:51 11:52	0.00 0.00 e 2.062 LITERS	Air Blank Subject Test Breath Volum	
	CARE A	e Board of Tests.	edure of th	proc	11:52 11:54	0.00	Air Blank Wait	
1907	- `	me	FOPERATOR	SIGNATURE C	11:54 11:55	0.00 0.00 Ne 2.152 LITERS	Air Blank Subject Test Breath Volum	
Test Result			RISTOPHE	NAME PAPE, CH	11:55 11:56	0.00 0.08	Air Blank Cal Check	
BrAC g/210L		0000023020	0484	BADGE # 00000000	11.50	0.00	AII DIdik	
		0000023020		BADGE # 00000000 AGENCY	11:56	0.00	Air Blank	

What happens next?

Section 3

8/17

1. The Arresting Officer is required to submit the Officer's Impaired Driving Affidavit to the State of Oklahoma. 2. Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated lest results, if applicable, the State of Oklahoma may revoke your Oklahoma driving privileges. If you hold

a commercial driver license or were driving a commercial motor vehicle, the State of Oklahoma may disqualify your privilege to operate a commercial motor vehicle. You will continue to have driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oklahoma. The State of Oklahoma will send you the Order of Revocation and/or Disqualification to the address you have on file with Service Oklahoma. 3. Service Oklahoma.

The Revocation and/or Disqualification will be effective 55 days from the date of the Order, including 10 days allowed for mailing. 47 O.S. §§2-116, 753, 754. The Order of Revocation and/or Disqualification will contain important information about your rights to appeal the revocation and/or disqualification of your driving privileges. To appeal the applicable Order of Revocation and/or Disqualification your pelition must be filed with the District Court of the County in which you were arrested within 40 days of the date of the order, including 5. 10 days allowed for mailing. 47 O.S. §§2-116, 6-211.

In accordance w	ith Title 12 O.S. Section 426, "I state under penalty	of perjury under the laws of Oklahoma that the foregoing is true and correct."	Section 4
Date:	Place (location when signed):	Signature of arresting officer:	_
PAPE, C	HRISTOPHER	BOARD OF TESTS	
BADGE	AGENCY ADDRESS	ZIP CODE PHONE 00000 4054252460	



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director


Certificate of Analysis – Reference Solution

ALPHA INSTRU	JMI	ENT		
Intoxilyzer	-	Alcohol	Analyzer	
Model 8000			SN	80-002591
04/16/2024				11:24

Test	g/210L	, Time
Air Blank	0.000	11:24
Cal Check	0.018	11:25
Air Blank	0.000	11:25
Cal Check	0.019	11:26
Air Blank	0.000	11:27
Cal Check	0.019	11:27
Air Blank	0.000	11:28
Cal Check	0.019	11:29
Air Blank	0.000	11:29
Cal Check	0.019	11:30
Air Blank	0.000	11:30
Cal Check	0.019	11:31
Air Blank	0.000	11:32
Cal Check	0.019	11:32
Air Blank	0.000	11:33
Cal Check	0.019	11:34
Air Blank	0.000	11:34
Cal Check	0.019	11:35
Air Blank	0.000	11:35
Cal Check	0.018	11:36
Air Blank	0.000	11:37
Cal Check Stats	1	
Average	0.0188	
Std Dev	0.0004	
Rel Std Dev(%)	2.2426	

Manufacturer: Guth	Manufactured Date	[°] 9/25/2023	Concentration: 0.02
Lot No.: 23360	Expiration Date: 9	/25/2025	Equipment Model: Guth 2100
prescribed by the State Director of Test to 40 OAC 25-1-2.1. Approved breath-a	Is pursuant to 40 OAC 30-1-3. The alcohol measurement equipment	ne above NIST traceable re and reference solutions. Eq	vas performed in accordance with the procedures ference solution meets the requirements for use pursuan julpment used appears on the current or supplemented by the National Highway Traffic Safety Administration.
Signature	Fore	Date: 4/16/20	
Name Christopher Pape		Permit No.: 230	20





Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23360 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on September 26, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0240% (w/vol) ethyl alcohol. The expiration date for this lot number is September 25, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President **GUTH LABORATORIES, INC.**

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03122113 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis – Reference Solution

ALPHA INSTRUMENT Intoxilyzer - Alcohol Analyzer

Model	8000	 mary ser	SN	80-002591
05/02,	/2024			09:26

Test	g/210L	Time
Air Blank	0.000	09:26
Cal Check	0.039	09:27
Air Blank	0.000	09:28
Cal Check	0.039	09:28
Air Blank	0.000	09:29
Cal Check	0.039	09:30
Air Blank	0.000	09:30
Cal Check	0.039	09:31
Air Blank	0.000	09:31
Cal Check	0.039	09:32
Air Blank	0.000	09:32
Cal Check	0.040	09:33
Air Blank	0.000	09:34
Cal Check	0.039	09:35
Air Blank	0.000	09:35
Cal Check	0.039	09:36
Air Blank	0.000	09:30
Cal Check	0.039	09:37
Air Blank	0.000	09:38
Cal Check	0.039	09:38
Air Blank	0.000	09:39
Cal Check Stats		05.55
Average	0.0391	
Std Dev	0.0003	
Rel Std Dev(%)	0.8087	

NIST Traceable Breath-A	Alcohol Equivalent (g/210L +/- 3%) Ratio of eti	hanol and water free of test Interfering substances.	
Manufacturer: Guth	Manufactured Date: 10/24/20		
Lot No.: 23400	Expiration Date: 10/24/2021	5 Equipment Model: Cuth 2100	
to 40 OAC 25-1-2 1 Approved breath at	cohol measurement equipment and reference so Units for Breath Alcohol Testers (72 FR 34747),	8000 and was performed in accordance with the procedures raceable reference solution meets the requirements for use pu plutions. Equipment used appears on the current or supplement published by the National Highway Traffic Safety Administration 5/2/2024	rsuant led n.
Name Christopher Pape		Permit No.: 23020	



Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23400 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on October 25, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0484% (w/vol) ethyl alcohol. The expiration date for this lot number is October 24, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

el Hauley

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN06032102 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

RCVV 12/19/23




Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis – Reference Solution

Intoxilyzer - Alco Model 8000	onor Anaryz	SN 80-002591
08/02/2024		12:55
Test	g/210L	Time
Air Blank	0.000	12:55
Cal Check	0.097	12:56
Air Blank	0.000	12:56
Cal Check	0.098	12:57
Air Blank	0.000	12:58
Cal Check	0.098	12:58
Air Blank	0.000	12:59
Cal Check	0.098	13:00
Air Blank	0.000	13:00
Cal Check	0.097	13:01
Air Blank	0.000	13:02
Cal Check	0.098	13:02
Air Blank	.0.000	13:03
Cal Check	0.098	13:04
Air Blank	0.000	13:04
Cal Check	0.098	13:05
Air Blank	0.000	13:05
Cal Check	0.098	13:00
Air Blank	0.000	13:0
Cal Check	0.098	13:0
Air Blank	0.000	13:00
Cal Check Stats		
Average	0.0978	
Std Dev	0.0004	
Rel Std Dev(%)	0.4311	

Manufacturer: Guth	Manufactured Date: 3/5/2024	Concentration: 0.100
Lot No.: 24110	Expiration Date: 3/5/2026	Equipment Model: Guth 2100
prescribed by the State Director of Tests pursua to 40 OAC 25-1-2.1. Approved breath-alcohol m	easurement equipment and reference solutions. E	aference solution meets the requirements for use pursuant quipment used appears on the current or supplemented by the National Highway Traffic Safety Administration.
Name Christopher Pape	Permit No.: 230	020



Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 24110 of Alcohol Reference Solution for Simulator were analyzed by chromatography on March 6, 2024, using a Perkin Elmer Gas gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1215% (w/vol) ethyl alcohol. The expiration date for this lot number is March 5, 2026 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President **GUTH LABORATORIES, INC.**

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03072301 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights.

Calibration verification is done prior to each use utilizing NIST traceable weights.



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis – Reference Solution

ALPHA INSTRU	MI	ENT		
Intoxilyzer	-	Alcohol	Analyzer	
Model 8000			SN	80-002591
10/04/2023				09:22

Test	g/210L	Time
Air Blank	0.000	09:22
Cal Check	0.198	09:23
Air Blank	0.000	09:24
Cal Check	0.198	09:24
Air Blank	0.000	09:25
Cal Check	0.199	09:26
Air Blank	0.000	09:26
Cal Check	0.198	09:27
Air Blank	0:000	09:27
Cal Check	0.198	09:28
Air Blank	0.000	09:29
Cal Check	0.198	09:29
Air Blank	0.000	09:30
Cal Check	0.198	09:31
Air Blank	0.000	09:31
Cal Check	0.198	09:32
Air Blank	0.000	09:33
Cal Check	0.199	09:33
Air Blank	0.000	09:34
Cal Check	0.199	09:35
Air Blank	0.000	09:35
Cal Check Stats		
Average	0.1983	
Std Dev	0.0004	1.1
Rel Std Dev(%)	0.2435	

Manufacturer: Guth	Manufactured Date: 9/18/2023	Concentration: 0.200	
Lot No.: 23340	Expiration Date: 9/18/2025	Equipment Model: Guth 2100	
to 40 OAC 25-1-2.1. Approved breath-	sts pursuant to 40 OAC 30-1-3. The above NIST traceable re alcohol measurement equipment and reference solutions. Eq g Units for Breath Alcohol Testers (72 FR 34747), published b	upment used appears on the current or supplemented	
Signature	Date: 10/4/20	23	
	Permit No.: 230	Permit No.: 23020	



RCVD 10/2/2023

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23340 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on September 19, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2399% (w/vol) ethyl alcohol. The expiration date for this lot number is September 18, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L+/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN09142002 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Location Returned From	Unit Ser	ial #		Date: 17/17
Stroud PD	80-002	671	10/22/24	
	nove old cylinder from unit (Af on 172.019.004. <u>145</u> oer 1 0847 1 0849	Old Cylinder #: Old cylinder dispo ter Lab Evaluation) Notes from the Fie Routine Swap	sed in inventory Old cylinder archive	
9μm 3885 Bre	Test Chamber H umber Temp <u>47,00</u> ath Hose Temp <u>45</u> ver LED Green (F6) <mark>4</mark> Red (Pump (F10)	Snap Test RFI Detect		Is regulator close to
Atmospheric Sensor Pressure 971 Cor	rection Factor 1.04	Flow Sensor Resistance 23	2 Tank Sensor Value <u>933</u>	Tank Sensor Value?
Sent to CMI (If needed) Date Sent Invoice Sent Date Returned	Reason Sent			
Repairs needed:		Repairs Made:		
Inventory Process	Bench Check Technician Repo Mock Subject Test Completer	а 🗆 смі	omplete if unit sent to 0 Workorder	
Changed Unit Status Bench Check Report Completed	Certificate of Calibration and Service Overview Completed For BOT Inte	 Second Constraints and the second se Second second s	Certificate of Calibratio Service Evaluation Forn	