

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-002681, in compliance with the agency's Maintenance Policy and Procedures.

Signed

Name of Position: Director/Records Custodian

Date of Attestation: 12/05/2024



Board of Tests for Alcohol and Drug Influence Enhancing public safety by answing the accuracy and scientific restability of blood and brisht besting. 2/17

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 12/5/2024

SERIAL: 80-002681

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Maintenance, Calibration and Operation
- Bench Check
- BOT Dry Gas Certificate of Analysis
- Ilmo Specialty Gases Certificate of Analysis
- Mock Subject Test
- BOT Certificate of Analysis on Certified Solutions (4)
- Guth Laboratories Certificate of Analysis (4)



Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

CERTIFICATE of MAINTENANCE, CALIBRATION, and OPERATION

This certifies the Intoxilyzer 8000 referenced below, manufactured by CMI, Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, is maintained by the Board of Tests for Alcohol and Drug Influence in accordance with 40 O.A.C. 30-1-3. The instrument reported below is hereby deemed to be in compliance with Board rules via linearity accuracy examination and operational/functional procedure evaluation also referred to as a "Bench Check". The Intoxilyzer 8000 appears on the National Highway Traffic Safety Administration's Conforming Products List of Evidential Breath Alcohol Measurement Devices (82 FR 50940 *et seq*) as an approved device. In accordance with 40 O.A.C. 25-1-2, this instrument is approved and certified for use in the State of Oklahoma as an automated evidential breath-alcohol measurement device by the Board of Tests pursuant to 47 O.S. § 759.

All analyses conducted by this instrument are considered precise, valid, and in accordance with 40 O.A.C. 30-1-3(b) Operating Procedure(s). A printed breath test operator affidavit containing the seal of the Board by this instrument confirms a calibration check successfully verified the instrument's calibration at the time of test. The printed breath test affidavit also serves as proof that safeguards in place to protect the breath samples, including but not limited to Ambient Air Interference, Radio Frequency Interference, Residual Mouth Alcohol, Deficient Samples, etc. were not triggered and the test is a true and accurate scientific measurement of the person's alcohol concentration.

- 1. Maintenance was performed on the Intoxilyzer 8000, Serial No. 80-002681 on 12/5/2024 in accordance with 40 O.A.C. 30-1-3 and internal BOT maintenance policy and procedures.
- A dry gas canister appearing on the National Highway Traffic Safety Administration's Conforming Products List of Calibrating 2. Units for Breath Alcohol Testers (77 FR 64588 et seg) and approved in accordance with 40 O.A.C. 25-1-3 and BOT maintenance policy was installed.
 - Manufacturer: ILMO Unit: 208 ppm / 105 L
 - Cylinder Lot No. Canister No.: 28424080A3-006
 - BOT analysis average test result: 0.082
 - Cylinder expiration date: 11/5/2026

In accordance with 40 O.A.C. 25-1-2.1, the approved reference standards and equipment were used: 3.

| Simulator Model | | | |
|--------------------------|------------|--|------------|
| Guth 2100 | Guth 2100 | Guth 2100 | Guth 2100 |
| Serial # | | | |
| DR3591 | DR3694 | DR2455 | DR3641 |
| Concentration | | | |
| .02 | .04 | .10 | .20 |
| LOT # | | | |
| 23360 | 23400 | 24110 | 23340 |
| Manufactured Date | | and the second sec | 1 |
| 9/25/2023 | 10/24/2023 | 3/5/2024 | 9/18/2023 |
| Expiration Date | | | |
| 9/25/2025 | 10/24/2025 | 3/5/2026 | 9/18/2025 |
| Solution Commission Date | | and the second second | 1 |
| 11/27/2024 | 11/27/2024 | 12/5/2024 | 11/27/2024 |

Completed by BOT Personnel:

Signature/Name

Christopher Pape

Breath-Alcohol Testing Program Administrator Title

Certified by Signature

Joshua Smith Name

State Director Title

4/17

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

| CH CHECK DATE | TIME PROCEDURE BEGAN | | $\frac{1}{30-00268}$ | 1 | |
|--------------------------|-----------------------|--------------|----------------------|---------------|-----------------|
| RUMENT TYPE | INSTRUMENT | MODEL | | INSTRUMENT SE | |
| ntoxilyzer | I-80 | TEST RES | SULTS | 80-003 | 2001 |
| | | | | | |
| Disease | 62 | | | | |
| Diagnost PASS | | | | | |
| | | | | | |
| Mouth Alcoh PASS | | | | | |
| RFI Tes | t | | | | |
| PASS | | Dur | liante Duceth | Complian Do | aulta. |
| Abort Te | est | Dup | licate Breath | | |
| PASS | | Value | Test 1 | Test 2 | Control Test |
| Improper Sam PASS | 7 1 P = 2 G & D | .02 | 0.017 | 0.018 | 0.019 |
| Interferent Det | ect Test | .04 | 0.038 | 0.038 | 0.040 |
| PASS | | .10 | 0.098 | 0.097 | 0.100 |
| No Sample Giv PASS | | .20 | 0.196 | 0.196 | 0.199 |
| Insufficient San PASS | | | PA | SS | |
| Air Blank Contam PASS | | | | | |
| Range Exceed | | | | | |
| | | | | | |
| | | | | | |
| | | CERTIFYING T | ECHNICIAN | | |
| | ty of perjury that in | | | | |
| | ch Checking Proced | ure approved | by the State o | | |
| TURE | | | | DATE | |
| 11 .4 | 1 n | | | 1.1 | 1. 1 |
| Mahr | Non | | | 12 | 15/2024 |
| 0100/10 | U | | | PERMIT # | |
| PE, CHRISTON | PHER | | | 0000 | 023020 |

CMI Form OKBE1 01/2019



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Dry Gas

| ALPHA INSTRUMENT | | |
|-----------------------|----------|-----------|
| Intoxilyzer - Alcohol | Analyzer | |
| Model 8000 | SN | 80-002591 |
| 11/14/2024 | | 09:39 |

| Test | g/210L | Time |
|-----------------|--------|-------|
| Air Blank | 0.000 | 09:39 |
| Cal Check | 0.082 | 09:40 |
| Air Blank | 0.000 | 09:40 |
| Cal Check | 0.082 | 09:41 |
| Air Blank | 0.000 | 09:41 |
| Cal Check | 0.082 | 09:41 |
| Air Blank | 0.000 | 09:42 |
| Cal Check | 0.082 | 09:42 |
| Air Blank | 0.000 | 09:43 |
| Cal Check | 0.082 | 09:43 |
| Air Blank | 0.000 | 09:44 |
| Cal Check | 0.082 | 09:44 |
| Air Blank | 0.000 | 09:44 |
| Cal Check | 0.082 | 09:45 |
| Air Blank | 0.000 | 09:45 |
| Cal Check | 0.082 | 09:46 |
| Air Blank | 0.000 | 09:46 |
| Cal Check | 0.082 | 09:46 |
| Air Blank | 0.000 | 09:47 |
| Cal Check | 0.082 | 09:47 |
| Air Blank | 0.000 | 09:48 |
| Cal Check Stats | | |
| Average | 0.0820 | |
| Std Dev | 0.0000 | |
| Rel Std Dev(%) | 0.0000 | |

| Known Breath | n-Alcohol Equivalent (g/210L) Ratio of Nitrogen and 0.08 g/210L = 208 PPM ÷ 2605* | l Ethanol Gas (208 ppm/105 L) |
|--|--|--|
| Manufacturer: ILMO | Manufacturer Cert. No.: 16873 | Cylinder Size: 105L |
| Lot No.: 28424080A3 | Cylinder No.: 006 | Expiration Date: 11/05/2026 |
| prescribed by the State Director of Tests p calibrating unit in accordance with 47 O.S. | ursuant to 40 OAC 30-1-3. The above NIST traceable 759, 40 OAC 25-1-3, and appears on the current confo of Transportation in the Federal Register [77 FR 64588 g/210L = PPM ÷2605]. | 000 and was performed in accordance with the procedures reference standard meets the requirements for use as a orming products list of calibrating units for breath alcohol et seq]. * See Dubowski, K.M. and Essary N., <i>Journal of</i> |
| Signature | Date: 11/14/ | /2024 |
| Name Christopher Pape | Permit No.: 23 | 020 |



7 Eastgate Dr. • P.O. Box 790 • Jacksonville, IL 62651-0790 217-245-2183 · Fax: 217-243-7634 · www.ilmoproducts.com

Certificate of Analysis

| Certificate ID: | 16873 |
|-----------------|-------------|
| Part #: | BAC105L0801 |
| Cylinder Size: | 105L |
| Lot Number: | 28424080A3 |
| Expiration: | 11/5/2026 |
| | |

Т



0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Analytical

105 Liters @ 1000 psig 70°F (21°C) Contents:

| Component: | - |
|------------|---|
| Ethanol | |
| Nitrogen | |

Reported Accuracy Concentration: (U, k=2): abs 208 ppm Balance

+/-0.002 BAC(G/210L) NDIR [5.2 ppm]

Analytical

Method:

Distributed by:

CMI Inc. 316 East Ninth Street Owensboro, KY 42303 Phone 866-835-0690 www.alcoholtest.com

*Reference Standard: NIST Traceable Certified Reference Material - 262.3 µmol/mol Ethanol in Nitrogen - Serial No. ND7017 Lot No. 080722E2

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Specialty Gas Lab Tech

anono

10-18-2024 Issuance Date

PJLA Calibrati Accreditation #61895

The calibration results within this certificate were obtained at the facility listed above using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service. This certificate applies only to the items described and shall not be reproduced other than in full, without written approval from the issuing facility.

ISO/IEC 17025:2017 Accredited Laboratory

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

7/17

| | | | | | | Section |
|--------------------------------|---------------|-----------------|-------------|------------|---------------|--------------|
| ARREST DATE 12/05/2024 | ARREST TIME | COUNTY # | CITY # | CITATION # | | |
| ARREST LOCATION BOT | | CITY | and company | | OKLAHO | OMA |
| BREATHTEST, FRAI | NK | | 03/15/198 | 1 M | HEIGHT | |
| ADDRESS 3600 MARTIN LUT | HER KING | OKLAHOMA CITY | | OK | ZIP COL 73 | |
| DRIVER LICENSE # H083463197 | | EXPIRATION DATE | | ASS D | RESTRICTIONS | ENDORSEMENTS |
| VEHICLE MAKE MOCK | MODEL MOCK | | MOCK | STA | | PLACARD N |

On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, timplike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances):

MOCK SUBJECT TEST

Describe person's condition (odor, actions, etc.):

ROUTINE MAINTENANCE, INSTALLED NEW CYLINDER

THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST

| QUIPMENT | | | NUMBER 002681 | BOARI | OF TESTS | |
|--|----------------------|---|--|-------------|---|---|
| Dry | | 1.1.1 | TARGET VALU | | PERMIT NUMBER | |
| ILMO | | | 28424 | 080A3 | DATE CYLINDER INSTALLED 12/05/2024 | DATE CYLINDER EXPIRES |
| 1105 | 12/05/2024 | | | | er) deprivation/observation d prior to and continuing | |
| Test | g/210L | Time | | | test administration. | OF THE STATE |
| Air Blank Subject Test Breath Volum Air Blank Wait Air Blank Subject Test Breath Volum Air Blank | 0.00 0.00 0.00 | 11:30 11:31 11:31 11:33 11:33 11:34 11:34 | complian proce | ce with the | Breath-Alcohol Test in the applicable operating the Board of Tests. | |
| Cal Check Air Blank | 0.08 | 11:34 11:34 11:35 | NAME PAPE, CHF BADGE # 00000000 AGENCY BOARD 01 | 484 | PERMIT # 0000023020 | Test Result BrAC g/210L 0.00 |

What happens next?

1. Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated test results, if applicable, the State of Oklahoma may revoke your Oklahoma driving privileges.

If you hold a commercial driver license or were driving a commercial motor vehicle, the State of Oklahoma may disqualify your privilege to operate a commercial motor vehicle,
 You will continue to have driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oklahoma.

4. The State of Oklahoma will send you the Order of Revocation and/or Disqualification to the address you have on file with Service Oklahoma.

To confirm or change your address on file, contact Service Oklahoma.

5. If you possess a valid class D license and this is your first impaired driving offense, you may walve your right to appeal and apply for BOT-IDAP within 30 days of arrest to avoid a revocation appearing on your driving record. To begin the process, submit an application with this document at https://idap.ok.gov.

| Date: | Place (location when signed): | | Signature of a | arresting officer: | | |
|---------------------|---|-------|---|--------------------|---------------------|---------|
| PAPE, CHRIS | STOPHER | | BOARD OF T | ESTS | A | |
| BADGE 0000000484 | AGENCY ADDRESS | | | | PHONE 4054252460 | |
| OTHER WITNESSES: | A THE THE ADDRESS OF | | a second s | | | Section |
| 1 NAME | | TITLE | ADDRESS | | PHONE | |
| 2 NAME | | TITLE | ADDRESS | | PHONE | |

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

8/17

| | | | | | | Section 1 |
|--------------------------------|---------------------|-----------------|----------------------------|------------|---------------|--------------|
| ARREST DATE 12/05/2024 | ARREST TIME 1100 | COUNTY # | CITY # | CITATION # | 10. J. T. T. | |
| ARREST LOCATION BOT | | СП | Ŷ | | OKLAHO | AMC |
| BREATHTEST, FRAN | к | | DATE OF BIRTH 03/15/198 | 1 M | HEIGHT | |
| ADDRESS 3600 MARTIN LUTHI | ER KING | OKLAHOMA CITY | Ľ | OK | ZIP COL 73 | |
| DRIVER LICENSE # H083463197 | | EXPIRATION DATE | 022 OK I | ASS) | RESTRICTIONS | ENDORSEMENTS |
| VEHICLE MAKE MOCK | MODEL MOCK | | MOCK | STA | | PLACARD N |

On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, tumplike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances):

MOCK SUBJECT TEST

Describe person's condition (odor, actions, etc.):

ROUTINE MAINTENANCE, INSTALLED NEW CYLINDER

THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST

| I-8000 | | SERIAL | 002681 | SPECIALIST BOARI | OF TESTS | |
|--|----------------------|---|-------------------------------|---------------------------|---|---|
| TANDARD Dry | | | 0.080 | | PERMIT NUMBER | |
| ANUFACTURER ILMO | | | 28424 | 080A3 | DATE CYLINDER INSTALLED 12/05/2024 | DATE CYLINDER EXPIRES |
| 1105 2 | 12/05/2024 | | | | er) deprivation/observation d prior to and continuing | - |
| ESULT TABLE Test | g/210L | Time | | | test administration. | OF THE STATE |
| Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank | 0.00 0.00 0.00 | 11:30 11:31 11:31 11:33 11:33 11:34 11:34 | Complian proce | ce with the | Breath-Alcohol Test in the applicable operating the Board of Tests. | |
| Cal Check Air Blank | 0.08 | 11:34 11:35 | BADGE # 00000000 AGENCY | AISTOPHE 484 F TEST | PERMIT # 0000023020 | Test Result BrAC g/210L 0.00 |

What happens next?

 Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated test results, if applicable, the State of Oklahoma may revoke your Oklahoma driving privileges.

If you hold a commercial driver license or were driving a commercial motor vehicle, the State of Oklahoma may disqualify your privilege to operate a commercial motor vehicle.
 You will continue to have driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oklahoma.

4. The State of Oklahoma will send you the Order of Revocation and/or Disqualification to the address you have on file with Service Oklahoma.

To confirm or change your address on file, contact Service Oklahoma.

5. If you possess a valid class D license and this is your first impaired driving offense, you may waive your right to appeal and apply for BOT-IDAP within 30 days of arrest to avoid a revocation appearing on your driving record. To begin the process, submit an application with this document at https://idap.ok.gov.

| In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct." | | | | | Section 4 | |
|---|----------|-------------------------|---------|----------------------------|---------------------|--|
| Date: | Place | (location when signed): | Signa | ture of arresting officer: | | |
| PAPE, | CHRISTOP | HER | BOARD C | OF TESTS | | |
| | | YADDRESS TER-AGENCY | | | PHONE 4054252460 | |



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov


Joshua Smith Director

Certificate of Analysis - Reference Solution

| ALPHA INSTRU | IMI | ENT | | |
|--------------|-----|---------|----------|-----------|
| Intoxilyzer | - | Alcohol | Analyzer | |
| Model 8000 | | | SN | 80-002591 |
| 04/16/2024 | | | | 11:24 |

| Test | g/210L | , Time |
|----------------|-----------|--------|
| Air Blank | 0.000 | 11:24 |
| Cal Check | 0.018 | 11:25 |
| Air Blank | 0.000 | 11:25 |
| Cal Check | 0.019 | 11:26 |
| Air Blank | 0.000 | 11:27 |
| Cal Check | 0.019 | 11:27 |
| Air Blank | 0.000 | 11:28 |
| Cal Check | 0.019 | 11:29 |
| Air Blank | 0.000 | 11:29 |
| Cal Check | 0.019 | 11:30 |
| Air Blank | 0.000 | 11:30 |
| Cal Check | 0.019 | 11:31 |
| Air Blank | 0.000 | 11:32 |
| Cal Check | 0.019 | 11:32 |
| Air Blank | 0.000 | 11:33 |
| Cal Check | 0.019 | 11:34 |
| Air Blank | 0.000 | 11:34 |
| Cal Check | 0.019 | 11:35 |
| Air Blank | 0.000 | 11:35 |
| Cal Check | 0.018 | 11:36 |
| Air Blank | 0.000 | 11:37 |
| Cal Check Stat | ts. | |
| Average | 0.0188 | |
| Std Dev | 0.0004 | |
| Rel Std Dev (| 8) 2.2426 | |

| NIST Traceable Breath-Al | cohol Equivalent (g/210L +/- 3%) Ratio of | of ethanol and water free of test interfering substances. |
|--|---|--|
| Manufacturer: Guth | Manufactured Date: 9/25/20 | |
| Lot No.: 23360 | Expiration Date: 9/25/202 | 25 Equipment Model: Guth 2100 |
| prescribed by the State Director of Tests to 40 OAC 25-1-2.1. Approved breath-alc | pursuant to 40 OAC 30-1-3. The above NIS ohol measurement equipment and reference Inits for Breath Alcohol Testers (72 FR 34747 | lyzer 8000 and was performed in accordance with the procedures IST traceable reference solution meets the requirements for use pursu ce solutions. Equipment used appears on the current or supplemented 747), published by the National Highway Traffic Safety Administration. |
| Signature | Date: | ^{e:} 4/16/2024 |
| Name Christopher Pape | Permi | ^{mit No.:} 23020 |



Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23360 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on September 26, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0240% (w/vol) ethyl alcohol. The expiration date for this lot number is September 25, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03122113 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

10/17



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis – Reference Solution

ALPHA INSTRUMENT

| Intoxilyzer - | Alcohol | Analyzer | |
|---------------|---------|----------|-----------|
| Model 8000 | | | 80-002591 |
| 05/02/2024 | | | 09:26 |

| Test | g/210L | Time |
|-----------------|--------|-------|
| Air Blank | 0.000 | 09:26 |
| Cal Check | 0.039 | 09:27 |
| Air Blank | 0.000 | 09:28 |
| Cal Check | 0.039 | 09:28 |
| Air Blank | 0.000 | 09:29 |
| Cal Check | 0.039 | 09:30 |
| Air Blank | 0.000 | 09:30 |
| Cal Check | 0.039 | 09:31 |
| Air Blank | 0.000 | 09:31 |
| Cal Check | 0.039 | 09:32 |
| Air Blank | 0.000 | 09:33 |
| Cal Check | 0.040 | 09:33 |
| Air Blank | 0.000 | 09:34 |
| Cal Check | 0.039 | 09:35 |
| Air Blank | 0.000 | 09:35 |
| Cal Check | 0.039 | 09:36 |
| Air Blank | 0.000 | 09:37 |
| Cal Check | 0.039 | 09:37 |
| Air Blank | 0.000 | 09:38 |
| Cal Check | 0.039 | 09:38 |
| Air Blank | 0.000 | 09:39 |
| Cal Check Stats | | 05.55 |
| Average | 0.0391 | |
| Std Dev | 0.0003 | |
| Rel Std Dev(%) | 0.8087 | |

| NIST Traceable Breath-A | lcohol Equivalent (g/210L +/- 3%) Ratio of ethanol and | water free of test interfering substances. |
|---|---|--|
| Manufacturer: Guth | Manufactured Date: 10/24/2023 | Concentration: 0.04 |
| Lot No.: 23400 | Expiration Date: 10/24/2025 | Equipment Model: Quitte Q400 |
| to 40 OAC 25-1-2.1. Approved breath-alc Conforming Products List of Calibrating L Signature | a Infrared Spectroscopy utilizing the Intoxilyzer 8000 and v pursuant to 40 OAC 30-1-3. The above NIST traceable re- sohol measurement equipment and reference solutions. Eq Inits for Breath Alcohol Testers (72 FR 34747), published I Date: 5/2/202 | reference solution meets the requirements for use pursuant julpment used appears on the current or supplemented by the National Highway Traffic Safety Administration. |
| Name Christopher Pape | Permit No.: 230 | 20 |

11/17



Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23400 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on October 25, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0484% (w/vol) ethyl alcohol. The expiration date for this lot number is October 24, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

ed Hauley

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN06032102 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

RCVU 12/19/23




Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Reference Solution

| Intoxilyzer - Alc Model 8000 08/02/2024 | | SN 80-002591 12:55 |
|---|--------|-----------------------|
| 007 027 2024 | | |
| Test | g/210L | Time |
| Air Blank | 0.000 | 12:55 |
| Cal Check | 0.097 | 12:56 |
| Air Blank | 0.000 | 12:56 |
| Cal Check | 0.098 | 12:57 |
| Air Blank | 0.000 | 12:58 |
| Cal Check | 0.098 | 12:58 |
| Air Blank | 0.000 | 12:59 |
| Cal Check | 0.098 | 13:00 |
| Air Blank | 0.000 | 13:00 |
| Cal Check | 0.097 | 13:01 |
| Air Blank | 0.000 | 13:02 |
| Cal Check | 0.098 | 13:02 |
| Air Blank | .0.000 | 13:03 |
| Cal Check | 0.098 | 13:04 |
| Air Blank | 0.000 | 13:04 |
| Cal Check | 0.098 | 13:05 |
| Air Blank | 0.000 | 13:05 |
| Cal Check | 0.098 | 13:06 |
| Air Blank | 0.000 | 13:07 |
| Cal Check | 0.098 | 13:03 |
| Air Blank | 0.000 | 13:08 |
| Cal Check Stats | | |
| Average | 0.0978 | |
| Std Dev | 0.0004 | |
| Rel Std Dev(%) | 0.4311 | |

| | hol Equivalent (g/210L +/- 3%) Ratio of ethanol and | |
|---|---|--|
| Manufacturer: Guth | Manufactured Date: 3/5/2024 | Concentration: 0.100 |
| Lot No.: 24110 | Expiration Date: 3/5/2026 | Equipment Model: Guth 2100 |
| prescribed by the State Director of Tests put to 40 OAC 25-1-2.1. Approved breath-alcoho | ol measurement equipment and reference solutions. E | was performed in accordance with the procedures eference solution meets the requirements for use pursuant quipment used appears on the current or supplemented by the National Highway Traffic Safety Administration. |
| Signature | Date: 8/2/20 | 24 |
| Name Christopher Pape | Permit No.: 230 |)20 |



Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 24110 of Alcohol Reference Solution for Simulator were analyzed by chromatography on March 6, 2024, using a Perkin Elmer Gas gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1215% (w/vol) ethyl alcohol. The expiration date for this lot number is March 5, 2026 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03072301 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis – Reference Solution

| 1 | ALPHA IN | STRUM | ENT | | |
|---|----------|-------|---------|----------|-----------|
| | Intoxily | zer - | Alcohol | Analyzer | |
| | Model 80 | 000 | | SN | 80-002591 |
| | 10/04/20 | 23 | | | 09:22 |
| | | | | | |

| Test | g/210L | Time |
|-----------------|--------|-------|
| Air Blank | 0.000 | 09:22 |
| Cal Check | 0.198 | 09:23 |
| Air Blank | 0.000 | 09:24 |
| Cal Check | 0.198 | 09:24 |
| Air Blank | 0.000 | 09:25 |
| Cal Check | 0.199 | 09:26 |
| Air Blank | 0.000 | 09:26 |
| Cal Check | 0.198 | 09:27 |
| Air Blank | 0:000 | 09:27 |
| Cal Check | 0.198 | 09:28 |
| Air Blank | 0.000 | 09:29 |
| Cal Check | 0.198 | 09:29 |
| Air Blank | 0.000 | 09:30 |
| Cal Check | 0.198 | 09:31 |
| Air Blank | 0.000 | 09:31 |
| Cal Check | 0.198 | 09:32 |
| Air Blank | 0.000 | 09:33 |
| Cal Check | 0.199 | 09:33 |
| Air Blank | 0.000 | 09:34 |
| Cal Check | 0.199 | 09:35 |
| Air Blank | 0.000 | 09:35 |
| Cal Check Stats | | |
| Average | 0.1983 | |
| Std Dev | 0.0004 | |
| Rel Std Dev(%) | 0.2435 | |

| NIST Traceable Breath-Alc | ohol Equivalent (g/210L +/- 3%) Ratio of ethanol and v | water free of test interfering substances. |
|---|--|---|
| Manufacturer: Guth | Manufactured Date: 9/18/2023 | Concentration: 0.200 |
| Lot No.: 23340 | Expiration Date: 9/18/2025 | Equipment Model: Guth 2100 |
| prescribed by the State Director of Tests p to 40 OAC 25-1-2.1. Approved breath-alco | Infrared Spectroscopy utilizing the Intoxilyzer 8000 and v ursuant to 40 OAC 30-1-3. The above NIST traceable re shol measurement equipment and reference solutions. Eq hits for Breath Alcohol Testers (72 FR 34747), published to | ference solution meets the requirements for use pursuant upment used appears on the current or supplemented |
| Signature | Date: 10/4/20 | 23 |
| Name Christopher Pape | Permit No.: 230 | 20 |



RCVU 10/2/2023

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23340 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on September 19, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2399% (w/vol) ethyl alcohol. The expiration date for this lot number is September 18, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L+/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN09142002 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

| Location Returned From | Unit Serial # | Date: 17/17 | |
|--|--|---|--|
| Shawnee PD | 80-002681 | 12/3/24 | |
| | Old Cylinder #: r from Unit version Old cylinder disposed er from unit (After Lab Evaluation) version ve | in inventory | |
| Download any stored records Change unit location to Serial number Update Unit Date and time Previous time: 12/4/24 1519 New Time: 12/4/24 1518 Execute a new Forms load on the unit | | | |
| Lab Evaluation Breath Hose Hold Vacuum?: 🖌 | Гest Chamber Hold Vacuum?: 🖌 | | |
| 3μm <u>12836</u> Chamber Temp <u>4</u> 9μm <u>13522</u> Breath Hose Temp | | | |
| Peripheral Tests Speaker (F5) Gas Regulator (F11) Pump (F1 | (F6) 🖌 Red (F7) 🖌 Fan (.0) 🖌 Receipt paper √ | F9) 🗸 | |
| Atmospheric Sensor Pressure 978 Correction Factor | <u>Flow Sensor</u> 1.03 Resistance <u>185</u> | Tank SensorIs regulator close toTank SensorTank Sensor Value?Value467Value467 | |
| Sent to CMI (If needed) Reason S Date Sent Invoice Sent Date Returned | ent | | |
| Repairs needed: | Repairs Made: | Repairs Made: | |
| | Ready for Bench Check | </td | |
| Linked Cylinder to Unit Mock Subject Changed Unit Status Certificate of | Technician Report To completed t Test Completed CMI Wo Calibration and Operation CMI Cer | lete if unit sent to CMI | |