

STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-003287, in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of 13 pages.

Name of Position: Director/Records Custodian

Date of Attestation: 08/06/2020



Board of Tests for Alcohol and Drug Influence Enhancing public safety by ensuing the accuracy and scientific relability of blood and beach testing



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 08-06-2020

SERIAL: 80-003287

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at: Board of Tests for Alcohol and Drug Influence Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307

Certificate of Calibration and Operation

This is to certify that the calibration of INTOXILYZER 8000, serial number <u>80-003287</u>, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	07-21-08
Board of Tests Bench Check	08-01-08
Board of Tests Bench Check	10-07-09
Board of Tests Bench Check	09-22-11
Manufacturer Calibration	06-05-12
Board of Tests Bench Check	06-12-12
Board of Tests Bench Check	08-20-13
Board of Tests Bench Check	07-16-15
Board of Tests Bench Check	04-21-17
Board of Tests Bench Check	02-28-19
Board of Tests Bench Check	08-06-20



Presentation of this form certifies that the Intoxilyzer, SN: <u>80-003287</u>, functioned properly at the time of the breath test and hereby certifies the breath test result as valid. Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,


O. poher Blokelun

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol and Drug Influence

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

CH CHECK DATE	TIME PROCEDURE BEGAN		STRUMENT LOCATION				
RUMENT TYPE ntoxilyzer	INSTRUMENT			INSTRUMENT SE			
1		TEST RE	SULTS				
Diagnost PASS							
Mouth Alcoho PASS							
RFI Tes	st						
PASS		Due	Beats Deceth	Comelia - Do			
Abort Te	est	Dup	licate Breath	Sampling Re	suits		
PASS		Value	Test 1	Test 2	Control Test		
Improper Sam PASS		.02	0.017	0.018	0.018		
Interferent Det	ect Test	.04	0.038	0.037	0.038		
PASS		.10	0.098	0.096	0.098		
No Sample Giv PASS		.20	0.198	0.195	0.194		
Insufficient San PASS		-	PA	SS			
Air Blank Contami PASS	ination Test						
Range Exceed PASS	ed Test						
1100							
		CERTIFYING T	VIIII E TATES				
swear under penalt he Intoxliyzer Benc							
	ar encoking ribeeu		by the State 0				
chitai	-2.	230	20	D	11 1000		
Ma	Vpe	- 230	~	81	6/2020		
	0			PERMIT #			

CMI Form OKBE1 01/2019



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK TECHNICIAN'S REPORT

Date: <u>08/06/2020</u> Start Time:		09:10 End Tin	ne: <u>10:30</u>
INSTRUMENT			
Intoxilyzer Model		Serial #	
8000		80-003287	
GAS CANISTER			
LOT #		EXP Date	
14020080A1-012		07/05/2	.022
REFERENCE			Sector Se
	Simulate	or Model	
Guth 2100	Guth 2100	Guth 2100	Guth 2100
	Se	erial #	
DR3591	DR3468	DR3667	DR3754
	Conc	<u>entration</u>	v
.02	.04	.10	.20
	L	<u>OT #</u>	C
19050	20060	20190	20160
	Manufa	ctured Date	
02/04/2019	02/10/2020	04/06/2020	03/18/2020
	Expira	ation Date	
02/04/2021	02/10/2022	04/06/2022	03/18/2022
	Solution Co	mmission Date	
7/17/2020	7/22/2020	7/30/2020	7/30/2020

REASON FOR BENCH CHECK

□ POST REPAIR □ CYLINDER REPLACEMENT

□ TROUBLESHOOTING □ ROUTINE MAINTENANCE

COMMENTS

23020

Technician Signature / Permit #

<u>Christopher Pape #23020</u> Printed Name 6/13

Certificate	of Analysis – Dry Gas		
7/24/2020	0.080		
ate of Analysis	Labelled target value (g/210L)		
012	M.080		
ylinder #	Average test result		
Mictolas Ane	Mitto Age 2302		
OT Technician Name and Signatu	ire	BRT Form 5.0	
In accordance with BOT Polic referenced dry gas cylinder is s	y and Procedure Statement BRT-2.2.0, <i>N</i> suitable for use as an external reference wit	aintanja.e.c.ia ity gases	
	7 Eastgate	Dr. • P.O. Box 790 • Jacksonville, IL 620	651-

5-2183 • Fax: 217-243-7634 • www.ilmoproducts.com	Air Blank Cal Check	
Certificate of Analysis	Air Blank Cal Check Air Blank	
	Cal Check Air Blank	
RCVD	Cal Check Air Blank Cal Check	
6/23/2020	Air BlanK Cal ChecK Air BlanK	
6/ and c	Cal Check Air Blank	
CA CA	Cal Check Air Blank Cal Check	
used to determine breath alreaded concentration)	Air Blank	

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:

Certificate ID:

Cylinder Size:

Lot Number:

Expiration:

Part #:

8	
	Reported
Component:	Concentration
Ethanol	208 ppm
Nitrogen	Balance

 105 Liters @ 1000 psig 70°F (21°C)

 Analytical

 Reported
 Accuracy

 Concentration:
 (U, k=2):

Analytical Method:

+/-0.002 BAC(G/210L) NDIR [5.2 ppm]

Distributed by:

CMI Inc. 316 East Ninth Street Owensboro, KY 4231 Phone 866-835-0690 www.alcoholtest.com



0.080

0.000

0.080

0.000

0.0801

0.0003

0.3947

Cal Check

Air Blank

Std Deu

Cal Check Stats Average

Rel Std Deu(%)

14:34

14:35

14:35

14:36

*Traceable to: Certified Reference Material - 262.4 μmol/mol Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

13020

105L

BAC105L080T

14020080A1

7/5/2022

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

100

Spealalty Gas Lab Tech

06-15-2020 Issuance Date PJLA Calibration and Testing Accreditation #61895

The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

7/13

RLPHA INSTRUMENT 2

Intoxilyzer - Model 8000 07/24/2020	SN 80-004923 14:27	
Test	g/210L	Time
Air Blank	0.000	14:27
Cal Check	0.080	14:28
Air Blank	0.000	14:28
Cal Check	0.080	14:28
Air Blank	0.000	14:29
Cal Check	0.080	14:29
Air Blank	0.000	14:30
Cal Check	0.081	14:30
Air Blank	0.000	14:31
Cal Check	0.080	14:31
Air Blank	0.000	14:31
Cal Check	0.080	14:32
AIr Blank	0.000	14:32
Cal Check	0.080	14:33
Air Blank	0.000	14:33
Cal Check	0.080	14:33
Air Blank	0.000	14:34

OFFICER'S AFFIDAVIT AND NOTICE OF **REVOCATION/DISQUALIFICATION**

8/13

ADDRESS 3600 MARTIN DRIVER LICENSE #	ON LEVE	0945		55	CITY					
SUBJECT NAME NORTH, GAYI ADDRESS 3600 MARTIN DRIVER LICENSE #					GITT			COUNT		2047
DDRESS 3600 MARTIN RIVER LICENSE #			-			F BIRTH	SEX	RACE	HEIGHT	WEIGHT
3600 MARTIN		RNE	CITY		08	/09/196	51 M	W	51	the second se
	I LUTHER	KING A	OKLA	HOMA CI		losure lo	OK	Incase	73:	133
T083454871				EXPIRATION DAT	2019		LASS A	RESTRI	CTIONS	ENDORSEMENT: M
EHICLE MAKE		MODEL	c			G# MOCK	2	OK	CMV N	PLACARD N
ighway, street, turnpike, public p fluence of alcohol and/or other i Describe driving behavior or circu	ntoxicating substances umstances):	lic place, or upon a priva s as prohibited by law.	te road, street, alley or la	ne which provides ac	cess to one o	r more single or m	ulti-family dwe	alling within t	his state v	vhile under the
escribe person's condition (odor			and a star of the te		a salati	don				
MOCK SUBJECT	TEST, ROU	TINE MAINT	ENANCE, NEW	V CYLINDE	R INST	TALL				
		THE PERSON	WAS INFORMED OF T	HE IMPLIED CONSE	INT TEST RI	QUEST				
REATH-ALCOHOL ANALYSIS	RECORD, REPORT O	F THE PERSON NAME	IN SECTION 1 ABOVE	, and LOG OF TEST	AND MAINT	ENANCE RECOR	D.			Section :
QUIPMENT			NUMBER -003287	BOARD C	F TE	מידכ				
TANDARD			TARGET VALUE	PI	ERMIT NUME	ER				
Dry			0.080		23020	ER INSTALLED	IDA'	E CYLINDE	REXPIR	es.
ILMO			140200			/2020	0	7/05	/20:	22
BSERVATION START TEST 1000 08 ESULT TABLE	06/2020	D G	period wa	e (or greater) d is observed pri	or to and	continuing	n		THE S	TAT
Test	g/210L	Time	to ti	ne time of test	administi	ation.		10%	***	***
Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume	0.00 1.476 LITEF 0.00 0.00 0.00 1.578 LITEF	10:17 10:18 10:19 10:19		e with the a dure of the l	/	· · · · · · · · · · · · · · · · · · ·	og O	CITENT 8	190	
Air Blank Cal Check	0.00 0.08	10:20 10:20	NAME					1	Test Re	esult
Air Blank	0.00	10:20	BADGE #		RMIT #				AC g	
			OOOOOOO4	484 (00000	23020	-	().(00
			BOARD OF					_		
FECTIVE THIRTY (30) DAY: sys or more, if you refused or 1 perating a CMV or CDL holde a result of this arrest by filing but may be eligible to partici- vocation as a result of this a quest IDAP within thirty (30 ERVING OF NOTICE: 1 ccountability Program to ate served: 08/06	failed the state's test, r) OR a test result of a petition in the Dist pate in the Impairec arrest from appeari) days of the date II personally hand the person name 5 / 2 0 2 0	(s). In addition, your cc. .04 or more while oper rict Court of the County d Driver Accountabilit ng on your driving red sted below. Mail the delivered a copy of ed in Section 1 abo Signature of office	mmercial driving privile ating a commercial mo in which you were arre y Program (IDAP) addr cord. Participation in request for IDAP to th f the above contain ve.	age in this state will tor vehicle. You ma asted. Your petition inistered by the D IDAP may reduce e Department of P ing the Notice o	be disqualifi ny appeal an must be file lepartment the amount ublic Safety f Revocati	ed if you refused y Departmental a d within thirty (30 of Public Safety of fees you will r at P.O. Box 11 on and the No	or failed the loction against of the (DPS). Con be required 415, Oktahon btice of Dep Barris Barris	state's test(your driver date listed apletion of to pay to p ma City, OF partment adge #:	s) license below. IDAP ma the State (73136. Impaire	You must d Driving
accordance with Title 12			enalty of perjury u	inder the laws o	Oklahom	a that the fore	going is tr	ue and co	prrect."	Section 4
te: 08/06/202	O Place (locatio	on when signed):		and and a second s	Signature	of arresting of	ficer:		-	
ME	STOPHER			BOARD	OF TE	STS				
PAPE, CHRI		11011111111				ZIP CODE	PHONE	10504		
PAPE, CHRI	AGENCY ADDRESS	GENCY				00000	4054	12524	:60	
PAPE, CHRI NOGE 0000000484 THER WITNESSES:	AGENCY ADDRESS	GENCY	Territor an	Lines		00000			60	Section 5
	AGENCY ADDRESS	GENCY	TITLE	ADDRESS		00000	PHON		60	Section 5

OFFICER'S AFFIDAVIT AND NOTICE OF

9/13

ARREST DATE		RREST TIME	1.00.000 / 10.000 / 10.000	COUNTY #		CITY #	CITA	TION #			Sect
08/06/2020		0945		55				0/0/9/			
REST LOCATION					CITY				OK	LAHO	AN
	LON LEVER	NE				08/09/1	961	sex M	RACE	HEIGHT	WEIGHT
DRESS 600 MARTI IVER LICENSE #	N LUTHER	KING A	OKLA	HOMA C		STATE	CLASS		RESTRI	ZIP CODE	
r083454871				06/30	/20:	19 OK	A		RESTRI	CHORS	M
HICLE MAKE		MODEL	r			MOCK			ATE OK	N CMV	N
the above date, time, and it hway, street, turpike, public userce of alcohol and/or othe escribe driving behavior or cl scribe person's condition (od MOCK SUBJECT	z parking lot, or other public r intoxicating substances a rcumstances): for, actions, etc.):	place, or upon a priva s prohibited by law.	e road, street, alley or lan	e which provides	access to	o one or more single o	prystar oo	ly dwell	ng within t	his state wh	lle under the
		THE PERSON	WAS INFORMED OF TH	E IMPLIED CON	SENT TE	ST REQUEST					
EATH-ALCOHOL ANALYS	IS RECORD, REPORT OF	Construction of the second	C. TOTALO (12) DESCRIPTION		ST AND N	MAINTENANCE REC	ORD.				Secti
				PECIALIST BOARD	OF '	TESTS					
ANDARD		100	TARGET VALUE	Jorne	PERMIT	NUMBER			-		
Dry			0.080		230	20		Iner	OVERIN	DEVEN	
LMO			140200	80A1	08/	06/2020)			/202	
SERVATION START TES	ALOG 12020	MOUTHPIECE	1	a strate to be a second as		vation/observa			1.55		-
LOOO 0	8/06/2020	G				and continuir					
Air Blank Subject Test Breath Volume Air Blank Mait Air Blank Subject Test Breath Volume Air Blank Cal Check Air Blank	0.00 0.00 1.476 LITERS 0.00 0.00 1.578 LITERS 0.00 0.08 0.00	10:16 10:17 10:18 10:19 10:19 10:20 10:20 10:20		e with the lure of the PERATOR	appli Boar	cable opera rd of Tests.	ting	(Г	Br	Joor Test Res AC g/2	10L
			AGENCY BOARD OF						(0.0	0
FECTIVE THIRTY (30) DA ys or more, if you refused o perating a CMV or CDL hole	or failed the state's test(s) der) OR a test result of .0 ng a petition in the Distric icipate in the Impaired D	 In addition, your co 4 or more while oper t Court of the County priver Accountability on your driving red 	mmercial driving privileg ating a commercial moto in which you were arres y Program (IDAP) admi ord. Participation in II	ge in this state w or vehicle. You r sted. Your petiti inistered by the DAP may reduce	vill be diso may appo on must a Departo ce the an	qualified if you refuse eal any Department be filed within thirty ment of Public Saf nount of fees you Safety at P.O. Box	sed or failed al action ag (30) days o fety (DPS). will be req 11415, Ok	d the st gainst y of the d Comp uired t lahom	ate's test(our driver ate listed letion of o pay to t a City, Of	s) license below. IDAP may the State. (73136.	You must
u may be eligible to parti location as a result of thi uest IDAP within thirty (3 ERVING OF NOTICE: countability Program te served: 08/0 accordance with Title te: 08/06/202 ME	30) days of the date list I personally hand dit to the person named 6/2020 S 12 O.S. Section 426 20 Place (location	elivered a copy of in Section 1 abo ignature of office "I state under pe	the above containing 	ng the Notice	of Okla Signa	ahoma that the f ature of arresting	oregoing	Bad	dge #: e and co	rrect."	
bu may be eligible to parti vocation as a result of thi vocation as a result of thi uest IDAP within thirty (3 ERVING OF NOTICE: ccountability Program ate served: 08/0 accordance with Title ate: 08/06/202	30) days of the date list I personally hand dito to the person named 6/2020 S 12 O.S. Section 426	elivered a copy of in Section 1 abo ignature of office "I state under po when signed):	the above containing 	ng the Notice	of Okla	ahoma that the f	oregoing g officer:_ PHON	_ Bad is true			Section

Certificate of	Analysis – Wet Bath		10/12
12-10-19	,020		10/13
Date of Analysis	Labeiod tangalue (g/210L)		
19050	12,020	- Tentar	
Lot Number	A CALL CONTIN	LABORATORIES, INC.	
JOSH SMITH 2	590 NORTH 67th	STREET . HARRISBURG, PA 17111- 4511 . TELEPHONE: 717-564-5470	10
BOT Technician Name and Signature		BRT Form 6.0	Oct Minely
In accordance with BRT - 2.2.0.	Maintenance, the above referenced	simulator solution is	and the
	ference in maintenance of the Intoxi	a market when a market was a second of the second se	MI .

CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer							
Model 8000 SN 8	80-004923	Certified	Alcohol	Reference	Solution	for	Simulator

Test	g/210L		Time	
Air Blank	0.009		14:53	
Cal Check	0.019		14:53	
Air Blank	0.000		14:54	
Cal Check	0.020		14:55	
Air Blank	0.000		14:55	
Cal Check	0.019		14:56	
Air Blank	0.000		14:56	
Cal Check	0.020		14:57	
Rir Blank	0.000		14:58	
Cal Check	0.019		14:58	
Air Blank	0.000		14:59	
Cal Check	0.020		15:00	
Air Blank	0.000		15:00	
Cal Check	0.019		15:01	
Air Blank	0.000		15:01	
Cal Check	0.020		15:02	
-Air Blank	0.000		15:02	
Cal Check	0.020	1	15:03	
Air Blank	0.000		15:04	
Cal Check	0.020		15:04	
Air Blank	0.000		15:05	
Cal Check Stats				
Average	0.0196			
Std Dev	0.0005			
Rel Std Dev(%)	2,6345			

perator's Signature

Random Samples of Lot Number 19050 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 5, 2019, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0236% (w/vol) ethyl alcohol. The expiration date for this lot number is February 4, 2021 at 11:59 PM.

5:02 When used in a calibrated Simulator, operating at 5:03 $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certificate of Analysis – Wet Bath	
7/22/2020 0.040	
20060 Labelled target value (g/210L)	
at Number	
histopher Recent and the	ABORATORIES, INC.
OT Technician Name and Signature	BRT Form 6.0
In accordance with BRT - 2.2.0, Maintenance, the above referenced similar	ulator solution is
suitable for use as an external reference in maintenance of the intoxilyzer	r 8000.

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

RCVD 6/1/20 CP

ALPHA UNIT SUB Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003400 07/22/2020 14:57 Random Samples of Lot Number 20060 of *CP* Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 11, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0483% (w/vol) ethyl alcohol. The expiration date for this lot number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability: Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Test	g/210L	Time
Air Blank	0.000	14:57
Cal Check	0.040	14:58
Air Blank	0.000	14:59
Cal Check	0.039	14:59
Air Blank	0,000	15:00
Cal Check	0.039	15:01
Air Blank	0.000	15:01
Cal Check	0.039	15:02
Air Blank	0.000	15:02
Cal Check	0.039	15:03
Air Blank	0.000	15:04
Cal Check	0.039	15:04
Air Blank	0.000	15:05
Cal Check	0.040	15:06
Air Blank	0.000	15:06
Cal Check	0.040	15:07
Air Blank	0.000	15:07
Cal Check	0.040	15:08
Air Blank	0.000	15:09
Cal Check	0.040	15:09
Air Blank	0.000	15:10
Cal Check Stats		
Average	0.0395	
Std Deu	0.0005	
Rel Std Dev(%)	1.3342	
	Air Blank Cal Check Air Blank Cal Check Cal Ch	Air Blank 0.000 Cal Check 0.040 Air Blank 0.000 Cal Check 0.039 Air Blank 0.000 Cal Check 0.040 Air Blank 0.000 Cal Check 0.400 Air Blank 0.000 Cal Check Stats

06/16/20	,100	
20190	Labelled target value (g/210L)	
ot Number	Average test result (g/210L)	
on Chath		- BORATORIES, INC.
BOT Technician Name and Signate	10	NCET BRE BOTTON 50 NISE JRG, PA 17111- 4511 @ TELEPHONE: 717-564-5470

CERTIFICATE OF ANALYSIS

20	ev?	20
pl	tur	
C	R	
	0	

ALPHA INSTRUMENT Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-002591 Certified Alcohol Reference Solution for Simulator 06/16/2020 16:18

Test	g/210L	Time
Air Blank	0,000	16:18
Cal Check	0.099	16:19
Air Blank	0.000	16:20
Cal Check	0,098	16:20
Air Blank	0.000	16:21
Cal Check	0.097	16:22
Air Blank	0.000	16:22
Cal Check	0.098	16:23
Air Blank	0.000	16:24
Cal Check	0.098	16:24
Air Blank	0.000	16:25
Cal Check	0.098	16:26
Air Blank	0.000	16:26
Tal Check	0.098	16:27
lir Blank	0.000	16:27
al Check	0.097	16:28
lir Blank	0.000	16:29
al Check	0.098	15:29
Ir Blank	0.000	16:30
al Check	0.098	16:31
ir Blank	0.000	16:31
al Check Stats		
Average	0.0979	
Std Dev	0.0005	
Rel Std Deu(%)	0.5798	

104

Signature

perator

Random Samples of Lot Number 20190 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol) ethyl alcohol. The expiration date for this lot number is April 6, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability: Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certificate of Analy	0200				
ate of Analysis Lake led t	t value (g/210L)				
20160 2019	20.197	S. TOUL			
ot Number	STORUTH L	ABORATO	DRIES.	INC.	
wistopher Prove the	STO NORTH STEN ST	REET . HARRISBURG	, PA 17111- 4511	• TELEPHONE: 7	17-564-5470
DT Technician Name and Signature	aso ai	BRT Form 6.0			
	nance, the above referenced s in maintenance of the intoxily				
1 DOT 120 Mainton					

Certified Alcohol Reference Solution for Simulator

odel 8000 7/07/2020		SN 80-003400 15:25
ist	g/210L	Tine
ir Blank	0.000	15:26
al Check	0,196	15:26
ir Blank	0.000	15:27
31 Check	0.196	15:28
ir Blank	0.000	15:28
al Check	0.197	15:29
ir Blank	0.000	15:29
al Check	0.196	15:30
Ir Blank	0.000	15:31
al Check	0.198	15:31
ir Blank	0.000	15:32
al Check	0,198	15:33
ir Blank	0.000	15:33
al Check	0.197	15:34
ir Blank	0,000	15:35
al Check	0.198	15:35
ir Blank	0.000	15:36
al Check	0,198	15:37
ir Blank	0.000	15:37
al Check	0.197	15:38
ir Blank	0,000	15:38
al Check Stats		
Average ,	0.1971	
Std Deu	0,0008	
Rel Std Deu(%)	0,4442	

PHA UNIT SUB

Random Samples of Lot Number 20160 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on March 20, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

13/13

EC12020