

STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

 The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number , in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of pages. Signed

Name of Position: Director/Records Custodian

Date of Attestation:



Board of Tests for Alcohol and Drug Influence Unhancing public safety by emuting the accuracy and scientific rehability of blood and breath testing



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 07-23-2020

SERIAL: 80-003316

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at: Board of Tests for Alcohol and Drug Influence Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307

Certificate of Calibration and Operation

This is to certify that the calibration of **INTOXILYZER 8000, serial number** <u>80-003316</u>, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	07-21-08
Board of Tests Bench Check	09-30-08
Board of Tests Bench Check	03-22-10
Board of Tests Bench Check	09-22-11
Manufacturer Calibration	08-27-13
Board of Tests Bench Check	09-04-13
Board of Tests Bench Check	04-29-15
Board of Tests Bench Check	03-11-16
Board of Tests Bench Check	02-28-17
Manufacturer Calibration	07-18-18
Board of Tests Bench Check	08-16-18
Board of Tests Bench Check	07-23-20
	-



Presentation of this form certifies that the Intoxilyzer, SN: <u>80-003316</u>, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,

poher Blakelun

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol and Drug Influence

oxilyzerI-80080-003316TEST RESULTSDiagnostics PASSPASSMouth Alcohol Test PASSPASSRFI Test PASSDuplicate Breath Sampling ResultsAbort Test PASSDuplicate Breath Sampling ResultsAbort Test PASSDuplicate Breath Sampling ResultsImproper Sample Test PASSO20.018Interferent Detect Test PASS.020.018Interferent Detect Test PASS.040.0380.038Insufficient Sample Test PASS.100.0970.096Insufficient Sample Test PASSPASSPASSInsufficient Sample Test PASSPASSPASSInsufficient Sample Test PASSPASSPASSNa Blank Contamination Test PASSPASSRange Exceeded TestContamination Test PASSPASS	CHECK DATE	TIME PROCEDURE BEGAN		STRUMENT LOCATION	6	
TEST RESULTS Diagnostics PASS Dass Mouth Alcohol Test PASS PASS RFI Test PASS Duplicate Breath Sampling Results Abort Test PASS Duplicate Breath Sampling Results Improper Sample Test PASS Duplicate Breath Sampling Results Improper Sample Test PASS 0.02 0.018 0.017 0.018 Interferent Detect Test PASS 0.04 0.038 0.038 0.038 Insufficient Sample Test PASS 0.10 0.097 0.196 0.097 Insufficient Sample Test PASS PASS PASS No Blank Contamination Test PASS PASS PASS Range Exceeded Test S S S	MENT TYPE toxilvzer					
PASS Mouth Alcohol Test PASS RFI Test PASS Abort Test PASS Abort Test PASS Improper Sample Test PASS Interferent Detect Test PASS No Sample Given Test PASS No Sample Given Test PASS No Sample Test PASS Air Blank Contamination Test PASS Range Exceeded Test				SULTS		
PASS Mouth Alcohol Test PASS RFI Test PASS Abort Test PASS Abort Test PASS Improper Sample Test PASS Interferent Detect Test PASS No Sample Given Test PASS No Sample Given Test PASS No Sample Test PASS Air Blank Contamination Test PASS Range Exceeded Test				000000		
PASS Mouth Alcohol Test PASS RFI Test PASS Abort Test PASS Abort Test PASS Improper Sample Test PASS Interferent Detect Test PASS No Sample Given Test PASS No Sample Given Test PASS No Sample Test PASS Air Blank Contamination Test PASS Range Exceeded Test	Diagnos	tice				
Mouth Alcohol Test PASSPASSRFI Test PASSPASSAbort Test PASSDuplicate Breath Sampling ResultsAbort Test PASSValueTest 1Improper Sample Test PASS0.020.0180.0170.018Interferent Detect Test PASS.020.0180.0170.018Interferent Detect Test PASS.020.0180.0380.038Interferent Detect Test PASS.040.0380.0380.038Insufficient Sample Test PASS.200.1980.1970.196Insufficient Sample Test PASS.200.1980.1970.196Ist Blank Contamination Test PASSPASSPASSPASSRange Exceeded Test.10.10.10.10Range Exceeded Test.10.10.10.10Ist Blank Contamination Test PASS.10.10.10Range Exceeded Test.10.10.10.10Ist Blank Contamination Test PASS.10.10.10Ist Blank Contamination Test PASS.10.10.10	the second se					
PASSRFI Test PASSAbort Test PASSAbort Test PASSImproper Sample Test PASSInterferent Detect Test PASSInterferent Detect Test PASSNo Sample Given Test PASSInsufficient Sample Test PASSInsufficient Sample Test PASSInsufficient Sample Test PASSInsufficient Sample Test PASSInsufficient Sample Test PASSInsufficient Sample Test PASSNo Sample Test PASSInsufficient Sample Test PASSImage Exceeded Test						
RFI Test PASSDuplicate Breath Sampling ResultsAbort Test PASSDuplicate Breath Sampling ResultsImproper Sample Test PASSValueTest 1Test 2Control Test0.020.0180.0170.0180.020.0180.0170.0180.040.0380.0380.0380.050.0970.0960.0970.100.0970.0960.0970.1980.1970.196PASS0.1980.1970.196Insufficient Sample Test PASSPASSAir Blank Contamination Test PASSPASSRange Exceeded TestS						
PASSDuplicate Breath Sampling ResultsAbort Test PASSValueTest 1Test 2Control TestImproper Sample Test PASS.020.0180.0170.018Interferent Detect Test PASS.040.0380.0380.038Interferent Detect Test PASS.040.0970.0960.097No Sample Given Test PASS.200.1980.1970.196Insufficient Sample Test PASS.200.1980.1970.196Air Blank Contamination Test PASSPASS						
Abort Test PASSValueTest 1Test 2Control TestImproper Sample Test PASS.020.0180.0170.018Interferent Detect Test PASS.040.0380.0380.038No Sample Given Test PASS.100.0970.0960.097No Sample Test PASS.200.1980.1970.196Insufficient Sample Test PASS.200.1980.1970.196No Sample Test PASS.200.1980.1970.196Insufficient Sample Test PASS.200.1980.1970.196No Sample Test PASS.200.1980.1970.196PASS.200.1980.1970.196						
Abort Test PASSValueTest 1Test 2Control TestImproper Sample Test PASS.020.0180.0170.018Interferent Detect Test 	PAS	5	Dup	licate Breath	Sampling Re	sults
PASSValueFest 1Fest 2TestImproper Sample Test PASS.020.0180.0170.018Interferent Detect Test PASS.040.0380.0380.038No Sample Given Test PASS.100.0970.0960.097No Sample Given Test PASS.200.1980.1970.196Insufficient Sample Test PASS.200.1980.1970.196Sample Test PASS.200.1980.1970.196Sample Test PASS.20.108.1070.196Sample Test PASS.20.198.1970.196						1100404
Improper Sample Test PASS.020.0180.0170.018Interferent Detect Test PASS.040.0380.0380.038No Sample Given Test PASS.100.0970.0960.097No Sample Test PASS.200.1980.1970.196PASSAir Blank Contamination Test PASSRange Exceeded Test	PAS	S	Value	Test 1	Test 2	
Interferent Detect Test PASS.040.0380.0380.038No Sample Given Test PASS.100.0970.0960.097.200.1980.1970.196PASSInsufficient Sample Test PASSPASSAir Blank Contamination Test PASSRange Exceeded Test	Improper San	nple Test				1.1.1.1
PASSInsufficient Sample Test PASSInsufficient Sample Test PASSInsufficient Sample Test PASSPASSNo Sample Given Test PASS.100.0970.0960.097Insufficient Sample Test PASSPASSPASSNir Blank Contamination Test PASSPASSPASSRange Exceeded TestPASS	PAS	5	.02	0.018	0.017	0.018
PASS.100.0970.0960.097No Sample Given Test PASS.200.1980.1970.196Insufficient Sample Test PASSPASSPASSAir Blank Contamination Test PASSPASSFASSRange Exceeded Test	Interferent De	etect Test	.04	0.038	0.038	0.038
No Sample Given Test .20 0.198 0.197 0.196 Insufficient Sample Test PASS PASS Air Blank Contamination Test PASS Range Exceeded Test	PAS	S				
PASS .20 0.198 0.197 0.196 Insufficient Sample Test PASS Air Blank Contamination Test PASS Range Exceeded Test	No Sample G	iven Test	.10	0.097	0.096	0.097
PASS Air Blank Contamination Test PASS Range Exceeded Test	이 이 가지 않는 것이 같은 것이 없는 것이 없다.		.20	0.198	0.197	0.196
PASS Air Blank Contamination Test PASS Range Exceeded Test	Incufficient Co	male Test		PA	SS	
Air Blank Contamination Test PASS Range Exceeded Test						
PASS Range Exceeded Test						
Range Exceeded Test						
- 19 2 1 5 - 6 12 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	PAS	5				
PASS	PASS	3				
			OFDIE			
		CONTRACT CONTRACT	Laura Mariana	- And a stand strength		a Course and and
CERTIFYING TECHNICIAN	swear under penal					
vear under penalty of perjury that in regards to the above listed instrument, I have complied		ch Checking Procedu	are approved t	by the State o		
wear under penalty of perjury that in regards to the above listed instrument, I have complied Intoxliyzer Bench Checking Procedure approved by the State of Oklahoma.	e Intoxliyzer Ben				DATE	
vear under penalty of perjury that in regards to the above listed instrument, I have complied Intoxliyzer Bench Checking Procedure approved by the State of Oklahoma.		\wedge				
wear under penalty of perjury that in regards to the above listed instrument, I have complied Intoxliyzer Bench Checking Procedure approved by the State of Oklahoma.	e Intoxliyzer Ben	- An	~			2
wear under penalty of perjury that in regards to the above listed instrument, I have complied Intoxliyzer Bench Checking Procedure approved by the State of Oklahoma.	e Intoxliyzer Ben	- An	230	20	71	23/20
wear under penalty of perjury that in regards to the above listed instrument, I have complied Intoxliyzer Bench Checking Procedure approved by the State of Oklahoma.	le Intoxliyzer Ben	1 Apr	230	20		23/20



Board of Tests for Alcohol and Drug Influence Enhancing public safety by ensuing the accuracy and scientific refability of blocd and breath testing.

End Time: 14:55

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

Guth 2100

DR3754

.20

BENCH CHECK TECHNICIAN'S REPOR

Start Time: 14:00

INSTRUMENT				
Intoxilyzer Model		Serial #		
8000		80-003316		
GAS CANISTER				
LOT #		EXP Date		
14020080A1-007	4020080A1-007 07/05/202			
REFERENCE				
	Simula	ator Model		
Guth 2100	Guth 2100	Guth 2100		
		Serial #		
DR3591	DR3468	DR3667		
and the second	Cor	ncentration		
.02	.04	.10	1.1	
		LOT #		

	LU	1 #	
19050	20060	20190	20160
1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -	Manufact	ured Date	
02/04/2019	02/10/2020	04/06/2020	03/18/2020
	Expirati	on Date	and the second
02/04/2021	02/10/2022	04/06/2022	03/18/2022
A. 6. 1.	Solution Com	mission Date	
7/17/2020	7/22/2020	7/17/2020	7/17/2020

REASON FOR BENCH CHECK

□ POST REPAIR □ CYLINDER REPLACEMENT

TROUBLESHOOTING ROUTINE MAINTENANCE


COMMENTS

Date: 07/23/2020

Technician Signature / Permit #

<u>Christopher Pape #23020</u> Printed Name

Certific		
7/23/200	0 0.080	TAP
Date of Analysis	Labelled target value (g/210L)	
007	0.080	
Cylinder #	Average test result	
christopher	Pape all Pople 23	3020
BOT Technician Name and S	lignature :	specialt



In accordance with BOT Policy and Procedure Statement BRT-2.2.0, Maintenance, the above

21/=245-2183 • Fax: 21/+243-7634 • Wi

Certificate of Analysis

 Certificate ID:
 13020

 Part #:
 BAC10

 Cylinder Size:
 105L

 Lot Number:
 140200

 Expiration:
 7/5/20

BAC105L080T 105L 14020080A1 7/5/2022

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents: 105 Liters @ 1000 psig 70°F (21°C)

Component:	Reported Concentration:	Analytical Accuracy (U, k=2):	Analytical Method:
Ethanol	208 ppm	+/-0.002 BAC(G/210L)	NDIR
Nitrogen	Balance	[5.2 ppm]	

Distributed by:

6/23/2020

CMI Inc. 316 East Ninth Street. Owensboro, KY 4230 Phone 866-835-0690 www.alcoholtest.com

0772372020		12:00
Test	g/210L	Time
Air Blank	0.000	12:00
Cal Check	0.081	12:01
Air Blank	0.000	12:01
Cal Check	0.080	12:01
Air Blank	0.000	12:02
Cal Check	0.080	12:02
Air Blank	0.000	12:03
Cal Check	0.081	12:03
Air Blank	0.000	12:04
Cal Check	0.080	12:04
Air Blank	0.000	12:04
Cal Check	0.080	12:05
Air Blank	0.000	12:05
Cal Check	0.080	12:06
Air Blank	0.000	12:06
Cal Check	0.080	12:06
Air Blank	0.000	12:07
Cal Check	0.081	12:07
Air Blank	0.000	12:08
Cal Check	0.081	12:08
Air Blank	0.000	12:09
Cal Check Stats		
Average	0.0804	
Std Dev	0.0005	

Operator & Signature

Rel Std Deu(%) 0.6422

*Traceable to: Certified Reference Material - 262.4 µmol/mol Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Johno

Specialty Gas Lab Tech

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

06-15-2020 Issuance Date

PJLA Calibration and Testing Accreditation #61895

The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

ISO/IEC 17025:2017 Accredited Laboratory

7/13

SN 80-004923

12.00

ALPHA INSTRUMENT 2

Model 8000

07/27/2020

Intoxilyzer - Alcohol Analyzer

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

8/13

07/23/2020		REST TIME		COUNTY #	Cit	Y#	CITAT	ION #		Secti
RREST LOCATION	1	415		55	CITY			[cour	NTY	
BOT UBJECT NAME				10000	le i re c		la	OI	KLAHC	A set of a s
	LON LEVERN	E	CITY			FBIRTH 09/19		EX RACE M W	HEIGHT 510 ZIP COD	
3600 MARTIN	I LUTHER K	ING A		HOMA CI			OK		731	.33
T083454871				EXPIRATION DAT		OK	A	REST	RICTIONS	ENDORSEME M
		MODEL		Traist Gigt	TA	3# IOCK		STATE		PLACARD
n the above date, time, and locz ghway, street, turnpike, public p fluence of alcohol and/or other i bescribe driving behavior or circu	arking lot, or other public pla intoxicating substances as p umstances):	ace, or upon a privat	d I had reasonable grou e road, street, alley or la	nds to believe the per ne which provides ac	rson was drivi cess to one o	ng or in actual p r more single or	hysical cont multi-family	rol of a motor dwelling withi	vehicle upon n this state w	a public road, hile under the
ascribe person's condition (odor	11 7 7 1 6 7 L H L H		ENANCE , NEV							
REATH-ALCOHOL ANALYSIS	RECORD, REPORT OF TH	and the first of the first sector of the	NAMES OF A DESCRIPTION OF		AND MAINTE	NANCE RECO	RD.			Sectio
DUIPMENT I - 8000 TANDARD Dry			NUMBER -003316 TARGET VALUE 0.080	PE	F TES					
ANUFACTURER			LOT #	D	ATE CYLINDE	RINSTALLED		DATE CYLIN		
ILMO BSERVATION START [TEST	DATE	MOUTHPIECE	140200	Carlos Carlos Carlos		/2020		07/0	5/202	22
1430 07	/23/2020	G		e (or greater) d is observed pri						1.1
Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank	0.00 0.00 1.667 LITERS 0.00 0.00 0.00 1.671 LITERS 0.00	14:47 14:47 14:48 14:50 14:50 14:50 14:51	Complianc proces	red said Bre e with the a dure of the I	pplicabl Board o	e operat	ing	CHEAT BEAL		
Cal Check Air Blank	0.08	14:51 14:52	NAME PAPE, CHI	RISTOPHER					Test Re	
and providers		**:30	BADGE #		RMIT #	23020			BrAC g/	
			AGENCY BOARD OF	Constant of the					0.0	00
	S FROM DATE SERVED.	Notice of Revoc	ation is given that you	r driver's license is	revoked or de	enied for a per	iod of one h	undred eigh	ly (180)	Sectio
FFECTIVE THIRTY (30) DAY: ys or more, if you refused or berating a CMV or CDL holde a result of this arrest by filing ou may be eligible to partici- quest IDAP within thirty (30) ERVING OF NOTICE: I ccountability Program to ate served: 07/23 accordance with Title 1: ate: 07/23/202	failed the state's test(s). I failed the state's test(s). I per) OR a test result of .04 c (a petition in the District C ipate in the Impaired Drive arrest from appearing or o) days of the date listed personally hand delive the person named in 3/2020 Sig 2 O.S. Section 426, "I	n addition, your co or more while opera court of the County ver Accountability in your driving rac below. Mail the r vered a copy of a Section 1 about nature of officer I state under pe	mmercial driving privile aling a commercial mo in which you were arre / Program (IDAP) adm ord. Participation in equest for IDAP to th the above contain ve.	ige in this state will for vehicle. You ma asted. Your petition inistered by the D IDAP may reduce e Department of P ing the Notice o inder the laws o	be disqualifie y appeal any must be file repartment of the amount ublic Safety f Revocation	Departmenta d within thirty (of Public Safe of fees you w at P.O. Box 1 on and the N	d or failed I l action aga 30) days of ty (DPS). (11) be requi 1415, Okla Notice of I regoing is	he state's te inst your driv the date liste Completion or red to pay t homa City, Departmer Badge #:	ver license ad below. of IDAP ma o the State OK 73136. nt Impaired	You must
ys or more, if you refused or operating a CMV or CDL holde a result of this arrest by filing but may be eligible to particl vocation as a result of this quest IDAP within thirty (30 ERVING OF NOTICE: 1 accountability Program to ate served: $07/23$ accordance with Title 1: ate: $07/23/202$ MME PAPE, CHRI NDGE	failed the state's test(s). I for OR a test result of .04 c g a petition in the District C ipate in the Impaired Driver arrest from appearing or b) days of the date listed personally hand deliver b the person named in 3 / 2020 Sign 2 O.S. Section 426, "I O Place (location were STOPHER AGENCY ADDRESS	n addition, your co or more while opera- court of the County ver Accountability in your driving rec below. Mail the r vered a copy of a Section 1 abov nature of officer hen signed):	mmercial driving privile aling a commercial mo in which you were arre / Program (IDAP) adm ord. Participation in equest for IDAP to th the above contain ve.	ige in this state will tor vehicle. You ma sted. Your petition inistered by the D IDAP may reduce e Department of P ing the Notice o inder the laws o	be disqualifie iy appeal any must be file pepartment of the amount ublic Safety f Revocation f Oklahom Signature	v Departmenta d within thirty (of Public Safe of fees you w at P.O. Box 1 on and the N a that the fo of arresting STS IZIP CODE	d or failed I I action aga 30) days of ty (DPS). C ill be requi 1415, Okla Notice of I regoing is officer:	he state's te inst your driv the date liste Completion red to pay t homa City, Departmer Badge #:	rer license ad below. of IDAP ma o the State OK 73136. It Impaired correct."	You must
rs or more, if you refused or erating a CMV or CDL holde a result of this arrest by filing used to the second of this contrability Program to the served: $07/23$ accordance with Title 1: te: $07/23/202$ ME PAPE, CHRI	failed the state's test(s). I failed the state's test(s). I pr) OR a test result of .04 c g a petition in the District C ipate in the Impaired Drik arrest from appearing or o) days of the date listed personally hand delivi- b the person named in 3/2020 Sig 2 O.S. Section 426, "I O Place (location w STOPHER	n addition, your co or more while opera- court of the County ver Accountability in your driving rec below. Mail the r vered a copy of a Section 1 abov nature of officer l state under pe hen signed):	mmercial driving privile aling a commercial mo in which you were arre / Program (IDAP) adm ord. Participation in equest for IDAP to th the above contain ve.	ige in this state will tor vehicle. You ma sted. Your petition inistered by the D IDAP may reduce e Department of P ing the Notice o inder the laws o	be disqualifie iy appeal any must be file pepartment of the amount ublic Safety f Revocation f Oklahom Signature	y Departmenta d within thirty (of Public Safe of fees you w at P.O. Box 1 on and the N on and the N a that the fo of arresting STS	d or failed I I action aga 30) days of ty (DPS). C ill be requi 1415, Okla Notice of I regoing is officer:	he state's te inst your driv the date list Completion red to pay t homa City, Departmer Badge #:	rer license ad below. of IDAP ma o the State OK 73136. It Impaired correct."	You must

NAME

2

h

OFFICER/DPS COPY BOT Form AFF01 03/2020

ADDRESS

PHONE

TITLE

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

9/13

										Section
ARREST DATE 07/23/2020	ARREST TIME		COUNTY #	Cr	Υ#	c	ITATION #			
ARREST LOCATION BOT	1.00		CIT	Y				OK	LAHC	AMA
NORTH, GAYLON LEV	ERNE				F BIRTH	961	M	RACE	HEIGHT	2.0 mm / mm
ADDRESS 3600 MARTIN LUTHE	R KING A	OKLAHO	MA CITY	ζ			TATE OK		ZIP COI	DE 133
T083454871			PIRATION DATE)19	STATE OK	CLASS	5	RESTR	ICTIONS	ENDORSEMENTS
VEHICLE MAKE MOCK	MODEL MOCK			TA I	o# IOCK			ATE OK	CMV N	PLACARD N

On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, tumplike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances):

Describe person's condition (odor, actions, etc.):

MOCK SUBJECT TEST, ROUTINE MAINTENANCE, NEW CYLINDER INSTALLED

THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST BREATH-ALCOHOL ANALYSIS RECORD, REPORT OF THE PERSON NAMED IN SECTION 1 ABOVE, and LOG OF TEST AND MAINTENANCE RECORD. Section 2 QUIPMEN ERIAL NUMBER SPECIALIS I-8000 OF TESTS 80-003316 BOARD STANDARD PERMIT NUMBER ARGET VALUE Dry 0.080 23020 MANUFACTURER OT # DATE CYLINDER INSTALLED DATE CYLINDER EXPIRES ILMO 14020080A1 07/23/2020 07/05/2022 MOUTHPIECE OBSERVATION START TEST DATE A 15-minute (or greater) deprivation/observation 07/23/2020 1430 G period was observed prior to and continuing RESULT TABLE to the time of test administration. Test g/210L Time I administered said Breath-Alcohol Test in Air Blank 0.00 14.47 Subject Test 0.00 14:47 compliance with the applicable operating Breath Volume 1.667 LITERS procedure of the Board of Tests. Air Blank 0.00 14:48 Wait 14:50 Air Blank 0.00 14:50 Subject Test 0.00 14:50 SIGNATORE OF OPERATOR Breath Volume 1.671 LITERS Air Blank 0.00 14:51 NAME Cal Check 0.08 14:51 Test Result PAPE, CHRISTOPHER Air Blank 0.00 14:52 BrAC g/210L ERMIT # ADGE / 000000484 0000023020 0.00 AGENCY BOARD OF TESTS EFFECTIVE THIRTY (30) DAYS FROM DATE SERVED. Notice of Revocation is given that your driver's license is revoked or denied for a period of one hundred eighty (180) Section 3 days or more, if you refused or failed the state's test(s). In addition, your commercial driving privilege in this state will be disqualified if you refused or failed the state's test(s) (operating a CMV or CDL holder) OR a test result of .04 or more while operating a commercial motor vehicle. You may appeal any Departmental action against your driver license as a result of this arrest by filing a petition in the District Court of the County in which you were arrested. Your petition must be filed within thirty (30) days of the date listed below. You may be eligible to participate in the impaired Driver Accountability Program (IDAP) administered by the Department of Public Safety (DPS). Completion of IDAP may prevent a revocation as a result of this arrest from appearing on your driving record. Participation in IDAP may reduce the amount of fees you will be required to pay to the State. You must request IDAP within thirty (30) days of the date listed below. Mail the request for IDAP to the Department of Public Safety at P.O. Box 11415, Oklahoma City, OK 73136.

SERVING OF NOTICE: I personally hand delivered a copy of the above containing the Notice of Revocation and the Notice of Department Impaired Driving Accountability Program to the person named in Section 1 above.

Date served: 07/23/2020 Signature of officer:	Badge #:	
In accordance with Title 12 O.S. Section 426, "I state under penalty of perj	jury under the laws of Oklahoma that the foregoing is true and correct." Se	ection 4
Date: 07/23/2020 Place (location when signed):	Signature of arresting officer:	
PAPE, CHRISTOPHER	AGENCY BOARD OF TESTS	
BADGE AGENCY ADDRESS INTER-AGENCY	ZIP CODE PHONE 000000 4054252460	- 1,

12-10-19	020	10/13
Date of Analysis Labolity targetal		
Lot Number	GUTH LABORATOR	IES, INC.
BOT Technician Name and Signature	BRT Form 6.0	accipitation

ALPHR INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer 5N 80-004923 Model 8000 Certified Alcohol Reference Solution for Simulator 12/10/2019 14:52

Test	g/210L		Time	2
Air Blank	0.000	-	14:53	1
Cal Check	0.019		14:53	
Air Blank	0.000		14:54	
Cal Check	0.020		14:55	
Air Blank	0.000		14:55	1
Cal Check	0.019		14:56	
Rir Blank	0.000		14:56	
Cal Check	0.020		14:57	
Air Blank	0.000		14:58	
Cal Check	0.019		14:58	
Air Blank	0.000		14:59	
Cal Check	0.020		15:00	
Air Blank	0.000		15:00	
Cal Check	0.019		15:01	
Air Blank	0.000		15:01	
Cal Check	0.020		15:02	
-Air Blank	0.000		15:02	ł
Cal Check	0,020	1	15:03	i
Air Blank	0.000		15:04	1
Cal Check	0.020		15:04	1
Air Blank	0.000		15:05	į
Cal Check Stats				
Average	0.0196			
Std Dev	0.0005			
Rel Std Dev(%)	2,6345			
and a second second				

Random Samples of Lot Number 19050 of Alcohol Reference Solution for Simulator were analyzed by chromatography on February 5, 2019, using a Perkin Elmer Gas gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0236% (w/vol) ethyl alcohol. The expiration date for this lot number is February 4, 2021 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

arator's Signature

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certificate of Analysis – Wet Bath 7/22/2020 0.040 Labelled targetyalue (g/210L)	
20060 60040 Lot Number Average of Trabult (2019) Christopher Rependent Average of The Stopher Paper	ABORATORIES, INC.
BOT Technician Name and Signature	BRT Form 6.0
In accordance with BRT – 2.2.0, <i>Maintenance</i> , the above referenced sin suitable for use as an external reference in maintenance of the intoxilyz	nulator solution is 🚬 er 8000.

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

RCVD 6/1/20

ntoxilyzer - Model 8000 07/22/2020		80-003400 14:57
	 6	

Random Samples of Lot Number 20060 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 11, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0483% (w/vol) ethyl alcohol. The expiration date for this lot number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability: Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

07/22/2020		14:57
Test	g/210L	Time
Air Blank	0.000	14:57
Cal Check	0.040	14:58
Air Blank	0.000	14:59
Cal Check	0.039	14:59
Air Blank	0.000	15:00
Cal Check	0.039	15:01
Air Blank	0.000	15:01
Cal Check	0.039	15:02
Air Blank	0.000	15:02
Cal Check	0.039	15:03
Air Blank	0.000	15:04
Cal Check	0.039	15:04
Air Blank	0.000	15:05
Cal Check	0.040	15:06
Air Blank	0,000	15:06
Cal Check	0.040	15:07
Air Blank	0.000	15:07
Cal Check	0.040	15:08
Air Blank	0.000	15:09
Cal Check	0.040	15:09
Air Blank	0.000	15:10
Cal Check Stats		
Average	0.0395	
Std Deu	0.0005	
Rel Std Deu(%)	1.3342	
The cost second		

11/13

Certificate	of Analysis – Wet Bath	
06/16/20	,100	
Date of Analysis	Labelled target value (g/210L)	
20190	.098	A Dest Contraction of the second s
Lot Number	Augrage test result (g/210L)	
100 - South		BORATORIES, INC.
BOT Technician Name and Signa	ture A	GET BREForm 6.0 315 JRG. PA 17111- 4511 . TELEPHONE: 717-564-547
	2.2.0, Maintenance, the above referenced siminal reference in maintenance of the Intoxilyzer	ulator solution is
	the true is the set opportunities of the low model of	

CERTIFICATE OF ANALYSIS

Random Samples of Lot Number 20190

Alcohol Reference Solution for Simulator were analyzed by

gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph

Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol)

ALPHA INSTRUMENT Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-00259 06/16/2020 16:18		Alcohol	Reference	Solution	for	Simulator	
--	--	---------	-----------	----------	-----	-----------	--

ethyl alcohol. The expiration date for this lot

number is April 6, 2022 at 11:59 PM.

Test	g/210L	Time
Air Blank	0.000	16:18
Cal Check	0.099	16:19
Air Blank	0.000	16:20
Cal Check	0.098	16:20
Air Blank	0.000	16:21
Cal Check	0.097	16:22
lir Blank	0.000	16:22
al Check	0.098	16:23
lir Blank	0.000	16:24
al Check	0.098	16:24
ir Blank	0.000	16:25
al Check	0.098	16:26
ir Blank	0.000	16:26
al Check	0.098	16:27
ir Blank	0.000	16:27
31 Check	0.097	16:28
ir Blank	0.000	16:29
al Check	0.098	15:29
r Blank	0.000	16:30
1 Check	0.098	15:31
r Blank	0.000	16:31
1 Check Stats		
uerage	0.0979	
td Dev	0.0005	
el Std Deu(%)	0.5798	

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability: Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

10 Signature Operator



of

12/13

Certificate of Analysis – Wet Bath	
07/07/2020 0.200	
Date of Analysis Laballed	
20160 2000197	and the second se
ot Number	ABORATORIES, INC.
Wistgher Pore 12 StoNORTH STR STR	
BOT Technician Name and Signature	BRT Form 6.0

CERTIFICATE OF ANALYSIS

EC12020

Certified Alcohol Reference Solution for Simulator

LPHR UNIT SUB http://www.sub.org/analyzer odel 8000 SN 80-003400 7/07/2020 IS;25

est q/210L Time in Blank 0.000 15:26 31 Check 0.196 15:26 in Black 0.000 15:27 al Check 0.196 15:28 in Blank 0.000 15:28 al Check 0.197 15:29 in Alank 0 000 15:29 al Check 0.196 15:30 in Blank 0.000 15:31 al Check 15:31 0.198 ir Blank 0.000 15:32 al Check 15:33 0.198 ir Blank 0.000 15:33 al Check 0.197 15:34 ir Blank 0.000 15:35 al Check 0.198 15:35 ir Blank 0.000 15:36 15:37 'al Check 0.198 iir Blank 0.000 15:37 al Check 0.197 15:38 lir Blank 0.000 15:38 al Check Stats Average . 0.1971 Std Deu 0.0008 Re1 Std Deu(2) 0.4442

Random Samples of Lot Number 20160 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on March 20, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

13/13