

STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman

Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned <u>Joshua Smith</u> (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-003353, in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of 13 pages.

Name of Position: Director/Records Custodian

Date of Attestation: 05/18/2022

Service Overview



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: <u>11-05-2019</u>

SERIAL: <u>80-003353</u>

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

Certificate of Calibration and Operation

This is to certify that the calibration of INTOXILYZER 8000, serial number 80-003353, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	08-14-08
Board of Tests Bench Check	10-31-08
Board of Tests Bench Check	06-15-10
Manufacturer Calibration	05-30-12
Board of Tests Bench Check	07-24-12
Board of Tests Bench Check	12-10-14
Board of Tests Bench Check	02-23-16
Board of Tests Bench Check	11-27-17
Board of Tests Bench Check	11-05-19



Presentation of this form certifies that the Intoxilyzer, SN: 80-003353, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol

O. pohr &Blokelune

and Drug Influence

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

ENCH CHECK DATE 11/05/2019	08:06		INSTRUMENT LOCATION 80-00335	3			
STRUMENT TYPE Intoxilyzer		STRUMENT MODEL I - 8000		and the state of t	INSTRUMENT SERIAL NUMBER 80-003353		
		SC 20200	ESULTS				
Diagnost	ics						
PASS							
Mouth Alcoho	ol Test						
PASS							
RFI Tes	it						
PASS			alien Brend				
Abort Te	est	Di	plicate Breath	Sampling Re	esuits		
PASS		Value	Test 1	Test 2	Control Test		
Improper Sam	ple Test				17 Million		
PASS		.02	0.020	0.020	0.020		
Interferent Det	Interferent Detect Test		0.040	0.040	0.041		
PASS		.10	0.100	0.100	0.102		
No Sample Giv	en Test	V		100000000000000000000000000000000000000	7 7 7 7 7 7		
PASS		.20	0.201	0.200	0.201		
Insufficient San	nple Test		PA	SS			
PASS							
Air Blank Contami	A GRANT GO A TANK						
PASS							
Range Exceed							
PASS							
		CERTIFYING	TECHNICIAN				
I swear under penalt	v of periury th	THE RESERVE OF THE SECOND	TOTAL TUTTOR TOTAL	instrument I	have complied		
the Intoxliyzer Benc							
NATURE				DATE			
(V)						
					1-05-2019		
ME				PERMIT #	(A) (C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A		
IITH, JOSHUA				0000	016837		



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK TECHNICIAN'S REPORT

oxilyzer Model		Serial #	
000		80-003353	
AS CANISTER		EVD Date	
287 19080AI	世007	EXP Date 12-05-21	
EFERENCE		12000	
	Simulato	r Model	
Guth 2100	Guth 2100	Guth 2100	Guth 2100
	<u>Seri</u>		
DR3591	DR3753	DR3594	DR3754
.02	Concer .04	ntration .10	.20
.02	.04 LO		.20
18020	17410	18200	18300
	Manufacti	ured Date	
01-09-2018	12-06-2017	07-03-2018	09-19-2018
	Expiration		
01-09-2020	12-06-2019	07-03-2020	09-19-2020
	Solution Com	mission Date	
14 124 134	11-01-19	11-01-19	11-01-19
11-01-19			
EASON FOR BENE POST REPAIR KA TROUBLESHOOTIN DMMENTS	CYLINDER REPLA		

SN 80-004923

09:00

Time

09:00

09:01

09:01

09:02

09:02

09:02

09:03

09:03

09:04

09:04

09:05

09:05

09:06

09:06

09:06

09:07

09:07

09:08

09:08

09:08

09:09

ALPHA INSTRUMENT 2

Model 8000 11/01/2019

Test

Air Blank

Cal Check

Air Blank

Std Dev

Cal Check Stats Average

Rel Std Deu(%)

Intoxilyzer - Alcohol Analyzer

g/210L

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.080

0:000

0.080

0.000

0.080

0.000

0.0800

0.0000

0.0000

Certificate	of Analysis - Dry Gas	
11-01-19	,080	
Date of Analysis	Labelled target value (g/210L)	
607	,080	
Cylinder#	Average test result	
1054 SMOR	2	
BOT Technician Name and Signat	ure	BRT Form 5.0

referenced dry gas cylinder is suitable for use as an external reference with the Intoxilyzer 8000.

7 Eastgate Dr. • P.O. Box 790 • Jacksonville, IL 62651-0790 217-245-2183 • Fax: 217-243-7634 • www.ilmoproducts.com

Certificate of Analysis

Certificate ID:

12484

Part 禁:

BAC105L080T

Cylinder Size:

105L

Lot Number:

28719080A1

Expiration:

12/5/2021

 $0.080\,$ BAC (For the calibration of instruments used to determine breath alcohol concentration)

105 Liters @ 1000 psig 70°F (21°C)

Analytical

Reported

Balance

Accuracy

Analytical

Component:

Ethanol

Nitrogen

Concentration:

(U, k=2):

208 ppm

Method:

+/-0.002 BAC(G/210L) NDIR

[5.2 ppm]

Distributed by:

CMI Inc.

316 East Ninth Stree Owensboro, KY 4231 Phone 866-835-0690 www.alcoholtest.con

's Signature

*Traceable to:

Certified Reference Material - 262.4 µmol/mol

Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Specialty Gas Lab Tech



The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

				_					Section
11/05/2019		REST TIME 900		COUNTY#	CITY # 8 8		ATION#		
ARREST LOCATION NONE				C	TY NONE			COUNTY	
SUBJECT NAME				L	DATE OF BIRTH		SEX	RACE HEIG	HT WEIGHT
MOCK, SUBJ	ECT TEST		<u> </u>		08/09/		M	W 5	10 165
ADDRESS 3600 MARTII	N LUTHER K	ING A	OKLA	HOMA CIT	Ϋ́		NTE OK		3133
T083454871				EXPIRATION DATE 06/30/2	019 OK	CLASS		RESTRICTION	S ENDORSEMENTS M
VEHICLE MAKE MOCK		MODEL	•	100/00/2	TAG#		STA		PLACARD
On the above date, time, and lo	cation, the above named per	MOCK son was arrested, an	d I had reasonable grour	nds to believe the perso	MOKC	ual physical c	ontrol of a	motor vehicle u	N pon a public road,
ighway, street, turnpike, public nfluence of alcohol and/or other	intoxicating substances as p	ace, or upon a private prohibited by law.	e road, street, alley or lar	ne which provides acce	ss to one or more sing	le or multi-fan	nily dwelling	within this stat	e while under the
Describe driving behavior or cire MOCK SUBJECT									
Describe person's condition (odd	or, actions, etc.):								
ROUTINE MAIN	renance, new	GAS CANI	STER INSTA	LL					
REATH-ALCOHOL ANALYSIS	S DECORD DEDORT OF TH		WAS INFORMED OF TH			FCORD			Spatian 2
QUIPMENT	S NECOND, NEPORT OF IF	SERIAL	NUMBER S	PECIALIST		ECOKU.			Section 2
I-8000 STANDARD	***************************************	80-	-003353	BOARD OF	' TESTS				
Dry			0.080	1	6837				
MANUFACTURER ILMO			LOT# 287190	80A1 1	CYLINDER INSTAL 1/05/201	LED . 9		YLINDER EXP	
	T DATE 1/05/2019	MOUTHPIECE G	A 15-minute	(or greater) dep				<u> </u>	
RESULT TABLE	1/03/2015	1 0		s observed prior		ing		THE	STAT
Test	g/210L	Time	to th	e time of test ac	ministration.			08	
Air Blank	0.00	10:34	I administer	red said Brea	th-Alcohol	Γest in			
Subject Test	0.00	10:34	1	e with the app			1º	100 CM	多月
Breath Volume Air Blank	1.476 LITERS 0.00	10:35	_	dure of the Bo	_	_	\ 2	(***)	
Wait		10:36	1				<i>\</i>		
Air Blank Subject Test	0.00 0.00	10:37 10:37							
Breath Volume	1.640 LITERS	10:37	SIGNATURE OF C	PERATOR		····		18	307
Air Blank	0.00	10:38	NAME						
Cal Check Air Blank	0.08	10:38	SMITH, JOS	HUA					Result
All Blank	0.00	10:38	BADGE #	PERI		-		BrAC	g/210L
			00000004 AGENCY		00001683	/		0.	00
			BOARD OF						
FFECTIVE THIRTY (30) DAN ays or more, if you refused on	r failed the state's test(s).	In addition, your cor	nmercial driving privile	ge in this state will be	disqualified if you re	fused or faile	ed the state	e's test(s)	Section 3
operating a CMV or CDL hold afety must receive your writte	er) OR a test result of .04 on en request for an administr	or more while opera ative hearing on th i	iting a commercial mot	or vehicle. To appeal ed form, within fifteer	the driver's license	revocation/di	squalificati	ion, the Depar	tment of Public
he approved hearing reque ivision, Department of Public	st form is available at htt	ps://www.ok.gov/	dos/documents/ReaH	learing.pdf. Submit v	our hearing request	form in ners	on at 3600	N MIK AVE	or by mail to Legal
fine of not more than Five Hu	undred Dollars (\$500.00), o	or by both such fine	and imprisonment, for	any person to apply f	or a renewal or a re	than seven (placement lic	(7) days no ense to op	or more than s erate a motor	vehicle while the
erson's license, permit, or oth ERVING OF NOTICE:		-	-	•		norae = =	med != !	Continue 4 '	2010
ate served: 11/0	F /0010	nature of officer		ing the Notice of F					oove.
accordance with Title 1									" Section 4
ate: <u>11/05/201</u>					gnature of arrest			22.1001.	
AME SMITH, JOSH		<u> </u>		AGENCY		J = 551,			
ADGE 0000000435	AGENCY ADDRESS INTER-AGE	'NCV		BOARD O	ZIP CODE			E0460	
THER WITNESSES:	TN1EK-AGE	INCI			000	υυ 4	0542	52460	Caption 5
NAME			TITLE	ADDRESS			PHONE		Section 5
1 NAME				ADDRESS	***************************************				
2			111122	VADOVEGO			PHONE		

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

Cant	:	

				_								Sec	ction 1
11/05/201		REST TIME		COUNTY 55	#	CITY 8			TATION# NONE				
ARREST LOCATION		3300		133	CITY				·	COUNT			
NONE SUBJECT NAME					NO		BIRTH		SEX	NOI	NE HEIGHT	WEIGH	JT.
MOCK, SUI	BJECT TEST						09/1	961	M	W	510	16	_
ADDRESS	rin Luther i	TNG A	CITY	HOMA (עידי				ATE OK		ZIP CODE		
DRIVER LICENSE #		(1110 11	ORLE	EXPIRATION (DATE		STATE	CLASS	<u> </u>	RESTRIC	CTIONS E	NDORSE	MENTS
T0834548	/1	MODEL		06/30	/201	.9 TAG	OK #	A	STA	ΔTF		M	
MOCK		MOCE	(ŐKC			ΣK		N	
highway, street, turnpike, p		olace, or upon a privat											
Describe person's condition	n (odor, actions, etc.):			······································									
ROUTINE MA	INTENANCE, NEW	GAS CAN	STER INSTA	.LL									
	·												
		THE PERSON	WAS INFORMED OF TH	IE IMPLIED CO	NSENT TES	ST REQ	UEST						
BREATH-ALCOHOL ANAI	LYSIS RECORD, REPORT OF 1			and LOG OF TI	ST AND M	AINTEN	NANCE RE	CORD.				Sec	tion 2
I-8000				BOARD	OF 7	res'	TS						i
STANDARD Dry			TARGET VALUE 0.080		PERMIT N		R						
MANUFACTURER			LOT#		DATE CY	LINDER	RINSTALLE				R EXPIRES		
ILMO	TECT DATE	MOUTUBLE	287190			<u>·</u>	2019		12	2/05	/202	1	
OBSERVATION START	TEST DATE 11/05/2019	MOUTHPIECE G	A 15-minute										
RESULT TABLE			-	s observed	-			ng			THE ST	An	
Test	g/210L	Time	to th	e time of te	st admir	nistra	tion.		-	(\$\frac{1}{2}\)	*.*^*		
Air Blank	0.00	10:34	I administer	red said F	Breath-	Alco	ohol Te	est in		***		***/	
Subject Test	0.00	10:34	compliance								NA	F.	R
Breath Volu			1	lure of th			_	_		:::\\		#***	
Air Blank Wait	0.00	10:35 10:36	procee	iare or th	c Doar	u Oi	i csts.		1		Y	约 **/	Ş/
Air Blank	0.00	10:37								Poli	****		
Subject Test Breath Volu	0.00	10:37	SIGNATURE OF C	PERATOR							1907		
Air Blank	me 1.640 LITERS 0.00	10:38							J				
Cal Check	0.08	10:38	NAME SMITH, JOS	ינווי						Τ	est Res	sult	
Air Blank	0.00	10:38	BADGE #		PERMIT#				┤ 	Br	AC g/2	10L	
			0000004	35	000	001	6837	7	↓ 	(0.0	0	
			BOARD OF	TESTS					L				
days or more, if you refus (operating a CMV or CDL Safety must receive your The approved hearing r Division, Department of F a fine of not more than Fi person's license, permit, SERVING OF NOTIC	DAYS FROM DATE SERVE lead or failed the state's test(s), holder) OR a test result of .04 written request for an adminis equest form is available at rublic Safety, P.O. Box 11415, ve Hundred Dollars (\$500.00) or other evidence of driving price: I personally hand-determined to the result of the re	In addition, your cot or more while open trative hearing on the ttps://www.ok.gov/OKC, OK 73136. It or by both such fine vilege is in the custo-	mmercial driving privile ating a commercial mote to Department approve dps/documents/ReqH shall be a misdemeano and imprisonment, for dy of a law enforcement the above containi	ge in this state or vehicle. To a ed form, within earing.pdf. Su r punishable by any person to a t officer or the ong the Notic	will be disq appeal the fifteen (15 abmit your he imprisonmapply for a apply for a Departmen	ualified driver's) days thearing nent for renewa t. Ocatio	d if you refuse the slicense referent the date of the date of the second state of the	used or fail evocation/c ate you rec orm in pers nan seven acement lic	led the sta lisqualifica ceived not son at 360 (7) days r cense to c	ate's test(sation, the dice of revious N. MLK nor more operate a	s) Department ocation or of Ave. or by than six (6) motor vehice	nt of Public disqualification and to Lo months, on the color while the color w	ation. egal or by
	itle 12 O.S. Section 426,										rrect."	Sec	tion 4
Date: 11/05/2	019 Place (location						f arrestin	-	-				
SMITH, JC	SHUA			AGENCY BOARD	OF	TES	STS						
BADGE 00000043	5 AGENCY ADDRESS INTER-AG	ENCY					O O O O		0542	2524	60		

Certificate of Analysis – Wet Bath				
09-26-19	.920			
Date of Analysis	Labelled target value (g/210L)			
18020	,0201			
ot Number	Average/test result (g/210L)			
Josh Smrt OT Technician Name and Signatur	The state of the s			

rories, inc. BURG, PA 17111-4611 9 TELEPHONE: 717-564-5470

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

OF ANALYSIS

KECND-1019

ILPHA INSTRUMENT 2

intoxilyzer - Alcohol Analyzer

tode1 8000 19/26/2019

> Average Std Deu

Rel Std Deu(%)

SN 80-004923

14:01

ed Alcohol Reference Solution for Simulator

Time Test g/210L 14:01 0.000 air Blank 14:02 Cal Check 0.020 14:02 0.000 Air Blank 0.020 14:03 Cal Check 0.000 14:04 Air Blank Cal Check 0.020 14:04 0,000 14:05 Air Blank 0.020 14:06 Cal Check 14:05 Air Blank 0.000 14:07 Cal Check 0.021 14:07 0.000 Air Blank 14:08 Cal Check 0.020 14:09 AIR Blank 0.000 14:09 0.020 Cal Check 14:10 Air Blank 0.000 14:11 Cal Check 0.020 0.000 14:11 Air Blank 14:12 Cal Check 0.020 0.000 14:12 Air Blank 14:13 Cal Check 0.020 14:14 Air Blank 0.000 Cal Check Stats

Random Samples of Lot Number 18020 Il Reference Solution for Simulator were analyzed by promatography on January 11, 2018, using a Perkin Elmer Gas lograph Autosystem XL S/N: 610N9030209, and found to contain (w/vol) ethyl alcohol. The expiration date for this lot is January 9, 2020 at 11:59 PM.

Vhen used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol instrument reading of 0.020 g/210L +/- 3%.

he alcohol and water used in this solution were test interfering substances.

Operator's Signature

0.0003

1.5731

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

Certificate of Analysis – Wet Bath				
09-25-19	.040			
Date of Analysis	Labelled target value (g/210L)			
17410	9399			
Lot Number	Average test result (g/210L)			
JUST SMITH	CR			



ES. INC.

17111-4511 9 TELEPHONE: 717-564-5470

3OT Technician Name and Signature

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000. ERAIFICIA

OF

ed Alcohol Reference Solution for Simulator

ALPHA INSTRUMENT

Intoxilyzer - Alcohol Analyzer

Model 8000

SN 80-002591

09/25/2019

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Average

Std Dev

Cal Check Stats

Rel Std Dev(%)

12:08

12:18

12:18

12:19

12:20

12:20

12:21

12:21

Test g/210L Time 12:09 Air Blank 0.000 12:10 Cal Check 0.039 12:10 Air Blank 0.000 12:11 Cal Check 0.040 12:11 Air Blank 0.000 12:12 Cal Check 0.040 Air Blank 0.000 12:13 Cal Check 0.041 12:13 0.000 12:14 Air Blank 0.040 12:15 Cal Check 12:15 0.000 Air Blank 12:16 Cal Check 0.040 0.000 12:16 Air Blank 0.040 12:17 Cal Check

0.000

0.040

0.000

0.040

0.000

0.039

0.000

0.0399

0.0005

1.4226

Random Samples of Lot Number 17410 of I Reference Solution for Simulator were analyzed by hromatography on December 7, 2017, using a Perkin Elmer Gas tograph Autosystem XL S/N: 610N9030209, and found to contain (w/vol) ethyl alcohol. The expiration date for this lot is December 6, 2019 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol s instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were f test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST.

Certificate of Analysis – Wet Bath						
09-25-19	288					
Date of Analysis	Labelled target value (g/210L)					
18300	.2029					
ot Number	Average test result (g/210L)					
JOSH SMITH	· (R					



1-4511 @ TELEPHONE: 717-564-5470

OT Technician Name and Signature

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

ALPHR INSTRUMENT

Average

Std Deu

Rel Std Deu(%)

Intoxilyzer - Alcohol Analyzer

SN 80-002591 Model 8000 13:22

09/25/2019

Test	g/210L	Time
Air Blank	0.000	13:23
Cal Check	0.202	13:24
Air Blank	0.000	13:24
Cal Check	0.203	13:25
Air Blank	0.000	13:25
Cal Check	0.203	13:26
Air Blank	0.000	13:27
Cal Check	0.203	13:27
Air Blank	0.000	13:28
Cal Check	0.203	13:29
Air Blank	0.000	13:29
Cal Check	0.203	13:30
Air Blank	0,000	13:31
Cal Check	0.203	13:31
Air Blank	0.000	13:32
Cal Check	0.203	13:33
Air Blank	0.000	13:33
Cal Check	0.203	13:34
Air Blank	0.000	13:34
Cal Check	0.203	13:35
Air Blank	0.000	13:36
Cal Check Stats		
	The State of the S	

ied Alcohol Reference Solution for Simulator

Random Samples of Lot Number 18300 ol Reference Solution for Simulator were analyzed by thromatography on September 21, 2018, using a Perkin Elmer Gas atograph Autosystem XL S/N: 610N9030209, and found to contain % (w/vol) ethyl alcohol. The expiration date for this lot r is September 19, 2020 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol is instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were f test interfering substances.

Operator's Signature

0,2029

0.0003

0.1558

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

Certificate of Analysis – Wet Bath	
09-25-19	,100
Date of Analysis	Labelled target value (g/210L)
18200	,1032
Lot Number	Average test result (g/210L)
JOSIL SMIT	



RA ORIES, INC.

*** ARRISBURG, PA 17111- 4511 9 TELEPHONE: 717-564-5470

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

12:31

12:32

12:33

12:33

12:34

12:35

12:35

12:36 12:36 OF ANALYSIS

Model 8000 SN 80-002591

09/25/2019 12:23

ALPHA INSTRUMENT

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check Air Blank

Cal Check

Air Blank

Std Deu Rel Std Dev(%)

Cal Check Stats Average

Intoxilyzer - Alcohol Analyzer

Test g/210L Time 12:24 Air Blank 0.000 Cal Check 0.103 12:24 Air Blank 0.000 12:25 Cal Check 0.104 12:26 12:26 Air Blank 0.000 Cal Check 0.103 12:27 0.000 12:28 Air Blank 12:28 Cal Check 0.104 12:29 Air-Blank 0.000 12:30 Call Check 0.103 0.000 12:30 Air Blank 12:31 Cal Check 0.103

0.000

0.103 0.000

0.103

0.000

0.103

0.000

0.103

0.000

0.1032

0.0004

0.4085

d Alcohol Reference Solution for Simulator

landom Samples of Lot Number 18200 I Reference Solution for Simulator were analyzed by bmatography on July 6, 2018, using a Perkin Elmer Gas Chromatograph lem XL S/N: 610N9030209, and found to contain 0.1215% (w/vol) cohol. The expiration date for this lot is July 3, 2020 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol s instrument reading of 0.100 g/210L +/- 3%.

he alcohol and water used in this solution were test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN04271602 whose values are traceable to NIST.