

## STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman

Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

#### ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number , in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of pages.

Signed \_\_\_\_\_

Name of Position: Director/Records Custodian

Date of Attestation:

### **Service Overview**



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 04-27-2021

SERIAL: 80-003364

#### DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



## STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

### **Certificate of Calibration and Operation**

This is to certify that the calibration of INTOXILYZER 8000, serial number 80-003364, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	08-15-08
Board of Tests Bench Check	11-06-08
Board of Tests Bench Check	04-07-10
Board of Tests Bench Check	01-26-12
Manufacturer Calibration	01-03-14
Board of Tests Bench Check	01-15-14
Manufacturer Calibration	04-22-14
Board of Tests Bench Check	05-01-14
Board of Tests Bench Check	10-19-15
Board of Tests Bench Check	07-26-17
Board of Tests Bench Check	03-01-18
Board of Tests Bench Check	07-01-19
Board of Tests Bench Check	04-27-21



Presentation of this form certifies that the Intoxilyzer, SN: 80-003364, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

#### Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol

O. paker Blokelium

and Drug Influence

# STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

ENCH CHECK DATE 04/27/2021	15:12:5		INSTRUMENT LOCATION 80-00336	4	
Intoxilyzer	INSTRUMENT			80-00	
		TEST RI	ESULTS		
Diagnostics PASS  Mouth Alcohol PASS					
RFI Test					
PASS		Du	plicate Breath	Sampling Re	sults
Abort Test PASS		Value	Test 1	Test 2	Control Test
Improper Sample PASS	Test	.02	0.017	0.017	0.019
Interferent Detec	t Test	.04	0.035	0.034	0.036
No Sample Giver	n Test	.10	0.099	0.098	0.099
PASS		.20	0.199	0.197	0.197
Insufficient Samp PASS			PA	SS	
Air Blank Contamina PASS	tion Test				
Range Exceeded	Test				
		CERTIFYING	TECHNICIAN		
I swear under penalty of the Intoxliyzer Bench	of perjury that in r Checking Procedu	egards to the	e above listed i by the State o	instrument, I f Oklahoma.	have complied
GNATURE				DATE	

0000023020

CHRISTOPHER

PAPE,

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

### BENCH CHECK TECHNICIAN'S REPORT

Date: <u>04/27/2021</u>	Start Time	: <u>15:10</u> End	Time: <u>16:00</u>		
INSTRUMENT					
Intoxilyzer Model		Serial #			
8000					
GAS CANISTER					
LOT#		EXP Date			
03521080A3-006			5/2023		
REFERENCE		11-12-1-2			
Guth 2100	Guth 2100	ator Model Guth 2100	Guth 2100		
Guil 2100	Committee of the Commit	Serial #	Guth 2100		
DR2834	DR3700	DR2455	DR3470		
		ncentration			
.02	.04	.10	.20		
00070	00000	LOT#	20100		
20070	20060	20190	20160		
00/40/0000		factured Date	00/40/0000		
02/13/2020	02/10/2020	04/06/2020	03/18/2020		
00/40/0000	Exp 02/10/2022	iration Date	00/40/0000		
02/13/2022		04/06/2022	03/18/2022		
	77770000	Commission Date			
4/6/2021	4/6/2021	4/26/2021	4/26/2021		
REASON FOR BEN POST REPAIR TROUBLESHOOTI	CYLINDER REF				
RTC Battery replaced					
zzz z zamery replaced					
1					
Withthe	-23020				
Technician Signature / Pe					
Christopher Pape #2302	0				
Printed Name					

Certificate	of Analysis - Dry Gas	
3/11/262/	0.080	
Date of Analysis	Labelled target value (g/210L)	
006	0.080	
Cylinder#	Average test result	
Christopher Pa	De chairtaile	23020
BOT Technician Name and Signatu		specialty gases

In accordance with BOT Policy and Procedure Statement BRT-2.2.0, Maintenance, the above referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as a cylinder is suitable for use 217-245-2183 • Fax: 217-243-7634 • www.ilmoproducts.com ALPHA INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-004923 03/11/2021 14:42

Test	g/210L	Time
Air Blank	0.000	14:42
Cal Check	0.080	14:43
Air Blank	0.000	14:43
Cal Check	0.079	14:44
Air Blank	0.000	14:44
Cal Check	0.080	14:44
Air Blank	0.000	14:45
Cal Check	0.079	14:45
Air Blank	0.000	14:46
Cal Check	0.080	14:46
Air Blank	0.000	14:47
Cal Check	0.080	14:47
Air Blank	0.000	14:47
Cal Check	0.079	14:48
Air Blank	0.000	14:48
Cal Check	0.080	14:49
Air Blank	0.000	14:49
Cal Check	0.080	14:49
Air Blank	0.000	14:50
Cal Check	0.080	14:50
Air Blank	0.000	14:51
Cal Check Stats		
Average	0.0797	
Std Deu	0.0004	
Rel Std Dev(%)	0.6060	

### Certificate of Analysis

Certificate ID:

13683

Part #:

BAC105L080T

Cylinder Size:

105L

Lot Number:

03521080A3

Expiration:

3/5/2023

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:

105 Liters @ 1000 psig.70°F (21°C)

Analytical

Reported

Accuracy Analytical

Component:

Concentration:

(U, k=2):

Method:

Ethanol Nitrogen

208 ppm Balance

+/-0.002 BAC(G/210L) NDIR

[5.2 ppm]

Distributed by:

CMI Inc. 316 East Ninth 5 Owensboro, KY Phone 866-835-1 www.alcoholtesi

\*Traceable to: Certified Reference Material - 262.4 µmol/mol Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Specialty Sas Lab Tech

Accreditation #61895

Operator's Signature

The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user, Liability shall be limited to established replacement cost of this material or service.

### 8/13

# OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

	RE	OCA	I ION/DI	SQUA	LIFT	CATI	ON				Section
04/27/2021		3 0		COUNTY#		CITY#	CITA	TION#			
RREST LOCATION BOT	1.22	-		133	CITY				COUNTY		3.475
UBJECT NAME						OF BIRTH		SEX	RACE	LAHC HEIGHT	WEIGHT
NORTH, GAYI	LON LEVERNE	1212 32	CITY		0	3/09/1	961	M	W	510	
3600 MARTIN	LUTHER KI	NG A		AHOMA C		ISTATE	0		рестри	731	.33
Г083454871				06/30	/2019	OK	CLASS A		RESTRIC	CHONS	ENDORSEMEN' M
HICLE MAKE MOCK		MOCK				MOCK		STA	K	N	PLACARD N
n the above date, time, and local an	parking lot, or other public plac intoxicating substances as pro umstances): TEST  r, actions, etc.):	e, or upon a privat hibited by law.	e road, street, alley or la	ane which provides	access to on	e or more single	or multi-famil	y dwellin	g within th	his state w	hile under the
		THE PERSON	WAS INFORMED OF T	HE IMPLIED CON	SENT TEST	REOUEST					
EATH-ALCOHOL ANALYSIS	RECORD, REPORT OF THE	PERSON NAMED	IN SECTION 1 ABOVE	, and LOG OF TE	was a sound being a		CORD.				Section
QUIPMENT L - 8000			NUMBER - 003364	BOARD	OF TI	ESTS					
ANDARD		100	TARGET VALUE		PERMIT NU	MBER					
Dry NUFACTURER			0.080		2302			*****	-		
LMO			035210	080A3	04/2	7/2021	D			202	
SERVATION START TEST	DATE 2/27/2021	MOUTHPIECE	1	e (or greater)			-	03	703	1202	, ,
s or more, if you refused or result of this arrest by filing may be eligible to particl ocation as a result of this rest IDAP within thirty (30	g/210L  0.00 0.00 1.976 LITERS 0.00  0.00 0.00 2.121 LITERS 0.00 0.07 0.00 SFROM DATE SERVED, If failed the state's test(s). In It's properties of the prope	addition, your co more while opera urt of the County r Accountability your driving rec elow. Mail the r	I administed compliance proces proces and proces proces processed and processed proces	COPPRATOR  RISTOPHER  484  TESTS  ard driver's license in this state we older vehicle. Your petition ministered by the older pay reduction Department of the	R PERMIT # O O O O is revoked o if be disqua may appeal ion must be e Department the the amount f Public Saf	lcohol Teble operation of Tests.  3020  ordenied for a pilified if you refuantly Department to for the young to of the young to other the young at P.O. Boo ety at P.O. Boo ety at P.O. Boo ety at P.O. Boo ety at P.O. Boo	eriod of one ised or failed tal action ag y (30) days of fety (DPS). will be req c 11415, Ok	I the sta painst you of the da Comple uired to lahoma	d eighty ( te's test( ur driver te listed etion of pay to t City, Ok	s) license below. IDAP ma the State ( 73136.	Section  y prevent a You must
e served: 04/27 ccordance with Title 1	personally hand delive the person named in S 7/2021 Signal 2 O.S. Section 426, "I s 1 Place (location who	Section 1 about sture of officer state under pe	ve. ::		of Oklaho	1 1 1 1 1 1 1 1 1 1	foregoing	Bad	ge #:		Section
ME	STOPHER	on signed)		AGENCY	- 10 0 10	er out	g omcer:_				
000000484	AGENCY ADDRESS INTER-AGEN	ICV		BOARD	OF I	ZIP CODE 0000	O PHON		2524	60	
HER WITNESSES:	THE AGE	.01			_	10000	0 40	1542	524	60	Cantle-
NAME			TITLE	ADDRESS			P	HONE			Section
NAME			TITLE								
2 NAME			TITLE	ADDRESS			P	HONE			

No Temporary License Issued: Test Below Legal Limit

### 9/13

# OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

RREST DATE		ARREST TIME	0.000	COUNT	Y#	[C	TY#	CITA	ATION#	_			Sectio
04/27/2021	10	1530		55		- 11/			1111111				
RREST LOCATION BOT					CIT	Υ				COUNT	Y LAHO	MA	
BJECT NAME					_		OF BIRTH	7.2/2 <sup>-1</sup>	SEX	RACE	HEIGHT	W	EIGHT
NORTH, GAYI	LON LEVER	NE	ICITY		-	08	/09/19	961  STA	M	M	510		165
600 MARTIN	LUTHER	KING A		AHOMA	CIT	Y			K		731		
VER LICENSE #				EXPIRATION	DATE		STATE	CLASS	36	RESTRI		ENDO	RSEME
083454871 HICLE MAKE		MODEL		06/3	0/20		OK	A	IST	ATE	CMV	M	Ph
IOCK		MOC				-	MOCK		(	OK	N	N	
he above date, time, and loca way, street, turnpike, public p ence of alcohol and/or other is scribe driving behavior or circu OCK SUBJECT	parking lot, or other publi intoxicating substances : umstances):	ic place, or upon a priva	ate road, street, alley or l	lane which provid	es acces	s to one	or more single or	multi-fam	ily dwelli	ng within t	his state wh	ile und	ler the
ribe person's condition (odor	, actions, etc.):								_			_	
ATH-ALCOHOL ANALYSIS UIPMENT -8000	RECORD, REPORT OF	THE PERSON NAME	N WAS INFORMED OF TO IN SECTION 1 ABOV		TEST AN	D MAIN	1.15 (2.11) L	ORD.				_	Section
NDARD CY			TARGET VALUE	-		MUN TI							
NUFACTURER			0.080			CYLING	ER INSTALLED		IDATE	CYLINDE	R EXPIRES	3	
LMO SERVATION START TEST		MOUTHPIECE	03521	<b>EA080</b>	04	/2	7/2021				/202		
rest Stank ubject Test Breath Volume ir Blank sit ir Blank ubject Test Breath Volume	g/210L 0.00 0.00 1.976 LITER: 0.00 0.00 0.00 2.121 LITER: 0.00	15:54 15:56 15:56 15:56	I administe	ce with the	Breat e app	h-Al	cohol Tes	10.00	(	SEAL SEAL	1907		
al Check	0.07	15:57	What his bloom with	RISTOPH	ER						Test Re		
ir Blank	0.00	15:58	BADGE#		PERM	IT#	22222			B	rAC g/2	2101	-
			0000000	484	100	000	23020	_		(	0.0	0	
			BOARD OF	F TESTS						_	A-2	4.75	
ECTIVE THIRTY (30) DAY	S FROM DATE SERV	ED. Notice of Revo		ur driver's licen	se is reve	ked or	denied for a ner	ind of on	o hunde		/1PAL		
or more, if you refused or rating a CMV or CDL holde result of this arrest by filing may be eligible to particication as a result of this est IDAP within thirty (30 RVING OF NOTICE: I ountability Program to a served: 04/27	failed the state's test(syn) OR a test result of .  g a petition in the Distripate in the Impaired arrest from appearin b) days of the date list personally hand of the person name	s). In addition, your c 04 or more while ope ict Court of the Count Driver Accountabili g on your driving re ited below. Mail the delivered a copy of	cation is given that yo commercial driving privi rating a commercial m y in which you were are ty Program (IDAP) ad cord. Participation is request for IDAP to to of the above contain ove.	ilege in this state otor vehicle. Your per rested. Your per Iministered by In IDAP may rea the Departmen	e will be on may a settlion muther Department of Public will be settled to the settle be settled to the settle be settled to the settle be settle	disqualit ppeal ar ust be fil artment amoun ic Safet	ied if you refuse by Departmenta ed within thirty ( of Public Safe t of fees you w y at P.O. Box 1	ed or faile il action a (30) days ty (DPS) vill be rec 11415, O	ed the stagainst your of the double of the double of the stage of the	ate's testiour driver our driver ate listed letion of o pay to a City, Of artment	s) r license below. IDAP may the State. K 73136.	You	ent a must
or more, if you refused or rating a CMV or CDL holde result of this arrest by filing may be eligible to particication as a result of this est IDAP within thirty (30 aVING OF NOTICE: I ountability Program to a served: 04/27	failed the state's test(syr) OR a test result of a petition in the Distripate in the Impaired arrest from appearin b) days of the date list personally hand of the person name 7/2021	s). In addition, your co 04 or more while ope ict Court of the Count Driver Accountabili g on your driving re ted below. Mail the delivered a copy of d in Section 1 abo Signature of office	cation is given that your commercial driving priving a commercial may be used as the program (IDAP) additional program (IDAP) additional program (IDAP) additional program (IDAP) to the above containable.	ilege in this stat otor vehicle. Your per rested. Your per Iministered by In IDAP may rea the Department ining the Noti	e will be on may a stition muthe Department of Publice of R	disqualii ppeal ar st be fil artment amoun ic Safer	ied if you refuse y Departmenta d within thirty ( of Public Safe t of fees you w y at P.O. Box 1	ed or faile il action a (30) days ety (DPS) vill be red 11415, Of	d the st gainst y of the d . Comp quired t klahom of Depa	ate's test our driver ate listed letion of o pay to a City, Ol artment	s) r license below, IDAP may the State, K 73136, Impaired	You	ing
or more, if you refused or atting a CMV or CDL holde result of this arrest by filling may be eligible to particle cation as a result of this set IDAP within thirty (30 VING OF NOTICE: I countability Program to a served: 04/27/202	failed the state's test(syn) OR a test result of .g a petition in the Distripate in the Impaired arrest from appearin b) days of the date list personally hand of the person name 7 / 2021	s). In addition, your co O4 or more while ope ict Court of the Count Driver Accountabili g on your driving re ited below. Mail the delivered a copy of d in Section 1 abo Signature of office 6, "I state under p	cation is given that your commercial driving priving a commercial may be used as the program (IDAP) additional program (IDAP) additional program (IDAP) additional program (IDAP) to the above containable.	ilege in this state to other vehicle. Yr orrested. Your put ministered by In IDAP may rea the Departmen ining the Notion under the law	e will be a pure may a satition muthe Departure the tof Publice of R	disqualii ppeal ai ist be fil artment amoun ic Safet evoca	ied if you refuse y Departmenta d within thirty ( of Public Safe t of fees you w y at P.O. Box 1	ed or faile il action a (30) days ety (DPS) vill be ree 11415, Ol Notice c	d the stagainst you of the do. Computed to klahom: of Department of Depa	ate's test our driver ate listed letion of o pay to a City, Ol artment	s) r license below, IDAP may the State, K 73136, Impaired	You	ent a must
or more, if you refused or atting a CMV or CDL holde result of this arrest by filing may be eligible to particleation as a result of this set IDAP within thirty (30 VING OF NOTICE: I buntability Program to a served: 04/27/202	failed the state's test(syn) OR a test result of .g a petition in the Distripate in the Impaired arrest from appearin b) days of the date list personally hand of the person name 7 / 2021	s). In addition, your co O4 or more while ope ict Court of the Count Driver Accountabili g on your driving re ited below. Mail the delivered a copy of d in Section 1 abo Signature of office 6, "I state under p	cation is given that your commercial driving priving a commercial may be used as the program (IDAP) additional program (IDAP) additional program (IDAP) additional program (IDAP) to the above containable.	ilege in this stat otor vehicle. Your per rested. Your per Iministered by In IDAP may rea the Department ining the Noti	e will be a sun may a settition mu the Depa duce the t of Publ ce of R  ws of O	disqualii ppeal ai st be fil artment amoun ic Safet evoca	ied if you refuse ny Departmenta de within thirty ( of Public Safe t of fees you w y at P.O. Box ion and the I	ed or faile il action a (30) days ety (DPS) vill be ree 11415, Ol Notice c	d the stagainst you of the do. Computed to klahom: of Department of Depa	ate's test our driver ate listed letion of o pay to a City, Ol artment	s) r license below, IDAP may the State, K 73136, Impaired	You	ent a must ing

Certificat	e of Analysis - Wet Bath	
8/11/202	0.020	
Date of Analysis	Labelled tare (value (g/210L)	
20070	2020	No.
Lot Number	Average Arrespit (73) 17	LABORATORIES, INC.
christophes		3 REED . HARRISBURG, PA 17111- 4511 . TELEPHONE: 717-564-5470

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

KCV'P

ALPHA INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-004923 08/11/2020 09:42

Test	g/210L	Time
Air Blank	0.000	09:42
Cal Check	0.020	09:43
Air Blank	0.000	09:43
Cal Check	0.020	09:44
Air Blank	0.000	09:45
Cal Check	0.020	09:45
Air Blank	0.000	09:46
Cal Check	0.020	09:47
Air Blank	0.000	09:47
Cal Check	0.021	09:48
Air Blank	0.000	09:48
Cal Check	0.020	09:49
Air Blank	0.000	09:49
Cal Check	0.020	09:50
Air Blank	0.000	09:51
Cal Check	0.020	09:51
Air Blank	0.000	09:52
Cal Check	0.020	09:53
Air Blank	0.000	09:53
Cal Check	0,019	09:54
Rir Blank	0.000	09:54
Cal Check Stats		
Average	0.0200	
Std Deu	0.0004	
Rel Std Deu(%)	2,3569	

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20070 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 17, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0242% (w/vol) ethyl alcohol. The expiration date for this lot number is February 13, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

Certificate of	F Analysis – Wet Bath		
7/22/2020	0.040	(SOF)	
Date of Analysis	Labelled target value (g/210L)		
20060	10.090	to and from house	
Lot Number	Average that result (g/230L)	LABORATORIES,	INC
christopher Pape		THE STREET O HARRISBURG, PA 17111-4511	
BOT Technician Name and Signature		BRT Form 6.0	

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

### CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20060 of

Alcohol Reference Solution for Simulator were analyzed by
gas chromatography on February 11, 2020, using a Perkin Elmer Gas
Chromatograph Autosystem XL S/N: 610N9030209, and found to contain
0.0483% (w/vol) ethyl alcohol. The expiration date for this lot
number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

ALPHA UNIT SUB

Model 8000

07/22/2020

Test

Air Blank

Cal Check

Air Blank

Average Std Dev

Cal Check Stats

Rel Std Dev(%) 1.3342

Intoxilyzer - Alcohol Analyzer

g/210L

0.000

0.040

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.0395

0,0005

SN 80-003400

14:57

Time

14:57

14:58

14:59

14:59

15:00

15:01

15:01

15:02

15:02

15:03

15:04

15:04

15:05

15:06

15:06

15:07

15:07

15:08

15:09

15:09

15:10

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST.

Certi	тісате с	or Analysis – Wet Bath	of the state of
06/16	120	,100	
Date of Analysis		Labelled target value (g/210L)	
20190		.098	rads.
Lot Number		Availage test result (g/2101)	

BOPATORIES, INC.

BOT Technician Name and Signature :

RGET BRE FORM 5.0 RISE URG, PA 17111- 4511 9 TELEPHONE: 717-564-5470

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

### CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT

Intoxilyzer - Alcohol Analyzer Model 8000 SN 8 06/16/2020

SN 80-002591 16:18

Certified Alcohol Reference Solution for Simulator

Test g/210L Time Air Blank 0.000 16:18 Cal Check 0.099 16:19 Air Blank 0.000 16:20 Cal Check 0.098 16:20 Air Blank 0.000 16:21 Cal Check 0.097 16:22 Air Blank 0.000 16:22 Cal Check 0.098 16:23 Air Blank 0.000 16:24 Cal Check 0.098 16:24 Air Blank 0.000 16:25 Cal Check 0.098 16:26 Air Blank 0.000 16:26 Cal Check 0.098 16:27 air Blank 0.000 16:27 Tal Check 0.097 16:28 Air Blank 0.000 16:29 :al Check 0.098 16:29 Hr Blank 0.000 16:30 :al Check 0.098 16:31 Hir Blank 0.000 16:31 :al Check Stats Average 0.0979

0.0005

0.5798

Std Deu

Rel Std Deu(%)

Random Samples of Lot Number 20190 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol) ethyl alcohol. The expiration date for this lot number is April 6, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST.

BORATORIES, INC.

590 NORTH 5781 STREET 9 HARRISBURG, PA 17111-4511 9 TELEPHONE: 717-564-5470

BOT Technician Name and Signature BRT Form 6.0

In accordance with BRT — 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

SN 80-003400

15:25

Time

15:26

15:26

15:27

15:28

15:28

15:29

15:29

15:30

15:31

15:31

15:32

15:33

15:33

15:34

15:37

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20160 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on March 20, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operators Separature

LPHR UNIT SUB atoxilyzer - Alcohol Analyzer

g/210L

0.000

0.196

0.000

0.196

0.000

0.197

0.000

0.196

0.000

0.198

0.000

0.198

0.000

0,197

0.000

0.198

0.000

0.198

0.000

0.197

0.000

0.1971

odel 8000

7/07/2020

est

ir Blank

al Check

ir Blank

al Check

ir Blank

al Check

ic Blank

al Check

ir Blank

al Check

iir Blank

al Check

Iir Blank

Average

al Check Stats

Re1 Std Deu(%) 0.4442

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.