

STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman

Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number , in compliance with the agency's Maintenance Policy and Procedures.


This packet consists of pages.

Signed _____

Name of Position: Director/Records Custodian

Date of Attestation:

Service Overview



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 05-25-2021

SERIAL: 80-003390

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

Certificate of Calibration and Operation

This is to certify that the calibration of INTOXILYZER 8000, serial number 80-003390, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	08-26-08
Board of Tests Bench Check	11-04-08
Board of Tests Bench Check	04-05-10
Board of Tests Bench Check	02-17-12
Manufacturer Calibration	03-13-13
Board of Tests Bench Check	04-23-13
Board of Tests Bench Check	02-03-14
Board of Tests Bench Check	06-23-14
Board of Tests Bench Check	10-30-14
Board of Tests Bench Check	10-16-15
Board of Tests Bench Check	07-31-17
Board of Tests Bench Check	06-25-19
Board of Tests Bench Check	05-25-21



Presentation of this form certifies that the Intoxilyzer, SN: 80-003390, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol and Drug Influence

phet Blakeling

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

05/25/2021	11:16:5	80-003390
nstrument type Intoxilyzer	INSTRUMENT MODEL I - 8000	INSTRUMENT SERIAL NUMBER 80-003390

TEST RESULTS

Diagnostics

PASS

Mouth Alcohol Test

PASS

RFI Test

PASS

Abort Test

PASS

Improper Sample Test

PASS

Interferent Detect Test

PASS

No Sample Given Test

PASS

Insufficient Sample Test

PASS

Air Blank Contamination Test

PASS

Range Exceeded Test

PASS

Duplicate Breath Sampling Results

Value	Test 1	Test 2	Control Test
.02	0.018	0.017	0.018
.04	0.036	0.036	0.037
.10	0.098	0.097	0.098
.20	0.199	0.197	0.198

PASS

CERTIFYING TECHNICIAN

I swear under penalty of perjury that in regards to the above listed instrument, I have complied with the Intoxliyzer Bench Checking Procedure approved by the State of Oklahoma.

Matter 23820

PERMIT#

PAPE, CHRISTOPHER

SIGNATURE

0000023020

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK TECHNICIAN'S REPORT

3000		Serial # 80-003	390
GAS CANISTER			
OT#	E	XP Date	
08121080A1-061		05/05/2	023
REFERENCE			
	Simulator		
Guth 2100	Guth 2100	Guth 2100	Guth 2100
DR2834	DR3700	rial # DR2455	DR3470
D1\2004		ntration	DR3470
,02	.04	.10	.20
)T #	
20070	20060	20190	20160
00/42/2020		ured Date	
02/13/2020	02/10/2020	04/06/2020	03/18/2020
02/13/2022	02/10/2022	on Date 04/06/2022	02/49/2020
02/10/2022	The state of the s	11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	03/18/2022
		nmission Date	
E1010004	F1010004		
5/3/2021	5/3/2021	5/17/2021	5/24/2021
REASON FOR BE		ACEMENT	5/24/2021
REASON FOR BEI POST REPAIR []	NCH CHECK CYLINDER REPLATING ROUTINE I	ACEMENT	5/24/2021
REASON FOR BEING POST REPAIR TO THE TOUBLESHOOT COMMENTS	NCH CHECK CYLINDER REPLATING ROUTINE I	ACEMENT	5/24/2021
REASON FOR BEING POST REPAIR TO THE TOUBLESHOOT COMMENTS	NCH CHECK CYLINDER REPLATING ROUTINE I	ACEMENT	5/24/2021
REASON FOR BEING POST REPAIR TO THE TOUBLESHOOT COMMENTS	NCH CHECK CYLINDER REPLATING ROUTINE I	ACEMENT	5/24/2021

Certificate o	of Analysis - Dry Gas	
5/14/2021	0.080	
Date of Analysis	Labelled target value (g/210L)	
061	0.080	
Cylinder#	Average test result	
Christopher Pare		specialty gases

In accordance with BOT Policy and Procedure Statement Beastgate in Drong Denor 190 - Jacksonville, IL 62651-0790 referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as a cylinder is suitable for use as a

Certificate of Analysis

Certificate ID:

13813

Part #:

BAC105L080T

Cylinder Size:

105L

Lot Number:

08121080A1

Expiration:

5/5/2023

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:

105 Liters @ 1000 psig 70°F (21°C)

Analytical

Reported

Accuracy

Analytical

Component:

Concentration:

(U, k=2):

Method:

Ethanol

Nitrogen

208 ppm Balance

[5.2 ppm]

+/-0.002 BAC(G/210L) NDIR

CMI Inc. 316 East Ninth St Owensboro, KY Phone 866-835-0

Distributed by:

www.alcoholtest

ALPHA INSTRUMENT

Intoxilyzer - Alcohol Analyzer

Model 8000 05/14/2021

SN 80-002591

10:10

Test	g/210L	Time
Air Blank	0.000	10:11
Cal Check	0.080	10:11
Air Blank	0.000	10:12
Cal Check	0.080	10:12
Air Blank	0.000	10:13
Cal Check	0.080	10:13
Air Blank	0.000	10:13
Cal Check	0.080	10:14
Air Blank	0.000	10:14
Cal Check	0.080	10:15
Air Blank	0.000	10:15
Cal Check	0.080	10:15
Air Blank	0.000	10:16
Cal Check	0.081	10:16
Air Blank	0.000	10:17
Cal Check	0.081	10:17
Air Blank	0.000	10:18
Cal Check	0.081	10:18
Air Blank	0.000	10:19
Cal Check	0.081	10:19
Air Blank	0.000	10:19
Cal Check Stats		
Average	0.0804	
Std Deu	0.0005	
Rel Std Dev(%)	0.6422	

*Traceable to:

Certified Reference Material - 262.4 µmol/mol

Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Specialty Gas Lab Tech

04-22-2021 Issuance Date

Accreditation #61895

The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

8/13

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

ARREST DATE				1011/10			CATIO	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	(Ot) ::			Sc	ectic
05/25/20	21		130		55		CITY#	CITATI	ION #				
RREST LOCATION BOT						CITY		-		COUNT		NAN	
JBJECT NAME	17.5	TATA SERVICES				[DAT	E OF BIRTH	SE	EX	RACE	LAHO	WEIG	HT
NORTH, G	AYI	ON LEVERN	Е	ICITY		0	8/09/196	51 I	M	W	510	16	
	TIN	LUTHER K	ING A		AHOMA C		STATE C	OK		RESTRI	731		- NAC A
T0834548	71				06/30	/201	9 OK	A	- 1	W.L.	w.u.u.t	M	
MOCK.			MOCK				MOCK		STA	K	N CWA	PLACARD N	
hway, street, turnpike,	public p r other in r or circu		ace, or upon a privat	d I had reasonable gro e road, street, alley or	ounds to believe the lane which provides	person was access to o	driving or in actual phy ne or more single or m	ysical contr nulti-family	rol of a dwellin	motor ve g within t	hicle upon his state w	a public ro hile under t	ad, he
scribe person's condition	on (odor	, actions, etc.):	3735075	Wall Your	Lazini								
POST REPAI	R M	AINTENANCE,	INSTALLE	D NEW CYL	INDER								
EATH ALCOHOL AND	u veie	DECORD REPORT OF TH		WAS INFORMED OF				_	_		_	e:	and the
DUIPMENT	1010	RECORD, REPORT OF TH		NUMBER	SPECIALIST	da lee		D.	_		_	Se	etio
0008-1			80	-003390	BOARD	OF T	man bearing the contract of th						
andard Dry				0.080		2302							
NUFACTURER				LOT#	15657 No. 10	DATE CYLI	NDER INSTALLED		DATE	CYLINDE	R EXPIRE	S	_
LMO				08121	.080A1	05/2	25/2021		05	/05	/202	3	
SERVATION START	TEST 0.5	/25/2021	MOUTHPIECE G	A 15-minu	ute (or greater)) depriva	tion/observatio	in					
SULT TABLE	03	12012021	J	period v	vas observed p	orior to a	nd continuing				an o	T.	
rest		g/210L	Time	to	the time of tes	st admin	istration.			13	* * 1	ATE	
				To Postupia	V.C. +5.72	1.7000			1	4/4	* *	***	10
Air Blank		0.00	12:14	The state of the state of the			Alcohol Test	AAA		1	THE	***	10
Subject Test	um-c	0.00	12:14	complian	ce with the	applica	able operatir	ng	100	**		1	! E
Breath Vol	une	2.132 LITERS 0.00	12:15	4 0 0 0 0 0 0 0 0	edure of the		property of the property of		1;	4 **		***	Įį.
Vait		2007	12:17	1	× 1	,			1	a .	>	W .*	E A
ir Blank		0.00	12:17	1000	12/2	2				11	***		/
Subject Test		0.00	12:18	SIGNATURE O	FOPERATOR			_		-	1907		H
Breath Vol	ume	1.730 LITERS 0.00	12:18		CONTRACTOR OF THE PARTY OF THE								
Cal Check		0.07	12:18	NAME						7	est Re	sult	
Air Blank		0.00	12:19	PAPE, CH	HRISTOPHE	R PERMIT#			1		AC g/		
				0000000	0484		023020		1				
				AGENCY		7,3,5,5				(0.0	0	
SECTIVE TURNEY	0) D 4 1 4	S FROM DATE SERVED	Newfelt Co.	BOARD O		Date No.			-				ctio
rs or more, If you refuerating a CMV or CD a result of this arrest u may be eligible to ocation as a result uest IDAP within th RVING OF NOTI countability Prog	L holde by filing partici of this irty (30 ICE: I	failed the state's test(s). OR a test result of .04 a petition in the District of the pate in the Impaired Driatrest from appearing of the date listed personally hand delathe person named in	In addition, your co or more while opers Court of the County ver Accountability on your driving red below. Mail the r ivered a copy of n Section 1 abou	mmercial driving privating a commercial min which you were a Program (IDAP) at ord. Participation lequest for IDAP to the above containe.	vilege in this state vinotor vehicle. You irrested. Your petit dministered by the In IDAP may reduct the Department o	vill be disqu may appea ion must be e Departme ce the amo f Public Sa	alified if you refused I any Departmental a I filed within thirty (30 ent of Public Safety unt of fees you will Ifety at P.O. Box 11	or failed to action aga b) days of (DPS). Co I be requi	the sta linst yo the da Compli ired to thoma	le's lest(our driver ite listed etion of pay to l City, Ol	s) license below IDAP may the State. C 73136.	y prevent You mus	a
		5/2021 Sig								ge #:			
accordance with	Title 12	2 O.S. Section 426, '	I state under pe	enalty of perjury	under the laws	of Oklah	oma that the fore	egoing is	s true	and co	rrect."	Sec	ctio
	202	1 Place (location w	hen signed):	ALC DE LIE		Signati	ure of arresting o	fficer:		2.1			
		STOPHER			BOARD	OF S	TESTS	- 1- 1-7					
00000048		AGENCY ADDRESS INTER - AGE	ENCY			-11	ZIP CODE 00000	PHONE 40		2524	60		
IER WITNESSE	S:					_						Sec	ctio
NAME				TITLE	ADDRESS	-		PH	IONE				
NAME				TITLE	ADDRESS			PH	IONE		_		_
				1.425				100	-				

No Temporary License Issued: Test Below Legal Limit

9/13

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

05/25/2021 RREST LOCATION BOT BUECT NAME NORTH, GAYLON LEVE BODRESS BOO MARTIN LUTHER RIVER LICENSE #	1130		COUNTY 55	11	CITY	#	Ci	TATION	#		
BJECT NAME NORTH, GAYLON LEVE DORESS 3600 MARTIN LUTHER			55	CITY		-		_	COUNT	Y	
NORTH, GAYLON LEVE BORESS B600 MARTIN LUTHER									OK	LAHC	MA
B600 MARTIN LUTHER	DNE			C	ATE OF		0.51	SEX	RACE	HEIGHT	WEIGHT
	RNE	CITY			08/	09/1		M	W	510	
	KING A	OKI	AHOMA C			OTATE	(OK	locaro	731	.33
T083454871			06/30	20		OK	CLASS		RESTRI	CTIONS	ENDORSEME M
MOCK	MOCE	<			TAG	őck			OK	N CWA	N N
the above date, time, and location, the above name inway, street, turnpike, public parking lot, or other put uence of alcohol and/or other intoxicating substances scribe driving behavior or circumstances): MOCK SUBJECT TEST	olic place, or upon a priva	nd i had reasonable gr te road, street, alley o	ounds to believe the r lane which provide:	person w s access t	as driving o one or	g or in actua more single	l physical or multi-fa	control c mily dwe	f a motor ve elling within t	hicle upon his state w	a public road, hile under the
scribe person's condition (odor, actions, etc.):										_	
	E TNOMATTI	3D MINE CITY	TANDER								
OST REPAIR MAINTENANC	E, INSTALLE	ED NEW CYI	TNDER								
	1	nica metale dalah	aus Carron								
EATH-ALCOHOL ANALYSIS RECORD, REPORT C		WAS INFORMED OF	The Residence of the Party	C. C. C. V. L. V. Q. Q.	7.1 1/03		2000	_			D. mark
UIPMENT	and the second s	NUMBER	SPECIALIST	EST AND	MAINTE	NANCE REC	JORD.			-	Section
-8000		-003390	BOARD	OF	TES	TS					
ANDARD		TARGET VALU		PERMIT	NUMBE						
Ory		0.080)		020						
NUFACTURER T. M.O.		LOT#	00071	DATEC	LINDER	INSTALLE	D		TE CYLINDE		
LMO SERVATION START TEST DATE	MOUTHPIECE		L080A1			2023	_	10	5/05	/202	23
145 05/25/202:	1 G	A 15-min	ute (or greater) depri	vation	/observa	ation				
SULT TABLE	1 0	period v	was observed	prior to	and o	continui	ng			_	
			the time of te	A-year and			e		/	THE S	TATA
rest g/210L	Time			or delli		eroin.			0/	***	10/11
		T. administra	The bear		A 1 -	1.17	Salaha.		12/24	* / 4	1 + 4 / WA
Air Blank 0.00	12:14		tered said E					1	14/	ANH	100
Subject Test 0.00	12:14	compliar	nce with the	appli	cable	e opera	ting		0 **		17/1
Breath Volume 2.132 LITE			edure of the						A ***	7	# (* # #) h
Air Blank 0.00 Wait	12:15	proc	cdure of th	Boa	14 01	Tests.			1 mg/ **	19	** 0
Air Blank 0.00	12:17 12:17	1//	The state of	19	5	_			10/0	***	1 2
Subject Test 0.00	12:17	411		3					1,	**	
Breath Volume 1.730 LITE		SIGNATURE C	F OPERATOR						•	190	
Air Blank 0.00	12:18							1 0			
Cal Check 0.07	12:18	NAME						T	7	Test Re	enlt
Air Blank 0.00	12:19		HRISTOPHE	and the same of the same	0.00	-	-				
	5.000	BADGE #	2404	PERMIT		12000			В	rAC g/	ZIUL
		0000000	1484	1000	0002	23020)	4 I	- (0.0	0.0
		BOARD O	F TESTS						,		, 0
STATE OF THE STATE	VED. Notice of Revoc										



In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

61/2020 61/2020

ALPHA INSTRUMENT 2		
Intoxilyzer - Alcohol	Analyzer	
Model 8000	SN	80-004923
08/11/2020		09:42

Test	g/210L			Time	
Air Blank	0.000	T		09:42	
Cal Check	0.020			09:43	
Air Blank	0.000			09:43	
Cal Check	0.020			09:44	
Air Blank	0.000			09:45	
Cal Check	0.020			09:45	
Air Blank	0.000			09:46	
Cal Check	0,020			09:47	
Air Blank	0.000			09:47	
Cal Check	0.021			09:48	
Air Blank	0.000			09:48	
Cal Check	0.020 .	7		09:49	
Air Blank	0.000			09:49	
Cal Check	0.020			09:50	
Air Blank	0.000			09:51	
Cal Check	0.020			09:51	
Air Blank	0.000			09:52	
Cal Check	0.020			09:53	
Air Blank	0.000			09:53	
Cal Check	0.019		21	09:54	
Air Blank	0.000			09:54	
Cal Check Stats					
Average	0.0200				

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20070 of
Alcohol Reference Solution for Simulator were analyzed by
gas chromatography on February 17, 2020, using a Perkin Elmer Gas
Chromatograph Autosystem XL S/N: 610N9030209, and found to contain
0.0242% (w/vol) ethyl alcohol. The expiration date for this lot
number is February 13, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- 2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

0.0004

2,3569

Std Deu

Rel Std Deu(%)

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certificat	e of Analysis – Wet Bath	
7/22/202	0 0.040	
Date of Analysis	Labelied target value (g/210L)	
20060	10,090	Lead Control
Lot Number	Average the rough (g/220L)	HABODATODIES INC
christopheri	apa Danie Danie	ABORATORIES, INC.
BOT Tachnician Name and Sign	The State of	STATE HARRISBURG, PA 1/11-4511 9 IELEPHONE: ///-504-54/0

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20060 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 11, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0483% (w/vol) ethyl alcohol. The expiration date for this lot number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

ALPHA UNIT SUB

Model 8000

07/22/2020

Test

Air Blank

Cal Check

Air Blank

Std Dev

Cal Check Stats Average

Rel Std Deu(%) 1.3342

Intoxilyzer - Alcohol Analuzer

g/210L

0.000

0.040

0.000

0.039

0.000

0,039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.0395

0.0005

SN 80-003400

14:57

Time

14:57

14:58

14:59

14:59

15:00

15:01

15:01

15:02

15:02

15:03

15:04

15:04

15:05

15:06

15:06

15:07

15:07

15:08

15:09

15:09

15:10

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

-	Certi	ticate (or Analysis – Wet Bath	100
06	16	20	,100	
	Date of Analysis		Labelled target value (g/210L)	
20190			.098	Man thigh
Lot Number	-		Avadage test result (g/210L)	

ABORATORIES, INC.

RISE URG, PA 17111-4511 O TELEPHONE: 717-564-5470

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

16:18

CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-002591 Certified Alcohol Reference Solution for Simulator

Test g/210L Time Air Blank 0.000 16:18 Cal Check 0.099 16:19 Air Blank 0.000 16:20 Cal Check 0.098 16:20 Air Blank 0.000 16:21 Cal Check 0.097 16:22 Air Blank 0.000 16:22 Cal Check 0.098 16:23 Air Blank 0.000 16:24 Cal Check 0.098 16:24 Air Blank 0.000 16:25 Cal Check 0.098 16:26 Air Blank 0.000 16:26 Cal Check 0.098 16:27 Air Blank 0.000 16:27 Cal Check 0.097 16:28 Rir Blank 0.000 16:29 :al Check 0.098 16:29 lic Blank 0.000 15:30 al Check 0.098 15:31 lir Blank 0.000 16:31

BOT Technician Name and Signature

06/16/2020

a) Check Stats
 Average

Rel Std Deu(%)

Std Dev

Random Samples of Lot Number 20190 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol) ethyl alcohol. The expiration date for this lot number is April 6, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

0.0979

0.0005

0.5798

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

PECUPO20

Certificate of Analysis – Wet Bath	
01/07/2020	0.200
Date of Analysis	Lajin led toget value (g/210L)
20160 2	1 0.197
Lot Number	Av applest sulvisional and a

BORATORIES, INC.

500 NORTH STREET O HARRISBURG, PA 17111-4511 O TELEPHONE: 717-564-5470

BRT Form 6.0

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

LPHR UNIT SUB ntoxilyzer - Alcohol Analyzer SN 80-003400 7/07/2020 15:25 g/210L Time ir Blank 0.000 15:26 al Check 0,196 15:26 ir Blank 0,000 15:27 al Check 15:28 0.196 ir Blank 15:28 0.000 31 Check 0.197 15:29 ir Blank 0.000 15:29 31 Check 0.196 ir Blank 0.000 31 Check 0.198 ir Blank 0.000 31 Check ir Blank 0.000 al Check 15:34 0.000 ir Blank 15:35 al Check 15:35 ir Blank 0.000 15:36 al Check 15:37 15:37 ir Blank 0,000

Random Samples of Lot Number 20160 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on March 20, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator is Signature

0.197

0.000

0.1971

al Check

ir Blank

Average :

al Check Stats

Rel Std Deu(%) 0.4442

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

15:38

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.