

#### STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

#### ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

 The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number , in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of pages. Signed

Name of Position: Director/Records Custodian

Date of Attestation:



Board of Tests for Alcohol and Drug Influence Enhancing public safety by ensuing the accuracy and scientific reliability of blood and breath testing.



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 09-22-2020

SERIAL: 80-003392

#### DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



#### STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at: Board of Tests for Alcohol and Drug Influence Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307

### **Certificate of Calibration and Operation**

This is to certify that the calibration of **INTOXILYZER 8000, serial number** <u>80-003392</u>, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	08-26-08
Board of Tests Bench Check	11-05-08
Board of Tests Bench Check	03-31-10
Manufacturer Calibration	09-23-10
Board of Tests Bench Check	10-06-10
Board of Tests Bench Check	12-09-11
Board of Tests Bench Check	10-14-13
Manufacturer Calibration	02-26-14
Board of Tests Bench Check	03-07-14
Board of Tests Bench Check	10-01-15
Board of Tests Bench Check	01-09-17
Board of Tests Bench Check	11-19-18
Board of Tests Bench Check	09-22-20



Presentation of this form certifies that the Intoxilyzer, SN: <u>80-003392</u>, functioned properly at the time of the breath test and hereby certifies the breath test result as valid. Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

#### Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,

O. paher Blakelun

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol and Drug Influence

#### STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

ENCH CHECK DATE	TIME PROCEDURE BEGA	N I	NSTRUMENT LOCATION	2	
TRUMENT TYPE				INSTRUMENT SE	
ncontryact	11-00	TEST RE	SULTS		5552
Diagnost	ics				
PASS					
Mouth Alcoh	ol Test				
PASS					
RFI Tes	st				
PASS	5	Du	plicate Breath	Sampling Re	eulte
Abort Te	est	Du			
PASS		Value	Test 1	Test 2	Control Test
Improper Sam	ple Test				
PASS		.02	0.018	0.017	0.020
Interferent Det		.04	0.036	0.036	0.037
PASS		.10	0.096	0.096	0.097
No Sample Giv		.20	0.197	0.196	0.198
PASS		.20		and the second sec	0.198
Insufficient San			PA	SS	
PASS					
Air Blank Contami PASS					
Range Exceed PASS					
FADD					
and the second s		CERTIFYING 1	ECHNICIAN	de la com	
I swear under penalt					
the Intoxliyzer Benc	ch Checking Proced	lure approved	by the State o		
NATURE				DATE	
11 MITTE	1	2-0-		0	1.1
My SAS	2	5020		7	22/2020
APE, CHRISTO	OPHER			PERMIT #	023020
	C. C. D. C.			0000	

5/13



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

03/18/2020

03/18/2022

9/1/2020

## **BENCH CHECK TECHNICIAN'S REPORT**

Date: <u>09/22/2020</u>

Start Time: 09:45

End Time: 10:40

#### INSTRUMENT

Intoxilyzer Model		Serial #			
8000		80-003392			
GAS CANISTER					
LOT #		EXP Date			
14020080A1-002		07/05/2	022		
REFERENCE	112.77				
No statute contractores	Simula	tor Model			
Guth 2100	Guth 2100	Guth 2100	Guth 2100		
	5	Serial #			
DR2834	DR3700	DR2455	DR3470		
	Con	centration			
.02	.04	.10	.20		
		LOT #	i the second second		
19050	20060	20190	20160		
	Manufa	actured Date	1		

**Expiration Date** 

Solution Commission Date

04/06/2020

04/06/2022

8/27/2020

### REASON FOR BENCH CHECK

□ POST REPAIR □ CYLINDER REPLACEMENT

□ TROUBLESHOOTING ⊠ ROUTINE MAINTENANCE

02/10/2020

02/10/2022

8/27/2020

#### COMMENTS

02/04/2019

02/04/2021

8/27/2020

Sal

Christopher Pape #23020 Printed Name

Technician Signature / Permit #

Certificate	of Analysis - Dry Gas	The second se
07/15/2020	0.080	
Date of Analysis	Labelled target value (g/210L)	
Cylinder #	Average test result	
Christopher App BOT Technician Name and Signatu	KALLA 230	specialty gases

ALPHA UNIT SUB

7/13

In accordance with BOT Policy and Procedure Statement Eastigate On P.O. Bur 790 . Jacksonville, IL 62651-0790 referenced dry gas cylinder is suitable for use as an external reference with the intexilvzer 8000. 217-245-2183 • Fax: 217-243-7634 • www.ilmoproducts.com

**Certificate of Analysis** 

Cer	tifi	cate	ID

Part #: Cylinder Size: Lot Number: Expiration:

BAC105L080T 105L 14020080A1 7/5/2022

13020

123/2020

Analytical Method:

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:	105 Liters @	1000 psig 70°F	(21°C)
-----------	--------------	----------------	--------

si	Reported	Analytical Accuracy	Anal
Component:	Concentration:	(U, k≡2):	Meth
Ethanol	208 ppm	+/-0.002 BAC(G/210L) [5.2 ppm]	NDIR
Nitrogen	Balance		

#### **Distributed by:**

CMI Inc. 316 East Ninth Stree Owensboro, KY 423 Phone 866-835-0690 www.alcoholtest.con

Operator a Stopatu

\*Traceable to: Certified Reference Material - 262.4 µmol/mol Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

alty Gas Lab Tech

06-15-2020 Issuance Date



The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user, Liability shall be limited to established replacement cost of this material or service.

Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-003400 07/15/2020 09:50

Test	g/210L	Time
Air Blank	0.000	09:51
Cal Check	0.080	09:51
Air Blank	0.000	09:52
Cal Check	0.081	09:52
Air Blank	0.000	09:52
Cal Check	0.080	09:53
Air Blank	0.000	09:53
Cal Check	0.081	09:54
Air Blank	0.000	09:54
Cal Check	0.081	09:54
Air Blank	0.000	09:55
Cal Check	0.081	09:55
Air Blank	0,000	09:56
Cal Check	0.080	09:56
Air Blank	0.000	09:57
Cal Check	0.080	09:57
Air Blank	0.000	09:58
Cal Check	0.080	09:58
Air Blank	0.000	09:58
Cal Check	0.080	09:59
Air Blank	0.000	09:59
Cal Check Stats		7.000
Average	0.0804	
Std Deu	0.0005	
Rel Std Dev(%)	0.6422	

## OFFICER'S AFFIDAVIT AND NOTICE OF

8/13

STANDARD     TARGET VALUE     P       Dry     0.080     0.080       MANUFACTURER     LOT #     14020080A1       DBSERVATION START     TEST DATE     MOUTHPIECE       1010     09/22/2020     G       Test     g/210L     Time       Air Blank     0.00     10:27       Subject Test     0.00     10:28	CITY DATE O E TTY E 2019	OK 2 AG # MOCK iving or in actual phys	STATE OK ASS A Ical control o	COUNT OKJ RACE W RESTRIC	LAHC HEIGHT 51( ZIP COD 731 CTIONS	WEIGHT 165 DE L33 ENDORSEMENT M PLACARD N a public road,
BOT         SUBJECT NAME         NORTH, GAYLON LEVERNE         ADDRESS         CITY         ADDRESS         MOCK         MOCK         MOCK         MOCK         MOCK         MOCK SUBJECT TEST, ROUTINE MAINTENANCE, INSTALL NEW         THE PERSON WAS INFORMED OF THE IMPLIED CONS         REATH-ALCOHOL ANALYSIS RECORD, REPORT OF THE PERSON NAMED IN SECTION 1 ABOVE, and LOG OF TEST         COUPMENT       SERIAL NUMMER         I - 8000       SPECIALIST         DESCINT TABLE       IA 15-minute (or greater) C         DESULT TABLE       G	DATE O E TY 2019	STATE CL OK 2 MOCK	1 M STATE OK ASS A Ical control o	OK RACE W RESTRIC	LAHC HEIGHT 51( ZIP COD 731 CTIONS	WEIGHT 165 DE 133 ENDORSEMENT M PLACARD N a public road,
NORTH, GAYLON LEVERNE         NDRESS       CITY         3600       MARTIN LUTHER KING A       OKLAHOMA CI         NORVER LICENSE #       06/30/         T083454871       06/30/         VEHICLE MAKE       MODEL         MOCK       MOCK         n the above date, time, and location, the above named person was arrested, and 1 had reasonable grounds to believe the person's condition and/or other intoxicating substances as prohibited by law.         Describe driving behavior or circumstances):         escribe person's condition (odor, actions, etc.):         MOCK SUBJECT TEST, ROUTINE MAINTENANCE, INSTALL NEW         THE PERSON WAS INFORMED OF THE IMPLIED CONS         REATH-ALCOHOL ANALYSIS RECORD, REPORT OF THE PERSON NAMED IN SECTION 1 ABOVE, and LOG OF TEST         GUIPMENT       SERIAL NUMBER       SPECIALIST         I - 80000       80-003392       BOARD C         TANDARD       UOT #       LOT #         Dry       0.80       EVENT ABOVE         ILIMO       09/22/2020       G       A 15-minute (or greater) O         BESERVATION START       TEST DATE       MOUTHPIECE       A 15-minute (or greater) O         Dry       0.00       10:27       Subject Test       0.00       10:27	O E TY 2019	STATE CL OK 2 MOCK	1 M STATE OK ASS A Ical control o	RESTRICT STATE OK	510 ZIP COL 731 CTIONS	D 165 DE L33 ENDORSEMENT M PLACARD N a public road,
3600 MARTIN LUTHER KING A       OKLAHOMA CI         IRIVER LICENSE #       EXPIRATION DAT         T083454871       06/30/         WOCK       MODEL         MOCK       MODEK         In the above date, time, and location, the above named person vas arrested, and I had reasonable grounds to believe the person's condition (odor, actions, etc.):       MOCK         MOCK SUBJECT TEST, ROUTINE MAINTENANCE, INSTALL NEW         THE PERSON WAS INFORMED OF THE IMPLIED CONS         Reath-ALCOHOL ANALYSIS RECORD, REPORT OF THE PERSON NAMED IN SECTION 1 ABOVE, and LOG OF TEST         QUIPMENT         SERIAL NUMBER         SPECIALIST         O . 0 80         ANDARD         ANDARD         AIT BLAR         OUT MENT         SECIAL ST         DITY         OUT MENT         SECIAL ST	E 2019	OK 2 AG # MOCK iving or in actual phys	OK ASS A Ical control o	STATE OK of a motor ve	CTIONS	L33 ENDORSEMENT M PLACARD N a public road,
RIVER LICENSE #       EXPIRATION DAT 06/30/         T083454871       Colspan="2">Colspan="2"Colsp	E 2019	OK 2 AG # MOCK iving or in actual phys	ASS A Ical control o	STATE OK of a motor ve	CTIONS CMV N	ENDORSEMENT M PLACARD N a public road,
EHICLE MAKE       MODEL         MOCK       MOCK         In the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person's condition and/or other intoxicating substances as prohibited by law.         rescribe driving behavior or circumstances):         asscribe person's condition (odor, actions, etc.):         MOCK       Subject T TEST, ROUTINE MAINTENANCE, INSTALL NEW         THE PERSON WAS INFORMED OF THE IMPLIED CONS         REATH-ALCOHOL ANALYSIS RECORD, REPORT OF THE PERSON NAMED IN SECTION 1 ABOVE, and LOG OF TEST         QUIPMENT       SERIAL NUMBER         I - 8000       SERIAL NUMBER         SPECIALIST       BOARD         QUIPMENT       SERIAL NUMBER         I - 8000       SPECIALIST         BOARD       0.080         IDTY       0.080         ANUFACTURER       MOUTHPIECE         ILMO       09/22/2020         G       SERIAL NUMBER         BSERVATION START       TEST DATE         MOUTHPIECE       MOUTHPIECE         Air Blank       0.00       10:27         Subject Test       0.00       10:28	rson was dr	MOCK	ical control o	OK of a motor ve	N hicle upon	N a public road,
hway, street, turnpike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides at libunce of alcohol and/or other intoxicating substances as prohibited by law.         escribe driving behavior or circumstances):         escribe person's condition (odor, actions, etc.):         MOCK SUBJECT TEST, ROUTINE MAINTENANCE, INSTALL NEW         THE PERSON WAS INFORMED OF THE IMPLIED CONS         State of the person's condition (odor, actions, etc.):         MOCK SUBJECT TEST, ROUTINE MAINTENANCE, INSTALL NEW         THE PERSON WAS INFORMED OF THE IMPLIED CONS         State of the person was informed of the implied cons         DUIPMENT         I = 8000       80 - 003392       BOARD O         Dary       0.080       0         ANUFACTURER       TEST DATE       P         1LMO       09/22/2020       G       A         BEREVATION START       TEST DATE       MOUTHPIECE       A         Test       g/210L       Time       I administered said Brows observed pr         Air Blank       0.00       10:27       I administered said Brows observed pr         Subject Test       0.00       10:28       I administered said Brows observed pr						
TANDARD     TARGET VALUE       Dry     0.080       ANUFACTURER     LOT #       ILMO     14020080A1       BSERVATION START     TEST DATE       1010     09/22/2020       G     A 15-minute (or greater) of period was observed priod was observ	AND MAIN					Section
ANUFACTURER     LOT #       ILMO     14020080A1       BSERVATION START     TEST DATE       1010     09/22/2020       G     MOUTHPIECE       AIS-minute (or greater) of period was observed priod was obser	RMIT NUN	MBER				
ILMO     14020080A1       BSERVATION START     TEST DATE       1010     09/22/2020       G     A 15-minute (or greater) of period was observed preiod was observed prei	2302					
BESERVATION START     TEST DATE     MOUTHPIECE     A 15-minute (or greater) of period was observed previod was o	09/2	DER INSTALLED		7/05		
IDIO     IDIO     IDIO     IDIO     IDIO     IDIO       ESULT TABLE     Test     g/210L     Time     to the time of test       Air Blank     0.00     10:27     I administered said Brownie       Subject Test     0.00     10:28     compliance with the administered said Brownie				1105	1202	
Test     g/210L     Time     to the time of test       Air Blank     0.00     10:27     I administered said Brownie       Subject Test     0.00     10:28     compliance with the administered said Brownie					-	-
Subject Test 0.00 10:28 compliance with the a				OF	THE S	TATE
Subject Test 0.00 10:28 compliance with the a	ath-A	lcohol Test	n	3/**		1+++ 10
compliance with the t	pplical	ble operating	7	· *		AX + P
Breath Volume 1 441 LITERS		and the second	2	121 44	The st	8(*** A
Air Blank 0.00 10:28 procedure of the	Board	of fests.		19 + *	29	** 0
Wait 10:30	0	2000		13/1	***	* * /5
Air Blank 0.00 10:30	-al	3020		1	**	
Subject Test 0.00 10:31 Breath Volume 1.410 LITERS SIGNATURE OF OPERATOR					190	
Air Blank         0.00         10:31           Cal Check         0.07         10:31				т	Test Re	and t

Cal Check	0.07	10:31	PAPE, CH	RISTOPHER			Test Resu	22
Air Blank	0.00	10:32	BADGE # 0000000	F	ERMIT #	023020	BrAC g/21	36.1
1.0.0			AGENCY BOARD OI	TESTS			0.00	,
days or more, if you refus (operating a CMV or CDL as a result of this arrest b You may be eligible to p revocation as a result of	ed or failed the state's tes holder) OR a test result o y filing a petition in the Di participate in the Impair f this arrest from appear	t(s). In addition, your co of .04 or more while oper strict Court of the County of Driver Accountability ring on your driving red	mmercial driving privi aling a commercial m In which you were ar Program (IDAP) ad cord. Participation in	lege in this state will otor vehicle. You m rested. Your petition ministered by the n IDAP may reduce	I be disquali ay appeal a n must be fil Department the amour	fied if you refused ny Departmental a led within thirty (30 t of Public Safety nt of fees you will	d of one hundred eighty (180) or failed the state's test(s) ction against your driver license days of the date listed below. (DPS). Completion of IDAP may pr be required to pay to the State. YC 15, Oklahoma City, OK 73136.	
SERVING OF NOTIO Accountability Progra				ning the Notice	of Revoca	tion and the No	tice of Department Impaired D	iving
Date served: 09/	22/2020	Signature of office	r:				Badge #:	
In accordance with Ti	tle 12 O.S. Section 4	26, "I state under pe	enalty of perjury	under the laws	of Oklahor	ma that the fore	going is true and correct."	Section 4
Date: 09/22/2	020 Place (locat	ion when signed):			Signature	e of arresting of	flicer:	
PAPE, CH	RISTOPHER			BOARD	OF T	ESTS		
BADGE 000000048	4 AGENCY ADDRESS						PHONE 4054252460	
OTHER WITNESSES	3:							Section 5

NAME	TITLE	ADDRESS	PHONE
NAME	TITLE	ADDRESS	PHONE

OFFICER/DPS COPY BOT Form AFF01 03/2020

# **OFFICER'S AFFIDAVIT AND NOTICE OF**

9/13

ARREST DATE 09/22/2020		OOO		COUNTY 55	#	CIT	Y#	CI	TATION #	2		
ARREST LOCATION		000		155	CITY	-			-	COUNT	LAHO	MA
UBJECT NAME				0.0			BIRTH	1.00	SEX	RACE	HEIGHT	WEIGHT
	LON LEVERN	Е				08/	09/1	A set of the set of the	M	W	510	
DORESS 3600 MARTI RIVER LICENSE #	N LUTHER K	ING A	OKL	AHOMA (				0	OK	Incom	ZIP COD	.33
C083454871				EXPIRATION 06/30		19	OK	CLASS		RESTR	ICTIONS	
HICLE MAKE IOCK		MODEL	7			TAC	IOCK			ATE	CMV N	PLACARD N
hway, street, turnpike, public	ocation, the above named per parking lot, or other public pi r intoxicaling substances as p rcumstances);	ace, or upon a priva										
cribe person's condition (od												
10CK SUBJECT	TEST, ROUTI	NE MAINT	ENANCE, IN	STALL NI	EW CY	LIN	DER					
EATH-ALCOHOL ANALYSI	S RECORD, REPORT OF TH		WAS INFORMED OF T				7	ORD.				Sectio
UIPMENT	Construction of the Design of the	SERIA	NUMBER	SPECIALIST				dini.				
-8000		80	-003392	BOARD	OF ?							
ANDARD			TARGET VALUE		PERMIT		IR.					
NUFACTURER			0.080		230	LINDE	RINSTALLE	0	DATE	CYLIND	ER EXPIRE	c
LMO			140200	080A1	09/	22	2020	)			/202	
SERVATION START TES		MOUTHPIECE		te (or greater					1 .	100	,	
010 0 SULT TABLE	9/22/2020	G		as observed							-	-
	1000			he time of te	•			9		6	THE ST	ATE
lest	g/210L	Time		A A ASSA PERSON AS			- Carlond			1.9%	***	12 . * *
Air Blank	0.00	10:27	I administe	ered said I	Breath-	Alc	ohol Te	est in		5 + 4		# # # 10
Subject Test	0.00	10:28	compliance							0 *	9 A 14	A */*
Breath Volume	1.441 LITERS							ung		E **	AL AL	1(*** A
Air Blank	0.00	10:28	proce	dure of th	e Boar	d of	leşts.			A# 10	12	*** 0
Wait Air Blank	0.00	10:30	1/11	tol	1 -	2	3020	)	11 2	13/4	****	1/2/
Subject Test	0.00	10:30 10:31	Challe	11X		de	sar			1	***	//
Breath Volume	1.410 LITERS	20.01	SIGNATURE OF	OPERATOR							1907	
Air Blank	0.00	10:31	NAME			_	_	_	-			
Cal Check	0.07	10:31	A second second second	RISTOPHE	R						<b>Fest</b> Re	
Air Blank	0.00	10:32	BADGE #	1.01 E.	PERMIT /		and the second	-		B	rAC g/2	210L
			0000000	484	000	00	23020	1			0 0	0
			a total of the second sec	magano							0.0	0
	YS FROM DATE SERVED	Notice of Revor	AGENCY BOARD OF	TESTS						_	0.0	_
Summer	YS FROM DATE SERVED or failed the state's test(s).	In addition, your co	mmercial driving privil ating a commercial mo	ege in this state otor vehicle. You rested. Your pet	will be disc a may appe ition must t	ualifie al any be filec	d if you refu Departmen within thirty	sed or fail tal action (30) days	ed the sta against y s of the d	ate's test our drive ate listed	(s) r license below.	Section Sectio
is or more, if you refused o erating a CMV or CDL hold a result of this arrest by filin u may be eligible to parti ocation as a result of this	der) OR a test result of .04 ng a petition in the District ( cipate in the Impaired Dri s arrest from appearing o	Court of the County ver Accountabilit n your driving rea	Program (IDAP) add cord. Participation in	IDAP may redu	ice the am	nount	of fees you					
s or more, if you refused o crating a CMV or CDL hold result of this arrest by filin rmay be eligible to parti- ocation as a result of this uest IDAP within thirty (3 RVING OF NOTICE:	der) OR a test result of .04 ng a petition in the District ( cipate in the Impaired Dri	Court of the County ver Accountabilit n your driving red below. Mail the vered a copy o	y Program (IDAP) add cord. Participation in request for IDAP to the f the above contain	IDAP may redu he Department	ice the an of Public S	ount Safety	of fees you at P.O. Box	11415, 0	klahoma	a City, O	K 73136.	You must
is or more, if you refused o erating a CMV or CDL hold a result of this arrest by filin u may be eligible to parti ocation as a result of this juest IDAP within thirty (3 ERVING OF NOTICE:	der) OR a test result of .04 g a petition in the District ( cipate in the Impaired Drit s arrest from appearing o 30) days of the date listed l personally hand deli to the person named in	Court of the County ver Accountabilit n your driving red below. Mail the vered a copy o	y Program (IDAP) add cord. Participation in request for IDAP to th f the above contain ve.	IDAP may redu he Department	ice the an of Public S	ount Safety	of fees you at P.O. Box	11415, 0	klahoma of Depa	a City, O	K 73136.	You must

Date: 09/22/2020 Place (location when signed):	Signature of arresting officer:
PAPE, CHRISTOPHER	BOARD OF TESTS
BADGE AGENCY ADDRESS	ZIP CODE PHONE 00000 4054252460

Certificate o	f Analysis – Wet Bath		
12-10-19	,020		10/13
Date of Analysis	Label tare galue (g/210L)		
19050	5 4 ,020	and the	
Lot Number		ABORATORIES, INC.	See C
JOSH SMITH	The Sto NORTH 67th ST	REET O HARRISBURG, PA 17111- 4511 O TELEPHONE: 717-564-5470	0
BOT Technician Name and Signature		BRT Form 6.0	acer 12019
In accordance with BRT - 2.2.	0, Maintenance, the above referenced sin	nulator solution is	(Re pt
a contract of the second s	reference in maintenance of the Intoxilyze		$\mathcal{M}$
		RTIFICATE OF ANALYSIS	1 Ne

ALPHA INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer Model 8000 SN 80-004923 Certified Alcohol Reference Solution for Simulator 12/10/2019 14:52

Test	g/210L		Time
Air Blank	0.009		14:53
Cal Check	0.019		14:53
Air Blank	0.000		14:54
Cal Check	0.020		14:55
Air Blank	0.000		14:55
Cal Check	0.019		14:56
Air Blank	0.000		14:56
Cal Check	0.020		14:57
Rir Blank	0.000		14:58
Cal Check	0.019		14:58
Air Blank	0.000		14:59
Cal Check	0.020		15:00
Air Blank	0.000		15:00
Cal Check	0.019		15:01
AIr Blank	0,000		15:01
Cal Check	0.020		15:02
-Air Blank	0.000		15:02
Cal Check	0.020	141	15:03
Air Blank	0.000		15:04
Cal Check	0.020		15:04
Air Blank	0.000		15:05
Cal Check Stats			
Average	0.0196		
Std Deu	0.0005		
Rel Std Deu(%)	2.6345		

rator's Signature

Random Samples of Lot Number 19050 of 14:53 14:53 Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 5, 2019, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0236% (w/vol) ethyl alcohol. / The expiration date for this lot number is February 4, 2021 at 11:59 PM.

When used in a calibrated Simulator, operating at  $34^{\circ}C' + - .2^{\circ}C$ , this solution will give a breath alcohol 15:04 analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certificate of Analysis – Wet Bath	and the second se
7/22/2020 0.040	
ate of Analysis. Labelled target value (g/210L)	
20060 0.000	Sur Im Con
ot Number	LABORATORIES, INC.
histopher aparter and the	
BOT Technician Name and Signature	BRT Form 6.0

#### CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

RLPHR UNIT SUB Intoxilyzer - Alcohol Analyzer SN 80-003400 Model 8000 07/22/2020 14:57

g/210L

Time

Test

RCVD 6/1/20 CP Random Samples of Lot Number 20060 Alcohol Reference Solution for Simulator were analyzed by chromatography on February 11, 2020, using a Perkin Elmer Gas gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0483% (w/vol) ethyl alcohol. The expiration date for this lot number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President **GUTH LABORATORIES, INC.** 

NIST Traceability: Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Air Blank 0.000 14:57 Cal Check 0.040 14:58 Air Blank 0.000 14:59 Cal Check 14:59 0.039 Air Blank 15:00 0.000 Cal Check 0.039 15:01 Air Blank 0.000 15:01 Cal Check 0.039 15:02 Air Blank 0.000 15:02 Cal Check 0.039 15:03 Air Blank 0.000 15:04 Cal Check 0.039 15:04 Air Blank 0.000 15:05 Cal Check 0.040 15:06 Air Blank 0.000 15:06 Cal Check 0.040 15:07 Air Blank 0.000 15:07 Cal Check 0.040 15:08 Air Blank 15:09 0.000 Cal Check 0.040 15:09 Air Blank 0.000 15:10 Cal Check Stats 0.0395 Average Std Deu 0.0005 Rel Std Deu(%) 1.3342

Operator's Signature

11/13

	of Analysis – Wet Bath		
06/16/20	,100		12/13
20190	Labelled target value (g/210L)		
Lot Number	Augrage test result (g/210L)		
( osh South	(ULANDAR D	BORATORIES, INC.	
BOT Technician Name and Signatu	re .	TELEPHONE: 717-564-5470	
In accordance with BRT - 2.2	2.0, Maintenance, the above referenced	simulator solution is	io .
suitable for use as an externa	I reference in maintenance of the Intoxi	yzer 8000.	DEC 2
			P1. 2

CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT Intoxilyzer - Alcohol Model 8000	Analyzer	Certified	Alcohol	Reference	Solution	for	Simulator
06/16/2020	SN 80-002591 16:18	Certified	Alconol	Reference	Solution	Ior	Simulator

Test	g/210L	Time
Air Blank	0.000	16:18
Cal Check	0.099	16:19
Air Blank	0.000	16:20
Cal Check	0.098	16:20
Air Blank	0.000	16:21
Cal Check	0.097	16:22
Air Blank	0.000	16:22
Cal Check	0.098	16:23
Air Blank	0.000	16:24
Cal Check	0.098	16:24
Air Blank	0.000	16:25
Cal Check	0.098	16:26
Air Blank	0.000	16:26
Cal Check	0.098	16:27
Air Blank	0.000	16:27
Cal Check	0.097	16:28
Air Blank	0.000	16:29
Cal Check	0.098	16:29
Hr Blank	0.000	15:30
:al Check	0.098	15:31
lir Blank	0.000	16:31
al Check Stats		
Average	0.0979	
Std Deu	0.0005	
Rel Std Deu(%)	0,5798	

Random Samples of Lot Number 20190 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol) ethyl alcohol. The expiration date for this lot number is April 6, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at  $34^{\circ}C$  +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

104 Signature Operator

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certificate of A	Analysis – Wet Bath		
01/07/2020	0.200		
Date of Analysis	Labulled to t value (g/210L)		
20160	12 00/97	and and so the	
ot Number	Av applest asu are the T	ABORATORIES	INC
Wistoples Pare 4	550 MORTH 67th ST		1 0 TELEPHONE: 717-564-5470
OT Technician Name and Signature	V 4/ also se	And a second sec	

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

LPHR UNIT SUB ntoxilyzer - Alcohol Analyzer odel 8000 SN 80-003400 7/07/2020 15:25

est	g/210L	Tine
Ir Blank	0.000	15:26
al Check	0.196	15:26
ir Blank	0.000	15:27
al Check	0.196	15:28
ir Blank	0.000	15:28
31 Check	0.197	15:29
Ir Blank	0.000	15:29
al Check	0.196	15:30
ir Blank	0.000	15:31
al Check	0,198	15:31
ir Blank	0.000	15:32
al Check	0.198	15:33
ir Blank	0.000	15:33
al Check	0.197	15:34
ir Blank	0.000 .	15:35
al Check	0.198	15:35
ir Blank	0.000	15:36
al Check	0,198	15:37
ir Blank	0.000	15:37
al Check	0.197	15:38
ir Blank	0.000	15:38
al Check Stats		
Ruerage .	0.1971	
Std Deu	0.0008	
Rel Std Deu(%)	0.4442	8

Random Samples of Lot Number 20160 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on March 20, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at  $34^{\circ}C$  +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST. All balances are calibrated converted by an analysis

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

13/13