

STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman

Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number , in compliance with the agency's Maintenance Policy and Procedures.


This packet consists of pages.

Signed _____

Name of Position: Director/Records Custodian

Date of Attestation:

Service Overview



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 04-27-2021

SERIAL: 80-003461

DOCUMENTATION WITHIN SERVICE PACKET:

- **BOT Certificate of Calibration and Operation**
- Bench Check
- Bench Check Technician's Report
- **BOT Dry Gas Certificate of Analysis**
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

Certificate of Calibration and Operation

This is to certify that the calibration of INTOXILYZER 8000, serial number 80-003461, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	10-07-08
Board of Tests Bench Check	10-22-08
Board of Tests Bench Check	08-10-10
Board of Tests Bench Check	05-04-12
Manufacturer Calibration	01-13-14
Board of Tests Bench Check	01-21-14
Board of Tests Bench Check	11-18-15
Manufacturer Calibration	06-20-17
Board of Tests Bench Check	06-27-17
Board of Tests Bench Check	04-24-19
Board of Tests Bench Check	04-27-21



Presentation of this form certifies that the Intoxilyzer, SN: 80-003461, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol and Drug Influence

O. pake & Blokeburn

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

ENCH CHECK DATE 04/27/2021	13:27	: 5	80-00346		
Intoxilyzer	17 46	RUMENT MODEL -8000		80-00	
		TEST RE	SULTS		
Diagnost	ics				
PASS					
Mouth Alcoh	ol Test				
PASS					
RFI Tes	t				
PASS					
Abort Te	et	Duj	olicate Breath	Sampling Re	sults
PASS		Value	Test 1	Test 2	Control
Improper Sam	nlo Tost				Test
PASS		.02	0.019	0.019	0.019
Interferent Det	act Tost			- 1 V	
PASS		.04	0.038	0.036	0.037
		.10	0.100	0.098	0.099
No Sample Giv		.20	0.199	0.197	0.198
			PA	SS	
Insufficient San PASS					
Air Blank Contami PASS					
Range Exceed PASS					
PADD					
55000 T.		CERTIFYING T	ECHNICIAN		
I swear under penalt	v of periury th	at in regards to the	above listed	instrument. I	have complie
the Intoxliyzer Benc					
NATURE			171 112 113 114	DATE	

CMI Form OKBE1 01/2019

0000023020

PAPE,

CHRISTOPHER

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK TECHNICIAN'S REPORT

Date: <u>04/27/2021</u>	Start Time:	13:25 End Ti	ime: <u>14:40</u>
INSTRUMENT			
Intoxilyzer Model		Serial#	
8000		80-00	3461
GAS CANISTER			
LOT#		EXP Date	
03521080A3-004		03/05/	2023
REFERENCE	En el rei	Selection of the select	
Guth 2100	Guth 2100	or Model Guth 2100	Guth 2100
Guin 2100		erial#	Guili 2100
DR2834	DR3700	DR2455	DR3470
		centration	
.02	.04	.10	.20
00070		.OT#	00100
20070	20060	20190	20160
00/40/0000		ctured Date	00/40/0000
02/13/2020	02/10/2020	04/06/2020	03/18/2020
00/40/0000		ation Date	00/40/0000
02/13/2022	02/10/2022	04/06/2022	03/18/2022
	Solution Co	ommission Date	
4/6/2021	4/6/2021	4/26/2021	4/26/2021
REASON FOR BENG POST REPAIR TROUBLESHOOTIING	CYLINDER REPI		
11.42	0205		
Fechnician Signature / Pe	23020 ermit #		
common wighten / 1 c	VAAAALU II		
Christopher Pape #2302	0		
Printed Name			

Certificate	of Analysis - Dry Gas	
3/11/2021	0.080	
Date of Analysis	Labelled target value (g/210L)	
004	0.080	
Cylinder#	Average test result	
Christopher Pa	De chainta la	23020
BOT Technician Name and Signa	ure /	specialty gases

In accordance with BOT Policy and Procedure Statement BRT-2.2.0, Maintenance, the above referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for us 217-245-2182 • Fax: 217-243-7634 • www.ilmoproducts.com

ALPHA INSTRUMENT Z Intoxilyzer - Alcohol Analyzer

Test

Air Blank

Cal Check

Air Blank Cal Check

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Average

Std Deu

Cal Check Stats

Rel Std Dev(%)

Model 8000 03/11/2021

g/210L

0.000

0.080

0.000

0.079

0.000

0.079

0.000

0.080

0.000

0.080

0.000

0.079

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.079

0.000

0.0796

0.0005

0.6487

SN 80-004923 15:10

Time

15:10

15:11

15:11

15:11

15:12

15:12

15:13

15:13

15:14

15:14

15:15

15:15

15:15

15:16

15:16

15:17

15:17 15:17

15:18

15:18

15:19

Certificate of Analysis

Certificate ID:

13683

Part #:

BAC105L080T

Cylinder Size:

105L

Lot Number:

03521080A3

Expiration:

3/5/2023

 $0.080\,$ BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:

105 Liters @ 1000 psig.70°F (21°C)

Analytical

Ethanol

Nitrogen

Reported

208 ppm

Balance

Accuracy

Analytical

Component: Concentration: (U, k=2):

Method:

+/-0.002 BAC(G/210L) NDIR [5.2 ppm]

Distributed by:

CMI Inc. 316 East Ninth: Owensboro, K) Phone 866-835www.alcoholtes

Operator's Signature

*Traceable to:

Certified Reference Material - 262.4 µmol/mol

Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Specialty Sas Lab Tech

02-23-2021



The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

8/13

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISOUALIFICATION

ADDECT DATE			HON/DIS				5,77			Section
04/27/2021		RREST TIME		COUNTY#	Ci	ΓΥ#	CITAT	ION#		
ARREST LOCATION BOT		11011			CITY				OKLAH	AMC
SUBJECT NAME	ON LEVERN	1E				09/1		EX R	ACE HEIGH W 51	T WEIGHT
address 3600 MARTIN	LUTHER F	CING A		HOMA C			STATE	7		133
T083454871				06/30	2019	OK	CLASS	R	ESTRICTIONS	M
MOCK		MOCK			TA	d# MOCK		STATE	CMV N	PLACARD N
On the above date, time, and loca highway, street, tumplex, public prinfluence of alcohol and/or other i (Describe driving behavior or circu MOCK SUBJECT Describe person's condition (odor ROUTINE MAINT	varking lot, or other public intoxicating substances as umstances): TEST , actions, etc.):	place, or upon a privat prohibited by law,	e road, street, alley or lane	which provides	access to one c	r more single	or multi-family	dwelling	within this state	while under the
		THE PERSON	WAS INFORMED OF THE	IMPLIED CON	SENT TEST RE	QUEST				
BREATH-ALCOHOL ANALYSIS	RECORD, REPORT OF T				T AND MAINT	ENANCE RE	CORD.			Section
I-8000				ECIALIST BOARD	OF TE	STS				
STANDARD Dry			0.080		23020					
MANUFACTURER			LOT#	2072	DATE CYLINDI	RINSTALLE	D		LINDER EXPIR	
ILMO OBSERVATION START TEST	DATE /27/2021	MOUTHPIECE	0352108 A 15-minute		04/27			03/	05/20	23
Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank Cal Check Air Blank	9/210L 0.00 0.00 1.851 LITERS 0.00 0.00 1.695 LITERS 0.00 0.08 0.00	Time 14:31 14:32 14:32 14:34 14:35 14:35 14:35	I administere compliance procedu	with the ure of the PERATOR	reath-Ald applicab Board o	cohol Tele opera f Tests.	otting	OSAT SEA	Test R BrAC g	esult z/210L
FFECTIVE THIRTY (30) DAY	S FROM DATE SERVE failed the state's test(s).	D. Notice of Revoc	BOARD OF ation is given that your o	TESTS	s revoked or c	lenied for a r	period of one	hundred the state	eighty (180)	O O
ays or more, if you refused or or so a result of this arrest by filing ou may be eligible to particle procession as a result of this arrest by filing ou may be eligible to particle procession as a result of this request IDAP within thirty (30 ERVING OF NOTICE: In accountability Program to reaccordance with Title 1 rate: 04/27/202 AME PAPE, CHRIADGE	failed the state's test(s). r) OR a test result of .0 g a petition in the District lipate in the Impaired D arrest from appearing b) days of the date liste I personally hand de to the person named 7 / 2 0 2 1 S 2 O.S. Section 426, 1 Place (location STOPHER AGENCY ADDRESS	In addition, your co 4 or more while opera (Court of the County river Accountability on your driving red below. Mail the re- elivered a copy of in Section 1 abor- ignature of officer "I state under per when signed):	BOARD OF ation is given that your of mmercial driving privilegating a commercial motor in which you were arrest a Program (IDAP) admir ord. Participation in ID equest for IDAP to the the above containing ve.	TESTS driver's license is in this state we vehicle. You rettill ted. Your petitil histered by the PAP may reduce the PAP may r	s revoked or of all be disqualifinate and any appeal an on must be file. Department e the amount Public Safety of Revocat of Oklahom	lenied for a ped if you refu y Department of Public Scrof fees you y at P.O. Bo ion and the of arresting the control of arresting at the control of arresting and the control of arresting and the control of arresting arresting and the control of arresting a	period of one used or failed nital action ag y (30) days o offety (DPS). I will be required to the period of the p	the state ainst your f the date Complete Complete Departe Badge s true a	eighty (180) 's test(s) 'driver license listed below. ion of IDAP may to the Statisty, OK 73136 ment Impair e #:	Section hay prevent a e. You must
ays or more, if you refused or opperating a CMV or CDL holde or opperating a CMV or CDL holde is a result of this arrest by filing tou may be eligible to particle exocation as a result of this expuest IDAP within thirty (30 ERVING OF NOTICE: In accountability Program to pate served: 04/27/202 in accordance with Title 1 eate: 04/27/202 in AME PAPE, CHRI ADGE 00000000484	failed the state's test(s). ar) OR a test result of .0 a petition in the District lipate in the Impaired D arrest from appearing b) days of the date liste b the personally hand de b the person named 7/2021 Si 2 O.S. Section 426, Place (location STOPHER	In addition, your co 4 or more while opera (Court of the County river Accountability on your driving red below. Mail the re- elivered a copy of in Section 1 abor- ignature of officer "I state under per when signed):	BOARD OF ation is given that your of mmercial driving privilegating a commercial motor in which you were arrest a Program (IDAP) admir ord. Participation in ID equest for IDAP to the the above containing ve.	TESTS driver's license is in this state we reventle. You reventle. You retell your petition is the paymay reduce to the paymay reduce to the paymay reduce to the paymay reduce the Notice der the laws	s revoked or of all be disqualifinate and any appeal an on must be file. Department e the amount Public Safety of Revocat of Oklahom	lenied for a ped if you refit you refit you refit you pend the set of fees you or at P.O. Bottom and the least that the of arresting	period of one used or failed nital action ag y (30) days o offety (DPS). I will be required to the period of the p	the state ainst your f the date Complete Complete Departe Badge s true a	eighty (180) 's test(s) 'driver license ilsted below. ion of IDAP m out to the Stat ity, OK 73136 ment Impair	Section ay prevent a e. You must . ed Driving
FFECTIVE THIRTY (30) DAY ays or more, if you refused or operating a CMV or CDL holde is a result of this arrest by filing ou may be eligible to particle evocation as a result of this outer IDAP within thirty (30 ERVING OF NOTICE: In accountability Program to outer served: 04/27 accountability Program to outer accoun	failed the state's test(s). r) OR a test result of .0 g a petition in the District lipate in the Impaired D arrest from appearing b) days of the date liste I personally hand de to the person named 7 / 2 0 2 1 S 2 O.S. Section 426, 1 Place (location STOPHER AGENCY ADDRESS	In addition, your co 4 or more while opera (Court of the County river Accountability on your driving red below. Mail the re- elivered a copy of in Section 1 abor- ignature of officer "I state under per when signed):	BOARD OF ation is given that your of mmercial driving privilegating a commercial motor in which you were arrest or Program (IDAP) admir ord. Participation in ID equest for IDAP to the it the above containing the commercial program of the above containing the commercial program of the perjury units of perjury units and the commercial program of the commer	TESTS driver's license is in this state we reventle. You reventle. You retell your petition is the paymay reduce to the paymay reduce to the paymay reduce to the paymay reduce the Notice der the laws	s revoked or of all be disqualifinate and any appeal an on must be file. Department e the amount Public Safety of Revocat of Oklahom	lenied for a ped if you refu y Department of Public Scrof fees you y at P.O. Bo ion and the of arresting the control of arresting at the control of arresting and the control of arresting and the control of arresting arresting and the control of arresting a	period of one used or failed notal action ag y (30) days o afety (DPS). I will be required to a 11415, Okling a Notice of foregoing in a officer:	the state ainst your f the date Complete Complete Departe Badge s true a	eighty (180) 's test(s) 'driver license listed below. ion of IDAP may to the Statisty, OK 73136 ment Impair e #:	Section ay prevent a e. You must . ed Driving Section

9/13

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

	I.			HOI	V/D	15QU								Section
04/27/2021		1400				55	Y#	C	ITY#	Ci	TATION	4 #		
ARREST LOCATION BOT		1215					CIT	Y				OK	LAHC	OMA
	LON LEVE	RNE							OF BIRTH	961	SEX	RACE	HEIGHT 51	
ADDRESS 3600 MARTI	N LUTHER	KING	A		OKL	АНОМА		Y			OK		ZIP COI	1.33
T083454871						06/3	0/20	019	OK	CLASS	W.	RESTR	ICTIONS	ENDORSEMENTS M
MOCK			MOCK					T	AG# MOCK			STATE OK	N CMV	PLACARD N
On the above date, time, and le highway, street, turnpike, publi- fiftuence of alcohol and/or othe (Describe driving behavior or composed to the composed to	c parking lot, or other put er intoxicating substances ircumstances); ? TEST	olic place, or up	n a private	d I had reaso e road, street	onable gr t, alley or	ounds to believe t lane which provid	he person les access	was dri s to one	ving or in actua or more single	l physical or multi-fa	control mily dw	of a motor vielling within	ehicle upor this state v	n a public road, while under the
Describe person's condition (or	ITENANCE, I		PERSON V	WAS INFOR	MED OF	THE IMPLIED C	75 7 2 2 2							
BREATH-ALCOHOL ANALYS EQUIPMENT	IS RECORD, REPORT C	F THE PERSO	almost and the first transfer	NUMBER	N 1 ABO	SPECIALIST	5 F5 5	3.11.11		CORD.	_			Section 2
I-8000 STANDARD			80-	-0034	61 ET VALU	BOARD		TE	STS					
Dry				0.	080		23	302	0					
MANUFACTURER ILMO				O.3		080A3	O4	CYLING	DER INSTALLE	D		TE CYLIND		
OBSERVATION START TTES	ST DATE	MOUTE	PIECE	_		ite (or great		-			T	,5,05	720.	4.0
1415 0	4/27/202	1 G				vas observed							170	
Test	g/210L		Time		to	the time of	test adr	ninis	tration.		4/	13	THE	ATE
Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank	0.00 0.00 0.00	1 1 1 1 1	4:31 4:32 4:32 4:34 4:35 4:35	com	plian proc	cered said ace with the edure of t	e app	lical ard	ole opera	ting		CONTRAT SEAL	190	
Cal Check Air Blank	0.08		4:36	PAPE,	. CI	HRISTOPH	ER						Test R	
All Blank	0.00	1	4:36	0000		0484	PERM 00		023020)			rAC g.	
				BOAR	D O	F TESTS	3						0.1	, 0
EFFECTIVE THIRTY (30) DA lays or more, if you refused operating a CMV or CDL hol so a result of this arrest by fill fou may be eligible to part evocation as a result of the equest IDAP within thirty (SERVING OF NOTICE:	or failed the state's test lder) OR a test result of ing a petition in the Disi cicipate in the Impaired is arrest from appeari (30) days of the date II : I personally hand to the person name	(s). In addition .04 or more wateriot Court of the driver Account of the driver Account of the ground of the driver driver driver driver delivered a	n, your con hile opera e County i untability lying reco Mail the re copy of	nmercial dri iting a comm in which you Program (I ord. Partic equest for I the above	iving priving	vilege in this stat notor vehicle. Your pour dministered by in IDAP may rea the Departmen	e will be on ou may apetition mu the Depa duce the t of Publi	disquali ppeal a ist be fil artmen amour ic Safe	fled if you refu ny Departmen led within thirty t of Public Sa nt of fees you ty at P.O. Box	sed or fai ital action (30) day fety (DPS will be re (11415, 0	led the agains is of the S). Cor equired Oklaho	state's test t your drive date listed apletion of to pay to ma City, O	(s) r license l below, f IDAP ma the State K 73136.	. You must
Accountability Program	F /0001	Living N. A.	fofficer								В	adge #:_		
Accountability Program Date served: 04/2	7/2021	Signature of	onicei.	-										
Accountability Program Date served: 04/2					perjury	under the la	ws of O	klahor	na that the t	foregoin		ue and c	orrect."	Section 4
Accountability Program Date served: 04/2 In accordance with Title Date: 04/27/20	12 O.S. Section 42	26, "I state u	nder pe		perjury				ma that the t		ng is tr	ue and c	orrect."	Section 4
Accountability Program Date served: 04/2 In accordance with Title Date: 04/27/20	12 O.S. Section 42	26, "I state u	nder pe		perjury	AGENCY BOAR	Sig	nature		g officer	ng is tr	ue and c	orrect."	Section 4

Certificate of	Analysis – Wet Bath		
8/11/2020	0.020		
Date of Analysis	Labelled targer value (g/210L)		
20070	2020	- THO	
Lot Number	Alensytherespit (730)	ABORATORIES,	INC.
christopher Pal		5510 HARRISBURG, PA 17111-4511	
BOT Technician Name and Signature	V	BRT Form 6.0	

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

SN 80-004923

09:42

CERTIFICATE OF ANALYSIS

Test	g/210L	Time
Air Blank	0,000	09:42
Cal Check	0.020	09:43
Air Blank	0.000	09: 43
Cal Check	0.020	09:44
Air Blank	0.000	09:45
Cal Check	0.020	09:45
Air Blank	0.000	09:46
Cal Check	0.020	09:47
Air Blank	0.000	09:47
Cal Check	0.021	09:48
Air Blank	0.000	09:48
Cal Check	0.020	09:49
Air Blank	0.000	09:49
Cal Check	0.020	09:50
Rir Blank	0.000	09:51
Cal Check	0.020	09:51
Air Blank	0.000	09:52
Cal Check	0.020	09:53
Air Blank	0.000	09:53
Cal Check	0.019	09:54
air Blank	0.000	19:54
al Check Stats		
Average	0.0200	
Std Deu	0.0004	

ALPHA INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer

Model 8000

08/11/2020

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20070 of Alcohol Reference Solution for Simulator were analyzed by chromatography on February 17, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0242% (w/vol) ethyl alcohol. The expiration date for this lot number is February 13, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

2,3569

Rel Std Deu(%)

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

TELEPHONE: 717-564-5470

Certificate of	of Analysis – Wet Bath		
7/22/2020	0.040		
Date of Analysis	Labelled target value (g/210L)		
20060	10.090	and the contract of	
Lot Number	Average the result (g/310L)	HARODA TODIEC	INIC
christopher la	A STATE OF THE STA	LABORATORIES,	
BOT Technician Name and Signatu	ire T	BRT Form 6.0	

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20060 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 11, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0483% (w/vol) ethyl alcohol. The expiration date for this lot number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

ALPHA UNIT SUB

Model 8000

07/22/2020

Test

Air Blank

Cal Check

Air Blank

Average Std Deu

Cal Check Stats

Rel Std Deu(%) 1.3342

Intoxilyzer - Alcohol Analyzer

g/210L

0.000

0.040

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.0395

0.0005

SN 80-003400

14:57

Time

14:57

14:58

14:59

14:59

15:00

15:01

15:01

15:02

15:02

15:03

15:04

15:04

15:05

15:06

15:06

15:07

15:07

15:08

15:09

15:09

15:10

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certif	cate o	r Analysis – Wet Bath	and the state of t
06/16/	20	,100	
Date of Analysis		Labelled target value (g/210L)	
20190		.098	rout, o
Lot Number		Avadage to it result (a /3101)	

BORATORIES. INC.

MOET BRE BOTTOME O RISE JRG, PA 17111- 4511 9 TELEPHONE: 717-564-5470 **BOT Technician Name and Signature**

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT

Intoxilyzer - Alcohol Analyzer Model B000 06/16/2020

SN 80-002591 Certified Alcohol Reference Solution for Simulator

Test	g/210L	Time
Air Blank	0.000	16:18
Cal Check	0.099	16:19
Air Blank	0.000	16:20
Cal Check	0.098	16:20
Air Blank	0.000	16:21
Cal Check	0.097	16:22
Air Blank	0.000	16:22
Cal Check	0.098	16:23
Air Blank	0.000	16:24
Cal Check	0.098	16:24
Air Blank	0.000	16:25
Cal Check	0.098	16:26
Air Blank	0.000	16:26
Cal Check	0.098	16:27
air Blank	0.000	16:27
Cal Check	0.097	16:28
Air Blank	0.000	16:29
:al Check	0.098	16:29
iir Blank	0.000	16:30
:al Check	0.098	16:31
iir Blank	0.000	16:31
:al Check Stats		
Average	0.0979	
Std Dev	0.0005	
Rel Std Dev(%)	0.5798	

Random Samples of Lot Number 20190 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol) ethyl alcohol. The expiration date for this lot number is April 6, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

ignature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

BOT Technician Name and Signature

9/210L

0.000

0.196

0.000

0.196

0.000

0.197

0.000

0.196

0.000

0.198

0.000

0,198

0.000

0.197

0.000

0.198

0.000

0.198

0.000

0.197

0.000

0.1971

SN 80-003400

15:25

Time

15:26

15:26

15:27

15:28

15:28

15:29

15:29

15:30

15:31

15:31

15:32

15:33

15:33

15:34

15:35

15:35

15:36

LPHR UNIT SUB atoxilyzer - Alcohol Analyzer

ode1 8000

7/07/2020

25t

ir Blank

al Check

ir Blank

lal Check

tir Blank

Average .

lal Check Stats

Rel Std Dev(%) 0.4442

SUTH LABORATORIES, INC.

83030 BRT Form 6.0

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20160 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on March 20, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator & Standure

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.