

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-004895, in compliance with the agency's Maintenance Policy and Procedures.

Signed

Name of Position: Director/Records Custodian

Date of Attestation: 01/08/2025



Board of Tests for Alcohol and Drug Influence Emancing public safety by ensuring the accuracy and insuredic relations of blood and breath testing



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 1/8/2025

SERIAL: 80-004895

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Maintenance, Calibration and Operation
- Bench Check
- BOT Dry Gas Certificate of Analysis
- Ilmo Specialty Gases Certificate of Analysis
- Mock Subject Test
- BOT Certificate of Analysis on Certified Solutions (4)
- Guth Laboratories Certificate of Analysis (4)



STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE Post Office Box 36307

Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

CERTIFICATE of MAINTENANCE, CALIBRATION, and OPERATION

This certifies the Intoxilyzer 8000 referenced below, manufactured by CMI, Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, is maintained by the Board of Tests for Alcohol and Drug Influence in accordance with 40 O.A.C. 30-1-3. The instrument reported below is hereby deemed to be in compliance with Board rules via linearity accuracy examination and operational/functional procedure evaluation also referred to as a "Bench Check". The Intoxilyzer 8000 appears on the National Highway Traffic Safety Administration's Conforming Products List of Evidential Breath Alcohol Measurement Devices (82 FR 50940 *et seq*) as an approved device. In accordance with 40 O.A.C. 25-1-2, this instrument is approved and certified for use in the State of Oklahoma as an automated evidential breath-alcohol measurement device by the Board of Tests pursuant to 47 O.S. § 759.

All analyses conducted by this instrument are considered precise, valid, and in accordance with 40 O.A.C. 30-1-3(b) Operating Procedure(s). A printed breath test operator affidavit containing the seal of the Board by this instrument confirms a calibration check successfully verified the instrument's calibration at the time of test. The printed breath test affidavit also serves as proof that safeguards in place to protect the breath samples, including but not limited to Ambient Air Interference, Radio Frequency Interference, Residual Mouth Alcohol, Deficient Samples, etc. were not triggered and the test is a true and accurate scientific measurement of the person's alcohol concentration.

- Maintenance was performed on the Intoxilyzer 8000, Serial No. <u>80-004895</u> on <u>1/8/2025</u> in accordance with 40 O.A.C. 30-1-3 and internal BOT maintenance policy and procedures.
- A dry gas canister appearing on the National Highway Traffic Safety Administration's Conforming Products List of Calibrating Units for Breath Alcohol Testers (77 FR 64588 *et seq*) and approved in accordance with 40 O.A.C. 25-1-3 and BOT maintenance policy was installed.
 - Manufacturer: ILMO Unit: 208 ppm / 105 L
 - Cylinder Lot No. Canister No.: <u>31124080A1-003</u>
 - BOT analysis average test result: 0.081
 - Cylinder expiration date: <u>12/5/2026</u>

In accordance with 40 O.A.C. 25-1-2.1, the approved reference standards and equipment were used:

Simulator Model			
Guth 2100	Guth 2100	Guth 2100	Guth 2100
Serial #			/ ·
DR3591	DR3694	DR2455	DR3641
Concentration			A
.02	.04	.10	.20
LOT #	100 B		1000
23360	23400	24110	23340
Manufactured Date			A
9/25/2023	10/24/2023	3/5/2024	9/18/2023
Expiration Date			
9/25/2025	10/24/2025	3/5/2026	9/18/2025
Solution Commission Date			· · · · · · · · · · · · · · · · · · ·
12/31/2024	12/30/2024	12/30/2024	1/3/2025

Completed by BOT Personnel:

3.

Signature/Name	Christopher Pape
Certified by:	Joshua Smith
Signature	Name

Breath-Alcohol Testing Program Administrator Title

State Director Title

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

-/08/2025	10:36:5		$\frac{1}{30-004895}$	5		
UMENT TYPE	INSTRUMENT	MODEL		INSTRUMENT SERIAL NUMBER		
toxilyzer I-800		TEST RES	SULTS	80-00-	1095	
Diagnostic PASS	s					
Mouth Alcoho PASS	l Test					
RFI Test						
PASS		Dup	licate Breath	Sampling Re	sults	
Abort Tes PASS	it	Value	Test 1	Test 2	Control Test	
Improper Samp PASS	le Test	.02	0.018	0.018	0.020	
Interferent Dete	ct Test	.04	0.037	0.036	0.038	
PASS		.10	0.094	0.092	0.094	
No Sample Give PASS	en Test	.20	0.193	0.190	0.195	
Insufficient Sam PASS	ple Test		PA	SS		
Air Blank Contamir PASS	nation Test					
Range Exceede PASS	ed Test					
		CERTIFYING T	ECHNICIAN			
I swear under penalty	of periury that in			instrument 1	have complied	
he Intoxliyzer Bench						
ATURE	<u>1999-2007 - 1997</u>			DATE		
	1			1.1		
Math	11cm			1/	8/202	

CMI Form OKBE1 01/2019



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Dry Gas

ALPHA INSTRUMENT		
and a second sec	Analyzer SN	80-002591
Model 8000	SN	08:51
12/30/2024		

Test	g/210L	Time
Air Blank	0.000	08:52
Cal Check	0.081	08:52
Air Blank	0.000	08:52
Cal Check	0.082	08:53
Air Blank	0.000	08:53
Cal Check	0.081	08:54
Air Blank	0.000	08:54
Cal Check	0.081	08:54
Air Blank	0.000	08:55
Cal Check	0.081	08:55
Air Blank	0.000	08:56
Cal Check	0.081	08:56
Air Blank	0.000	08:57
Cal Check	0.081	08:57
Air Blank	0.000	08:58
Cal Check	0.081	08:58
Air Blank	0.000	08:58
Cal Check	0.081	08:59
Air Blank	0.000	08:59
Cal Check	0.081	09:00
Air Blank	0.000	09:00
Cal Check Stats		
Average	0.0811	
Std Dev	0.0003	
Rel Std Dev(%)	0.3899	· · · · ·

Manufacturer: ILMO	0.08 g/210L = 208 PPM ÷ 2605* Manufacturer Cert. No.: 16925	Cylinder Size: 105L
	1	
Lot No.: 31124080A1	Cylinder No.: 003	Expiration Date: 12/05/2026
	oursuant to 40 OAC 30-1-3. The above NIST traceable	
testers published by the U.S. Department Anal. Toxicol. (1996) 20(6): pp. 484-491.	of Transportation in the Federal Register [77 FR 64588 [g/210L = PPM +2605].	orming products list of calibrating units for breath alcohol et seq]. * See Dubowski, K.M. and Essary N., <i>Journal of</i>
testers published by the U.S. Department	of Transportation in the Federal Register [77 FR 64588	orming products list of calibrating units for breath alcohol et seq]. * See Dubowski, K.M. and Essary N., <i>Journal of</i> /2024



7 Eastgate Dr. • P.O. Box 790 • Jacksonville, IL 62651-0790 217-245-2183 • Fax: 217-243-7634 • www.ilmoproducts.com

Certificate of Analysis

Certificate ID:	16925
Part #:	BAC105L080T
Cylinder Size:	105L
Lot Number:	31124080A1
Expiration:	12/5/2026

利約

RCVD 12/3/2024 CD

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:	105 Liters @ 100	0 psig 70°F (21°C)	Maria -
	Reported	Analytical	Analytical
Component:	Concentration:	Accuracy (U, k=2): abs	Method:
Ethanol	208 ppm	+/-0.002 BAC(G/210L) [5.2 ppm]	NDIR
Nitrogen	Balance	[215 bbul	

Distributed by:

CMI Inc. 316 East Ninth Street Owensboro, KY 42303 Phone 866-835-0690 www.alcoholtest.com

*Reference Standard: NIST Traceable Certified Reference Material - 262.3 µmol/mol Ethanol in Nitrogen - Serial No. ND7017 Lot No. 080722E2

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

oshino

Specialty Gas Lab Tech

11-14-2024 Issuance Date



The calibration results within this certificate were obtained at the facility listed above using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service. This certificate applies only to the items described and shall not be reproduced other than in full, without written approval from the issuing facility.

ISO/IEC 17025:2017 Accredited Laboratory

6/17

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

7/17

		and the second s			The second second		I a land a land	-	the state of the state of the			
ARREST DATE 01/08/2025	5	ARREST TIME			COUNTY 55	#	CITY #	C	ITATION #			
ARREST LOCATION	2	1400			155	CITY				COUN	TY	10000
BOT											LAHO	AMC
SUBJECT NAME						DA	TE OF BIRTH	1.1.1.1.1	SEX	-	HEIGHT	
BREATHTES	T, FRANK					0	3/15/:	1981	M		50	
ADDRESS	and the second	1220020		CITY					TATE		ZIP CO	
3600 MART:	IN LUTHER	KING	· · · · · · ·	OKLA	HOMA (and the second s	OK	C. S. S. S. S. S.	- the Second	111
DRIVER LICENSE #					EXPIRATION		STATE	CLAS	3	RESTR	RICTIONS	ENDORSEMENT
H08346319	7				10/31	/202		D	100	1	Interior	
VEHICLE MAKE		MODEL	177				TAG#			ATE	CMV N	PLACARD
MOCK On the above date, time, and		MOC				a line of	MOCK			OK		N
Describe person's condillon (ROUTINE MAI		INSTALLED I			R HE IMPLIED CO	DNSENT TES	T REQUEST					
										_		
BREATH-ALCOHOL ANALY	ISIS RECORD, REPORT				, and LOG OF T	EST AND M	AINTENANCE R	ECORD.				Section
EQUIPMENT	ISIS RECORD, REPORT	SERI	IAL NUMBER		, and LOG OF T SPECIALIST			ECORD.		-		Section
EQUIPMENT	SIS RECORD, REPORT	SERI	IAL NUMBER	895	, and LOG OF T	OF 7	ESTS	ECORD.				Section
	YSIS RECORD, REPORT	SERI	IAL NUMBER 0 - 0 0 4 TAF	895	, and LOG OF T SPECIALIST		ESTS	ECORD.				Section
EQUIPMENT I-8000 STANDARD Dry	YSIS RECORD, REPORT	SERI	IAL NUMBER 0 - 004 TAF 0	895 RGET VALUE	, and LOG OF T SPECIALIST	OF 7	ESTS		ΙΟΑΤ	ECYLINE	DER EXPIR	
EQUIPMENT I-8000 STANDARD Dry MANUFACTURER	YSIS RECORD, REPORT	SERI	IAL NUMBER 0 - 0 0 4 TAR 0 LOT	895 RGET VALUE .080	, and LOG OF T SPECIALIST BOARD	OF 1 PERMIT N 230 DATE CYL	ESTS UMBER 20 INDER INSTALL	LED			DER EXPIR	ÆS
EGUIPMENT I-8000 STANDARD DYY MANUFACTURER ILMO		SERI	IAL NUMBER 0 - 0 0 4 TAR 0 LOT 3	895 RGET VALUE .080	and LOG OF T SPECIALIST BOARD	OF 1 PERMIT N 230 DATE CYL 01/	ESTS UMBER 20 INDER INSTALL 08/202	LED 5			DER EXPIR	ÆS
EGUIPMENT I - 8000 STANDARD DYY MANUFACTURER ILMO OBSERVATION START T	EST DATE	SERI 8	IAL NUMBER 0-004 TAR 0 LOT 3	895 RGET VALUE .080 F# 1124 (15-minute	and LOG OF T SPECIALIST BOARD 80A1 c (or greate	OF 1 PERMIT N 230 DATE CYL 01/ r) depriv	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser	LED 5 vation				ÆS
EGUIPMENT I - 8000 STANDARD DYY MANUFACTURER ILMO OBSERVATION START T		SERI 8	IAL NUMBER 0-004 TAR 0 LOT 3	895 .080 .080 .1124(15-minute period wa	and LOG OF T SPECIALIST BOARD 080A1 c (or greate as observed	OF 1 PERMIT N 230 DATE CYL 01/ r) depriv prior to	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser- and continu	LED 5 vation				ÆS
EQUIPMENT I - 8000 STANDARD DYY MANUFACTURER ILMO OBSERVATION START 1405	EST DATE	SERI 8		895 .080 .080 .1124(15-minute period wa	and LOG OF T SPECIALIST BOARD 80A1 c (or greate	OF 1 PERMIT N 230 DATE CYL 01/ r) depriv prior to	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser- and continu	LED 5 vation				ÆS
EQUIPMENT I - 8000 STANDARD DYY MANUFACTURER ILMO OBSERVATION START 1405 RESULT TABLE	est date 01/08/202	81 81		895 GET VALUE 080 11240 15-minute period wa to th	and LOG OF T SPECIALIST BOARD 080A1 c (or greate as observed	OF 1 PERMIT N 230 DATE CYL 01/ r) depriv prior to est admir	TESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration.	25 vation	1			ÆS
EQUIPMENT I - 8000 STANDARD DYY MANUFACTURER ILMO COBSERVATION START 1405 RESULT TABLE Test	est date 01/08/202 g/210L	SERI 8 5 Time	IAL NUMBER 0 - 004 TAF 0 LOT 3 A 7 I ad	895 GET VALUE .080 11240 15-minute period wa to the Iministe	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed the time of the ered said J	OF 1 PERMIT N 230 DATE CYL 01/ r) depriv prior to est admir Breath-	TESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration.	vation ting	1			ÆS
EQUIPMENT I-8000 STANDARD Dry WANUFACTURER ILMO DBSERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum	EST DATE 01/08/202 g/210L 0.00 0.00	SERI 8 5 Time 14:47 14:48 GRS	IAL NUMBER 0 - 004 TAF 0 LOT 3 A 7 I ad 3 COI	895 RGET VALUE 0.080 15-minuto period wa to th Iministe mplianc	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed he time of the cred said I se with the	OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing fest in rating	1			ÆS
COUIPMENT I-8000 STANDARD Dry WANUFACTURER ILMO DBSERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank	EST DATE 01/08/202 g/210L 0.00 0.00	SERI 80 55 14:47 14:48 3RS 14:48	IAL NUMBER 0 - 004 TAP 0 LOT 3 A 1 4 7 I ad 3 COI 9	895 RGET VALUE 0.080 15-minuto period wa to th Iministe mplianc	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed the time of the ered said J	OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing fest in rating	1			ÆS
EQUIPMENT I-8000 STANDARD Dry WANUFACTURER ILMO DBSERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Wait	EST DATE 01/08/202 g/210L 0.00 0.00 ne 1.921 LITE 0.00	SERI 8 5 75 14:47 14:48 8RS 14:45 14:50	IAL NUMBER 0 - 004 TAF 0 LOT 3 7 I ad 3 cor 9	895 RGET VALUE 0.080 15-minuto period wa to th Iministe mplianc	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed he time of to cred said I se with the	OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing fest in rating	1			ÆS
COUIPMENT I-8000 STANDARD Dry MANUFACTURER ILMO DESERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Wait Air Blank	EST DATE 01/08/202 g/210L 0.00 0.00 ne 1.921 LITE 0.00 0.00	SERI 80 5 5 14:47 14:48 885 14:45 14:50 14:51	TAF O O 4 0 - 0.04 1 <td>895 RGET VALUE 0.080 15-minuto period wa to th Iministe mplianc</td> <td>and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed he time of to cred said I se with the</td> <td>OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic</td> <td>ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper</td> <td>vation ing fest in rating</td> <td>1</td> <td></td> <td></td> <td>ÆS</td>	895 RGET VALUE 0.080 15-minuto period wa to th Iministe mplianc	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed he time of to cred said I se with the	OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing fest in rating	1			ÆS
EQUIPMENT I-8000 STANDARD Dry MANUFACTURER ILMO DBSERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Wait Air Blank Subject Test	EST DATE 01/08/202 g/210L 0.00 0.00 ne 1.921 LITE 0.00 0.00 0.00	SERI 80 5 5 14:47 14:48 8RS 14:45 14:50 14:51 14:51 14:51	IAL NUMBER 0 - 004 TAF 0 LOT 3 A 7 I add 3 COI 9 0	895 RGET VALUE 0.080 15-minuto period wa to th Iministe mplianc	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed the time of the cred said I se with the dure of the	OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing fest in rating	1			ZG
EQUIPMENT I-8000 STANDARD DYY MANUFACTURER ILMO OBSERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Wait Air Blank Subject Test Breath Volum	EST DATE 01/08/202 g/210L 0.00 0.00 ne 1.921 LITE 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	SERI 80 5 5 14:47 14:48 8RS 14:45 14:51 14:51 8RS	TAF 0 - 004 TAF 0 LOT 3 A 4 5 7 1 ad 3 COI 9 0 1 5 5 5 5 5 5 5 5 5 5 5 5 5	895 GET VALUE .080 11240 15-minute period wa to the Iministee mpliance	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed the time of the cred said I se with the dure of the	OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing fest in rating	1		5/20	ZG
EQUIPMENT I-8000 STANDARD Dry MANUFACTURER ILMO OBSERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Subject Test Breath Volum Air Blank	EST DATE 01/08/202 g/210L 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	SERI 80 55 75 14:47 14:48 14:50 14:51 14:51 14:52 14:52 14:52 14:52	IAL NUMBER 0 - 004 TAF 0 LOT 3 A 7 I add 3 COI 9 0 1 SIG 2 NAME	895 GET VALUE .080 11240 15-minute period wa to the Iministee mpliance	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed the time of the cred said I se with the dure of the	OF 7 PERMIT K 230 DATE CYI 01/ r) depriv prior to est admir Breath- e applic	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing Fest in rating	1			26
EQUIPMENT I-8000 STANDARD Dry MANUFACTURER ILMO OBSERVATION START I405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Subject Test Breath Volum Air Blank Cal Check	EST DATE 01/08/202 g/210L 0.00 0.00 ne 1.921 LITE 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	SERI 80 55 75 71 71 71 71 71 71 71 71 71 71 71 71 71	IAL NUMBER 0 - 004 TAF 0 LOT 3 A A 1 add 3 COI 9 0 1 SIG 2 NAME	895 RGET VALUE 0.080 T# 1124(15-minute period wa to the Iministee mpliance proce	and LOG OF T SPECIALIST BOARD 080A1 c (or greate as observed he time of the cred said I ce with the dure of the OPERATOR	OF 1 PERMITE 230 DATE CVI 01/ r) depriv prior to est admin Breath- e applic ne Boar	ESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol 7 cable oper	vation ing Fest in rating	1	2/0!	5/20	res 26
EQUIPMENT I - 8000 STANDARD Dry MANUFACTURER ILMO OBSERVATION START 1405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Subject Test Breath Volum Air Blank	EST DATE 01/08/202 g/210L 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	SERI 80 55 75 14:47 14:48 14:50 14:51 14:51 14:52 14:52 14:52 14:52	IAL NUMBER 0 - 004 TAF 0 LOT 3 A A 1 add 3 COI 9 0 1 SIG 2 NAME	895 RGET VALUE 080 F# 11240 15-minuto period wa to the Iministee mpliance proce	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed the time of the cred said I se with the dure of the	OF T PERMITN 230 DATE CVI 01/ r) depriv prior to est admin Breath- e applic ne Boar	TESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol T cable open d of Tests	^{LED} vation ling Γest in rating S.	1	2/0!		res 26
EQUIPMENT I-8000 STANDARD Dry MANUFACTURER ILMO OBSERVATION START I405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Subject Test Breath Volum Air Blank Cal Check	EST DATE 01/08/202 g/210L 0.00 0.00 ne 1.921 LITE 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	SERI 80 55 75 71 71 71 71 71 71 71 71 71 71 71 71 71	IAL NUMBER 0 - 004 TAF 0 LOT 3 A A 7 I add 3 COI 9 0 1 SIG 2 NAME PAPI BADGE	895 RGET VALUE 080 F# 11240 15-minuto period wa to the Iministee mpliance proce	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed he time of the cred said I cred said I cred said I cred said I cred said I se with the dure of the OPERATOR	OF T PERMITN 230 DATE CVI 01/ r) depriv prior to est admin Breath- e applic ne Boar	TESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol T cable open d of Tests	^{LED} vation ling Γest in rating S.	1	2/0!	Test R BrAC g	esult 210L
EQUIPMENT I-8000 STANDARD Dry MANUFACTURER ILMO COBSERVATION START I405 RESULT TABLE Test Air Blank Subject Test Breath Volum Air Blank Subject Test Breath Volum Air Blank Subject Test Breath Volum Air Blank Cal Check	EST DATE 01/08/202 g/210L 0.00 0.00 ne 1.921 LITE 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	SERI 80 55 75 71 71 71 71 71 71 71 71 71 71 71 71 71	IAL NUMBER 0 - 004 TAF 0 LOT 3 A A 7 I add 3 COI 9 0 1 SIG 2 NAME PAPJ BADGEI 000 AGENCY	895 GET VALUE . 080 11240 15-minute period war to the mpliance proce E, CHR: # 00000 Y	and LOG OF T SPECIALIST BOARD 080A1 e (or greate as observed he time of the cred said I cred said I cred said I cred said I cred said I se with the dure of the OPERATOR	OF T PERMITN 230 DATE CVI 01/ r) depriv prior to est admin Breath- e applic ne Boar	TESTS UMBER 20 INDER INSTALL 08/202 ation/obser and continu istration. Alcohol T cable open d of Tests	^{LED} vation ling Γest in rating S.	1	2/0!	5/20	esult 210L

What happens next?

1. Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated test results, if applicable, the State of Oklahoma may revoke your Oklahoma driving privileges.

2. If you hold a commercial driver license or were driving a commercial motor vehicle, the State of Oklahoma may disqualify your privilege to operate a commercial motor vehicle. 3. You will continue to have driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oklahoma.

4. The State of Oklahoma will send you the Order of Revocation and/or Disqualification to the address you have on file with Service Oklahoma.

To confirm or change your address on file, contact Service Oklahoma. The Order and Notice of Revocation will inform you of your requirements to regain driving privileges in Oklahoma. 5.

In ac	cordance with Title	12 O.S. Section 426, "I state under p	enalty of perj	ury under the laws of Oklahoma that the for	egoing is true and correct."	Section 4
Date		Place (location when signed):		Signature of arresting officer	1	
NAM PZ		STOPHER		BOARD OF TESTS		
BADO	GE 000000484	AGENCY ADDRESS			PHONE 4054252460	
OTH	ER WITNESSES:					Section 5
1	NAME		TITLE	ADDRESS	PHONE	
2	NAME		TITLE	ADDRESS	PHONE	

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

8/17

										Section
ARREST DATE 01/08/2025		ST TIME		55	#	CITY #	C	TATION #		
ARREST LOCATION	4.3			100	CITY	-			COUNTY	
BOT					A. Salara				OKLAH	
SUBJECT NAME	EDANU						0.01	SEX M	HEIGH	
BREATHTEST,	FRANK		torn		0	3/15/1			ZIP C	
ADDRESS 3600 MARTIN	LUTHER KI	NG	OKI	AHOMA (OK	73	3111
H083463197				EXPIRATION I		2 OK	D		RESTRICTIONS	
MOCK		MOCK				MOCK		STA	K N	
MOCK SUBJECT Describe person's condition (odor ROUTINE MAINT	, actions, etc.);		W CYLIND							
BREATH-ALCOHOL ANALYSIS	RECORD, REPORT OF THE	PERSON NAMED		VE, and LOG OF T			CORD.			Section :
EQUIPMENT			NUMBER - 004895	BOARD	OF T	FOTO				
STANDARD		80	TARGET VAL		IPERMIT NU					
Dry			0.080		2302					
MANUFACTURER			LOT#			NDER INSTALL	ED	DATE	CYLINDER EXP	IRES
ILMO				4080A1	01/0	8/202	5		/05/20	
OBSERVATION START TEST				ute (or greate	_			1	1	
	/08/2025			was observed				1.000	TIC	22. Sec. 1
RESULT TABLE Test	g/210L	Time		the time of to	×		ing		OF THE	STATE A
	9/ 2100		12177		100		10.00		4/***	A* * * / ** /
Air Blank	0.00	14:47	I adminis	stered said I	Breath-A	Alcohol 7	'est in		AL CAL	12
Subject Test	0.00	14:48	complia	nce with the	e applic	able oper	ating			A STATE
Breath Volume	1.921 LITERS			cedure of th					al ***	1 (*** H
Air Blank	0.00	14:49 14:50	proc	caule of th	ic board	JI I Coto	•		21 ** 12	**/2
Wait Air Blank	0.00	14:50	1/1	hit	1	-			0	***/4/
Subject Test	0.00	14:51	000	11/2	PP?				1	
Breath Volume	2.160 LITERS	Taipt	SIGNATURE	OF OPERATOR	/				1	907
Air Blank	0.00	14:52	1	C Q M L M				-		
Cal Check	0.08	14:52	NAME	0.020.000	100				Test	Result
Air Blank	0.00	14:53	PAPE, CH	IRISTOPHEN	PERMIT #					g/210L
			000000	0484		02302	0			00
			AGENCY	OF TESTS					υ.	00
			Donado (1 1010				_		Section

What happens next?

1. Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated test results, if applicable, the State of Oklahoma may revoke your Oklahoma driving privileges.

2. If you hold a commercial driver license or were driving a commercial motor vehicle, the State of Oklahoma may disqualify your privilege to operate a commercial motor vehicle. 3. You will continue to have driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oklahoma.

4. The State of Oklahoma will send you the Order of Revocation and/or Disqualification to the address you have on file with Service Oklahoma.

To confirm or change your address on file, contact Service Oklahoma. The Order and Notice of Revocation will inform you of your requirements to regain driving privileges in Oklahoma. 5.

In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct."					
Date:	Place (location when signed):	Signature of arresting officer:			
PAPE,	CHRISTOPHER	BOARD OF TESTS			
BADGE 00000	AGENCY ADDRESS 100484 INTER-AGENCY	ZIP CODE PHONE 00000 4054252460			



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director


Certificate of Analysis - Reference Solution

ALPHA INSTRU	MI	ENT		
Intoxilyzer	-	Alcohol	Analyzer	
Model 8000			SN	80-002591
04/16/2024				11:24

Test	g/210L	. Time
Air Blank	0.000	11:24
Cal Check	0.018	11:25
Air Blank	0.000	11:25
Cal Check	0.019	11:26
Air Blank	0.000	11:27
Cal Check	0.019	11:27
Air Blank	0.000	11:28
Cal Check	0.019	11:29
Air Blank	0.000	11:29
Cal Check	0.019	11:30
Air Blank	0.000	11:30
Cal Check	0.019	11:31
Air Blank	0.000	11:32
Cal Check	0.019	11:32
Air Blank	0.000	11:33
Cal Check	0.019	11:34
Air Blank	0.000	11:34
Cal Check	0.019	11:35
Air Blank	0.000	11:35
Cal Check	0.018	11:36
Air Blank	0.000	11:37
Cal Check Stats		
Average	0.0188	
Std Dev	0.0004	
Rel Std Dev(%)	2.2426	

NIST Traceable Breath-	Alcohol Equivalent (g/210L +/- 3%) Ratio of e	thanol and water free of test interfering substances.
Manufacturer: Guth	Manufactured Date: 9/25/20	Concentration: 0.02
Lot No.: 23360	Expiration Date: 9/25/2025	Equipment Model: Guth 2100
prescribed by the State Director of Test to 40 OAC 25-1-2.1. Approved breath-a Conforming Products List of Calibrating	s pursuant to 40 OAC 30-1-3. The above NIST loohol measurement equipment and reference Units for Breath Alcohol Testers (72 FR 34747)	r 8000 and was performed in accordance with the procedures traceable reference solution meets the requirements for use pursuan solutions. Equipment used appears on the current or supplemented published by the National Highway Traffic Safety Administration.
Signature	Date:	4/16/2024
Name Christopher Pape	Permit	^{No.:} 23020





Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23360 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on September 26, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0240% (w/vol) ethyl alcohol. The expiration date for this lot number is September 25, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03122113 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis – Reference Solution

Intoxilyzer - A Model 8000 05/02/2024		SN 80-00259 09:20
Test	g/210L	Time
Air Blank	0.000	09:26
Cal Check	0.039	09:27
Air Blank	0.000	09:28
Cal Check	0.039	09:28
Air Blank	0.000	09:29
Cal Check	0.039	09:30
Air Blank	0.000	09:30
Cal Check	0.039	09:31
Air Blank	0.000	09:31
Cal Check	0.039	09:32
Air Blank	0.000	09:33
Cal Check	0.040	09:33
Air Blank	0.000	09:34
Cal Check	0.039	09:35
Air Blank	0.000	09:35
Cal Check	0.039	09:36
Air Blank	0.000	09:37
Cal Check	0.039	09:37
Air Blank	0.000	09:38
Cal Check	0.039	09:38
Air Blank	0.000	09:39
Cal Check Stats		
Average	0.0391	
Std Dev	0.0003	
Rel Std Dev(%)	0.8087	

NIST Traceable Breath-Ale	cohol Equivalent (g/210L +/- 3%) Ratio of ethanol an	d water free of test interfering substances.
Manufacturer: Guth	Manufactured Date: 10/24/2023	
Lot No.: 23400	Expiration Date: 10/24/2025	Equipment Model: Guth 2100
to 40 OAC 25-1-2.1. Approved breath-alco Conforming Products List of Calibrating Ju	nits for Breath Alcohol Testers (72 FR 34747), published	d was performed in accordance with the procedures reference solution meets the requirements for use pursuant Equipment used appears on the current or supplemented d by the National Highway Traffic Science Administration
- Annon	Date: 5/2/20	24
Name Christopher Pape	Permit No.: 230	



Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23400 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on October 25, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0484% (w/vol) ethyl alcohol. The expiration date for this lot number is October 24, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

ed Hauley

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN06032102 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

RCVD 12/19/23




Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Reference Solution

Intoxilyzer - Alc Model 8000 08/02/2024		SN 80-002591 12:55
Test	g/210L	Time
Air Blank	0.000	12:55
Cal Check	0.097	12:56
Air Blank	0.000	12:56
Cal Check	0.098	12:57
Air Blank	0.000	12:58
Cal Check	0.098	12:58
Air Blank	0.000	12:59
Cal Check	0.098	13:00
Air Blank	0.000	13:00
Cal Check	0.097	13:01
Air Blank	0.000	13:02
Cal Check	0.098	13:02
Air Blank	.0.000	13:03
Cal Check	0.098	13:04
Air Blank	0.000	13:04
Cal Check	0.098	13:05
Air Blank	0.000	13:05
Cal Check	0.098	13:06
Air Blank	0.000	13:07
Cal Check	0.098	13:03
Air Blank	0.000	13:08
Cal Check Stats		
Average	0.0978	
Std Dev	0.0004	
Rel Std Dev(%)	0.4311	

^{Manufacturer:} Guth	Manufactured Date: 3/5/2024	Concentration: 0.100
Lot No.: 24110	Expiration Date: 3/5/2026	Equipment Model: Guth 2100
prescribed by the State Director of Tests pursu to 40 OAC 25-1-2.1. Approved breath-alcohol n	neasurement equipment and reference solutions. Eq	erence solution meets the requirements for use pursuan ulpment used appears on the current or supplemented y the National Highway Traffic Safety Administration.
Name Christopher Pape	Permit No.: 2302	20



Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 24110 of Alcohol Reference Solution for Simulator were analyzed by chromatography on March 6, 2024, using a Perkin Elmer Gas gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1215% (w/vol) ethyl alcohol. The expiration date for this lot number is March 5, 2026 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03072301 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis – Reference Solution

ALPHA INSI	RUM	ENT		
Intoxilyze	r -	Alcohol	Analyzer	
Model 8000)		SN	80-002591
10/04/2023	3			09:22

Test	g/210L	Time
Air Blank	0.000	09:22
Cal Check	0.198	09:23
Air Blank	0.000	09:24
Cal Check	0.198	09:24
Air Blank	0.000	09:25
Cal Check	0.199	09:26
Air Blank	0.000	09:26
Cal Check	0.198	09:27
Air Blank	0:000	09:27
Cal Check	0.198	09:28
Air Blank	0.000	09:29
Cal Check	0.198	09:29
Air Blank	0.000	09:30
Cal Check	0.198	09:31
Air Blank	0.000	09:31
Cal Check	0.198	09:32
Air Blank	0.000	09:33
Cal Check	0.199	09:33
Air Blank	0.000	09:34
Cal Check	0.199	09:35
Air Blank	0.000	09:35
Cal Check Stats		
Average	0.1983	
Std Dev	0.0004	4
Rel Std Dev(%)	0.2435	1

Manufacturer: Guth	Manufactured Date: 9/18/2023	Concentration: 0.200
Lot No.: 23340	Expiration Date: 9/18/2025	Equipment Model: Guth 2100
to 40 OAC 25-1-2.1. Approved breath-	ets pursuant to 40 OAC 30-1-3. The above NIST traceable re alcohol measurement equipment and reference solutions. Ec g Units for Breath Alcohol Testers (72 FR 34747), published	uipment used appears on the current or supplemented by the National Highway Traffic Safety Administration.
hand	Pate: 10/4/20	023
Name Christopher Pape	Permit No.: 230	20



RCVD 10/2/2023

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23340 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on September 19, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2399% (w/vol) ethyl alcohol. The expiration date for this lot number is September 18, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L+/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN09142002 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Location Returned From	Unit Serial #	Date: 17/17
Major Co	80-004895	Date: 1/7/25
Inventory Process Unit checked in to BOT New Unit Checked out Check in Procedure	Old Cylinder #: M Unit I Old cylinder disposed in inventory m unit (After Lab Evaluation) I Old cylinder archive Notes from the Field	ed
Connect unit to ethernet connection 172.019.004. <u>144</u> Download any stored records <u>6</u> Change unit location to Serial number Update Unit Date and time Previous time: <u>1/8/2025</u> 0923 New Time: <u>1/8/2025</u> 0925 Execute a new Forms load on the unit	A Routine Swap Issues in the Fi	eld
Lab Evaluation Breath Hose Hold Vacuum?: Test C	Chamber Hold Vacuum?:	
3μm <u>12844</u> 9μm <u>13827</u> Breath Hose Temp <u>47.0</u>	Snap Test ok? 75 RFI Detected?	a
Peripheral Tests		
Speaker (F5) Power LED Green (F6) Gas Regulator (F11) Pump (F10)	Red (F7) Fan (F9) Receipt paper	
Atmospheric Sensor Pressure <u>970</u> Correction Factor <u>1</u> , 8	Flow SensorTank SensorD4Resistance240Value853	Is regulator close to Tank Sensor Value?
Sent to CMI (If needed) Reason Sent Date Sent Invoice Sent Date Returned		
Repairs needed:	Repairs Made:	
	Ready for Bench Check?	
Inventory Process Bench Check Tech Linked Cylinder to Unit Mock Subject Test Changed Unit Status Certificate of Calib Bench Check Report Completed Service Overview	nician Report <u>To complete if unit sent to</u> t Completed CMI Workorder pration and Operation	on