

## STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman

Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

#### ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number , in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of pages.

Signed \_\_\_\_\_

Name of Position: Director/Records Custodian

Date of Attestation:

## **Service Overview**



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 01-21-2021

SERIAL: 80-005710

#### DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- **BOT Dry Gas Certificate of Analysis**
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



## STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

## Certificate of Calibration and Operation

This is to certify that the calibration of INTOXILYZER 8000, serial number 80-005710, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	01-24-13
Board of Tests Bench Check	02-28-13
Board of Tests Bench Check	09-09-13
Board of Tests Bench Check	03-24-14
Board of Tests Bench Check	01-07-15
Manufacturer Calibration	05-16-16
Board of Tests Bench Check	05-19-16
Board of Tests Bench Check	03-19-18
Board of Tests Bench Check	09-10-18
Board of Tests Bench Check	05-20-20
Board of Tests Bench Check	01-21-21



Presentation of this form certifies that the Intoxilyzer, SN: 80-005710, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

#### Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol

O. poher Blokelung

and Drug Influence

## STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

NCH CHECK DATE 01/21/2021	08:29:1	CO. 1977	INSTRUMENT LOCATION 80-005710			
RUMENT TYPE ntoxilyzer	10.000.000.000	MENT MODEL 3000		80-00		
ncoxilyzei	1-6	TEST RI	SULTS	80-00	3710	
22301000100						
<b>Diagnosti</b> PASS	cs					
Mouth Alcoho	ol Test					
PASS						
RFI Tes	t					
PASS			127.25 AV. 27.25	4-1-112		
Abort Te	st	Du	plicate Breath	Sampling Re	esults	
PASS		Value	Test 1	Test 2	Control	
Improper Samp	ale Test				Test	
PASS	no rest	.02	0.019	0.017	0.020	
Interferent Dete	ect Test	.04	0.037	0.034	0.037	
PASS				10.01000		
No Sample Giv	en Test	.10	0.096	0.093	0.096	
PASS		.20	0.194	0.190	0.193	
Insufficient Sam	ple Test		PA	SS		
Air Blank Contami PASS	nation Test					
Range Exceed	ed Test					
		CERTIFYING	TECHNICIAN			
I swear under penalty						
the Intoxliyzer Benc	h Checking Proc	edure approved	by the State o	f Oklahoma.		
NATURE				DATE		
11.7		0.5	000		1 . 1	
MIM MEN	an	230	20		21/2021	
1	111		1.0	PERMIT#	01/0000	

0000023020

PAPE, CHRISTOPHER

End Time: 09:25

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

## BENCH CHECK TECHNICIAN'S REPORT

Start Time: 08:25

Date: 01/21/2021

$\Omega\Omega\Omega$		Serial #	111
000		80-005	710
AS CANISTER			
)T #		EXP Date	
7220080A2-011		05/05/2	022
EFERENCE			
O. # 0400		tor Model	O. th 0400
Guth 2100	Guth 2100	Guth 2100 Serial #	Guth 2100
DR2834	DR3700	DR2455	DR3470
5112001		centration	
.02	.04	.10	.20
		LOT#	
20070	20060	20190	20160
		actured Date	
02/13/2020	02/10/2020	04/06/2020	03/18/2020
THE PART OF THE PA		ration Date	
02/13/2022	02/10/2022	04/06/2022	03/18/2022
	Solution C	ommission Date	
1/4/2021	1/4/2021	1/4/2021	1/4/2021
TACON FOR BEL	IOII OUEOU		
EASON FOR BEN POST REPAIR [ TROUBLESHOOT DMMENTS	CYLINDER REP		
POST REPAIR [] TROUBLESHOOT	CYLINDER REP		

9/210L

0.000

0.079

0.000

0.080

0.000

0.079

0.000

0.079

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.080

0.000

0.079

0.000

0.079

0.000

0.0795

0.0005

0.6629

Operator's Signature

SN 80-004923

13:08

Time

13:09

13:09

13:09

13:10

13:10

13:11

13:11

13:11

13:12

13:12

13:13

13:13

13:14

13:14

13:14

13:15

13:15

13:16

13:16

13:16

13:17

ALPHA INSTRUMENT 2

Model 8000

05/20/2020

Test

Air Blank

Cal Check

Air Blank

Std Deu

Cal Check Stats Average

Rel Std Deu(%)

Intoxilyzer - Alcohol Analyzer

Certificate of Analysis - Dry Gas		
05-20-2020	, 280	
Date of Analysis	Labelled target value (g/210L)	
# 011	,089	II MAG
Cylinder#	Average test result	
bsh Smith	(K)	
BOT Technician Name and Signature		specialty gases

referenced dry gas cylinder is suitable for use as an external reference with the Intextiveer 8000, referenced dry gas cylinder is suitable for use as an external reference with the Intextiveer 8000, referenced dry gas cylinder is suitable for use as an external reference with the Intextiveer 8000, referen 217-245-2183 • Fax: 217-243-7634 • www.ilmoproducts.com

## Certificate of Analysis

Cartificate ID:

12858

部周州 物

BAC105L080T

Cylinder Size:

105L

Lot Number:

07220080A2

Expirations

5/5/2022

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:

105 Liters @ 1000 psig 70°F (21°C)

Analytical

Reported

Accuracy

Analytical

Component

Concentration:

(U, k=2):

Method:

Ehano3 Hattrogen

208 ppm Balance +/-0.002 BAC(G/210L) NDIR [5.2 ppm]

Distributed by:

CMI Inc.

316 East Ninth Stree Owensboro, KY 423 Phone 866-835-0690

www.alcoholtest.com

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Traceable to:

ineclally Gas Lab Tech

Certified Reference Material - 262.4 µmol/mol

Edward in Mitrogen - Serial No. GN0015026 Lot No. 050319E11

04-07-2020

Issuance Date

Accreditation #61895

in calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular repass. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

#### 8/13

# OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

۲/	1	Ġ	ś	
,	-	•	1	

	RE	VOCA.	HON/D	ISQUA	LLIF	CATIC	JN			Section 1
ARREST DATE 01/21/2021		845		COUNTY 55	#	CITY#	CITATIO	N#		
ARREST LOCATION BOT				100	CITY			COUNT	LAHO	MZ
SUBJECT NAME		_			DA.	TE OF BIRTH	SEX	RACE	HEIGHT	WEIGHT
NORTH, GAY	LON LEVERN	E	CITY		0	8/09/19	961   M	I W	510	165
3600 MARTI	N LUTHER K	ING A	OKL	AHOMA (EXPIRATION		ICTATE	CLASS	Incern	731	33 ENDORSEMENTS
T083454871				06/30	0/201		A	KESTK		M
MOCK		MOCK				MOCK		OK	N	N N
On the above date, time, and lo highway, street, tumplike, public influence of alcohol and/or other (Describe driving behavior or circ MOCK SUBJECT  Describe person's condition (odd	parking lot, or other public plinitoxicating substances as poumstances): TEST or, actions, etc.):	ace, or upon a privati	a i nad reasonable gro e road, street, alley or	lands to believe th	e person was es access to o	driving or in actual in	physical contro r multi-family d	of a motor ve	this state wh	a public road, ille under the
POST REPAIR	MAINTENANCE	THE PERSON	WAS INFORMED OF	THE IMPLIED C	ONSENT TES	FREQUEST				
BREATH-ALCOHOL ANALYSIS	S RECORD, REPORT OF TH				EST AND MA	INTENANCE RECO	ORD.			Section 2
I-8000			NUMBER -005710	BOARD	OF T	ESTS				
STANDARD Dry			0.080		PERMIT NI 230:					
MANUFACTURER ILMO			LOT#	10000000	DATE CYL	NDER INSTALLED	D	ATE CYLINDE		
OBSERVATION START TEST	TDATE	MOUTHPIECE		080A2		21/2021 ition/observat		05/05	/202	2
0900 0:	1/21/2021	G				ind continuing			TH ST	
Test	g/210L	Time	to	the time of t	est admin	istration.		108	***/	43.56
Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank	0.00 0.00 1.761 LITERS 0.00 0.00 0.00 1.859 LITERS 0.00	09:16 09:16 09:17 09:19 09:19 09:19	complian proce	ce with the	e applic	Alcohol Teable operated of Tests.	ing	SELVE BE	1907	
Cal Check Air Blank	0.08	09:20 09:21	PAPE, CH BADGE # 0000000 AGENCY BOARD O	Francisco.	0000	0023020		В	Fest Re rAC g/2	210L
EFFECTIVE THIRTY (30) DA days or more, if you refused o (operating a CMV or CDL hold as a result of this arrest by filir You may be eligible to partirevocation as a result of this request IDAP within thirty (3 SERVING OF NOTICE: Accountability Program to Date served: 01/2	r failed the state's test(s). fer) OR a test result of .04 ·ng a petition in the District of cipate in the Impaired Dris arrest from appearing o 10) days of the date listed.  I personally hand delito the person named in 1/2021 Sig	In addition, your co or more while opers Court of the County ver Accountability in your driving rec below. Mail the rivered a copy of a Section 1 about mature of officer	mmercial driving privating a commercial min which you were a Program (IDAP) as ord. Participation lequest for IDAP to the above contaile.	rilege in this state notor vehicle. You rrested. You red dministered by t in IDAP may red the Department ining the Notic	will be disqueur may appea dition must be the Departmuce the amo of Public Sa ce of Revo	alified if you refus I any Department filed within thirty ent of Public Safe ount of fees you watery at P.O. Box cation and the	ed or failed the al action again (30) days of the aty (DPS). Cowill be required 11415, Oklah Notice of D	e state's test set your drive he date listed completion of oma City, O epartment  Badge #:	(s) r license below. r IDAP may the State. K 73136.	You must Driving
n accordance with Title	12 O.S. Section 426, "	I state under pe	nalty of perjury	under the lav	vs of Oklah	oma that the fo	oregoing is	true and co	orrect."	Section 4
Date: 01/21/202 NAME		hen signed):		AGENCY	Signate	ure of arresting	officer:			
PAPE, CHRI 0000000484	ISTOPHER AGENCY ADDRESS INTER-AGE	NCY		BOARI	OF'	ZIP CODE 0000	PHONE 405	42524	160	
OTHER WITNESSES:	THI DIC AGE	1101				10000	1403	1272	100	Section 5
NAME			TITLE	ADDRESS			PHO	NE		Section 3
1 NAME			4	ALC: A CONTRACTOR						
LAMINE			TITLE	ADDRESS			PHO	NE		

No Temporary License Issued: Test Below Legal Limit

## OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

tua itagres faces									Section I
	ST TIME 345	COUNTY # 55	cn	ry#	CITA	TION#			
ARREST LOCATION BOT		CIT	Y	3.50			OK	, LAHC	MA
SUBJECT NAME NORTH, GAYLON LEVERNE	C			09/1		M	RACE	HEIGHT	10.00
3600 MARTIN LUTHER KI	NG A	OKLAHOMA CITY	7		STAT	(7)		73:	L33
T083454871		EXPIRATION DATE 06/30/20	19	OK	CLASS		RESTRI	CTIONS	ENDORSEMENTS M
MOCK	MOCK			dock		STA	K	N	PLACARD N
On the above date, time, and location, the above named page	a was amouted and I had a	annount to traffic a fire or or or	town state of	no nele materal	whereten days	And at a	Mars 4 - 2 - 1 - 2	Artelan comme	

highway, street, tumpike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law, (Describe driving behavior or circumstances):

MOCK SUBJECT TEST

Describe person's condition (odor, actions, etc.):

POST REPAIR MAINTENANCE

#### THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST

	YSIS RECORD, REPORT OF TH	E PERSON NAMED	IN SECTION 1 ABOV	/E, and LOG OF 1	EST AND MAINTENANCE RECORD.	Section 2
I-8000			NUMBER - 005710	BOARD	OF TESTS	
STANDARD Dry			0.080		PERMIT NUMBER	
MANUFACTURER ILMO	11.44,00.45		07220	080A2	DATE CYLINDER INSTALLED 01/21/2021	DATE CYLINDER EXPIRES 05/05/2022
0900	TEST DATE 01/21/2021	MOUTHPIECE G			r) deprivation/observation	
RESULT TABLE Test	g/210L	Time	500000000000000000000000000000000000000		prior to and continuing est administration.	OF THE STATE
Air Blank Subject Test Breath Volu Air Blank Wait Air Blank Subject Test Breath Volu	0.00 0.00 0.00 me 1.859 LITERS	09:16 09:16 09:17 09:19 09:19	complian	ce with the	Breath-Alcohol Test in a applicable operating the Board of Tests.	1807
Air Blank Cal Check Air Blank	0.00 0.08 0.00	09:20 09:20 09:21	BADGE # 0000000	HRISTOPHI 1484 F TESTS	ER   PERMIT #   0000023020	Test Result BrAC g/210L 0.00

EFFECTIVE THIRTY (30) DAYS FROM DATE SERVED. Notice of Revocation is given that your driver's license is revoked or denied for a period of one hundred eighty (180) days or more, if you refused or failed the state's test(s). In addition, your commercial driving privilege in this state will be disqualified if you refused or failed the state's test(s) (operating a CMV or CDL holder) OR a test result of .04 or more while operating a commercial motor vehicle. You may appeal any Departmental action against your driver license as a result of this arrest by filing a petition in the District Court of the County in which you were arrested. Your petition must be filed within thirty (30) days of the date listed below. You may be eligible to participate in the Impaired Driver Accountability Program (IDAP) administered by the Department of Public Safety (DPS). Completion of IDAP may prevent a revocation as a result of this arrest from appearing on your driving record. Participation in IDAP may reduce the amount of fees you will be required to pay to the State. You must request IDAP within thirty (30) days of the date listed below. Mail the request for IDAP to the Department of Public Safety at P.O. Box 11415, Oklahoma City, OK 73136.

SERVING OF NOTICE: I personally hand delivered a copy of the above containing the Notice of Revocation and the Notice of Department Impaired Driving Accountability Program to the person named in Section 1 above.

Date served: 01/21/2021 Signature of officer	: Badge #:
In accordance with Title 12 O.S. Section 426, "I state under <b>pe</b> Date: $01/21/2021$ Place (location when signed):	nalty of perjury under the laws of Oklahoma that the foregoing is true and correct." Section 4
NAME Place (location when signed):	Signature of arresting officer:
PAPE, CHRISTOPHER	BOARD OF TESTS
0000000484 AGENCY AGENCY AGENCY	DIP CODE PHONE 4054252460

No Temporary License Issued: Test Below Legal Limit

Section 3



Aboratories, inc.

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

ALPHA INSTRUMENT 2

Intoxilyzer - Alcohol Analyzer

0.020

0.000

0.020

0,000

0.020

0.000

0.021

0.000

0.020

0.000

0.020

0.000

0.020

0.000

0.020

0.000

0.019

0.000

0.0200

0.0004

2,3569

Model 8000 08/11/2020

Cal Check

Air Blank

Std Deu

Cal Check Stats Average

Rel Std Deu(%)

SN 80-004923 09:42

09:44

09:45

09:45

09:46

09:47

19:47

09:48

09:48

09:49

09:49

09:50

09:51

09:51

09:52

09:53

19:53

09:54

09:54

CERTIFICATE ANALYSIS

Test	g/210L	Time	Cermined	AICO	mor Ken	erenc	6 5	olution	TOT	Simulator
Air Blank	0,000	09:42								
Cal Check	0.020	09; 43		Valence of						
Air Blank	0.000	09; 43	Ran	dom	Samples	of	Lot	Numbe	er 2	0070 of

Random Samples of Lot Number 20070 of Alcohol Reference Solution for Simulator were analyzed by chromatography on February 17, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0242% (w/vol) ethyl alcohol. The expiration date for this lot number is February 13, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

perator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Analysis – Wet Bath	
0.040	302
Labeligd target value (g/210L)	
0,090	Jed Land
grane that result (g/2201)	LABORAT
	0.040 Labeljed target volue (g/210L)

NOTES ABORATORIES, INC.

DDT Corm 6.0

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

#### CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20060 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on February 11, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0483% (w/vol) ethyl alcohol. The expiration date for this lot number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator & Signature

ALPHA UNIT SUB

Model 8000

07/22/2020

Test

Air Blank

Cal Check

Air Blank

Average Std Dev

Cal Check Stats

Rel Std Dev(%)

Intoxilyzer - Alcohol Analyzer

g/210L

0.000

0.040

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.0395

0,0005

1.3342

SN 80-003400

14:57

Time

14:57

14:58

14:59

14:59

15:00

15:01

15:01

15:02

15:02

15:03

15:04

15:04

15:05

15:06

15:06

15:07

15:07

15:08

15:09

15:09

15:10

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

06/16/20	,100
Date of Analysis	Labelled target value (g/210L)
20190	.098
Lot Number	Assaga test result (g/210L)

LABORATORIES, INC.

TROET BRIEGO RISE URG, PA 17111-4511 O TELEPHONE: 717-564-5470

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

#### CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT
Intoxilyzer - Alcohol Analyzer
Model 8000 SN 80-00259
06/16/2020 I6:18

SN 80-002591 Certified Alcohol Reference Solution for Simulator

Test 9/210L Time Air Blank 0.000 16:18 Cal Check . 16:19 0.099 Air Blank 16:20 0.000 Cal Check 15:20 0.098 Air Blank 0.000 16:21 Cal Check 16:22 0.097 Air Blank 0.000 16:22 Cal Check 16:23 0.098 Air Blank 0.000 16:24 Cal Check 0.098 16:24 Air Blank 0.000 16:25 Cal Check 0.098 16:26 Air Blank 0.000 16:26 Cal Check 0.098 16:27 air Blank 0.000 16:27 Cal Check 0.097 16;28 air Blank 0.000 16:29 Cal Check 0.098 16:29 Hr Blank 0.000 16:30 :al Check 0.098 16:31 lir Blank 0,000 16:31 al Check Stats Ruerage 0.0979 Std Dev 0.0005

Random Samples of Lot Number 20190 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol) ethyl alcohol. The expiration date for this lot number is April 6, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

0,5798

Rel Std Deu(%)

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

1501000

Certificate of Analysis - Wet Bath 07/2020 20160

Boratories, inc. MORTH STREET 9 HARRISBURG, PA 17111-4511 9 TELEPHONE: 717-564-5470

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

### CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

PHR UNIT SUB itoxilyzer - Alcohol Analyzer del 8000 SN 80-003400 /07/2020 15:25 9/2101 Time r Blank 0.000 15:26 1 Check 0.196 15:26 r Blank 0,000 15:27 1 Check 0.196 15:28 15:28 Blank 0.000 1 Check 15:29 0.197 15:29 Blank 0.000 15:30 1 Check 0.196 15:31 0.000 Blank 15:31 1 Check 0.198 15:32 0.000 Blank 15:33 1 Check 0.19B 15:33 0.000 Blank 15:34 1 Check 0.197 15:35 0.000 Blank 1 Check 0.198 15:35 15:36 0.000 Rlank 15:37 0.198 1 Check 15:37 Blank 0.000 15:38 I Check 0.197 Blank 0.000 1 Check Stats 0.1971 Jerage

Random Samples of Lot Number 20160 Alcohol Reference Solution for Simulator were analyzed by chromatography on March 20, 2020, using a Perkin Elmer Gas gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

0.0008

0.4442

td Deil

≥1 Std Deu(%)

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.