

STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-006126, in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of 13 pages.

Signed _____

Name of Position: Director/Records Custodian

Date of Attestation: 05/25/2022



Borrist of Tests for Alcohol and Drug Influence Entrancing purce safety by engineng the resinety put was more relativity of based and sceade baseng



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: <u>10-15-2019</u>

SERIAL: 80-006126

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at: Board of Tests for Alcohol and Drug Influence Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307

Certificate of Calibration and Operation

This is to certify that the calibration of **INTOXILYZER 8000, serial number** <u>80-006126</u>, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	12-10-13
Board of Tests Bench Check	01-16-14
Board of Tests Bench Check	05-27-14
Board of Tests Bench Check	11-03-15
Board of Tests Bench Check	08-25-17
Board of Tests Bench Check	10-16-19



Presentation of this form certifies that the Intoxilyzer, SN: <u>80-006126</u>, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely,

. pohrt Blakeluna

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol and Drug Influence

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

1 CHECK DATE	TIME PROCEDURE BEG	1214	ISTRUMENT LOCATION	6	
MENT TYPE toxilyzer	INSTRUME			INSTRUMENT SE	
		TEST RE	SULTS		
Diagnosti	cs				
PASS					
Mouth Alcoho	ol Test				
PASS					
RFI Test	Ē				
PASS		Dur	licate Breath	Sampling Pa	eulte
Abort Tes	st	Du			0.200.0000
PASS		Value	Test 1	Test 2	Control Test
Improper Samp	ole Test				
PASS		.02	0.016	0.015	0.016
Interferent Dete	ect Test	.04	0.035	0.035	0.036
PASS		.10	0.093	0.092	0.095
No Sample Give	en Test	.20	0.195	0.194	0.195
PASS		.20			0.195
Insufficient Sam PASS	ple Test		PA	SS	
Air Blank Contamir PASS	nation Test				
Range Exceede	ed Test				
PASS					
		CERTIFYING T	ECHNICIAN		
swear under penalty	of perjury that in	n regards to the	above listed i	nstrument. I	have complie
ne Intoxliyzer Bench					
URE				DATE	
K				10	01619
N					1
				PERMIT #	
ITH, JOSHUA				0000	016837

	Board of Tests for Alcohol ar Enhancing public safety by ensuring the accur of blood and breath fash	ncy and scientific reliability
		I. Martin Luther King Bldg # Oklahoma City, OK 7311 405-425-246
HECK TEC	HNICIAN'S	REPORT
Start Time:	0740 End Time:	1300
	Serial #	
	80-006126	
	EXP Date	
H AIG		021
	AND A DESCRIPTION OF T	
		Guth 2100
Sei	rial #	
DR3753	DR3594	DR3754
Conce	ntration	
.04	.10	.20
		1000
17410	18200	18300
Manufac	tured Date	
12-06-2017	07-03-2018	09-19-2018
Expirat	ion Date	
12-06-2019	07-03-2020	09-19-2020
Solution Con	nmission Date	
10-10-10	10-10-10	10-10-19
	Start Time: Start Time: Simulate Simulate Simulate Seconce DR3753 Conce 04 LC 17410 Manufact 12-06-2017 Expirat 12-06-2019	EXP Date Start Time: 0740 End Time: Start Time: 0740 End Time: Serial # 80-00 6[26 EXP Date EXP Date Simulator Model Guth 2100 Guth 2100 Serial # DR3753 DR3594 Concentration 0.04 .10 LOT # 17410 18200 Manufactured Date 12-06-2017 07-03-2018 Expiration Date 12-06-2019 07-03-2020 Solution Commission Date

6/13

REASON FOR BENCH CHECK

□ POST REPAIR SCYLINDER REPLACEMENT □ TROUBLESHOOTING ROUTINE MAINTENANCE

COMMENTS

Technician Signature / Permit # Josh Smith

Printed Name

and the second	e of Analysis – Dry C						7/13	
0-15-19	, 980							
Analysis	Labelled target value (g/210L	and the second se						
r#	Average test result				2	ALPHA INSTRUMEN	S TR	
10 1	Acerage test result				4		Alcohol Analyzer	
HUMITH	CK					Model 8000		5N 80-0049 09:
chnician Name and Signat		BRT Forn		and the second second		10/15/2019		03.
ordance with BOT Poli	icy and Procedure Statement B	RT-2.2.0, Maintenan S, 🔂 G	acialty :	gases				
nced dry gas cylinder is	suitable for use as an external re	7 Eastgate Dr. • P.O.	The second se	conville II 62651	0700	Test	g/210L	Tir
		17-245-2183 • Fax:				Air Blank	0.000	09:0
			217-245-7054	www.innoproduc	L3.COM	Cal Check	0.081	09:0
						Air Blank	0.000	09:0
		Castic		Analysia		Cal Check	0.081	09:0
				f Analysis		Air Blank	0.000	09:0
			1.1			Cal Check Air Blank	0.081 0.000	09:0 09:0
	12204	-	XO			Cal Check	0.082	09:0
Certificate I	D: 12204	0.	08/01			Air Blank	0.000	09:1
Part #:	BAC105L08	өт,	101	17		Cal Check	0.081	09:1
Cylinder Siz			AB O.			Air Blank	0.000	09:1
		2 🗸	V	2		Cal Check Air Blank	0.081 0.000	09: 09:
Lot Number		4		F		Cal Check	0.082	09:
Expiration:	8/5/2021					Air Blank	0.000	09:
			/			C. I. Charle	0.081	00.
						Cal Check		
)		Air Blank	0.000	09:
				J		Air Blank Cal Check	0.000 0.081	09: 09:
0.080 BAC (Fo	or the calibration of instru	uments used to determ	ine breath alcoho	l concentration)		Air Blank Cal Check Air Blank	0.000 0.081 0.000	09: 09: 09:
0.080 BAC (Fo	or the calibration of instru	uments used to determ	ine breath alcoho	ol concentration)		Air Blank Cal Check	0.000 0.081	09: 09: 09: 09:
0.080 BAC (Fo	or the calibration of instru	uments used to determ	ine breath alcoho	I concentration)	-	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta	0.000 0.081 0.000 0.081 0.000 ts	09: 09: 09: 09:
			ine breath alcoho	ol concentration)		Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Auerage	0.000 0.081 0.000 0.081 0.000 ts 0.0812	09: 09: 09: 09:
tano (nanis) and a first test test of a statement of a power	or the calibration of instru 105 Liters @ 1000) psig 70°F (21°C)	ine breath alcoho	ol concentration)	-	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
tano (nanis) and a first test test of a statement of a power	105 Liters @ 1000) psig 70°F (21°C) Analytical	1	ol concentration)		Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Auerage	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
Contents:	105 Liters @ 1000 Reported) psig 70°F (21°C) Analytical Accuracy	Analytical			Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
Contents: Component:	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2):	Analytical Method:	Distribute	ed by:	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported) psig 70°F (21°C) Analytical Accuracy	Analytical Method:	Distribute CMI Inc.		Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East	Ninth Stree	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East Owensbo	Ninth Stree pro, KY 423	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East Owensbo Phone 86	Ninth Stree pro, KY 423 6-835-0690	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std DevC	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$3 0.5192	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East Owensbo Phone 86	Ninth Stree pro, KY 423	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std DevC	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0812 0.0004	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East Owensbo Phone 86	Ninth Stree pro, KY 423 6-835-0690	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std DevC	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$3 0.5192	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East Owensbo Phone 86	Ninth Stree pro, KY 423 6-835-0690	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std DevC	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$3 0.5192	09: 09: 09: 09:
Contents: Component: Ethanol	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East Owensbo Phone 86	Ninth Stree pro, KY 423 6-835-0690	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std DevC	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$3 0.5192	09: 09: 09: 09:
Contents: Component: Ethanol Nitrogen	105 Liters @ 1000 Reported Concentration:) psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L)	Analytical Method:	Distribute CMI Inc. 316 East Owensbo Phone 86	Ninth Stree pro, KY 423 6-835-0690	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std DevC	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$3 0.5192	09: 09: 09: 09: 09:
Contents: Component: Ethanol Nitrogen	105 Liters @ 1000 Reported Concentration: 208 ppm	<pre>D psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L) [5.2 ppm]</pre>	Analytical Method:	Distribute CMI Inc. 316 East Owensbo Phone 86 www.alco	Ninth Stree pro, KY 423 6-835-0690 <u>holtest.com</u>	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std Dev(0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$0 0.5192 .tor's Signature	09: 09: 09: 09:
Contents: Component: Ethanol Nitrogen Traceable to: Certified Referen	105 Liters @ 1000 Reported Concentration: 208 ppm	D psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L) [5.2 ppm]	Analytical Method: NDIR	Distribute CMI Inc. 316 East Owensbo Phone 86 www.alco	Ninth Stree pro, KY 423 6-835-0690 holtest.com	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std Dev(0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$0 0.5192 	09: 09: 09: 09:
Contents: Component: Ethanol Nitrogen Traceable to: Certified Referen	105 Liters @ 1000 Reported Concentration: 208 ppm	D psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L) [5.2 ppm]	Analytical Method: NDIR	Distribute CMI Inc. 316 East Owensbo Phone 86 www.alco	Ninth Stree pro, KY 423 6-835-0690 <u>holtest.cor</u> , away from t sunlight. E	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std Dev(Opena Opena	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$0 0.5192 	09: 09: 09: 09:
Contents: Component: Ethanol Nitrogen Traceable to: Certified Referen	105 Liters @ 1000 Reported Concentration: 208 ppm	D psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L) [5.2 ppm]	Analytical Method: NDIR	Distribute CMI Inc. 316 East Owensbo Phone 86 www.alco Store in dry area ignition and direc	Ninth Stree pro, KY 423 6-835-0690 <u>holtest.cor</u> , away from t sunlight. E	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std Dev(Opena Opena	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$0 0.5192 	09: 09: 09: 09:
Contents: Component: Ethanol Nitrogen Traceable to: Certified Referen	105 Liters @ 1000 Reported Concentration: 208 ppm	D psig 70°F (21°C) Analytical Accuracy (U, k=2): +/-0.002 BAC(G/210L) [5.2 ppm]	Analytical Method: NDIR	Distribute CMI Inc. 316 East Owensbo Phone 86 www.alco Store in dry area ignition and direc	Ninth Stree pro, KY 423 6-835-0690 <u>holtest.cor</u> , away from t sunlight. E	Air Blank Cal Check Air Blank Cal Check Air Blank Cal Check Sta Average Std Dev Rel Std Dev(Opena Opena	0.000 0.081 0.000 0.081 0.000 ts 0.0812 0.0004 \$0 0.5192 	09: 09: 09: 09:

1 post Univer Specialty Gas Lab Tech

07-15-19 Issuance Date



The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

Section 1 CITATION # ARREST DATE RREST TIME COUNTY 10/16/2019 55 1200 82 MOCK ARREST LOCATION CITY COUNTY OKLAHOMA MOCK MOMC RACE HEIGH WEIGHT SUBJECT NAME DATE OF SE> BIRTH SUBJECT TEST 08/09/1961 W 510 Μ 165 MOCK, DDRESS CITY ZIP CODE STATE 73133 3600 MARTIN LUTHER KING A OKLAHOMA CITY OK ORIVER LICENSE # EXPIRATION DATE STATE CLASS RESTRICTIONS ENDORSEMENTS 06/30/2019 OK T083454871 А М /EHICLE MAKE MODEL STA CM/ PLACARD MOCK MOCK MOCK OK Ν Ν

On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, turnpike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances):

MOCK SUBJECT TEST. ROUTINE MAINTENANCE, NEW GAS CANISTER INSTALL.

Describe person's condition (odor, actions, etc.):

NONE

BREATH-ALCOHOL ANALYSIS	S RECORD, REPORT OF TH	E PERSON NAMED	IN SECTION 1 ABOVE, and	LOG OF TES	T AND MAINTENANCE RECORD.	Sec	tion 2
EQUIPMENT		SERIAL	NUMBER SPEC	CIALIST			
I-8000		80-	-006126 B0	DARD (OF TESTS		
STANDARD			TARGET VALUE	F	ERMIT NUMBER		
Dry			0.080		16837		
MANUFACTURER			LOT #		ATE CYLINDER INSTALLED	DATE CYLINDER EXPIRES	
ILMO			1791908	0A2	10/16/2019	08/05/2021	
	T DATE	MOUTHPIECE	A 15-minute (o	r greater)	deprivation/observation		
1240 10	0/16/2019	G			-		
RESULT TABLE				-	ior to and continuing	THE STAT	
Test	g/210L	Time	to the t	ime of test	administration.		
1000	9,2100						· /
Air Blank	0.00	13:12	I administered	l said Br	eath-Alcohol Test i	n states	2
Subject Test	0.00	13:13	compliance y	with the c	pplicable operating		17
Breath Volume	1.949 LITERS		-				P
Air Blank	0.00	13:13	procedui	e of the	Board of Tests.		15
Wait		13:15					F /
Air Blank	0.00	13:15					
Subject Test	0.00	13:16				1907	
Breath Volume	2.453 LITERS		SIGNATURE OF OPE	RATOR		1001	
Air Blank	0.00	13:16					
Cal Check	0.08	13:16	NAME			Test Result	
Air Blank	0.00	13:17	SMITH, JOSH			BrAC g/210L	
			BADGE #			DIAC g/210L	1
			00000043	5	0000016837	0.00	
			AGENCY				
			BOARD OF T	ESTS		L	

EFFECTIVE THIRTY (30) DAYS FROM DATE SERVED. Notice of Revocation is given that your driver's license is revoked or denied for a period of one hundred eighty (180) Section 3 days or more, if you refused or failed the state's test(s). In addition, your commercial driving privilege in this state will be disqualified if you refused or failed the state's test(s) (operating a CMV or CDL holder) OR a test result of .04 or more while operating a commercial motor vehicle. To appeal the driver's license revocation/disqualification, the Department of Public Safety must receive your written request for an administrative hearing on the Department approved form, within fifteen (15) days from the date you received notice of revocation or disqualification. The approved hearing request form is available at https://www.ok.gov/dps/documents/ReqHearing.pdf. Submit your hearing request form in person at 3600 N. MLK Ave. or by mail to Legal Division, Department of Public Safety, P.O. Box 11415, OKC, OK 73136. It shall be a misdemeanor punishable by imprisonment for not less than seven (7) days nor more than six (6) months, or by a fine of not more than Five Hundred Dollars (\$500.00), or by both such fine and imprisonment, for any person to apply for a renewal or a replacement license to operate a motor vehicle while the person's license, permit, or other evidence of driving privilege is in the custody of a law enforcement officer or the Department.

SERVING OF NOTICE: I personally hand-delivered a copy of the above containing the Notice of Revocation to the person named in Section 1 above.

In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct."

Date served: 10/16/2019 Signature of officer:

Badge #

Section 4

Date: $10/16/2019$ Place (location when signed)	:	Signature of arresting officer:	
SMITH, JOSHUA		AGENCY BOARD OF TESTS	
BADGE AGENCY ADDRESS 0000000435 INTER-AGENCY		ZIP CODE PHONE 00000 "4054	4252460"
OTHER WITNESSES:			Section 5
1 NAME	TITLE	ADDRESS	
NAME	TITLE	ADDRESS PHONE	

OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

9/13

										5	ection 1
ARREST DATE	ARREST TIME		COUNTY #	0	CITY #	1	CITATION #	ŧ			
10/16/2019	1200		55		82		MOCH	ζ			
ARREST LOCATION				CITY				COUNT	Y		
MOMC				MOC	K			OK	LAHC	MA	
SUBJECT NAME					OF BIRTH		SEX	RACE	HEIGHT	WEI	GHT
MOCK, SUBJECT TEST				08	3/09/	/1961	. M	W	510	1	65
ADDRESS		CITY					STATE		ZIP COD	DE	
3600 MARTIN LUTHER	KING A	OKLAHO	DMA CI	ΤY			OK		731	L33	
DRIVER LICENSE #		EX	PIRATION DATE		STATE	CLAS	SS	RESTRI	CTIONS	ENDORS	EMENTS
T083454871		C)6/30/2	2019	OK	A				M	
VEHICLE MAKE	MODEL			Т	AG #		S	ATE	CMV	PLACARE	5
MOCK	MOCK				MOCK	5		ЭK	N	N	
On the above date time and location, the above name	a nerson was arrested, and I had re	asonable grounds to	helieve the ners	on was dr	iving or in a	ctual physics	al control of	a motor ve	hicle upor	a public re	ad

On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, turnpike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law.

(Describe driving behavior or circumstances):

MOCK SUBJECT TEST. ROUTINE MAINTENANCE, NEW GAS CANISTER INSTALL.

Describe person's condition (odor, actions, etc.):

NONE

THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST

BREATH-ALCOHOL ANALYSIS	RECORD, REPORT OF TH	E PERSON NAMED	IN SECTION 1 ABOV	E, and LOG OF TE	ST AND MAINTI	ENANCE RECORD.	Section 2
EQUIPMENT		SERIAL	NUMBER	SPECIALIST			
I-8000		80	-006126	BOARD	OF TES	STS	
STANDARD		·····	TARGET VALUE	Ē	PERMIT NUMB	ER	
Dry			0.080		16837		
MANUFACTURER			LOT #		DATE CYLINDE		DATE CYLINDER EXPIRES
ILMO			17919	080A2	10/16	/2019	08/05/2021
	DATE	MOUTHPIECE	A 15-minu	te (or greater)) deprivatio	n/observation	
1240 10)/16/2019	G					
RESULT TABLE				as observed p			THE STAT
Test	g/210L	Time	to t	the time of tes	st administr	ation.	
Air Blank	0.00	13:12	I administe	ered said B	reath-Alc	ohol Test in	
Subject Test	0.00	13:13	compliand	e with the	applicabl	e operating	
Breath Volume	1.949 LITERS		-				
Air Blank	0.00	13:13	proce	edure of the	e Board of	f Tests.	
Wait		13:15					
Air Blank	0.00	13:15					
Subject Test	0.00	13:16	SIGNATURE OF	00001700			1907
Breath Volume	2.453 LITERS		SIGNATURE OF	OPERATOR			
Air Blank	0.00	13:16	NAME				-
Cal Check	0.08	13:16		0.00000			Test Result
Air Blank	0.00	13:17	SMITH, J BADGE #	OSHUA	PERMIT #		BrAC g/210L
			0000000		00000	16937	
			AGENCY	+JJ	00000	10021	0.00
			BOARD OF	TESTS			
1			BOARD OF	3 10010			

EFFECTIVE THIRTY (30) DAYS FROM DATE SERVED. Notice of Revocation is given that your driver's license is revoked or denied for a period of one hundred eighty (180) Section 3 days or more, if you refused or failed the state's test(s). In addition, your commercial driving privilege in this state will be disqualified if you refused or failed the state's test(s) (operating a CMV or CDL holder) OR a test result of .04 or more while operating a commercial motor vehicle. To appeal the driver's license revocation/disqualification, the Department of Public Safety must receive your written request for an administrative hearing on the Department approved form, within fifteen (15) days from the date you received notice or revocation or disqualification. The approved hearing request form is available at https://www.ok.gov/dps/documents/ReqHearing.pdf. Submit your hearing request form in person at 3600 N. MLK Ave. or by mail to Legal Division, Department of Public Safety, P.O. Box 11415, OKC, OK 73136. It shall be a misdemeanor punishable by imprisonment for not less than seven (7) days nor more than six (6) months, or by a fine of not more than Five Hundred Dollars (\$500.00), or by both such fine and imprisonment, for any person to apply for a renewal or a replacement license to operate a motor vehicle while the person's license, permit, or other evidence of driving privilege is in the custody of a law enforcement officer or the Department.

SERVING OF NOTICE: I personally hand-delivered a copy of the above containing the Notice of Revocation to the person named in Section 1 above.

Date served: 10/16/2019 Signature of officer:

In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct."

Badge #:

Date: $10/16/2019$ Place (location when signed):	Signature of arresting officer:
NAME	AGENCY
SMITH, JOSHUA	BOARD OF TESTS
BADGE AGENCY ADDRESS	ZIP CODE PHONE
000000435 INTER-AGENCY	00000 "4054252460"
0000000435 INTER-AGENCY	00000 "4054252460"

09-26-19	.920
Date of Analysis	- Labelled target value (g/210L)
18020	,0201
ot Number	Average/test result (g/210L)



BRT Form 6.0

FORIES, INC.

In accordance with BRT – 2.2.0, *Maintenance*, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

E OF ANALYSIS

ILPHA INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer Iodel 8000 SN 80-004923 19/26/2019 14:01

ed Alcohol Reference Solution for Simulator

Test	g/210L	Time
air Blank	0.000	 14:01
Cal Check	0.020	14:02
Air Blank	0.000	14:02
Cal Check	0,020	14:03
Air Blank	0.000	14:04
Cal Check	0.020	14:04
Air Blank	0.000	14:05
Cal Check	0.020	14:06
Rir Blank	0.000	14:05
Cal Check	0.021	14:07
Air Blank	0.000	14:07
Cal Check	0.020	14:08
RIF Blank	0.000	14:09
Cal Check	0.020	14:09
Air Blank	0.000	14:10
Cal Check	0.020	14:11
Air Blank	0.000	14:11
Cal Check	0.020	14:12
Air Blank	0.000	14:12
Cal Check	0:020	14:13
Air Blank	0.000	14:14
Cal Check Stats		
Average	0.0201	
Std Deu	0.0003	
Rel Std Dev(%)	1.5731	

Random Samples of Lot Number 18020 of I Reference Solution for Simulator were analyzed by promatography on January 11, 2018, using a Perkin Elmer Gas ograph Autosystem XL S/N: 610N9030209, and found to contain (w/vol) ethyl alcohol. The expiration date for this lot is January 9, 2020 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol s instrument reading of 0.020 g/210L +/- 3%.

he alcohol and water used in this solution were test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Operator's Signature

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

- 1	1 1	1 /	•
- I	1/		4
1	1/	ь,)

Certificate	of Analysis – Wet Bath	A Station
09-25-19	.040	
Date of Analysis	Labelled target value (g/210L)	
17410		1.002
Lot Number	Average test result (g/210L)	20.0
Josef Smith	R	
30T Technician Name and Signa	ture	BRT Form 6.0

ES, INC.

In accordance with BRT – 2.2.0, *Maintenance*, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

ERITIC.IL OF ANALYSIS

ed Alcohol Reference Solution for Simulator

ALPHA INSTRUMENT	
Intoxilyzer - Alcohol Model 8000	Analyzer SN 80-002591
09/25/2019	12:08

Test	g/210L	Time
Air Blank	0,000	12:09
Cal Check	0.039	12:10
Air Blank	0.000	12:10
Cal Check	0.040	12:11
Air Blank	0.000	12:11
Cal Check	0.040	12:12
Air Blank	0.000	12:13
Cal Check	0.041	12:13
Air Blank	0.000	12:14
.Cal Check	0.040	12:15
Air Blank	0.000	12:15
Cal Check	0.040	12:16
Air Blank	0.000	12:16
Cal Check	0.040	12:17
Air Blank	0.000	12:18
Cal Check	0.040	12:18
Air Blank	0.000	12:19
Cal Check	0.040	12:20
Air Blank	0.000	12:20
Cal Check	0.039	12:21
Air Blank	0.000	12:21
Cal Check Stats		
Average	0.0399	
Std Deu	0,0005	
Rel Std Dev(%)	1.4226	

andom Samples of Lot Number 17410 of 1 Reference Solution for Simulator were analyzed by hromatography on December 7, 2017, using a Perkin Elmer Gas tograph Autosystem XL S/N: 610N9030209, and found to contain (w/vol) ethyl alcohol. The expiration date for this lot t is December 6, 2019 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol is instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were f test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST. Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Certificate of Analysis - Wet Bath		310
09-25-19	,280	
Date of Analysis	Labelled target value (g/210L)	
18300	.2029	No. 100
ot Number	Average test result (g/210L)	1
JOSH SMITH	R	1
OT Technician Name and Signatu		BRT Form
OT Technician Name and Signatu	ure	BRT For

ES, INC.

of

In accordance with BRT -2.2.0, *Maintenance*, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

Random Samples of Lot Number 18300

ied Alcohol Reference Solution for Simulator

Intoxilyzer - Al Model 8000 09/25/2019		SN 80-002591 13:22
Test	g/210L	Time
Air Blank	0.000	13:23
Cal Check	0.202	13:24
Air Blank	0.000	13:24
Cal Check	0.203	13:25
Air Blank	0.000	13:25
Cal Check	0.203	13:26
Air Blank	0.000	13:27
Cal Check	0.203	13:27
Air Blank	0.000	13:28
Cal Check	0.203	13:29
Air Blank	0.000	13:29
Cal Check	0.203	13:30
Air Blank	0.000	13:31
Cal Check	0.203	13:31
Air Blank	0.000	13:32
Cal Check	0.203	13:33
Air Blank	0.000	13:33
Cal Check	0.203	13:34
Air Blank	0.000	13: 34 13: 35
Cal Check	0.203	13:35
Air Blank	0.000	13, 30
Cal Check Stats	0.2029	
Average	0.2023	
Std Dev Rel Std Dev(%)	0.1558	

hromatography on September 21, 2018, using a Perkin Elmer Gas atograph Autosystem XL S/N: 610N9030209, and found to contain % (w/vol) ethyl alcohol. The expiration date for this lot
r is September 19, 2020 at 11:59 PM.
When used in a calibrated Simulator, operating at

ol Reference Solution for Simulator were analyzed by

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol is instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were f test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Operator's Signature

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

ghalio

Certificate	of Analysis – Wet Bath	
09-25-19	,100	
Date of Analysis	Labelled target value (g/210L)	
18200	1032	
Lot Number	Average test result (g/210L)	
JOSIL SMIT		

BRT Form 6.0

CERTIFICATE

ARRISBUNG, PA 17111-4511 . TELEPHONE: 717-564-5470

ANALYSIS

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

12:30

12:30

12:31

12:31

12:32

12:33

12:33

12:34

12:35

12:35

12:36

ALPHA INSTRUM Intoxilyzer – Model 8000 09/25/2019	ENT Alcohol Analyze	21 5N 80-002591 12:23
Test	g/210L	Time
Air Blank	0.000	12:24
Cal Check	0.103	12:24
Air Blank	0.000	12:25
Cal Check	0.104	12:26
Air Blank	0.000	12:26
Cal Check	0.103	12:27
Air Blank	0.000	12:28
Cal Check	0.104	12:28
Air-Blank	0.000	12:29

0.103

0.000

0.103

0.000

0.103

0.000

0.103

0.000

0.103

0.000

0.103

0.000

0.1032

0.0004

0.4085

Call Check

Air Blank

Cal Check

Air Blank

Average

Std Deu Rel Std Deu(%)

Cal Check Stats

d Alcohol Reference Solution for Simulator

OF

andom Samples of Lot Number 18200 of I Reference Solution for Simulator were analyzed by pmatography on July 6, 2018, using a Perkin Elmer Gas Chromatograph em XL S/N: 610N9030209, and found to contain 0.1215% (w/vol) pohol. The expiration date for this lot is July 3, 2020 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol s instrument reading of **0.100 g/210L +/- 3%**.

The alcohol and water used in this solution were test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability: Testing was conducted using Cerilliant Reference Standard lot number FN04271602 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

ECV +2019