

# STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman

Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

#### **ATTESTATION**

I, the undersigned <u>Joshua Smith</u> (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-006136, in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of 13 pages.

signed \_\_\_\_

Name of Position: Director/Records Custodian

Date of Attestation: 05/25/2022

### Service Overview

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

**BENCH CHECK DATE**: <u>10-15-2019</u>

**SERIAL:** <u>80-006136</u>

#### **DOCUMENTATION WITHIN SERVICE PACKET:**

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



# STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at:
Board of Tests for Alcohol and Drug Influence
Post Office Box 36307
Oklahoma City, Oklahoma 73136-2307

### Certificate of Calibration and Operation

This is to certify that the calibration of INTOXILYZER 8000, serial number 80-006136, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

OFFICION TYPE	5.75
CERTIFICATION TYPE	DATE
Manufacturer Calibration	12-30-13
Board of Tests Bench Check	01-16-14
Board of Tests Bench Check	11-18-15
Board of Tests Bench Check	09-06-17
Board of Tests Bench Check	10-15-19
!	



Presentation of this form certifies that the Intoxilyzer, SN: 80-006136, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

#### Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely.

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol and Drug Influence

O. pohrt Blokelune

# STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

10/15/2019	07:32:0	No.	80-00613			
ntoxilyzer	INSTRUME I-8				INSTRUMENT SERIAL NUMBER  80-006136	
	3000	TEST RE	SULTS		F172	
Diagnost	ics					
PASS						
Mouth Alcoho	ol Test					
PASS	27.16					
RFI Tes	st					
PASS	1	D.	plicate Breath	Campling Da	aculta	
Abort Te	est	Du	plicate breath	Sampling Ke	Para anna la sa	
PASS	6	Value	Test 1	Test 2	Control Test	
Improper Sam	ple Test				1000	
PASS		.02	0.018	0.015	0.017	
Interferent Det	ect Test	.04	0.036	0.035	0.036	
PASS		.10	0.096	0.094	0.098	
No Sample Giv	ven Test	.20				
PASS	PASS		0.198	0.196	0.198	
Insufficient San	nple Test		PA	SS		
PASS						
Air Blank Contami	ination Test					
PASS						
Range Exceed						
PASS						
		CERTIFYING T	ECHNICIAN	975		
I swear under penalt	y of periury that in	SOUTH TO VE		instrument I	have complied w	
the Intoxliyzer Benc						
NATURE		2200 2880 2000		DATE		
( 0/					10/15/2010	
					10/15/2019	
E				PERMIT#	WALL TO BE	
MITH, JOSHUA	A			0000	016837	



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

### **BENCH CHECK TECHNICIAN'S REPORT**

SAS CANISTER   EXP Date	toxilyzer Model		Serial#	
EXP Date  179   989   2	000			0136
Simulator Model	SAS CANISTER			
T1   9686   2   2   03 - 05 - 202	OT#		EXP Date	
Simulator Mode	17919080A2	# 021		2021
Guth 2100       Guth 2100       Guth 2100       Guth 2100         Serial #         DR3591       DR3753       DR3594       DR3754         Concentration         .02       .04       .10       .20         LOT #         18020       17410       18200       18300         Manufactured Date         01-09-2018       12-06-2017       07-03-2018       09-19-2018         Expiration Date         01-09-2020       12-06-2019       07-03-2020       09-19-2020         Solution Commission Date         D-10-19       10-10-19       10-10-19       10-10-19         REASON FOR BENCH CHECK         POST REPAIR       CYLINDER REPLACEMENT	REFERENCE			
Serial #           DR3591         DR3753         DR3594         DR3754           Concentration           .02         .04         .10         .20           LOT #           18020         17410         18200         18300           Manufactured Date           01-09-2018         12-06-2017         07-03-2018         09-19-2018           Expiration Date           01-09-2020         12-06-2019         07-03-2020         09-19-2020           Solution Commission Date           D-10-19         10-10-19         10-10-19         10-10-1           REASON FOR BENCH CHECK           POST REPAIR         XCYLINDER REPLACEMENT		Simulato	or Model	
DR3591         DR3753         DR3594         DR3754           Concentration           .02         .04         .10         .20           LOT #           18020         17410         18200         18300           Manufactured Date           01-09-2018         12-06-2017         07-03-2018         09-19-2018           Expiration Date           01-09-2020         12-06-2019         07-03-2020         09-19-2020           Solution Commission Date           ID-10-19         10-10-19         10-10-19         10-10-19           REASON FOR BENCH CHECK           POST REPAIR         CYLINDER REPLACEMENT	Guth 2100	Guth 2100	Guth 2100	Guth 2100
Concentration   .02   .04   .10   .20	D.D.C.C.			
.02 .04 .10 .20  LOT #  18020 17410 18200 18300  Manufactured Date  01-09-2018 12-06-2017 07-03-2018 09-19-2018  Expiration Date  01-09-2020 12-06-2019 07-03-2020 09-19-2020  Solution Commission Date  10-10-19 10-10-19 10-10-19  REASON FOR BENCH CHECK  POST REPAIR ▼CYLINDER REPLACEMENT	DR3591			DR3754
LOT #   18020   17410   18200   18300     Manufactured Date     01-09-2018   12-06-2017   07-03-2018   09-19-2018     Expiration Date     01-09-2020   12-06-2019   07-03-2020   09-19-2020   Solution Commission Date     10-10-19	02			20
18020     17410     18200     18300       Manufactured Date       01-09-2018     12-06-2017     07-03-2018     09-19-2018       Expiration Date       01-09-2020     12-06-2019     07-03-2020     09-19-2020       Solution Commission Date       10-10-19     10-10-19     10-10-19     10-10-19       REASON FOR BENCH CHECK       POST REPAIR          ☐ CYLINDER REPLACEMENT	.02			.20
01-09-2018 12-06-2017 07-03-2018 09-19-2018  Expiration Date  01-09-2020 12-06-2019 07-03-2020 09-19-2020  Solution Commission Date  10-10-19 10-10-19 10-10-19 10-10-1  REASON FOR BENCH CHECK  POST REPAIR ▼CYLINDER REPLACEMENT	18020		The state of the s	18300
Expiration Date  01-09-2020 12-06-2019 07-03-2020 09-19-2020  Solution Commission Date  10-10-19 10-10-19 10-10-19  REASON FOR BENCH CHECK  POST REPAIR   CYLINDER REPLACEMENT	The state of the s	Manufacti	ured Date	THE PERSON NAMED IN
01-09-2020 12-06-2019 07-03-2020 09-19-2020  Solution Commission Date  10-10-19 10-10-19 10-10-19 10-10-1  REASON FOR BENCH CHECK  POST REPAIR  ▼CYLINDER REPLACEMENT	01-09-2018	12-06-2017	07-03-2018	09-19-2018
Solution Commission Date  10-10-19 10-10-19 10-10-19 10-10-19 10-10-19 REASON FOR BENCH CHECK POST REPAIR CYLINDER REPLACEMENT			on Data	
REASON FOR BENCH CHECK  POST REPAIR CYLINDER REPLACEMENT				The second secon
REASON FOR BENCH CHECK  POST REPAIR CYLINDER REPLACEMENT	01-09-2020			09-19-2020
REASON FOR BENCH CHECK  POST REPAIR CYLINDER REPLACEMENT	01-09-2020	12-06-2019	07-03-2020	09-19-2020
POST REPAIR CYLINDER REPLACEMENT		12-06-2019 Solution Com	07-03-2020 mission Date	09-19-2020
COMMENTS		12-06-2019 Solution Com	07-03-2020 mission Date	
	REASON FOR BE POST REPAIR TROUBLESHOOT	12-06-2019  Solution Com  O - 10 - 19  NCH CHECK  CYLINDER REPLA	07-03-2020 mission Date  10 - 10 - 19 ACEMENT	
$\bigcap$	REASON FOR BE	12-06-2019  Solution Com  O - 10 - 19  NCH CHECK  CYLINDER REPLA	07-03-2020 mission Date  10 - 10 - 19 ACEMENT	
16837 Pechnician Signature / Permit #	REASON FOR BE POST REPAIR TROUBLESHOOT	12-06-2019 Solution Com O-10-19  NCH CHECK CYLINDER REPLATING PROUTINE	07-03-2020 mission Date  10 - 10 - 19 ACEMENT	

Certificate	of Analysis – Dry Gas	
09-26-19	.000	
Date of Analysis	Labelled target value (g/210L)	
#021	,979	
Cylinder#	Average test result	
West Smith	CL	
BOT Technician Name and Signa	ure	specialty gases

In accordance with BOT Policy and Procedure Statement BRT-2.2.0, Maintenance, the above referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external referenced dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cylinder is suitable for use as an external reference dry gas cy

### Certificate of Analysis

Certificate ID:

1.2204

Part #:

BAC105L080T

Cylinder Size:

1.05L

Lot Number:

17919080A2

Expiration:

8/5/2021

RECYD 1/19

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents:

105 Liters @ 1000 psig 70°F (21°C)

Analytical

Reported

Accuracy

Analytical

Component:

Concentration:

(U, k=2):

Method:

Ethanol Nitrogen 208 ppm

+/-0.002 BAC(G/210L) NDIR

[5.2 ppm]

Distributed by:

CMI Inc. 316 East Ninth Stree Owensboro, KY 423

Phone 866-835-0690 www.alcoholtest.com #16837

7/13

q/210L

0.000

0.080

0.000

0.079

0.000

0.080

0.000

0.079

0.000

0.079

0.000

0.079

0.000

0.079

0.000

0.079

0.000

0.080

0.000

0.080

0.000

0.0794

0.0005

SN 80-004923

15:45

Time

15:46

15:46

15:46

15:47

15:47

15:48

15:48

15:48

15:49

15:49

15:50

15:50

15:51

15:51

15:51

15:52

15:52

15:53

15:53

15:53

15:54

ALPHA INSTRUMENT 2

Model 8000 09/26/2019

Test

Air Blank

Cal Check

Air Blank

Average Std Dev

Cal Check Stats

Rel Std Deu(%)

Intoxilyzer - Alcohol Analyzer

\*Traceable to:

Certified Reference Material - 262.4 µmol/mol

Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Specialty Gas Lab Tech

Issuance Date

PJLA
Calibration and Testing
Accreditation #61895

The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

### OFFICER'S AFFIDAVIT AND NOTICE OF DEVOCATION/DISCHALIFICATION

8/	I	3

	K	EVOCA	I ION/DI	SQUA.	LILI	CAII	UN			Section 1
ARREST DATE 10/15/2019	)	ARREST TIME		COUNTY#		CITY#	CITAT	ΓΙΟΝ #		
ARREST LOCATION NONE					CITY				UNTY IONE	
SUBJECT NAME	JECT TEST					E OF BIRTH 8/09/1		M W	CE HEIGH	
ADDRESS 3600 MART		KING A	CITY	AHOMA C		0/05/1	STAT	E	ZIP CO	1 -
DRIVER LICENSE # T083454871	L			06/30	/2019	STATE OK	CLASS	RES	STRICTIONS	ENDORSEMENTS M
VEHICLE MAKE NONE		MODEL NONE				TAG # NONE		STATE	CM∨ N	PLACARD N
On the above date, time, and highway, street, tumpike, publinfluence of alcohol and/or oth (Describe driving behavior or of MOCK SUBJEC!	lic parking lot, or other publi er intoxicating substances circumstances):	ic place, or upon a private as prohibited by law.	road, street, alley or la	ane which provides	access to on	e or more single	or multi-family			
Describe person's condition (c	dor, actions, etc.):									
NONE										
		THE PERSON V	VAS INFORMED OF T	HE IMPLIED CON	SENT TEST	REQUEST				
BREATH-ALCOHOL ANALYS	SIS RECORD, REPORT OF				ST AND MAI	NTENANCE REC	CORD.			Section 2
EQUIPMENT I-8000			NUMBER -006136	SPECIALIST BOARD	OF TI	ESTS				
standard Dry	***************************************		TARGET VALUE		PERMIT NU					
MANUFACTURER			LOT#	20070	DATE CYLIN	NDER INSTALLE	D		INDER EXPIR	
ILMO observation start   te	ST DATE	MOUTHPIECE	179190	e (or greater)		$\frac{5/2019}{\text{con/observs}}$		08/0	05/20	<u> </u>
0930   1 RESULT TABLE	10/15/2019	)   G	3	as observed p	-		1		UE	ST.
Test	g/210L	Time	to th	ne time of tes	t admini	stration.			3° * * * ^	ATE
Air Blank	0.00	10:12	I administe	ered said B	reath-A	Jeohol Te	est in	3/		
Subject Test	0.00	10:13	complianc				1		<b>100</b>	49月
Breath Volume Air Blank	e 1.355 LITER 0.00	S 10:13		dure of the		•	8	[4]		
Wait		10:15	•					(E)		
Air Blank Subject Test	0.00 0.00	10:15 10:16							100	
Breath Volume		S	SIGNATURE OF	OPERATOR					180	
Air Blank Cal Check	0.00 0.07	10:16 10:16	NAME						Test R	esult
Air Blank	0.00	10:17	SMITH, JOBADGE#	OSHUA	PERMIT#				BrAC g	
			0000000			016837	7		0.	1
			AGENCY BOARD OF	TESTS					<u> </u>	
ary to the arrow of the arrow o	or failed the state's test(sider) OR a test result of itten request for an adminuest form is available a lic Safety, P.O. Box 1141 Hundred Dollars (\$500.0 other evidence of driving : I personally hand-	s). In addition, your con .04 or more while opera istrative hearing on the thtps://www.ok.gov/co/ 5, OKC, OK 73136. It so 0), or by both such fine privilege is in the custoo delivered a copy of	nmercial driving privile ting a commercial more E pepartment approv ips/documents/Regl hall be a misdemean and imprisonment, fo ly of a law enforceme the above contain	ege in this state we tor vehicle. To apped form, within file Hearing.pdf. Sub or punishable by in any person to appen of the Doning the Notice	rill be disqua opeal the dri ifteen (15) d omit your he imprisonment oply for a ren epartment.	ilified if you refu iver's license re lays from the da aring request fo nt for not less th newal or a repla ation to the p	sed or failed vocation/discoute you received in person an seven (7) accement licer	the state's qualification, yed notice of at 3600 N. I days nor make to operated in Second	test(s), the Departm of revocation MLK Ave. or nore than six ate a motor vi	or disqualification. by mail to Legal (6) months, or by chicle while the
Date served: 10/1	15/2019	Signature of officer:						Badge a	#:	
n accordance with Title	e 12 O.S. Section 42	6, "I state under <b>pe</b>	nalty of perjury (	under the laws	of Oklaho	ma that the	foregoing i	s true and	d correct."	Section 4
Date: 10/15/20	19 Place (locatio	n when signed):			Signatu	re of arrestin	g officer:_			
SMITH, JO	SHUA			AGENCY BOARD	OF T	ESTS				
BADGE 000000435	AGENCY ADDRESS INTER - AC	GENCY		1 2011112	<u> </u>	ZIP CODE 0000	0 PHONI		52460	11
OTHER WITNESSES:										Section 5
NAME 1			TITLE	ADDRESS	-17-1-1		PI	HONE		
NAME			TITLE	ADDRESS			P	HONE		
2										

#### 9/13

# OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISOUALIFICATION

1/	EVOCATION	TADISCORDI	UICAII	OI1			
		_					Section
ARREST DATE	ARREST TIME	COUNTY #	CITY#	CITATION #	ŧ		
10/15/2019	0900	66					
ARREST LOCATION		CI	TY		COUNTY		
NONE					NON	E	
SUBJECT NAME		-	DATE OF BIRTH	SEX	RACE H	HEIGHT	WEIGHT
MOCK, SUBJECT TEST			08/09/1	961 M	W	510	165
ADDRESS		CITY		STATE	Z	IP CODE	
3600 MARTIN LUTHER	KING A	OKLAHOMA CIT	Ϋ́	OK		7313	33
DRIVER LICENSE #		EXPIRATION DATE	STATE	CLASS	RESTRICT	IONS E	NDORSEMENTS
T083454871		06/30/2	019   OK	A			M
VEHICLE MAKE	MODEL		TAG#	ST	TATE C	MV P	LACARD
NONE	NONE		NONE	1 (	⊃K	N	N

On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, turnpike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances):

MOCK SUBJECT TEST. ROUTINE MAINTENANCE, NEW GAS CANISTER INSTALL

Describe person's condition (odor, actions, etc.):

NONE

#### THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST

BREATH-ALCOHOL ANALYSIS	RECORD, REPORT OF TH	IE PERSON NAMED	IN SECTION 1 ABOVE, and	LOG OF TEST	AND MAINTENANCE RECORD	Section 2
EQUIPMENT				CIALIST	AND IMPROVED REGORD.	Decitor 2
I-8000		i i	1		F TESTS	
STANDARD			TARGET VALUE		ERMIT NUMBER	
Dry			0.080	1	16837	
MANUFACTURER			LOT#		ATE CYLINDER INSTALLED	DATE CYLINDER EXPIRES
ILMO			17919080	DA2   1	10/15/2019	08/05/2021
	DATE	MOUTHPIECE	A 15-minute (or	r greater) d	eprivation/observation	
	0/15/2019	G	,		•	
RESULT TABLE					or to and continuing	THE STAN
Test	g/210L	Time	to the ti	me of test	administration.	0 × * \ * * 0
						~ * * * * * * * * * * * * * * * * * * *
Air Blank	0.00	10:12	I administered	l said Bre	ath-Alcohol Test in	
Subject Test	0.00	10:13	compliance w	rith the a	pplicable operating	
Breath Volume	1.355 LITERS		1 ~			
Air Blank	0.00	10:13	procedur	e of the l	Board of Tests.	
Wait		10:15				* * * * * * * * * * * * * * * * * * * *
Air Blank	0.00	10:15				
Subject Test	0.00	10:16				1907
Breath Volume	2.246 LITERS		SIGNATURE OF OPER	RATOR		3.001
Air Blank	0.00	10:16				
Cal Check	0.07	10:16	NAME			Test Result
Air Blank	0.00	10:17	SMITH, JOSH			BrAC g/210L
			BADGE #		RMIT#	DIAC g/210L
			000000043	5 (	000016837	$\dashv$   0.00
			AGENCY	nama.		
			BOARD OF T	ESTS		

EFFECTIVE THIRTY (30) DAYS FROM DATE SERVED. Notice of Revocation is given that your driver's license is revoked or denied for a period of one hundred eighty (180)

days or more, if you refused or failed the state's test(s). In addition, your commercial driving privilege in this state will be disqualified if you refused or failed the state's test(s) (operating a CMV or CDL holder) OR a test result of .04 or more while operating a commercial motor vehicle. To appeal the driver's license revocation/disqualification, the Department of Public Safety must receive your written request for an administrative hearing on the Department approved form, within fifteen (15) days from the date you received notice of revocation or disqualification. The approved hearing request form is available at https://www.ok.gov/dps/documents/ReqHearing.pdf. Submit your hearing request form in person at 3600 N. M.LK Ave. or by mail to Legal Division, Department of Public Safety, P.O. Box 11415, OKC, OK 73136. It shall be a misdemeanor punishable by imprisonment for not less than seven (7) days nor more than six (6) months, or by a fine of not more than Five Hundred Dollars (\$500.00), or by both such fine and imprisonment, for any person to apply for a renewal or a replacement license to operate a motor vehicle while the person's license, permit, or other evidence of driving privilege is in the custody of a law enforcement officer or the Department.

SERVING OF NOTICE: I personally hand-delivered a copy of the above containing the Notice of Revocation to the person named in Section 1 above.

Date served: 10/15/2019 Signature of officer:	Badge #:
In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury u	nder the laws of Oklahoma that the foregoing is true and correct." Section 4
Date: 10/15/2019 Place (location when signed):	Signature of arresting officer:
SMITH, JOSHUA	AGENCY BOARD OF TESTS
AGENCY ADDRESS OOO000435 INTER-AGENCY	ZIP CODE

ECNY 1019

of Analysis - Wet Bath
.920
Labelled target value (g/210L)
,020
warage/test result (g/210L)



rories, inc.

BURG, PA 17111-4511 9 TELEPHONE: 717-564-6470

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

OF ANALYSIS

ILPHA INSTRUMENT 2

intoxilyzer - Alcohol Analyzer

OT Technician Name and Signature

10del 8000 SN 80-004923 19/26/2019

14:01

14:12

14:13

14:14

ed Alcohol Reference Solution for Simulator

g/210L Test Time 14:01 Air Blank 0.000 0.020 14:02 Cal Check Air Blank 0.000 14:02 14:03 Cal Check 0.020 0.000 14:04 Air Blank 0.020 14:04 Cal Check 0.000 14:05 Air Blank 0.020 14:06 Cal Check 14:05 0.000 Air Blank Cal Check 0.021 14:07 Air Blank 0.000 14:07 0.020 14:08 Cal Check 0.000 14:09 Air Blank 0.020 14:09 Cal Check 0.000 14:10 Air Blank 0.020 14:11 cal check 0.000 14:11 Air Blank 0.020 14:12 Cal Check

0.000

0.020

0.000

0.0201

0.0003

1.5731

Air Blank

Cal Check

Air Blank

Average

Std Dev

Cal Check Stats

Rel Std Deu(%)

Random Samples of Lot Number 18020 I Reference Solution for Simulator were analyzed by promatography on January 11, 2018, using a Perkin Elmer Gas ograph Autosystem XL S/N: 610N9030209, and found to contain (w/vol) ethyl alcohol. The expiration date for this lot is January 9, 2020 at 11:59 PM.

Vhen used in a calibrated Simulator, operating at ⊬/- .2°C, this solution will give a breath alcohol instrument reading of 0.020 g/210L +/- 3%.

he alcohol and water used in this solution were test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

Certificate of Analysis – Wet Bath				
09-25-19	.040			
Date of Analysis	Labelled target value (g/210L)			
17410	,040			
Lot Number	Average test result (g/210L)			
1.10	/ V)			



ES, INC.

17111-4511 9 TELEPHONE: 717-564-5470

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000

ERAPACIA

OF ANALYSIS

ALPHA INSTRUMENT

Intoxilyzer - Alcohol Analyzer

g/210L

0.000 0.039

0.000

0.040

0.000

0.040

0.000

0.041

0.000

0.040

0.000

0.040 0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.039

0.000

0.0399

0.0005

1,4226

Model 8000

Test

Air Blank

Cal Check

Air Blank Cal Check

Air Blank

Cal Check

Air Blank Cal Check

Air Blank

.Cal Check

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Cal Check Air Blank

Cal Check

Air Blank

Std Deu Re! Std Dev(%)

Cal Check Stats Average

SN 80-002591

09/25/2019

12:08

Time

12:09

12:10

12:10

12:11

12:11

12:12

12:13

12:13

12:14

12:15

12:15

12:16

12:16

12:17

12:18

12:18

12:19

12:20

12:20

12:21

12:21

ed Alcohol Reference Solution for Simulator

Random Samples of Lot Number 17410 l Reference Solution for Simulator were analyzed by hromatography on December 7, 2017, using a Perkin Elmer Gas tograph Autosystem XL S/N: 610N9030209, and found to contain 6 (w/vol) ethyl alcohol. The expiration date for this lot is December 6, 2019 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol s instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were f test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST.

Certificat	e of Analysis – Wet Bath
09-25-19	.280
Date of Analysis	Labelled target value (g/210L)
18300	,200
.ot Numbe	Average test result (g/210L)
JOSH SMIT	nt (D



1-4511 • TELEPHONE: 717-564-5470

OT Technician Name and Signature

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

### CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT

Intoxilyzer - Alcohol Analyzer

SN 80-002591 Model 8000

09/25/2019

13:22

13:34

13:35

13:36

Time ' Test q/210L 13:23 0.000 Air Blank 13:24 0.202 13:24 0.000 13:25 0.203 0.000 13:25

Cal Check Air Blank Cal Check Air Blank Cal Check 0.203 13:26 Air Blank 0.000 13:27 Cal Check 0.203 13:27 Air Blank 0.000 13:28 0.203 13:29 Cal Check Air Blank 0.000 13:29 Cal Check 0.203 13:30

Air Blank 0.000 13:31 13:31 Cal Check 0.203 0.000 13:32 Air Blank 13:33 0.203 Cal Check 13:33 0.000 Air Blank 13:34

0.203

0.000

Cal Check 0.203 Air Blank Cal Check Stats Average 0.2029 Std Dev 0.0003

Cal Check

Air Blank

Rel Std Dev(%) 0.1558

Operator's Signature

ied Alcohol Reference Solution for Simulator

Random Samples of Lot Number 18300 ol Reference Solution for Simulator were analyzed by thromatography on September 21, 2018, using a Perkin Elmer Gas atograph Autosystem XL S/N: 610N9030209, and found to contain % (w/vol) ethyl alcohol. The expiration date for this lot r is September 19, 2020 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol is instrument reading of 0.200 g/210L, +/- 3%.

The alcohol and water used in this solution were f test interfering substances.

> Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

Certificate of Analysis – Wet Bath	
09-25-19	,100
Date of Analysis	Labelled target value (g/210L)
18200	.100
ot Number	Average test result (g/210L)
JOSH SMIT	A PER



RATORIES, INC.

ORRISBURG, PA 17111-4511 @ TELEPHONE: 717-564-5470

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the Intoxilyzer 8000.

CERTIFICATE OF ANALYSIS

ALPHA INSTRUMENT

Intoxilyzer - Alcohol Analyzer

OT Technician Name and Signature

Model 8000 SN 80-002591

09/25/2019 12:23

g/210L Time Test Air Blank 0.000 12:24 0.103 12:24 Cal Check Air Blank 0.000 12:25 Cal Check 0.104 12:26 Air Blank 0.000 12:26 0.103 12:27 Cal Check Air Blank 0.000 12:28 Cal Check 0.104 12:28 Air-Blank 0.000 12:29 12:30 Call Check 0.103 0.000 12:30 Air Blank 12:31 Cal Check 0.103 12:31 Air Blank 0.000 12:32 0.103 Cal Check 12:33 0.000 Air Blank 12:33 0.103 Cal Check

0.000

0.103

0.000

0.103

0.000

0.1032

0.0004

0.4085

Air Blank

Cal Check

Air Blank

Cal Check

Air Blank

Average

Std Deu Rel Std Dev(%)

Cal Check Stats

12:34

12:35

12:35 12:36

12:36

d Alcohol Reference Solution for Simulator

andom Samples of Lot Number 18200 Reference Solution for Simulator were analyzed by bmatography on July 6, 2018, using a Perkin Elmer Gas Chromatograph tem XL S/N: 610N9030209, and found to contain 0.1215% (w/vol) bohol. The expiration date for this lot

is July 3, 2020 at 11:59 PM.

When used in a calibrated Simulator, operating at +/- .2°C, this solution will give a breath alcohol s instrument reading of 0.100 g/210L +/- 3%.

'he alcohol and water used in this solution were test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN04271602 whose values are traceable to NIST.