

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

ATTESTATION

I, the undersigned *Joshua Smith* (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-006145, in compliance with the agency's Maintenance Policy and Procedures.

Signed

Name of Position: Director/Records Custodian

Date of Attestation: 02/15/2024



Board of Tests for Alcohol and Drug Influence Entanong public safety by ensuing the accuracy and accurate instability of blood and breath feating 2/17

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 2/15/2024

SERIAL: 80-006145

DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Maintenance, Calibration and Operation
- Bench Check
- BOT Dry Gas Certificate of Analysis
- Ilmo Specialty Gases Certificate of Analysis
- Mock Subject Test
- BOT Certificate of Analysis on Certified Solutions (4)
- Guth Laboratories Certificate of Analysis (4)



Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

CERTIFICATE of MAINTENANCE, CALIBRATION, and OPERATION

This certifies the Intoxilyzer 8000 referenced below, manufactured by CMI, Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, is maintained by the Board of Tests for Alcohol and Drug Influence in accordance with 40 O.A.C. 30-1-3. The instrument reported below is hereby deemed to be in compliance with Board rules via linearity accuracy examination and operational/functional procedure evaluation also referred to as a "Bench Check". The Intoxilyzer 8000 appears on the National Highway Traffic Safety Administration's Conforming Products List of Evidential Breath Alcohol Measurement Devices (82 FR 50940 et seq) as an approved device. In accordance with 40 O.A.C. 25-1-2, this instrument is approved and certified for use in the State of Oklahoma as an automated evidential breath-alcohol measurement device by the Board of Tests pursuant to 47 O.S. § 759.

All analyses conducted by this instrument are considered precise, valid, and in accordance with 40 O.A.C. 30-1-3(b) Operating Procedure(s). A printed breath test operator affidavit containing the seal of the Board by this instrument confirms a calibration check successfully verified the instrument's calibration at the time of test. The printed breath test affidavit also serves as proof that safeguards in place to protect the breath samples, including but not limited to Ambient Air Interference, Radio Frequency Interference, Residual Mouth Alcohol, Deficient Samples, etc. were not triggered and the test is a true and accurate scientific measurement of the person's alcohol concentration.

- 1. Maintenance was performed on the Intoxilyzer 8000, Serial No. 80-006145 on 2/15/2024 in accordance with 40 O.A.C. 30-1-3 and internal BOT maintenance policy and procedures.
- A dry gas canister appearing on the National Highway Traffic Safety Administration's Conforming Products List of Calibrating 2 Units for Breath Alcohol Testers (77 FR 64588 et seq) and approved in accordance with 40 O.A.C. 25-1-3 and BOT maintenance policy was installed.
 - Manufacturer: ILMO Unit: 208 ppm / 105 L
 - Cylinder Lot No. Canister No.: 28423080A2-066
 - BOT analysis average test result: 0.082
 - Cylinder expiration date: 11/5/2025

In accordance with 40 O.A.C. 25-1-2.1, the approved reference standards and equipment were used:

Simulator Model			
Guth 2100	Guth 2100	Guth 2100	Guth 2100
Serial #			
DR2834	DR3694	DR2455	DR3470
Concentration			
.02	.04	.10	.20
LOT #			1
23060	22460	23450	23340
Manufactured Date			
2/28/2023	12/28/2022	12/5/2023	9/18/2023
Expiration Date			1
2/28/2025	12/28/2024	12/5/2025	9/18/2025
Solution Commission Date			
2/7/2024	2/7/2024	2/14/2024	2/14/2024
			1

Completed by BOT Personnel:

Signature/Name

Christopher Pape

Breath-Alcohol Testing Program Administrator Title

Certified b Signature

3.

Joshua Smith Name

State Director Title

STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

ENCH CHECK DATE 02/15/2024	TIME PROCEDURE BEG		ISTRUMENT LOCATION	5	
STRUMENT TYPE Intoxilyzer	INSTRUME			INSTRUMENT SE	
		TEST RE	SULTS		
Diagnost PASS					
Mouth Alcoh PASS					
RFI Tes PASS					
Abort Te	est	Dup	blicate Breath	Sampling Re	sults
PASS		Value	Test 1	Test 2	Control Test
Improper Sam PASS	5 - 4 - 4 - 4 - 4	. 02	0.017	0.017	0.019
Interferent Det	ect Test	.04	0.036	0.036	0.038
PASS		.10	0.097	0.097	0.100
No Sample Giv PASS		.20	0.194	0.192	0.198
Insufficient San PASS	nple Test		PA	SS	
Air Blank Contami PASS					
Range Exceed PASS					
		CERTIFYING T	ECHNICIAN		
I swear under penalt the Intoxliyzer Benc		n regards to the	above listed		
NATURE		une approved	ey nie otate o		
thento	Pres			21	15/202
ME	10000			PERMIT #	12/202
PAPE, CHRISTOR	JUED			0000	023020



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Dry Gas

ALPHA IN	STRUM	ENT		
Intoxily	zer -	Alcohol	Analyzer	
Model 80	00		SN	80-002591
02/05/20	24			11:06

Test	g/210L	Time
Air Blank	0.000	11:06
Cal Check	0.081	11:06
Air Blank	0.000	11:07
Cal Check	0.081	11:07
Air Blank	0.000	11:08
Cal Check	0.081	11:08
Air Blank	0.000	11:09
Cal Check	0.082	11:09
Air Blank	0.000	11:09
Cal Check	0.082	11:10
Air Blank	0.000	11:10
Cal Check	0.082	11:11
Air Blank	0.000	11:11
Cal Check	0.082	11:11
Air Blank	0.000	11:12
Cal Check	0.082	11:12
Air Blank	0.000	11:13
Cal Check	0.082	11:13
Air Blank	0.000	11:14
Cal Check	0.082	11:14
Air Blank	0.000	11:14
Cal Check Stats		
Average	0.0817	
Std Dev	0.0004	
Rel Std Dev(%)	0.5912	

Known Breath	-Alcohol Equivalent (g/210L) Ratio of Nitrogen a 0.08 g/210L = 208 PPM ÷ 2605 ⁴	C. S. Andy S. C. S. Start W. S. at and second
Manufacturer: ILMO	Manufacturer Cert. No.: 16055	Cylinder Size: 105L
Lot No.: 28423080A2	Cylinder No.: 066	Expiration Date: 11/05/2025
prescribed by the State Director of Tests pu calibrating unit in accordance with 47 O.S.	irsuant to 40 OAC 30-1-3. The above NIST traceat 759, 40 OAC 25-1-3, and appears on the current co f Transportation in the Federal Register [77 FR 645	8000 and was performed in accordance with the procedures ble reference standard meets the requirements for use as a phorming products list of calibrating units for breath alcohol i88 et seq]. * See Dubowski, K.M. and Essary N., <i>Journal</i> of
Signature	Date: 02/0	5/2024
Name Christopher Pape	Permit No.: 2	3020



7 Eastgate Dr. • P.O. Box 790 • Jacksonville, IL 62651-0790 217-245-2183 • Fax: 217-243-7634 • www.ilmoproducts.com

Certificate of Analysis RCV'D 1/16/2024

Certificate ID:	16055
Part #:	BAC105L080T
Cylinder Size:	105L
the state of the state	2042200002

Lot Number: 28423080A2 Expiration: 11/5/2025

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Analytical

Contents: 105 Liters @ 1000 psig 70°F (21°C)

Component: Ethanol

Nitrogen

Reported Concentration: 208 ppm

Balance

Accuracy Analytical (U, k=2): Method: +/-0.002 BAC(G/210L) NDIR [5.2 ppm]

Distributed by:

CMI Inc. 316 East Ninth Street Owensboro, KY 42303 Phone 866-835-0690 www.alcoholtest.com

Store in dry area, away from sources of heat,

area to exceed 52 °C (125 °F).

ignition and direct sunlight. Do not allow storage

*Traceable to: Certified Reference Material - 261.0 µmol/mol Ethanol in Nitrogen - Serial No. ND7017 Lot No. 080722E2

Specially Gas Lab Tech

10-25-2023 Issuance Date



The calibration results within this certificate were obtained at the facility listed above using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service. This certificate applies only to the items described and shall not be reproduced other than in full, without written approval from the issuing facility.

ISO/IEC 17025:2017 Accredited Laboratory

6/17

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

7/17

							The Second	and the second s		Sectio
02/15/2024		ARREST TIME		COUNTY #	C	CITY #	CITATI	ON #		
ARREST LOCATION		1345		55	ICITY		1	COUN	TV	
BOT					CIT				LAHO	AMC
UBJECT NAME	COLLARS -				DATE	OF BIRTH	ISE	and the second se	HEIGH	
BREATHTEST,	FRANK				03	3/15/198	31 1	M	50	
DDRESS		art and a second	CITY				STATE		ZIP CO	DE
3600 MARTIN	LUTHER	KING	OK	LAHOMA C	ITY		OK		73	111
RIVER LICENSE #				EXPIRATION D			ASS	RESTR	RICTIONS	ENDORSEME
H083463197				10/31	and the second se	and the second of the second sec	D			CONTRACTOR OF
EHICLE MAKE		MODEL				AG #		STATE	CMV	PLACARD
MOCK n the above date, time, and loca		MOCK			the second se	MOCK		OK	N	N
escribe person's condition (odor POST REPAIR M	AINTENANCI	THE PERSON	a an an an an an an	OF THE IMPLIED CO	and the state of the	11.5				
REATH-ALCOHOL ANALYSIS	RECORD, REPORT O				ST AND MAIN	ITENANCE RECORI	D.			Sectio
			NUMBER	SPECIALIST	OF TT	ama				
I-8000		80	-006145		OF TE					
				1.016		INCO				
Dry			TARGET VA		2302					
			0.08		2302	0			LEB EXDID	RES
ANUFACTURER		_	0.08	0	2302 DATE CYLIN	0 DER INSTALLED				
IANUFACTURER ILMO DESERVATION START [TEST			0.08 LOT# 2842	0 3080A2	2302 DATE CYLIN 02/1	0 DER INSTALLED 5/2024		DATE CYLING		
	DATE		0.08 Lot# 2842 A 15-mi	0 3080A2 nute (or greater	2302 DATE CYLIN 02/1) deprivat	0 DER INSTALLED 5/2024 ion/observatio				
MANUFACTURER ILMO DESERVATION START [TEST			0.08 LOT# 2842 A 15-mi period	0 3080A2 nute (or greater l was observed j	2302 DATE CYLIN 02/1) deprivat	0 DER INSTALLED 5/2024 ion/observatio id continuing				
MANUFACTURER ILMO DØSERVATION START TEST 1400 02		ł	0.08 LOT# 2842 A 15-mi period	0 3080A2 nute (or greater	2302 DATE CYLIN 02/1) deprivat	0 DER INSTALLED 5/2024 ion/observatio id continuing				
MANUFACTURER ILMO DESERVATION START TEST 1400 02 RESULT TABLE	2/15/2024	1.45	0.08 LOT# 2842 A 15-mi period	0 3080A2 nute (or greater l was observed p to the time of te	2302 DATE CYLIN 02/1) deprivat prior to an st adminis	0 DER INSTALLED 5/2024 ion/observatio id continuing stration.	n			
IANUFACTURER ILMO IDSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank	g/210L 0.00	1.45	0.08 LOT# 2842 A 15-mi period	0 3080A2 nute (or greater l was observed j	2302 DATE CYLIN 02/1) deprivat prior to an st adminis	0 DER INSTALLED 5/2024 ion/observatio id continuing stration.	n			
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test	g/210L 0.00 0.00	Time 14:22 14:22	0.08 LOT# 2842 A 15-mi period t I admini	0 3080A2 nute (or greater l was observed p to the time of te stered said B	2302 DATE CYLIN 02/1) deprivation orior to an st adminis	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test	n in			
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume	g/210L 0.00 0.00 2.000 LITER	Time 14:22 14:22 S	0.08 LOT# 2842 A 15-mi period t I admini complia	0 3080A2 nute (or greater l was observed p to the time of te stered said B ance with the	2302 DATE CYLIN 02/1) deprivation orior to an st administ reath-A applica	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in			
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank	g/210L 0.00 0.00	Time 14:22 14:22 S 14:23	0.08 LOT# 2842 A 15-mi period t I admini complia	0 3080A2 nute (or greater l was observed p to the time of te stered said B	2302 DATE CYLIN 02/1) deprivation orior to an st administ reath-A applica	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in			
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait	g/210L 0.00 0.00 2.000 LITER 0.00	Time 14:22 14:22 :S 14:23 14:24	0.08 LOT# 2842 A 15-mi period t I admini complia	0 3080A2 nute (or greater l was observed p to the time of te stered said B ance with the	2302 DATE CYLIN 02/1) deprivation orior to an st administ reath-A applica	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in			
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank	g/210L 0.00 0.00 2.000 LITER 0.00 0.00	Time 14:22 14:22 5 14:23 14:24 14:24 14:25	0.08 LOT# 2842 A 15-mi period t I admini complia	0 3080A2 nute (or greater l was observed p to the time of te stered said B ance with the	2302 DATE CYLIN 02/1) deprivation orior to an st administ reath-A applica	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in		5/20	
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test	g/210L 0.00 0.00 2.000 LITER 0.00 0.00 0.00	Time 14:22 14:22 5 14:23 14:24 14:25 14:25 14:26	0.08 Lot# 2842 A 15-mi period t I admini complia pro	0 3080A2 nute (or greater l was observed p to the time of te stered said B ance with the	2302 DATE CYLIN 02/1) deprivation orior to an st administ reath-A applica	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in			
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume	g/210L 0.00 0.00 2.000 LITER 0.00 0.00 0.00 2.132 LITER	Time 14:22 14:22 5 14:23 14:24 14:25 14:26 S	0.08 Lot# 2842 A 15-mi period t I admini complia pro	3080A2 nute (or greater was observed p to the time of te stered said B ance with the ocedure of the	2302 DATE CYLIN 02/1) deprivation orior to an st administ reath-A applica	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in		5/20	
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank	g/210L 0.00 0.00 2.000 LITER 0.00 0.00 0.00 0.132 LITER 0.00	Time 14:22 14:22 S 14:23 14:24 14:25 14:26 S 14:26	0.08 Lot# 2842 A 15-mi period t I admini complia pro	3080A2 nute (or greater was observed p to the time of te stered said B ance with the ocedure of the	2302 DATE CYLIN 02/1) deprivation orior to an st administ reath-A applica	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in	11/0		
ANUFACTURER ILMO BSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume	g/210L 0.00 0.00 2.000 LITER 0.00 0.00 0.00 2.132 LITER 0.00 0.00 0.00 0.00	Time 14:22 14:22 S 14:23 14:24 14:25 14:26 S 14:26 S 14:26 14:27	0.08 LOT# 2842 A 15-mi period t I admini complia pro SIGNATURE NAME PAPE, C	3080A2 nute (or greater was observed p to the time of te stered said B ance with the ocedure of the	2302 DATE CYLIN 02/1) deprivation orior to an st administ areath-A applica e Board	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in	11/0	5/20	25
ANUFACTURER ILMO ISSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank Cal Check	g/210L 0.00 0.00 2.000 LITER 0.00 0.00 0.00 0.132 LITER 0.00	Time 14:22 14:22 S 14:23 14:24 14:25 14:26 S 14:26	0.08 LOT# 2842 A 15-mi period t I admini complia pro SIGNATURE NAME PAPE, C: BADGE #	0 3080A2 nute (or greater l was observed p to the time of tes stered said B ance with the ocedure of the FOF OPERATOR	2302 DATE CYLIN 02/1) deprivation orior to an st administ areath-A applica e Board	0 DER INSTALLED 5/2024 ion/observatio dd continuing stration. lcohol Test ble operatin off Tests.	n in	11/0	5/20	
ANUFACTURER ILMO ISSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank Cal Check	g/210L 0.00 0.00 2.000 LITER 0.00 0.00 0.00 2.132 LITER 0.00 0.00 0.00 0.00	Time 14:22 14:22 S 14:23 14:24 14:25 14:26 S 14:26 S 14:26 14:27	0.08 LOT# 2842 A 15-mi period t I admini complia pro SIGNATURE NAME PAPE, C: BADGE # 000000	0 3080A2 nute (or greater l was observed p to the time of tes stered said B ance with the ocedure of the FOF OPERATOR	2302 DATE CYLIN 02/1) deprivation orior to an st administ areath-A applica e Board	0 DER INSTALLED 5/2024 ion/observatio d continuing stration. lcohol Test ble operatin	n in	11/09	Test R BrAC g	25
ANUFACTURER ILMO IBSERVATION START TEST 1400 02 ESULT TABLE Test Air Blank Subject Test Breath Volume Air Blank Wait Air Blank Subject Test Breath Volume Air Blank Cal Check	g/210L 0.00 0.00 2.000 LITER 0.00 0.00 0.00 2.132 LITER 0.00 0.00 0.00 0.00	Time 14:22 14:22 S 14:23 14:24 14:25 14:26 S 14:26 S 14:26 14:27	0.08 LOT# 2842 A 15-mi period t I admini complia pro SIGNATURE NAME PAPE, C: BADGE # 000000 AGENCY	0 3080A2 nute (or greater l was observed p to the time of tes stered said B ance with the ocedure of the FOF OPERATOR	2302 DATE CYLIN 02/1) deprivation orior to an st administ areath-A applica e Board	0 DER INSTALLED 5/2024 ion/observatio dd continuing stration. lcohol Test ble operatin off Tests.	n in	11/09	5/20	25

What happens next?

The Arresting Officer is required to submit the Officer's Impaired Driving Affidavit to the State of Oklahoma. 1.

The Arresting Omicer is required to submit the Unicer's impaired Driving Artifavit to the cate or Oktahoma. Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated test results, if applicable, the State of Oktahoma may revoke your Oktahoma driving privileges. If you hold a commercial driver license or were driving a commercial motor vehicle, the State of Oktahoma may disqualify your privilege to operate a commercial motor vehicle. You will continue to have driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oktahoma. The State of Oktahoma will send you the Order of Revocation and/or Disqualification to the address you have on file with Service Oktahoma. To confirm or change your address on file, contact 2.

3. Service Oklahoma.

4

The Revocation and/or Disqualification will be effective 55 days from the date of the Order, including 10 days allowed for mailing, 47 O.S. §§2-116, 753, 754. The Order of Revocation and/or Disqualification will contain important information about your rights to appeal the revocation and/or disqualification of your driving privileges. To appeal the applicable Order of Revocation and/or Disqualification your petition must be filed with the District Court of the County in which you were arrested within 40 days of the date of the order, including 5. 10 days allowed for mailing. 47 O.S. §§2-116, 6-211.

In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct." Section 4 Date: Place (location when signed):_ Signature of arresting officer:

NAMI P2	APE, CHRISTOPHER		BOARD OF TESTS	
BADO	AGENCY ADDRESS			PHONE 4054252460
OTH	ER WITNESSES:	The second second	The second s	Section 5
1	NAME	TITLE	ADDRESS	PHONE
2	NAME	TIŤLE	ADDRESS	PHONE

OFFICER'S IMPAIRED DRIVING AFFIDAVIT

											Section
-				COUNTY#		CITY#	Cit	TATION #			
e. 6 - 1					CITY					A. Louis and	MA
FRANK							981	SEX M		1 1 1 1 1 1 1 1	2 7 7 7 7 YOL
LUTHER	KING)	OKLAH	OMA CI	TY						- 14g
						STATE OK	D	12.1	RESTR	CTIONS	ENDORSEMENTS
		MOCK				MOCK				смv N	PLACARD N
		FRANK LUTHER KING	LUTHER KING	I345 FRANK LUTHER KING OKLAHO	I 345 55 FRANK LUTHER KING OKLAHOMA CI EXPIRATION DAT 10/31/	I 345 55 CITY FRANK 03 LUTHER KING CITY MODEL EXPIRATION DATE 10/31/2022	1345 55 FRANK CITY FRANK 03/15/1 LUTHER KING CITY CITY 0KLAHOMA CITY EXPIRATION DATE STATE 10/31/2022 OK MODEL Itag #	1345 55 FRANK Date of Birth 03/15/1981 LUTHER KING CITY OKLAHOMA CITY State 10/31/2022 Image: Model Image: Model	1345 55 FRANK DATE OF BIRTH 03/15/1981 LUTHER KING CITY OKLAHOMA CITY EXPIRATION DATE 10/31/2022 STATE OK Image: Nodel Itag // Itag	1345 55 City Count OK FRANK DATE OF BIRTH 03/15/1981 SEX M LUTHER KING City OKLAHOMA CITY STATE OK LUTHER KING City OKLAHOMA CITY STATE OK IU/31/2022 OK D	1345 55 COUNTY CITY OKLAHO FRANK Date of Birth SEX LUTHER KING CITY CITY OX/15/1981 M STATE 21P COT OKLAHOMA CITY OK 735 EXPIRATION DATE STATE 10/31/2022 OK INODEL TAG #

On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, turnpike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances):

MOCK SUBJECT TEST

Describe person's condition (odor, actions, etc.):

POST REPAIR MAINTENANCE, INSTALLED NEW CYLINDER

THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST

I-8000		SERIAL N	UMBER 006145	BOARD	OF TESTS	
Dry			0.080		23020	
IANUFACTURER			28423	080A2	DATE CYLINDER INSTALLED 02/15/2024	DATE CYLINDER EXPIRES
1400	02/15/2024		A 15-minute (or greater) deprivation/observation period was observed prior to and continuing			
ESULT TABLE Test	g/210L	Time			est administration.	OF THE STATE
Air Blank Subject Test Breath Volu Air Blank Wait Air Blank Subject Test Breath Volu Air Blank Cal Check Air Blank	0.00 0.00 0.00	14:27 14:27	Complian proce SIGNATURE OF NAME PAPE, CHF BADGE # 0000000 AGENCY	COPERATOR	PERMIT # 0000023020	Test Result BrAC g/210L 0.00

What happens next?

1. The Arresting Officer is required to submit the Officer's Impaired Driving Affidavit to the State of Oklahoma.

Upon receipt and review of the Officer's Impaired Driving Affidavit and any associated test results, if applicable, the State of Oklahoma may revoke your Oklahoma driving privileges. If you hold
a commercial driver license or were driving a commercial motor vehicle, the State of Oklahoma may disqualify your privilege to operate a commercial motor vehicle. You will continue to have
driving a cylinges or unit an Order of Bayocation and or Description and the State of Oklahoma.

driving privileges, if otherwise eligible, unless or until an Order of Revocation and/or Disqualification is issued by the State of Oklahoma.
 The State of Oklahoma will send you the Order of Revocation and/or Disqualification to the address you have on file with Service Oklahoma. To confirm or change your address on file, contact Service Oklahoma.

4. The Revocation and/or Disqualification will be effective 55 days from the date of the Order, including 10 days allowed for mailing. 47 O.S. §§2-116, 753, 754.

5. The Order of Revocation and/or Disqualification will contain important information about your rights to appeal the revocation and/or disqualification of your driving privileges. To appeal the applicable Order of Revocation and/or Disqualification your petition must be filed with the District Court of the County in which you were arrested within 40 days of the date of the order, including 10 days allowed for mailing. 47 O.S. §§2-116, 6-211.

In accordance v	with Title 12 O.S. Section 426, "I state under penalty of	of perjury under the laws of Oklahoma that the foregoing is true and correct." Section
Date:	Place (location when signed):	Signature of arresting officer:
PAPE,	CHRISTOPHER	BOARD OF TESTS
BADGE	AGENCY ADDRESS 0484 INTER-AGENCY	ZIP CODE PHONE 00000 4054252460

8/17



STATE OF OKLAHOMA

Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman

BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Reference Solution

ALPHA INSTRU	M	ENT		
Intoxilyzer	-	Alcohol	Analyzer	
Model 8000			SN	80-002591
09/06/2023				10:21

Test	g/210L	Time
Air Blank	0.000	10:22
Cal Check	0.019	10:23
Air Blank	0.000	10:23
Cal Check	0.019	10:24
Air Blank	0.000	10:24
Cal Check	0.019	10:25
Air Blank	0.000	10:26
Cal Check	0.019	10:26
Air Blank	0.000	10:27
Cal Check	0.020	10:28
Air Blank	0.000	10:28
Cal Check	0.019	10:29
Air Blank	0.000	10:29
Cal Check	0.019	10:30
Air Blank	0.000	10:31
Cal Check	0.019	10:31
Air Blank	0.000	10:32
Cal Check	0.018	10:33
Air Blank	0.000	10:33
Cal Check	0.019	10:34
Air Blank	0.000	10:34
Cal Check Stats		
Average	0.0190	
Std Dev	0.0004	
Rel Std Dev(%)	2.4809	

Manufacturer: Guth	Manufactured Date: 2/28/2023	Concentration: 0.020
Lot No.: 23060	Expiration Date: 2/28/2025	Equipment Model: Guth 2100
prescribed by the State Director of Tests to 40 OAC 25-1-2.1. Approved breath-al	la Infrared Spectroscopy utilizing the Intoxilyzer 8000 and pursuant to 40 OAC 30-1-3. The above NIST traceable records and the measurement equipment and reference solutions. Equipment and reference solutions. Equipment and reference solutions.	ference solution meets the requirements for use pursuant upment used appears on the current or supplemented by the National Highway Traffic Safety Administration.
Signature	Date: 9/6/202	23
Name Christopher Pape	Permit No.: 230	20



CT RCVP 8/23/23

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23060 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on March 1, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0241% (w/vol) ethyl alcohol. The expiration date for this lot number is February 28, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN05122004 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



STATE OF OKLAHOMA

Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman

BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Reference Solution

ALPHA INSTR	UM	ENT		
Intoxilyzer		Alcohol	Analyzer	
Model 8000			SN	80-002591
09/06/2023				11:15

Test	g/210L	Time
Air Blank	0.000	11:16
Cal Check	0.040	11:16
Air Blank	0.000	11:17
Cal Check	0.040	11:18
Air Blank	0.000	11:18
Cal Check	0.040	11:19
Air Blank	0.000	11:19
Cal Check	0.040	11:20
Air Blank	0.000	• 11:21
Cal Check	0.040	11:21
Air Blank	0.000	11:22
Cal Check	0.040	11:23
Air Blank	0.000	11:23
Cal Check	0.040	11:24
Air Blank	0.000	11:24
Cal Check	0.040	. 11:25
Air Blank	0.000	11:26
Cal Check	0.040	11:26
Air Blank	0.000	11:27
Cal Check	0.040	11:28
Air Blank	0.000	11:28
Cal Check Stats		
Average	0.0400	
Std Dev	0.0000	
Rel Std Dev(%)	0.0000	

Manufacturer: Guth	Manufactured Date: 12/28/2022	
Lot No.: 22460	Expiration Date: 12/28/2024	Equipment Model: Guth 2100
to 40 OAC 25-1-2.1. Approved breath-	alcohol measurement equipment and reference solution	ble reference solution meets the requirements for use pursuant s. Equipment used appears on the current or supplemented shed by the National Highway Traffic Safety Administration.
Name Christopher Pape	Permit No.: 2	2023

ABORATORIES. INC.

590 NORTH 67th STREET . HARRISBURG, PA 17111- 4511 . TELEPHONE: 717-564-5470

GUTH L

CP RCVD 8/31/23

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 22460 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on December 29, 2022, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.0486% (w/vol) ethyl alcohol. The expiration date for this lot number is December 28, 2024 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN06032102 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Reference Solution

ALPHA INSTRU	M	ENT		
Intoxilyzer	-	Alcohol	Analyzer	
Model 8000			SN	80-002591
01/23/2024				09:07

Test	g/210L	Time
Air Blank	0.000	09:08
Cal Check	0.099	09:08
Air Blank	0.000	09:09
Cal Check	0.099	09:10
Air Blank	0.000	09:10
Cal Check	0.100	09:11
Air Blank	0.000	09:11
Cal Check	0.100	09:12
Air Blank	0.000	09:13
Cal Check	0.100	09:13
Air Blank	0.000	09:14
Cal Check	0.100	09:15
Air Blank	0.000	09:15
Cal Check	0.100	09:16
Air Blank	0.000	09:17
Cal Check	0.100	09:17 -
Air Blank	0.000	09:18
Cal Check	0.100	09:18
Air Blank	0.000	09:19
Cal Check	0.100	09:20
Air Blank	0.000	09:20
Cal Check Stats		20183
Average	0.0998	
Std Dev	0.0004	
Rel Std Dev(%)	0.4224	

NIST Traceable Breath-A	lcohol Equivalent (g/210L +/- 3%) Ratio of ethar	nol and water free of test interfering substances.
Manufacturer: Guth	Manufactured Date: 12/5/2023	B Concentration: 0.100
Lot No.: 23450	Expiration Date: 12/5/2025	Equipment Model: Guth 2100
prescribed by the State Director of Tests to 40 OAC 25-1-2.1. Approved breath-ald	pursuant to 40 OAC 30-1-3. The above NIST trac schol measurement equipment and reference solut	00 and was performed in accordance with the procedures eable reference solution meets the requirements for use pursuant flons. Equipment used appears on the current or supplemented iblished by the National Highway Traffic Safety Administration.
Conforming Products List of Calibrating I Signature	Date: 01	/23/2024
Name Christopher Pape	Permit No.:	23020





Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23450 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on December 7, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1211% (w/vol) ethyl alcohol. The expiration date for this lot number is December 5, 2025 at 11:59 PM.

When used in a calibrated Simulator, operating at $34^{\circ}C$ +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L+/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN03072301 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



Dr. Jarrad Wagner, Ph.D., F-ABFT Chairman Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

Certificate of Analysis - Reference Solution

ALPHA INSTRUMENT

Intoxilyzer -	Alcohol	Analyzer	
Model 8000		SN	80-002591
10/04/2023			09:22

Test	g/210L	Time
Air Blank	0.000	09:22
Cal Check	0.198	09:23
Air Blank	0.000	09:24
Cal Check	0.198	09:24
Air Blank	0.000	09:25
Cal Check	0.199	09:26
Air Blank	0.000	09:26
Cal Check	0.198	09:27
Air Blank	0:000	09:27
Cal Check	0.198	09:28
Air Blank	0.000	09:29
Cal Check	0.198	09:29
Air Blank	0.000	09:30
Cal Check	0.198	09:31
Air Blank	0.000	09:31
Cal Check	0.198	09:32
Air Blank	0.000	09:33
Cal Check	0.199	09:33
Air Blank	0.000	09:34
Cal Check	0.199	09:35
Air Blank	0.000	09:35
Cal Check Stats		
Average	0.1983	
Std Dev	0.0004	
Rel Std Dev(%)	0.2435	

Manufacturer: Guth	Manufactured Date: 9/	18/2023	Concentration: 0.200
Lot No.: 23340	Expiration Date: 9/18	3/2025	Equipment Model: Guth 2100
prescribed by the State Director of Tes to 40 OAC 25-1-2.1. Approved breath-	ts pursuant to 40 OAC 30-1-3. The ab alcohol measurement equipment and re-	ove NIST traceable re eference solutions. Ec	vas performed in accordance wilh the procedures ference solution meets the requirements for use pursuan uppent used appears on the current or supplemented by the National Highway Traffic Safety Administration.
Name Christopher Pape		Permit No.: 230	

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 23340 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on September 19, 2023, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2399% (w/vol) ethyl alcohol. The expiration date for this lot number is September 18, 2025 at 11:59 PM.

HARRISBURG, PA 17111- 4511 • TELEPHONE: 717-584-5470

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L+/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN09142002 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

RCVD 10/2/2023

<u>Unit Serial #</u>	Date:
80-006145	2/8/24
Old Cylinder #: 14323080A4-030 n Unit 🗹 Old cylinder disposed in inventory m unit (After Lab Evaluation) 🗹 Old cylinder archiv Notes from the Field Routine Swap ✔ Issues in the F Unit is disabled due to low tank pressure.	field
Chamber Hold Vacuum?: Snap Test ok? Fil Detected? Red (F7) Receipt paper Fan (F9) Fan (F9) Fan (F9) Tank Sensor Value	Is regulator close to Tank Sensor Value?
Repairs Made:	red
Ready for Bench Check?	o CMI
	80-006145 Old Cylinder #: 14323080A4-030 n Unit ☑ Old Cylinder disposed in inventory munit (After Lab Evaluation) ☑ Old cylinder archiv Notes from the Field Routine Swap ☑ Issues in the F Unit is disabled due to low tank pressure. Chamber Hold Vacuum?: ☑ Y Snap Test ok? Y Red (F7) ☑ Fan (F9) ☑ Receipt paper ☑ Flow Sensor Tank Sensor Resistance 250 Tank Sensor Value ☑