

### STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Dr. Jarrad Wagner, Ph.D. F-ABFT Chairman

Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307 Phone: (405) 425-2460 Fax: (405) 425-2490 www.bot.ok.gov

Joshua Smith Director

#### ATTESTATION

I, the undersigned <u>Joshua Smith</u> (Director/Records Custodian), attest under oath pursuant to 12 O.S. §2902 (11)(a) this record was made, at or near the time of the occurrence of the matters set forth by or from information transmitted by a person having knowledge of those matters; was kept in the course of the regularly conducted business activity of the Board; and was made pursuant to the regularly conducted activity. The duplicate record provided is listed below:

1) The attached "Service Overview" is a true and accurate copy of maintenance performed on the Intoxilyzer 8000, serial number 80-006167, in compliance with the agency's Maintenance Policy and Procedures.

This packet consists of 13 pages.

Signed \_\_\_\_\_\_

Name of Position: Director/Records Custodian

Date of Attestation: 2/11/2021

### **Service Overview**



3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

BENCH CHECK DATE: 02-11-2021

SERIAL: 80-006167

#### DOCUMENTATION WITHIN SERVICE PACKET:

- BOT Certificate of Calibration and Operation
- Bench Check
- Bench Check Technician's Report
- BOT Dry Gas Certificate of Analysis
- Mock Subject Test
- BOT Certificates of Analysis on Certified Solutions (4)



### STATE OF OKLAHOMA BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE

Administrative Office at: Board of Tests for Alcohol and Drug Influence Post Office Box 36307 Oklahoma City, Oklahoma 73136-2307

### **Certificate of Calibration and Operation**

This is to certify that the calibration of INTOXILYZER 8000, serial number 80-006167, manufactured by CMI Inc., a subsidiary of MPD, Inc. of Owensboro, Kentucky, was tested and found to be in compliance with National Highway Traffic Safety Administration Standard for Devices to Measure Breath Alcohol (F.R., No. 179 48705-48710 Sept. 17, 1993) and with International Recommendation OIML R 126 Edition 1998 (E). Calibration solutions are traceable to NIST standard material 1828.

In addition the operational procedures and functions of this Intoxilyzer have also been tested and found to be in compliance with the Oklahoma Board of Tests for Alcohol and Drug Influence - Rules and Regulations OAC Title 40: 25-1-2 and 30-1-3 and is hereby certified for use as an evidential breath testing device within this state.

CERTIFICATION TYPE	DATE
Manufacturer Calibration	01-22-14
Board of Tests Bench Check	08-26-15
Board of Tests Bench Check	12-14-15
Manufacturer Calibration	07-11-16
Board of Tests Bench Check	08-09-16
Board of Tests Bench Check	05-21-18
Board of Tests Bench Check	10-18-18
Board of Tests Bench Check	01-29-19
Board of Tests Bench Check	06-06-19
Board of Tests Bench Check	02-11-21



Presentation of this form certifies that the Intoxilyzer, SN: 80-006167, functioned properly at the time of the breath test and hereby certifies the breath test result as valid.

Date:

Re: Request for Log of Test on Intoxilyzer 8000

Name:

#### Dear Sir:

The Log of Test information from a breath test conducted on a Intoxilyzer 8000 is printed in Section 2 of the Affidavit and is no longer retained as a separate form as with the Intoxilyzer 5000. The 8000 uses a nitrogen/ethanol dry gas for the external control test. The dry gas cylinder has the capacity to perform approximately 325 tests and does not require maintenance until its expiration date or can no longer provide the required pressure to perform a control test. The cylinder has an expiration date of two years from date filled at the manufacturer and is programmed in the 8000 upon installation, both dates are printed in Section 2 of the Affidavit. The Intoxilyzer is programmed to disable itself when the date of expiration is reached or the pressure monitor indicates 25 lbs psi.

Due to the reliability and stability of dry gas, maintenance on the 8000 is not required every 30 days or 25 tests, therefore maintenance is no longer performed by officers in the field. The Board of Tests for Alcohol and Drug Influence certifies each Intoxilyzer 8000 for field use by performing a bench check. The bench check is designed to check the operation and procedures programmed in the 8000 to ensure it is functioning properly for use in Oklahoma. A bench check is performed every time a new dry gas cylinder is installed or the instrument has returned from the manufacturer for repair. Once the instrument passes the bench check, all that is required to set it up for field use is to plug it in and turn it on and does not require a permit to set up. The Board of Tests has the ability to monitor each instrument once it is set up in the field.

Each Intoxilyzer has a database of valid permit numbers that it checks prior to allowing a breath test to be performed. The database is updated on a regular basis, if a permit number is invalid that officer will not be able to conduct a breath test on the 8000. If the 8000 prints an affidavit the breath test operator listed in Section 2 had a valid permit at the time of the test and the breath test is valid.

If you have any further questions please feel free to call me.

Sincerely

J. Robert Blakeburn (OBA11059) State Director of Tests for Alcohol

Blehelsen

and Drug Influence

## STATE OF OKLAHOMA - BOARD OF TESTS FOR ALCOHOL AND DRUG INFLUENCE CMI INTOXILYZER BENCH CHECK PROCEDURE REPORT

2/11/2021	09:05:1		STRUMENT LOCATION 80-00616		
rument type ntoxilyzer	7.6 MC 761 W.C.	MENT MODEL  3 0 0 0		80-00	
		TEST RES	SULTS		
Diagnostic PASS	:S				
Mouth Alcoho	l Test				
PASS					
RFI Test					
PASS			Baska Baskin	C	
Abort Tes	t	Dup	licate Breath	Sampling Ke	
PASS		Value	Test 1	Test 2	Control Test
Improper Samp	le Test	1 -			Tost
PASS		.02	0.020	0.019	0.021
Interferent Dete	ct Test	.04	0.039	0.037	0.039
PASS		.10	0.103	0.100	0.102
No Sample Give	n Test		127 127 127	State Andrew	
PASS		.20	0.203	0.199	0.201
Insufficient Samp	ole Test		PA	SS	
PASS					
Air Blank Contamin	ation Test				
PASS					
Range Exceede	d Test				
PASS					

0000023020

PAPE, CHRISTOPHER

3600 N. Martin Luther King Bldg #9 Oklahoma City, OK 73111 405-425-2460

### **BENCH CHECK TECHNICIAN'S REPORT**

Intoxilyzer Model		Carial #	
8000		Serial # 80-006	167
GAS CANISTER		00-000	107
OT#		EXP Date	
31420080A2-055		01/05/2	023
REFERENCE		1	
	Simula	ator Model	
Guth 2100	Guth 2100	Guth 2100	Guth 2100
DD2024		Serial #	1
DR2834	DR3700	DR2455	DR3470
.02	.04	.10	.20
		LOT#	4
20070	20060	20190	20160
		actured Date	
02/13/2020	02/10/2020	04/06/2020	03/18/2020
00/40/0000		ration Date	
02/13/2022	02/10/2022	04/06/2022	03/18/2022
	The second secon	Commission Date	
1/25/2021	1/25/2021	2/9/2021	2/9/2021
		23:03-1	
□post repair	CYLINDER REP		
□post repair   ⊠ □troubleshoot	CYLINDER REP		
□post repair □ □troubleshoot	CYLINDER REP		
REASON FOR BEN  POST REPAIR  TROUBLESHOOT  OMMENTS	CYLINDER REP		
□post repair □ □troubleshoot	CYLINDER REP		
□post repair □ □troubleshoot	CYLINDER REP		
□post repair □ □troubleshoot	CYLINDER REP		

Printed Name

Certificate of Analysis – Dry Gas		The state of the s
1/13/2021	0.080	
Date of Analysis	Labelled target value (g/210L)	
055	0.082	
Cylinder#	Average test result	
Christopher Po	pe chita ge 2302	
BOT Technician Name and Signatu	re y and Procedure Statement BRT-2.2.0, Mainte	spocialt

ALPHA INSTRUMENT 2 Intoxilyzer - Alcohol Analyzer Model 8000 5N 80-004923 01/13/2021 10:59

g/210L

0.000

0.081

0.000

0.081

0.000

0.082

0.000

0.082

0.000

0.082

0.000

0.082

0.000

0.081

0.000

0.081

0.000

0.082

0.000

0.081

0.000

0.0815

0.0005

0.6466

Time

11:00

11:00

11:01

11:01

11:02

11:02

11:02

11:03

11:03

11:04

11:04

11:04

11:05

11:05

11:06

11:06

11:07

11:07

11:07

11:08

11:08

Test

Air Blank

Cal Check

Air Blank

Average

Std Deu

Cal Check Stats

Rel Std Deu(%)

referenced dry gas cylinder is suitable for use as an external reference with the Intoxilyzer 8000. <del>217-245-2183 • Fax: 217-2</del>43-7634 • www.ilmoproducts.com

## Certificate of Analysis

Certificate ID:

Part #: BAC105L080T

105L Cylinder Size:

31420080A2 Lot Number:

1/5/2023 Expiration:

0.080 BAC (For the calibration of instruments used to determine breath alcohol concentration)

Contents: 105 Liters @ 1000 psig 70°F (21°C)

Concentration:

Analytical Reported

Accuracy (U, k=2):

Analytical Method:

Ethano1 Nitrogen

2543

Component:

208 ppm Balance +/-0.002 BAC(G/210L) NDIR [5.2 ppm]

Distributed by:

CMI Inc. 316 East Ninth S Owensboro, KY Phone 866-835-1 www.alcoholtest

\*Traceable to: Certified Reference Material - 262.4 µmol/mol Ethanol in Nitrogen - Serial No. GN0015026 Lot No. 050319E11

Store in dry area, away from sources of heat, ignition and direct sunlight. Do not allow storage area to exceed 52 °C (125 °F).

Specialty Gas Lab Tech

12-08-2020 Issuance Date



The calibration results within this certificate were obtained using equipment and standards capable of producing analytical results traceable to NIST, and apply only to the items contained on this certificate. ILMO Products Company makes no warranty or representation as to the suitability of the use of any information provided for any particular purpose. The information use is at the sole discretion and risk of the user. Liability shall be limited to established replacement cost of this material or service.

#### 8/13

# OFFICER'S AFFIDAVIT AND NOTICE OF

REVOCATION/DISQUALIFICATION Section 1 ARREST DATE 02/11/2021 ARREST LOCATION 0930 55 BOT OKLAHOMA SUBJECT NAME DATE OF BIRTH HEIGHT GAYLON LEVERNE NORTH, 08/09/1961 M W 510 165 ZIP CODE 3600 MARTIN LUTHER KING A OKLAHOMA CITY OK 73133 EXPIRATION DATE RESTRICTIONS STATE CLASS ENDORSEMENTS T083454871 06/30/2019 OK A M VEHICLE MAKE PLACARD MOCK MOCK MOCK OK N N On the above date, time, and location, the above named person was arrested, and I had reasonable grounds to believe the person was driving or in actual physical control of a motor vehicle upon a public road, highway, street, turnpike, public parking lot, or other public place, or upon a private road, street, alley or lane which provides access to one or more single or multi-family dwelling within this state while under the influence of alcohol and/or other intoxicating substances as prohibited by law. (Describe driving behavior or circumstances) MOCK SUBJECT TEST Describe person's condition (odor, actions, etc.): ROUTINE MAINTENANCE, INSTALLED NEW CYLINDER THE PERSON WAS INFORMED OF THE IMPLIED CONSENT TEST REQUEST BREATH-ALCOHOL ANALYSIS RECORD, REPORT OF THE PERSON NAMED IN SECTION 1 ABOVE, and LOG OF TEST AND MAINTENANCE RECORD. Section 2 EQUIPMENT SERIAL NUMBER SPECIALIS I-8000 80-006167 OF TESTS BOARD STANDARD ARGET VALUE PERMIT NUMBER Dry MANUFACTURES 0.080 23020 DATE CYLINDER INSTALLED DATE CYLINDER EXPIRES ILMO 31420080A2 02/11/2021 01/05/2023 OBSERVATION STAR A 15-minute (or greater) deprivation/observation 0935 02/11/2021 G period was observed prior to and continuing RESULT TABLE to the time of test administration. Test g/210L Time I administered said Breath-Alcohol Test in Air Blank 0.00 09:52 Subject Test 0.00 09:53 compliance with the applicable operating Breath Volume 1.773 LITERS procedure of the Board of Tests. Air Blank 0.00 09:53 Wait 09:55 Air Blank 0.00 09:55 Subject Test 0.00 09:56 SIGNATURE OF OPERATOR Breath Volume 1.796 LITERS Air Blank 0.00 09:56 Cal Check 0.08 09:57 Test Result PAPE CHRISTOPHER Air Blank 0.00 09:57 BrAC g/210L 0000000484 0000023020 0.00 AGENCY BOARD OF TESTS EFFECTIVE THIRTY (30) DAYS FROM DATE SERVED. Notice of Revocation is given that your driver's license is revoked or denied for a period of one hundred eighty (180) days or more, if you refused or failed the state's test(s). In addition, your commercial driving privilege in this state will be disqualified if you refused or failed the state's test(s) Section 3 (operating a CMV or CDL holder) OR a test result of .04 or more while operating a commercial motor vehicle. You may appeal any Departmental action against your driver license as a result of this arrest by filing a petition in the District Court of the County in which you were arrested. Your petition must be filed within thirty (30) days of the date listed below. You may be eligible to participate in the Impaired Driver Accountability Program (IDAP) administered by the Department of Public Safety (DPS). Completion of IDAP may prevent a revocation as a result of this arrest from appearing on your driving record. Participation in IDAP may reduce the amount of fees you will be required to pay to the State. request IDAP within thirty (30) days of the date listed below. Mail the request for IDAP to the Department of Public Safety at P.O. Box 11415, Oklahoma City, OK 73136. SERVING OF NOTICE: I personally hand delivered a copy of the above containing the Notice of Revocation and the Notice of Department Impaired Driving Accountability Program to the person named in Section 1 above. Date served: 02/11/2021 Signature of officer: In accordance with Title 12 O.S. Section 426, "I state under penalty of perjury under the laws of Oklahoma that the foregoing is true and correct." Section 4 Date: 02/11/2021 Place (location when signed): Signature of arresting officer: AGENCY PAPE CHRISTOPHER BOARD OF TESTS AGENCY ADDRESS ZIP CODE 0000000484 INTER-AGENCY 00000 4054252460 OTHER WITNESSES: Section 5 TITLE ADDRESS PHONE TITLE ADDRESS PHONE

No Temporary License Issued: Test Below Legal Limit

2

### 9/13

# OFFICER'S AFFIDAVIT AND NOTICE OF REVOCATION/DISQUALIFICATION

	COUNTY OKLAHO RACE HEIGHT W 510 ZIP COD 731 RESTRICTIONS STATE CMV OK N	WEIGHT 165
961 M STATE OK CLASS A	OKLAHO RACE HEIGHT W 510 ZIP COD 731 RESTRICTIONS STATE CMV N of a motor vehicle upon	WEIGHT 165 E 33 ENDORSEME M PLACARD
961 M STATE OK CLASS A	RACE HEIGHT W 510 ZIP COD 731 RESTRICTIONS STATE CMV OK N	WEIGHT 165 E 33 ENDORSEME M PLACARD
961 M STATE OK CLASS A	W 510 ZIP COD 731 RESTRICTIONS STATE CMV OK N of a motor vehicle upon	165 E.33 ENDORSEME M
CLASS A	RESTRICTIONS  STATE CMV OK N  of a motor vehicle upon	.33 ENDORSEME M PLACARD
A Sphysical control of	RESTRICTIONS  STATE CMV OK N	ENDORSEME M PLACARD
A Shysical control of	STATE CMV OK N	M PLACARD
physical control of	OK N	THE RESERVE OF THE PERSON NAMED IN
physical control or multi-family dwe	of a motor vehicle upon	
	aming womit one state w	a public road, hile under the
2.2		
ORD,	<del></del>	Secti
DA'		
tion	THE S	TAT
-	9 · · · A	1.00
ing	1907	
	Test Re	
	BrAC g/	210L
	0.0	0
	est in ting	bate cylinder expire 01/05/202 tion g st in ting  Test Re BrAC g/

Certificate	of Analysis – Wet Bath	- 45
8/11/2020	0.020	
Date of Analysis	Labellad tare (g/210L)	
20070	02020	1
Lot Number <	Alersolt (7340)	CAB
christ-nhort	A SECNORIAL SZIN-SZIN-SZIN-SZIN-SZIN-SZIN-SZIN-SZIN-	TREETO .

BORATORIES, INC.

HARRISBURG, PA 17111- 4511 9 TELEPHONE: 717-564-5470

BOT Technician Name and Signature

ALPHA INSTRUMENT Z Intoxilyzer - Alcohol Analyzer

Model 8000

08/11/2020

BRT Form 6.0

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is sultable for use as an external reference in maintenance of the intoxilyzer 8000.

SN 80-004923

09:42

CERTIFICATE OF ANALYSIS

FCV 7/2020

Test	g/210L		Time
Air Blank	0,000		09:42
Cal Check	0.020		09:43
Air Blank	0.000		09:43
Cal Check	0.020		09:44
Air Blank	0,000		09:45
Cal Check	0.020		09;45
Air Blank	0.000		09:46
Cal Check	0.020		09:47
Air Blank	0.000		09:47
Cal Check	0.021		09:48
Air Blank	0.000		09:48
Cal Check	0.020		09:49
Air Blank	0.000		09:49
Cal Check	0.020		09:50
Air Blank	0.000		09:51
Cal Check	0.020		09:51
Air Blank	0.000		09:52
Cal Check	0.020		09:53
Air Blank	0.000		09:53
Cal Check	0.019	-	09:54
Rir Blank	0.000		09:54
Cal Check Stats			
Average	0.0200		
Std Dev	0.0004		
Rel Std Deu(%)	2,3569		

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20070 of
Alcohol Reference Solution for Simulator were analyzed by
gas chromatography on February 17, 2020, using a Perkin Elmer Gas
Chromatograph Autosystem XL S/N: 610N9030209, and found to contain
0.0242% (w/vol) ethyl alcohol. The expiration date for this lot
number is February 13, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.020 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08031603 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



suitable for use as an external reference in maintenance of the intoxilyzer 8000.

SN 80-003400

14:57

Time

14:57

14:58

14:59

14:59

15:00

15:01

15:01

15:02

15:02

15:03

15:04

15:04

15:05

15:06

15:06

15:07

15:07

15:08

15:09

15:10

### CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20060 of

Alcohol Reference Solution for Simulator were analyzed by
gas chromatography on February 11, 2020, using a Perkin Elmer Gas
Chromatograph Autosystem XL S/N: 610N9030209, and found to contain
0.0483% (w/vol) ethyl alcohol. The expiration date for this lot
number is February 10, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.040 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

ALPHA UNIT SUB

Model 8000

07/22/2020

Test

Air Blank

Cal Check

Air Blank

Average Std Dev

Cal Check Stats

Rel Std Dev(%)

Intoxilyzer - Alcohol Analyzer

g/210L

0.000

0.040

0,000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.039

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.040

0.000

0.0395

0.0005

1.3342

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN12181501 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.



BORATORIES. INC.

17 PET BRY FORM 6.0 RISE URG, PA 17111-4511 O TELEPHONE: 717-564-5470

In accordance with BRT – 2.2.0, Maintenance, the above referenced simulator solution is suitable for use as an external reference in maintenance of the intoxilyzer 8000.

### CERTIFICATE OF ANALYSIS

RLPH9 INSTRUMENT
Intoxi lyzer - Alcohol Analyzer
Model 8000 SN 80-002591 Certified Alcohol Reference Solution for Simulator
06/16/2020 16:18

Test 9/210L Time Random Samples of Lot Number 20190 Air Blank 0.000 16:18 Alcohol Reference Solution for Simulator were analyzed by Cal Check . 0.099 16:19 Air Blank 0.000 16:20 gas chromatography on April 8, 2020, using a Perkin Elmer Gas Chromatograph Cal Check 0.098 16:20 Air Blank 0.000 16:21 Autosystem XL S/N: 610N9030209, and found to contain 0.1206% (w/vol) Cal Check 0.097 16:22 Air Blank 0.000 16:22 Cal Check 0.098 16:23 ethyl alcohol. The expiration date for this lot Air Blank 0.000 16:24 Cal Check 0.098 16:24 number is April 6, 2022 at 11:59 PM. Air Blank 0.000 16:25 Cal Check 0.098 16:26

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Operator's Signature

Air Blank

Cal Check

air Blank

Cal Check

air Blank

Tal Check

IIr Blank

:al Check

Hr Blank

Std Dev

:al Check Stats Average

Rel Std Dev(%)

0.000

0.098

0.000

0.097

0.000

0,098

0.000

0.098

0.000

0.0979

0.0005

0.5798

16:26

16:27

16:27

16:28

16:29

16:29

16:30

15:31

16:31

Ted L. Pauley, President GUTH LABORATORIES, INC.


NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN02271802 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

PECIPORO

\$C12020



BORATORIES. INC. ET 9 HARRISBURG, PA 17111-4511 9 TELEPHONE: 717-564-5470

BRT Form 6.0

In accordance with BRT - 2.2.0, Maintenance, the above referenced simulator solution is sultable for use as an external reference in maintenance of the intoxilyzer 8000.

**BOT Technician Name and Signature** 

LPHR UNIT SUB

0008 lebc

7/07/2020

15t

ir Blank

al Check

ir Blank

al Check

ir Blank

31 Check

ir Blank

al Check

ir Blank

al Check

ir Blank

al Check

ir Blank

11 Check

ir Blank il Check

ir Blank

11 Check

ir Blank

il Check

ir Blank il Check Stats

luerage

itd Deu

tel Std Deu(%) 0.4442

htoxilyzer - Alcohol Analyzer

g/210L

0.000

0, 196

0.000

0,196

0.000 0.197

0.000

0.196

8.000

0.198

0.000

0.198

0.000

0.197

0.000

0.198

0.000

0.198

0.000

0.197 0.000

0.1971

0,0008

SN 80-003400

15:25

Time

15:26

15:26

15:27

15:28

15:28

15:29

15:29

15:30

15:31

15:31

15:32

15:33

15:33

15:34

15:35

15:35

15:36

15:37

CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 20160 Alcohol Reference Solution for Simulator were analyzed by chromatography on March 20, 2020, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.2427% (w/vol) ethyl alcohol/ The expiration date for this lot number is March 18, 2022 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.200 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN08101505 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.