OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

INSTRUCTIONS - DEQ FORM 2M1 (major)

APPLICATION FOR PERMIT TO DISCHARGE

MUNICIPAL/DOMESTIC WASTEWATER

Form 2M1 must be completed by the owner/responsible official of a major municipal/domestic wastewater facility that wishes to discharge pollutants to waters of the State of Oklahoma. A major municipal/domestic wastewater facility is defined as a facility that discharges one million gallons per day (mgd) or greater. Please read the instructions below while completing Form 2M1 and respond to each item. The Oklahoma Department of Environmental Quality (DEQ) cannot evaluate an application until it is complete. If a particular item does not apply to the facility for which the application is being prepared, or if the correct answer is "NA" (for not applicable) indicate this on the application. If you have questions about any of the items, please contact DEQ or your local DEQ office for assistance. DO NOT attempt to complete the application form before reading these instructions.

NOTE: DO NOT write in box marked " FOR DEQ USE ONLY".

SECTION I

1. **Give the legal name of the town, city, public entity or name of the person (if privately owned) legally responsible for operating and maintaining the facility.**

2. **Give the street address, P.O. Box, city, county, state, zip code, telephone number fax number, and e-mail address if applicable of the main office for the applicant in Item 1. This may or may not be the same location of the facility.**

3. **Give the name of the facility, the street address, telephone number fax number, and e-mail address if applicable and if it is different from the address in Items 1 and 2.**

4. **Give the physical location of the facility – longitude/latitude and legal description to a 10 acre tract, 1/4,1/4,1/4, Section, Township and Range. Note: This is the location of the treatment plant and it is not necessarily the same as the point of discharge.**

5. **Indicate whether this is a Public, Private, Federal or State owned facility.**

6. **Give the name, title, address, and telephone number, cell phone number, fax number, and e-mail address of a person who is familiar with the facility and information in the application and who may be contacted concerning the application.**

7. **Indicate whether the discharge is wastewater from a lagoon system, mechanical**

plant or, if other, explain.

8. Below is a list of definitions of the types of treatment listed in Item #8. Check more than one item if needed.

Lagoon systems:

A. Total Retention by Evaporation - Wastewater goes to a lagoon or series of lagoons which have no outlet or any other way to discharge. Lagoons cannot be classified total retention if they have any kind of operable outlet structure, even if it is not used. See DEQ Form 530E for Total Retention Facilities.

B. Land Application - Wastewater is given preliminary treatment then applied to land (example: irrigation) in such a manner to insure that no runoff enters surface waters.

C. Discharge to Receiving Water - Wastewater goes to a lagoon or series of lagoons and then to a receiving water through a designed outlet structure. Check this box even if the outlet structure is not being used.

Mechanical Treatment Plants - Please name and describe the mechanical treatment process used at your facility. (Examples: trickling filter, activated sludge, extended air, sequential batch reactor, oxidation ditch)

Other - Please name and explain any process used at your facility other than those listed above.

9. If the facility uses chlorine or any other halogen, indicate whether the facility dechlorinates or dehalogenates before discharging to a receiving water.

If chlorine or any other halogen is used as a disinfecting agent to meet bacteria limits, or for other purposes, a residual limit of no-measurable value will be included in the permit. Dechlorination or dehalogenation will be necessary to meet the limit. Please indicate whether dechlorination or dehalogenation is provided at your facility.

10. Design flow is established when the construction permit is approved. Design Flow: the quantity of wastewater in million gallons per day (mgd) the facility was designed to treat in one day. List up to 3 decimal places. Example: 3.120 = 3 million one hundred twenty thousand gallons per day.

11. Enter the number for each discharge point and the average quantity of treated wastewater discharged each day from each pipe.

12. Name the body of surface water that receives treated wastewater. If the receiving stream does not have a name, please indicate what named creek or river downstream receives the tributary flow, and fill out as "tributary of _____ Creek or River."

Check the item which indicates the frequency of wastewater discharges.

continuous: discharging without interruption
batch: discharging several times during the day (i.e. from a sequential batch reactor facility
intermittent: sporadic discharges during the year
seasonal: discharging only during certain periods during the year

Give the location of the point of discharge to the receiving water. This may be different than the location of the facility. In giving the legal description, provide both the latitude-longitude and 1/4, 1/4, 1/4, Section, Township and Range. Attach addition sheets if necessary to describe additional outfalls.

13. Indicate whether the higher influent flow caused by heavy rains is diverted and discharged resulting in a bypass of partially or completely treated wastewater or if it is stored for later treatment (as in a holding basin).

14. Number 14. A through B of the application concerns the treatment and disposal of biosolids/sludge.

A. Common biosolids/sludge treatment processes are aeration, lime stabilization, heat stabilization etc.

B 1. Sludge management plan numbers start with SMP and usually have 7 numbers. In giving the land application sites, provide the legal description 1/4, 1/4, 1/4, Section, Township and Range and County. Attach additional sheet if facility has more than 3 sites.

B 2. The permittee shall be certain that all landfills used for sewage sludge disposal comply with the state and federal regulations for landfills and solid waste disposal.

15. State if any industries in the community discharge industrial wastewater to the sewer system. If the answer to this question is <u>yes</u>, submit Section II of the application form for each significant industrial facility. Identify any industrial facilities that are "Categorical". Categorical industries are listed at 40 CFR 122 Appendix A - NPDES Primary Industry Categories (See Attachment 1, page 6).

Indicate what type of controls are in place to deal with industrial discharges to the treatment system.

16. Maps and Drawings - A schematic of wastewater flow through the facility and a location map of the facility are required. All sheets should be letter size with margins for filing and binding and on paper suitable for reproduction. Discharge points should be identified with discharge serial numbers. All sheets must include the applicant's name, facility location and date of drawing.

17. Any information, laboratory analysis, concerning the pollutants in Table 1 should

be entered in the table or results attached to the application.

18. **Attachments 2 and 3 (Pages 6 through 10) are enclosed for your convenience. Attachment 2 is 40 CFR 122 Appendix D listing all the priority pollutants (Tables I, II, III, IV and V). Attachment 3 lists the approved test methods for analyses of wastewater and associated minimum quantification levels as required.**

19. **Table V, of 40 CFR 122, Appendix D is reproduced in attachment 2 (Page 7) of these instructions**

20. **The results for any and all analysis of pollutants for the previous three years should be put in a table and attached to the application.**

21. **If the answer to this question is yes a landowner notification form (found at http://www.deq.state.ok.us/) must be sent to the landowner and the applicant's certifying official must initial the box certifying that this has been done.**

22. **All other information regarding the facility having to do with the environmental/operational permits including maps, process diagrams, or chemical analysis should be included with the permit application.**

SECTION II

1. **Give the name, title, address, and telephone number, cell phone number, fax number, and e-mail address of a person who is familiar with the industrial facility and information in the application and who may be contacted concerning the application.**

2. **All products and by-products for this facility should be listed.**

3. **Identify any industrial facilities that are "Categorical". Categorical industries are listed at 40 CFR 122 Appendix A - NPDES Primary Industry Categories (See Attachment 1, page 6). The SIC codes can be found in or should be obtained from the contact described above.**

4. **Please specify the product produced or raw materials used to produce the final product, how many are produced, and the unit of measurement in which the final product or raw materials are measured.**

5. **Indicate the volume of wastewater discharged into the municipal system in gallons per day and check the item which indicates the frequency of wastewater discharges.**

   continuous: discharging without interruption

   intermittent: sporadic discharges during the year

6. **Indicate if the industrial facility pretreats its wastewater prior to entering the**

municipal collection system.

7. List the pollutants and maximum concentrations of the pollutants in the industrial facilities wastewater.

The information provided in the application will be considered in the evaluation and processing of a discharge permit for the referenced facility. Be advised that test procedures used in the analyses of influents, effluents and sludge, must conform to approved EPA methodology or it will not be accepted for the discharge permit evaluation.

Please note that the application must be signed by the authorized chief elective or executive officer of the applicant, or by the applicant if an individual. The authorized signature must be notarized. An example of a common mistake is when a Public Works Authority Chairman signs the application as - John Doe, Mayor. The Mayor is not the legal official of the PWA, the chairman is, even if the individual holds both positions.

Please read the certification carefully. There are significant penalties for submitting false information on this application form.

Form 2M1 may be separated from the instruction before mailing.

NOTICE FOR ALL APPLICANTS

Upon filing an application for a new permit, renewal of an existing permit, or major modification of an existing permit with DEQ, the applicant shall publish a notice of the filing in a local newspaper which contains:

(1) Name and address of the applicant;
(2) Date of filing;
(3) Type of wastewater discharge and permit sought;
(4) Location, including legal description and street address of facility and discharging point or points;
(5) Name of receiving water;
(6) Name, address and telephone number of contact person for applicant; and
(7) Locations where application may be reviewed.
(8) Include the following language which directs the public to the Electronic Environmental Permit Application Docket on DEQ's website: Interested parties are directed to the Electronic Environmental Permit Application Docket on DEQ's website at https://applications.deq.ok.gov/PermitsPublicReview, where the public may view documents related to the pending application, subscribe to receive electronic notice of public participation opportunities, receive updates on other actions related to the pending application, and submit comments on the draft permit (including requesting a public meeting).

The notice of filing shall be published as legal notice in one newspaper of general circulation local to the proposed new site or existing facility ONCE A WEEK for TWO (2) CONSECUTIVE WEEKS. Once the notice of filing has been published:

-- Return a **notarized** proof of publication (which you must request from the newspaper company) to DEQ.

Attachment 1

40 CFR Ch. 1 Pt. 122

APPENDIX A-NPDES Primary
INDUSTRY CATEGORIES

Any permit issued after June 30, 1981 to dischargers in the following categories shall include effluent limitations and a compliance schedule to meet the requirements of section 301(b)(2)(A),(C),(D),(E), and (F) of CWA, whether or not applicable effluent limitations guidelines have been promulgated See §§ 122.44 and 122.46.

Industry Category

Adhesives and sealants
Aluminum forming
Auto and other laundries
Battery manufacturing
Coal mining
Coil coating
Copper forming
Electrical and electronic components
Electroplating
Explosives manufacturing
Foundries
Gum and wood chemicals
Inorganic chemicals manufacturing
Iron and steel manufacturing
Leather tanning and finishing
Mechanical products manufacturing
Ore mining
Organic chemicals manufacturing
Paint and ink formulation
Pesticides
Petroleum refining
Pharmaceutical preparations
Photographic equipment and supplies
Plastics processing
Plastic and synthetic materials manufacturing
Porcelain enameling
Printing and Publishing
Pulp and paper mills
Rubber processing
Soap and detergent manufacturing
Steam electric power plants
Textile mills
Timber products processing

40CFR 261.20

Subpart C-Characteristics of Hazardous Waste

§ 261.20 General
(a) A solid waste, as defined in § 261.2, which is not excluded from regulation as a hazardous waste under § 261.4(b), is a hazardous waste if it exhibits any of the characteristics identified in this subpart.

{*Comment*: § 262.11 of this chapter sets forth the generator's responsibility to determine whether his waste exhibits one or more of the characteristics identified in this subpart}

(b) A hazardous waste which is identified by a characteristic in this subpart is assigned every EPA Hazardous Waste Number that is applicable as set forth in this subpart. This number must be in compliance with the notification requirements of section 3010 of the Act and all applicable recordkeeping and reporting requirements under parts 262 through 265, 268, and 270 of this chapter.

(c) For purposes of this subpart, the Administrator will consider a sample obtained using any of the applicable sampling methods specified in Appendix I to be a representative sample within the meaning of Part 260 of this chapter.

{*Comment*: Since the Appendix I sampling methods are not being formally adopted by the Administrator, a person who desires to employ an alternative sampling method is not required to demonstrate the equivalency of his method under the procedures set forth in §§ 260.20 and 260.21.}

{45FR 33119.May 1980. As amended at 51 FR 40636. Nov. 7, 1986: 55 FR 22684. June 1, 1990}

Attachment 2

Appendix D to Part 122 – NPDES Permit Application Testing Requirements
(§ 122.21)

Table II - Organic Toxic Pollutants In Each Of Four Fractions In Analysis By Gas Chromatography/Mass Spectroscopy (GS/MS)

Volatiles

IV acrolein
2V acrylonitrile
3V benzene
5V bromoform
6V carbon tetrachloride
7V chlorobenzene
8V chlorodibromomethane
9V chloroethane
10V 2-chloroethylviny ether
11V chloroform
12V dichlorobromomethane
14V 1,1 dichloroethane
15V 1,2 dichloroethane
16V 1,1 dichloroethylene
17V 1,2 dichloropropane
18V 1,3 dichloropropylene
19V ethylbenzene
20V methyl bromide
21V methyl chloride
22V methylene chloride
23V 1,1,2,2 tetrachloroethane
24V tetrachloroethylene
25V toluene
26V 1,2-trans-dichloroethylene
27V 1,1,1 trichloroethane
28V 1,1,2 trichloroethane
29V trichloroethylene
31V vinyl chloride

Acid Compounds

1A 2 chlorophenol
2A 2,4 dichlorophenol
3A 2,4 dimethylphenol
4A 4,6 dinitro-o-cresol
5A 2,4 dinitrophenol
6A 2 nitrophenol
7A 4 nitrophenol
8A p-chloro-m-cresol
9A pntachlorophenol
10A phenol
11A 2,4,6 trichlorophenol

Base/Neutral

1B acenaphthene
2B acenaphthylene
3B anthracene
4B benzidine
5B benzo(a)anthracene
6B benzo(a)pyrene
7B 3,4 benzofluoranthene
8B benzo(ghi)perylene
9B benzo(k)fluoranthene
10B bis(2-chloroethoxy)methane
11B bis(2-chloroethyl)ether
12B bis(2-chloroisopropyl)ether
13B bis(2-ethylhexyl)phthalate
14B 4 bromophenyl phenyl ether
15B butylbenzyl phthalate
16B 2 chloronaphthalene
17B 4 chlorophenyl phenyl ether
18B chrysene
19B dibenzo(a,h)anthracene
20B 1,2 dichlorobenzene
21B 1,3 dichlorobenzene
22B 1,4 dichlorobenzene
23B 3,3 dichlorobenzidine
24B diethyl phthalate
25B dimethyl phthalate
26B di-n-butyl phthalate
27B 2,4 dinitrotoluene
28B 2,6 dinitrotoluene
29B di-n-octyl phthalate
30B 1,2-diphenylhydrazine(as azobenzene)
31B fluroranthene
32B fluorene
33B hexachlorobenzene
34B hexachlorobutadiene
35B hexachlorocyclopentadiene
36B hexachloroethane
37B indeno(1,2,3-cd)pyrene
38B isophorone
39B napthalene
40B nitrobenzene
41B N-nitrosodinethylamine
42B N-nitrosodi-n-propylamine
43B N-nitrosodiphenylamine
44B phenanthrene
45B pyrene
46B 1,2,4 trichlorobenzene

Pesticides

1P aldrine
2P alpha-BHC
3P beta-BHC
4P gamma-BHC
5P delta/BHC
6P chlordane
7P 4,4 DDT
8P 4,4 DDE
9P 4,4 DDD
10P dieldrin
11P alpha-endosulfan
12P beta-endosulfan
13P endosulfan sulfate
14P endrin
15P endrin aldehide
16P heptachlor
17P heptachlor epoxide
18P PCB-1242
19P PCB-1254
20P PCB-1221
21P PCB-1232
22P PCB-1248
23P PCB-1260
24P PCB-1016
25P toxaphene

Table III-Other Toxic Pollutants (Metals and Cyanide) and Total Phenols

Antimony, Total
Arsenic, Total
Bryllium, Total
Cadmium, Total
Chromium, Total
Copper, Total
Lead, Total
Mercury, Total
Nickel, Total
Selenium, Total
Silver, Total
Thallium, Total
Zinc, Total
Cyanide, Total
Phenols, Total

Table IV-Conventional and Nonconventional Pollutants Required to be tested by existing Dischargers if expected to be present

Bromide
Chlorine, Total Residual
Color
Fecal Colliform
Fluoride
Nitrate-Nitrite
Nitrogen, Total Organic
Oil and Grease
Phosphorus, Total
Radioactivity
Sulfate
Sulfide
Sulfitee
Surfactants
Aluminum, Total
Barlum, Total
Boron, Total
Cobalt, Total
Iron, Total
Magnesium, Total
Molybdenum, Total
Manganese, Total
Tin, Total
Titanium, Total

Table V-Toxic Pollutants and Hazardous Subtances Required To Be Identified By Existing Dischargers if expected to be present

Toxic Pollutants

Asbestos

Hazardous Subtances

Acetaldehyde
Allyl alcohol
Allyl chloride
Amyl acetate
Anlline
Benzonitrile
Benzyl chloride
Butyl chloride
Butyl acetate
Butylamine
Captan
Carbaryl
Carbofuran
Carbon disulfide
Chloropyrifos
Coumaphos
Cresol
Crotonaldehyde
Cyclohexane
2,4-D (2,4-Dichlorophenoxy acetic acid)
Diazinon
Dicamba
Dichlobenil
Dichlone
2,2-Dichloropropionic acid
Dichlorvos
Diethyl amine
Dimethyl amine
Dintrobenzene
Diquat
Disulfoton
Diuron
Epichlorohydrin
Ethion
Ethylene diamine
Ethylene dibromide
Formaldehyde
Furfural
Guthion
Isoprene
Isopropanolamine Dodecylbenzenesulfonate
Kelthane
Kepone
Malathion
Mercaptodimethur
Methoxychior
Methyl mercaptan
Methyl methacrylate
Methyl parathion
Mevinphos
Mexacarbate
Monoethyl amine
Monomethyl amine
Naled
Mapthenic acid
Nitrotoluene
Parathion
Phenolsulfanate
Phosgene
Propargite
Propylene oxide
Pyrethrins
Quinoline
Resorcinol
Strontium
Strychnine
Styrene
2,4,5-T (2,4,5-Trichlorophenoxy acetic acid)
TDE (Tetrachlorodiphenylethane)
2,4,5-TP {2(2,4,5-Trichlorophenoxy) propanoci acid}
Trichlorofan
Triethanolamine dodecylbenzenesulfonate
Triethylamine
Trimethylamine
Uranium
Vanadium
Vinyl Acetate
Xylene
Xylenol
Zirconium

ATTACHMENT 3

MINIMUM QUANTIFICATION LEVELS (MQLs)

METALS AND CYANIDE			REQUIRED MQL (ug/L)	EPA METHOD
Antimony	(Total)[1]		60	200.7
Arsenic	(Total)[1]		10	206.5
				200.7 revision 4.4 (1994)
				200.8 revision 5.4 (1994)
				200.9 revision 2.2 (1994)
Beryllium	(Total)[1]		5	200.7
Cadmium	(Total)		1	200.7 revision 4.4 (1994)
				200.8 revision 5.4 (1994)
				200.9 revision 2.2 (1994)
Chromium	(Total)[1]		10	200.7
Chromium	(3+)[1]		10	200.7
Chromium	(6+)[1]		10	200.7
Copper	(Total)		10	200.7 revision 4.4 (1994)
				200.8 revision 5.4 (1994)
				200.9 revision 2.2 (1994)
Lead	(Total)		5	200.7 revision 4.4 (1994)
				200.8 revision 5.4 (1994)
				200.9 revision 2.2 (1994)
Mercury	(Total)[1]		0.2	245.1 revision 3.0 (1994)
Molybdenum	(Total)		30	200.7
Nickel	(Total)[1]	(Freshwater)	40	200.7
Nickel	(Total)	(Marine)	5	200.8 revision 5.4 (1994)
				200.9 revision 2.2 (1994)
Selenium	(Total)[1]		5	200.7 revision 4.4 (1994)
				200.8 revision 5.4 (1994)
				200.9 revision 2.2 (1994)
Silver	(Total)		2	200.7 revision 4.4 (1994)
				200.8 revision 5.4 (1994)
				200.9 revision 2.2 (1994)
Thallium	(Total)[1]		10	279.2 revision
Zinc	(Total)[1]		20	200.7
Cyanide	(Total)[1]		10	335.4
DIOXIN				
2,3,7,8-Tetrachloro-dibenzo- p-dioxin (TCDD)[2]			0.00001	1613
VOLATILE COMPOUNDS				
Acrolein[3]			50	624
Acrylonitrile[3]			50	624
Benzene[3]			10	624
Bromoform[4]			10	624
Carbon Tetrachloride[4]			10	624
Chlorobenzene[4]			50	624
Chlorodibromomethane[4]			10	624
Chloroethane			50	624
2-Chloroethylvinyl Ether[3]			10	624
Chloroform[4]			10	624
Dichlorobromomethane[4]			10	624
1,1-Dichloroethane[4]			10	624
1,2-Dichloroethane[4]			10	624
1,1-Dichloroethylene[4]			10	624
1,2-Dichloropropane[4]			10	624
1,3-Dichloropropylene[4]			10	624
Ethylbenzene[4]			10	624

Methyl Bromide (Bromomethane)	50	624
Methyl Chloride (Chloromethane)	50	624
Methylene Chloride[4]	20	624
1,1,2,2-Tetrachloroethane[4]	10	624
Tetrachloroethylene[4]	10	624
Toluene[4]	10	624
1,2-Trans-Dichloroethylene[4]	10	624
1,1,1-Trichloroethane[4]	10	624
1,1,2-Trichloroethane[4]	10	624
Trichloroethylene[4]	10	624
Vinyl Chloride[4]	10	624
ACID COMPOUNDS		
2-Chlorophenol[4]	10	625
2,4-Dichlorophenol[4]	10	625
2,4-Dimethylphenol[1]	10	625
4,6-Dinitro-o-Cresol[1] (12 methyl 4,6-dinitrophenol)[4]	50	625
2,4-Dinitrophenol[4]	50	625
2-Nitrophenol[4]	20	625
4-Nitrophenol[4]	50	625
p-Chloro-m-Cresol (4 chloro-3-methylphenol)[1]	10	625
Pentachlorophenol[4]	50	625
Phenol[4]	10	625
2,4,6-Trichlorophenol[4]	10	625
BASE/NEUTRAL COMPOUNDS		
Acenaphthene[4]	10	625
Acenaphthylene[4]	10	625
Anthracene[4]	10	625
Benzidine[3]	50	625
Benzo (a) Anthracene[4]	10	625
Benzo (a) Pyrene[4]	10	625
3,4-Benzofluranthene[4]	10	625
Benzo (ghi) Perylene	20	625
Benzo (k) Fluranthene[4]	10	625
Bis (2-Chloroethoxy) Methane[4]	10	625
Bis (2-Chloroethyl) Ether[4]	10	625
Bis (2-Chloroisopropyl) Ether[4]	10	625
Bis (2-Ethylhexyl) Phthalate[4]	10	625
4-Bromophenyl Phenyl Ether[4]	10	625
Butylbenzyl Phthalate[4]	10	625
2-Chloronapthalene[4]	10	625
4-Chlorophenyl Phenyl Ether[4]	10	625
Chrysene[4]	10	625
Dibenzo (a,h) Anthracene[4]	20	625
1,2-Dichlorobenzene[4]	10	625
1,3-Dichlorobenzene[4]	10	625
1,4-Dichlorobenzene[4]	10	625
3,3'-Dichlorobenzidine	50	625
Diethyl Phthalate[4]	10	625
Dimethyl Phthalate[4]	10	625
Di-n-Butyl Phthalate[4]	10	625
2,4-Dinitrotoluene[4]	10	625
2,6-Dinitrotoluene[4]	10	625
Di-n-octyl Phthlate[4]	10	625
1,2-Diphenylhydrazine[3]	20	625
Fluoranthene[4]	10	625
Fluorene[4]	10	625

Hexachlorobenzene[4]	10	625	
Hexachlorobutadiene[4]	10	625	
Hexachlorocyclopentadiene[4]	10	625	
Hexachloroethane	20	625	
Indeno (1,2,3-cd) Pyrene (2,3-o-phenylene pyrane)	20	625	
Isophorone[4]	10	625	
Naphthalene[4]	10	625	
Nitrobenzene[4]	10	625	
N-nitrosodimethvlamine	50	625	
N-nitrosodi-n-propylamine	20	625	
N-nitrosodiphenylamine	20	625	
Phenanthrane[4]	10	625	
Pyrene[4]	10	625	
1,2,4-Tricfhlorobenzene[4]	10	625	
PESTICIDES			
Aldrin[1]	0.05	608	
Alpha-BHC[1]	0.05	608	
Beta-BHC[1]	0.05	608	
Gamma-BHC (Lindane)[1]	0.05	608	
Delta-BHC[1]	0.05	608	
Chlordane[1]	0.2	608	
4,4'-DDT[1]	0.1	608	
4,4'-DDE (p,p-DDX)[1]	0.1	608	
4,4'-DDD (p,p-TDE)[1]	0.1	608	
Dieldrin[1]	0.1	608	
Alpha-endosulfan[1]	0.1	608	
Beta-endosulfan[1]	0.1	608	
Endosulfan sulfate[1]	0.1	608	
Endrin[1]	0.1	608	
Endrin aldehyde[1]	0.1	608	
Heptachlor[1]	0.05	608	
Heptachlor epoxide[1] (BHC-hexachlorocyclohexane)	0.1	608	
PCB-1242[1]	1.0	608	
PCB-1254	1.0	608	
PCB-1221	1.0	608	
PCB-1232	1.0	608	
PCB-1248	1.0	608	
PCB-1260	1.0	608	
PCB-1016	1.0	608	
Toxaphene[1]	5.0	608	

[1] Based on Contract Required Quantitation Level (CRQL) developed
[2] Dioxin National Strategy
[3] No CRQL established
[4] CRQL basis, equivalent to MQL

MQL based on 3.3 times Level of Detection (LOD) in 40 CFR 136, Appendix B