

OKLAHOMA DEPARTMENT OF CORRECTIONS
Initial Physical Examination and Laboratory Requirement: Male

Initial Physical Examination and Laboratory Requirement: Male (5-ACI-6A-25M)	
Initial PE Ages 39 and younger	<ul style="list-style-type: none"> • Cholesterol, Total • CMP • CBC • Hepatitis C Profile (CPL 162) if known risk factors/exposure, and/or meets certain medical condition per MSRM 140137.06 "Management of Hepatitis C" (5-ACI-6A-12M b#1, b#2) • Tuberculin skin test (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • HIV testing Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum PA) CMP (5-ACI-6A-12M b#1, b#2)
Initial PE Ages 40-49 yrs.	<ul style="list-style-type: none"> • Lipid Profile • CMP • CBC • Hepatitis Profile (CLP 162) if known risk factors/exposure, meets certain medical conditions or if born 1946-1964 per MSRM 140137.06 "Management of Hepatitis C" • Tuberculin skin test (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • HIV testing Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum PA) (5-ACI-6A-12M b#1, b#2)
Initial PE Ages 50-64 yrs.	<ul style="list-style-type: none"> • Lipid Profile • ECG • Digital rectal exam • CMP • CBC • Hepatitis Profile (CLP 162) if known risk factors/exposure, meets certain medical conditions or if born 1946-1964 per MSRM 140137.06 "Management of Hepatitis C" (5-ACI-6A-12M b#1, b#2) • Fecal occult blood testing or at receiving facility • Tuberculin skin test (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • HIV testing Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum PA) (5-ACI-6A-12M b#1, b#2)
Initial PE Ages 65 and older	<ul style="list-style-type: none"> • Lipid Profile • ECG • Digital rectal exam • CMP • CBC • Hepatitis C Profile (CPL 162) if known risk factors/exposure, and/or meets certain medical condition per MSRM 140137.06 "Management of Hepatitis C" (5-ACI-6A-12M b#1, b#2) • Fecal occult blood testing or at receiving facility • Tuberculin skin test (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • HIV testing Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). (5-ACI-6A-12M b#1, b#2, 5-ACI-6A-25M b#4) • Rapid Plasma Reagin (Syphilis) (CPL # 3503 RPR Reflex to T. Pallidum PA) (5-ACI-6A-12M b#1, b#2)