OKLAHOMA DEPARTMENT OF CORRECTIONS
Periodic Physical Examination and Laboratory Requirements
Male

Periodic Physical Examination and Laboratory Requirement: Male (5-ACI-6A-27)		
Age	**Requirements**	**Frequency**
Periodic PE Ages 18-39 yrs.	• Physical Examination	• Every 3 years
Periodic PE Ages 40-64 yrs.	• Physical Examination • Fasting Lipid Profile • CMP • Hepatitis C Profile (CPL 162) • Fecal occult blood testing X 3 beginning age 50 • Baseline EKG - age 50	• Every 1-3 years • Every 1-3 years • Every 1-3 years • Baseline Only • Annually Baseline, and then by provider discretion
Periodic PE Ages 65 and older	• Physical Examination • Fasting Lipid Profile • CMP • Fecal occult blood	Annually Every 1-3 years to age 75, then provider discretion afterwards • Every 3 years • Annually until age 75, and then by provider discretion

Physical Examination and Laboratory Requirements for Inmates Returning From GPS
Male

GPS Physical Examination and Laboratory Requirement: Male	
Initial PE Age 39 and younger	• Tuberculin skin test • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). • Rapid Plasma Reagin (Syphilis) • CMP
Initial PE Ages 40-49 yrs.	• CMP • Tuberculin skin test • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). • Rapid Plasma Reagin (Syphilis)
Initial PE Ages 50-64 yrs.	• CMP • Tuberculin skin test • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). • Rapid Plasma Reagin (Syphilis)
Initial PE Ages 65 and older	• CMP • Tuberculin skin test • HIV testing – Enzyme-Linked Immunosorbent Assay (ELISA). The Western Blot method will be utilized if the baseline ELISA test result is reactive (or positive). • Rapid Plasma Reagin (Syphilis)