

### HVAC

Identification (Brand/Model): \_\_\_\_\_

Type of Equipment: \_\_\_\_\_

Location of System: \_\_\_\_\_

Filter Type or Number: \_\_\_\_\_

Filters will be changed every 60 days at a minimum or as needed. During filter change, belt will be inspected and replaced if warranted. Parts will be lubricated if warranted.

_____	_____	_____
Date	Belt replaced/tightened	Lubrication required
Comment:		
<div style="border: 1px solid black; height: 40px;"></div>		
Signature: _____		

_____	_____	_____
Date	Belt replaced/tightened	Lubrication required
Comment:		
<div style="border: 1px solid black; height: 40px;"></div>		
Signature: _____		

_____	_____	_____
Date	Belt replaced/tightened	Lubrication required
Comment:		
<div style="border: 1px solid black; height: 40px;"></div>		
Signature: _____		

_____	_____	_____
Date	Belt replaced/tightened	Lubrication required
Comment:		
<div style="border: 1px solid black; height: 40px;"></div>		
Signature: _____		

_____	_____	_____
Date	Belt replaced/tightened	Lubrication required
Comment:		
<div style="border: 1px solid black; height: 40px;"></div>		
Signature: _____		

_____	_____	_____
Date	Belt replaced/tightened	Lubrication required
Comment:		
<div style="border: 1px solid black; height: 40px;"></div>		
Signature: _____		

Condenser will be cleaned, inspected, and lubricated annually in July.

\_\_\_\_\_  
Date Signature

Heat exchanger will be annually inspected in September for the following:

- Clean burner;
- Inspect flue pipe for connections and obstructions;
- Inspect cords; and
- Inspect safety controls.

\_\_\_\_\_  
Date Signature

Parts used:

January

February

March

April

--

May

--

June

--

July

--

August

--

September

--

October

--

November

--

December

--