



This is an official Oklahoma Health Alert

Network Health Notification

September 24, 2020

OKHAN_325-2020-09-24-UPD-N

Reference: OK-HAN_318

Updated: Hospital Discharge to Long Term Care Facilities Guidance

Summary

Patients with **NO** History of COVID-19 eligible for discharge to a LTC facility

- The receiving facility may request one COVID-19 test be performed PRIOR to discharge, UNLESS the person was tested at time of admission or during an inpatient stay of 14 days or less.
 - If the person was tested at hospital admission or during inpatient stay of 14 days or less, additional testing is not warranted and should not be requested
- Results that are unavailable at time of discharge should not impede admission/readmission to LTCF. Residents with an **unknown** (or **negative**) COVID-19 status require a 14 day quarantine with the use of full PPE upon admission per CDC Guidelines
- If **Positive** in the past 14 days, they will be discharged to one of the following LTC facilities (in priority order):
 - 1) Originating LTCF if capacity permits (staffing, supplies, and ability to cohort)
 - 2) Local LTCF with cohorting of COVID-19 positive residents
 - 3) COVID-19 positive transitional care facility (Enid/Tulsa/OKC)

Patients with **POSITIVE** history of COVID-19 and eligible for discharge to a LTC Facility

- The receiving facility may **not** request a COVID-19 test be performed at discharge:
 - If patient enters the hospital and has a COVID-19 positive test at admission or during their stay, they will be discharged according to the guidance above for **Positive** residents.
 - If patients enters the hospital with a COVID-19 positive history that is <90 days from infection, they will be discharged to the long term care facility and **do not require** a 14 day quarantine.
- The receiving facility may request a COVID-19 test be performed at discharge if patient enters the hospital with a COVID-19 positive history that is >90 days from the previous infection. They will be discharged according to guidance above for patients with no history of COVID-19 infection.

Message #: OK-HAN_325 / Reference: OK-HAN_318

Oklahoma State Department of Health / Acute Disease Service / 1000 NE 10th St, Oklahoma City, OK 73117
405-271-4060(ph) / 405-271-6680 (fax) <http://ads.health.ok.gov>



This is an official Oklahoma Health Alert

Network Health Notification

- Testing to determine resolution of infection³ is not generally recommended to determine duration of transmission-based precautions for residents.
 - Symptom-based strategy should be used to determine when to discontinue Transmission-Based Precautions. Consultation with local infectious diseases experts is recommended if concerns exist for residents being infectious for more than 20 days.
 - Test-based strategy, which requires 2 consecutive negative RT-PCR tests obtained no less than 24 hours apart *and* improvement of symptoms, could be considered for discontinuing Transmission-Based Precautions earlier than the symptom-based strategy. However, in most cases, this results in prolonged isolation of residents who continue to shed detectable SARS-CoV-2 RNA but are *no longer infectious*.

¹See CDC's *Considerations for new admissions or readmissions to the facility in Responding to Coronavirus (COVID-19) in Nursing Homes (i.e., individual has not met the 10/20 day post-infection timeframe and reduction in symptoms and needs to be placed into a COVID-19 Care Unit)*

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/nursing-homes-responding.html>

²See CDC's *Discontinuation of Transmission-Based Precautions and Disposition of Patients with COVID-19 in Healthcare Settings (Interim Guidance)*

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/disposition-hospitalized-patients.html>

³See CDC's *Testing to determine resolution of infection in Testing Guidelines for Nursing Homes*

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/nursing-homes-testing.html>

This message has been distributed to Primary Care and Infectious Disease Physicians, Laboratorians, Infection Preventionists, Urgent Care Centers, Emergency Departments, and State and Local Health Officials




OKLAHOMA

This is an official Oklahoma Health Alert

Network Health Notification

Hospital Discharge to Long Term Care Facilities



The Oklahoma State Department of Health (OSDH) Acute Disease Service (ADS) is now using 4 types of documents to provide important information to medical and public health professionals, and to other interested persons:

Categories of Health Alert messages:

Health Alert

Provides vital, time-sensitive information for a specific incident or situation; warrants immediate action or attention by health officials, laboratorians, clinicians, and members of the public and conveys the highest level of importance.

Health Advisory

Provides important information for a specific incident or situation; contains recommendations or actionable items to be performed by public health officials, laboratorians, and/or clinicians; may not require immediate action.

Health Update

Provides updated information regarding an incident or situation; unlikely to require immediate attention.

Health Info/Event

Provides general public health information; unlikely to require immediate action.

Message #: OK-HAN_325 / Reference: OK-HAN_318

Oklahoma State Department of Health / Acute Disease Service / 1000 NE 10th St, Oklahoma City, OK 73117

405-271-4060(ph) / 405-271-6680 (fax) <http://ads.health.ok.gov>