The Great Seal of the State of Oklahoma is a circular emblem. It features a large five-pointed star in the center, surrounded by smaller stars. The outer ring of the seal contains the text "GREAT SEAL OF THE STATE OF OKLAHOMA" at the top and "1907" at the bottom. The central star contains a figure of a Native American man on horseback, a plow, and a sheaf of wheat.

MATERNAL, INFANT AND CHILD HEALTH
Selected Demographic Profile
Each County in Oklahoma

2000

Prepared for Use in Planning and Targeting Services

*Oklahoma State Department of Health
Health Care Information Division
November 2001*

**Selected Demographic Information
Mother, Infant and Child Health
The State of Oklahoma, 2000**

Prepared for use in planning and targeting of Maternal and Infant Health,
and Child Health and Guidance Services.

**Leslie M. Beitsch, M.D., J.D.
Commissioner of Health and State Health Officer**

**John C. Burks, Director
Center for Health Information and State Registrar**

**Kelly Baker, M.P.H., Director
Health Care Information**

Oklahoma State Department of Health
1000 N.E. 10th Street
Oklahoma City, OK 73117
www.Health.State.OK.US

Health Care Information Division
(405) 271-6225
[e-mail: chsadmin@Health.State.OK.US](mailto:chsadmin@Health.State.OK.US)

List of Tables

Forward	Page 1
Definitions	Page 2
Formulas	Page 3
Table 1. Number of births by race and Hispanic origin of mother, crude birth rates, and population estimates: Oklahoma and each County, 2000	Page 4
Table 2. Percent of births by race and Hispanic origin of mother and percent of state for each county: Oklahoma, 2000	Page 6
Table 3. Number of births by age of mother: Oklahoma and each County, 2000	Page 8
Table 4. Age-specific birth rates by age of mother: Oklahoma and each County, average 1998-2000	Page 10
Table 5. Births to women less than 20 years of age by race of mother, and percent of teen births by first trimester prenatal care, previous births, marital status, and total births to teens: Oklahoma and each County, 2000	Page 12
Table 6. Number and percent of births by low birthweight, marital status, and low educational attainment of mother: Oklahoma and each County, 2000	Page 14
Table 7. Risk factors for infants: Birth interval and parity Oklahoma and each County, 2000	Page 16
Table 8. Number and percent of births by first trimester and adequacy of prenatal care: Oklahoma and each County, 2000	Page 18
Table 9. Number of births by selected health indicators: Oklahoma and each County, 1996-2000	Page 20
Table 10. Percent of births by selected health indicators: Oklahoma and each County, 1996-2000	Page 22
Table 11. County rankings for selected health indicators: Oklahoma, 2000	Page 24
Table 12. Infant, neonatal, post-neonatal, fetal, and perinatal mortality: Oklahoma and each County, 1996-2000	Page 26
Table 13. Number of child deaths by age of child and county of residence: Oklahoma, 2000	Page 28
Table 14. Number of child deaths by age and sex of child and county of residence: Oklahoma, 2000	Page 30
Table 15. Number of deaths to children ages 0 to 19 by race of decedent and county of residence: Oklahoma, 2000	Page 32
Table 16. Number of child deaths by cause of death and age of decedent: Oklahoma, 2000	Page 34

Table 17. Female population estimates by age: Oklahoma and each County, 2000	Page 36
Table 18. Population estimates of children by age group: Oklahoma and each County, 2000	Page 38
Table 19. Number and percent of births by age of mother and selected characteristics: Oklahoma, 2000	Page 40
Table 20. Number and percent of births by race of mother and selected characteristics: Oklahoma, 2000	Page 42
Table 21. Number and percent of births by birthweight and selected characteristics: Oklahoma, 2000	Page 44
Table 22. Number and percent of births to teens by age group and selected characteristics: Oklahoma, 2000	Page 46
Table 23. Number and crude rate of births and deaths: Oklahoma, 1975-2000	Page 48
Table 24. Race-specific infant deaths and infant mortality rates: Oklahoma, 1975-2000	Page 50
Table 25. Percent of births by short-birth interval, high parity, number of teen births, percent of births to teens, and teen fertility rate aged 15-19: Oklahoma, 1975-2000	Page 52
Table 26. Number of teen births and age-specific birth rates by age and race of mother: Oklahoma, 1975-2000	Page 53
Table 27. Percent of births by race, low birthweight, low educational attainment, and marital status: Oklahoma, 1975-2000	Page 54
Table 28. Percent of births by first trimester and adequacy of prenatal care: Oklahoma, 1975-2000	Page 57
Table 29. Total and accidental deaths to children by age group: Oklahoma, 1975-2000	Page 59
Table 30. Child mortality rates by age group and number of suicides and homicides for children aged 15-19: Oklahoma, 1975-2000	Page 60
Table 31. Crude birth rates, birth rates for teens aged 15-19, fertility rates, and percent of births to women less than 20 years of age, by race of mother and low birthweight: United State, 1975-2000	Page 61
Table 32. Percent of births by first trimester prenatal care, low educational attainment, marital status, gestational age, short-birth interval, and infant mortality rate: United States, 1975-2000	Page 64
Table 33. Risk factors and other data from birth certificate check boxes: Oklahoma, 2000	Page 66
Table 34. Number of births by age of mother: Oklahoma and selected cities, 2000	Page 67
Table 35. Number of births by race and Hispanic origin of mother: Oklahoma and selected cities, 2000	Page 70

List of Figures

Figure 1. Crude birth and death rates: Oklahoma, 1975-2000	Page 49
Figure 2. Race-specific infant mortality rates: Oklahoma, 1975-2000	Page 51
Figure 3. Percent of births of low birthweight: Oklahoma, 1975-2000	Page 55
Figure 4. Percent of births to mothers with low education: Oklahoma, 1975-2000	Page 55
Figure 5. Percent of births to unmarried mothers: Oklahoma, 1975-2000	Page 56
Figure 6. Percent of teen births to unmarried mothers: Oklahoma, 1975-2000	Page 56
Figure 7. Percent of births to mothers who began prenatal care in first trimester: Oklahoma, 1975-2000	Page 58
Figure 8. Age-specific child mortality rates: Oklahoma, 1975-2000	Page 61
Figure 9. Percent of births of low birthweight: United States and Oklahoma, 1975-2000	Page 63
Figure 10. Infant mortality rates: United States and Oklahoma, 1975-2000	Page 65
Figure 11. Percent of births to unmarried mothers: United States and Oklahoma, 1975-2000	Page 65

Forward

The information contained in this publication has been prepared as reference data, which may be used in planning of maternal, infant or child health programs. The information presented here is taken from birth, death, and fetal death certificates. Population estimates are obtained from the U.S. Bureau of Census and the Oklahoma Department of Commerce.

Philosophical considerations are made to the concept of providing commonly used data and giving a survey of the types of data available. Should more detailed information be required in some area, this office may be able to supply that on request. In regard to a break in the annual consistency of some tables, this office has consistent trend data on many factors from 1975

A major change has occurred in regard to the classification of race of an infant. The birth certificate lists only the reported race of each parent. Until 1989, the National Center for Health Statistics (NCHS), the federal agency in charge of all Vital Records, used a complex algorithm to determine the race of the infant. Generally speaking, this formula identified the race of the infant as the race of the darker parent. In 1989, both classifications were reported. Since then, national comparisons with race can be made only using that of the mother. In this office, we have data using both classifications back to 1975.

In 2000, the U.S. Census Bureau instituted a major change in the way information on race is collected on the census instrument. Individuals are now able to report race in multiple categories rather than being required to choose one 'best' category. However, race is still collected as a single category in Vital Statistics. Given this radical difference, race-specific birth rates are not available for 2000.

The American Indian population does not reside within reservation boundaries in Oklahoma, and is, therefore, more heterogeneously distributed throughout the population of the state. As a result the standard way of classifying race does not reliably document the American Indian births and infant deaths. Special attention should be given to the data when studying information related to race.

There are a large number of unknown values for some characteristics on the birth certificate. When calculating percentages, unknown values are subtracted from the total number of births. Therefore, the percentages are based solely on reported values.

Other types of data and more detailed information from Vital Statistics may be requested by contacting Health Care Information, (405) 271-6225 of the Oklahoma State Department of Health.

Definitions

Live birth: An infant with signs of life at birth.

Low birthweight: A live birth weighing 5 lb. 8 oz. or less (under 2,500 grams).

Very low birthweight: A live birth weighing 3 lb. 5 oz. Or less (under 1,500 grams).

Prenatal Care:

First trimester - care beginning during the first 3 months of pregnancy

Adequate care - entry in first trimester and 10 or more visits

Little care - entry in first or second trimester and 1 to 3 visits

Late care - entry in third trimester with 1 or more visits

No care - never entered care (coding - zero trimester with zero or unknown visits, or unknown trimester with zero visits)

Low education: less than 12 grades of school completed

Unmarried: never married, divorced, or widowed at the time of the infant's birth

Fertility: births to a particular population of women (i.e. age group and/or race)

Short birth interval: less than 18 months since last delivery
less than 24 months since last delivery

High parity:

Teens - under 20 years of age with 2 or more previous births

Adults - ages 20 and over with 4 or more previous births

Gestational age: the time in weeks from last reported menses to birth

Race: the race of mother unless otherwise specified

County: the county of residence unless otherwise specified

Infant Death: a live birth dying before completing one year of life

Neonatal death: a live birth dying before 28 days of life

Post-neonatal death: a live birth dying between 29 days and one year of life

Fetal death (still birth): fetus 20 weeks or more gestation, born dead

Perinatal death: combined fetal and neonatal deaths

Formulas

Note: When calculating percentages for various maternal characteristics, the unknown values are always subtracted from the total values before the calculation is undertaken. Some of the tables in this document do not show the unknown values; however, they are used in the computations.

$$\text{Birth rate (crude): } \frac{\text{All live births}}{\text{Total population}} \times 1,000$$

$$\text{Fertility rate (age-specific birth rate): } \frac{\text{Births to women in specified age group}}{\text{Population of women in specified age group}} \times 1,000$$

$$\text{Percent low birthweight: } \frac{\text{All births less than 2,500 grams}}{\text{All births minus births of unknown birthweight}} \times 1,000$$

$$\text{Percent short birth interval: } \frac{\text{All births less than 24 months}}{\text{All births minus no previous births and unknown}} \times 1,000$$

Note: A similar calculation is made for short birth interval of less than 18 months. Only the primary birth is included in the case of multiple births.

Percent high parity:

$$\text{Teens } \frac{\text{Births to women less than 20 years with 2 or more previous births}}{\text{All births to women under 20 years with a previous birth}} \times 1,000$$

$$\text{Adults } \frac{\text{Births to women 20 years or older with 4 or more previous births}}{\text{All births to women 20 years or older with a previous birth}} \times 1,000$$

$$\text{Infant mortality rate: } \frac{\text{All infant deaths}}{\text{All live births}} \times 1,000$$

$$\text{Neonatal mortality rate: } \frac{\text{All neonatal deaths}}{\text{All live births}} \times 1,000$$

$$\text{Post-neonatal mortality rate: } \frac{\text{All post-neonatal deaths}}{\text{All live births}} \times 1,000$$

$$\text{Fetal mortality rate: } \frac{\text{All fetal deaths}}{\text{All live births}} \times 1,000$$

$$\text{Perinatal mortality rate: } \frac{\text{All fetal deaths + all neonatal deaths}}{\text{All live births + all fetal deaths}} \times 1,000$$

Table 1. Number of births by race and Hispanic origin of mother, crude birth rates, and population estimates: Oklahoma and each County

(Crude birth rates are live births per 1,000 population. Population estimates provided by the Oklahoma Department of Commerce, U.S. Bureau of the Census)

County	Total	Race of mother					Hispanic ¹	Crude birth rate
		White	Black	Am. Indian	Other	Unk		
State	49,712	38,512	4,777	5,206	1,013	204	4,352	14.4
Adair	385	181	1	200	1	2	17	18.3
Alfalfa	40	39	-	1	-	-	2	6.6
Atoka	145	117	7	21	-	-	2	10.4
Beaver	49	47	-	-	-	2	11	8.4
Beckham	237	220	7	7	3	-	5	12.0
Blaine	128	95	4	28	1	-	24	10.7
Bryan	524	426	3	92	2	1	19	14.3
Caddo	407	252	9	142	3	1	41	13.5
Canadian	1,112	976	15	80	36	5	61	12.7
Carter	634	512	49	59	14	-	19	13.9
Cherokee	618	333	6	276	1	2	52	14.5
Choctaw	207	146	21	37	3	-	6	13.5
Cimarron	33	32	-	-	1	-	12	10.5
Cleveland	2,468	2,141	92	133	79	23	119	11.9
Coal	77	69	-	8	-	-	1	12.8
Comanche	1,933	1,269	419	160	81	4	204	16.8
Cotton	66	57	1	8	-	-	6	10.0
Craig	199	151	1	46	-	1	4	13.3
Creek	878	757	28	83	6	4	13	13.0
Custer	312	265	11	22	1	13	53	11.9
Delaware	443	293	-	148	2	-	13	11.9
Dewey	53	47	-	6	-	-	4	11.2
Ellis	37	37	-	-	-	-	1	9.1
Garfield	815	729	24	24	26	12	63	14.1
Garvin	400	357	12	28	3	-	22	14.7
Grady	573	515	29	22	5	2	27	12.6
Grant	56	52	-	3	1	-	4	10.9
Greer	66	64	1	1	-	-	6	10.9
Harmon	34	28	6	-	-	-	13	10.4
Harper	41	40	-	-	-	1	3	11.5
Haskell	162	128	1	32	1	-	2	13.7
Hughes	171	111	4	56	-	-	4	12.1
Jackson	479	416	49	9	5	-	104	16.8
Jefferson	74	70	-	4	-	-	6	10.9
Johnston	119	97	1	19	2	-	2	11.3
Kay	681	579	14	75	9	4	41	14.2
Kingfisher	173	158	-	13	-	2	32	12.4
Kiowa	131	114	8	7	1	1	17	12.8
Latimer	127	90	4	33	-	-	2	11.9
Leflore	733	604	11	112	5	1	56	15.2

¹Hispanic births are of any race.

- Denotes no events in that category.

Table 1. Number of births by race and Hispanic origin of mother, crude birth rates, and population estimates: Oklahoma and each County

(Crude birth rates are live births per 1,000 population. Population estimates provided by the Oklahoma Department of Commerce, U.S. Bureau of the Census)

County	Total	Race of mother					Hispanic ¹	Crude birth rate
		White	Black	Am. Indian	Other	Unk		
State	49,712	38,512	4,777	5,206	1,013	204	4,352	14.4
Lincoln	385	341	9	32	1	2	8	12.0
Logan	370	340	17	9	4	-	11	10.9
Love	94	83	1	8	2	-	17	10.6
McClain	393	361	4	23	3	2	28	14.2
McCurtain	553	394	54	103	2	-	33	16.1
McIntosh	219	149	11	54	5	-	3	11.3
Major	73	71	-	-	-	2	5	9.7
Marshall	163	142	5	16	-	-	36	12.4
Mayer	563	379	2	176	5	1	8	14.7
Murray	150	115	4	29	2	-	7	11.9
Muskogee	967	579	162	222	4	-	41	13.9
Noble	141	124	2	14	1	-	3	12.4
Nowata	134	102	3	29	-	-	.	12.7
Okfuskee	143	89	13	41	-	-	2	12.1
Oklahoma	10,951	8,094	1,928	494	382	53	1,614	16.6
Okmulgee	551	405	63	83	-	-	13	13.9
Osage	523	395	24	100	3	1	10	11.8
Ottawa	457	328	-	117	4	8	26	13.8
Pawnee	211	192	1	18	-	-	1	12.7
Payne	793	678	39	45	30	1	16	11.6
Pittsburg	495	385	14	88	5	3	12	11.3
Pontotoc	539	393	12	129	5	.	11	15.3
Pottawatomie	912	687	30	180	14	1	30	13.9
Pushmataha	131	103	-	28	-	-	1	11.2
Roger Mills	42	35	-	7	-	-	1	12.2
Rogers	925	768	5	144	4	4	32	13.1
Seminole	378	245	23	110	-	-	5	15.2
Sequoyah	521	394	9	117	1	-	6	13.4
Stephens	511	462	15	30	4	-	35	11.8
Texas	387	380	1	4	2	-	164	19.2
Tillman	109	93	12	3	-	1	31	11.7
Tulsa	9,335	7,057	1,426	595	218	39	961	16.6
Wagoner	720	606	33	71	8	2	21	12.5
Washington	593	484	17	83	9	-	29	12.1
Washita	125	120	-	3	1	1	13	10.9
Woods	82	80	-	-	2	-	5	9.0
Woodward	253	245	-	6	-	2	20	13.7

¹Hispanic births are of any race.

- Denotes no events in that category.

ity, 2000

*Total
population
estimate*

3,450,654

21,038

6,105

13,879

5,857

19,799

11,976

36,534

30,150

87,697

45,621

42,521

15,342

3,148

208,016

6,031

114,996

6,614

14,950

67,367

26,142

37,077

4,743

4,075

57,813

27,210

45,516

5,144

6,061

3,283

3,562

11,792

14,154

28,439

6,818

10,513

48,080

13,926

10,227

10,692

48,109

¹Hispanic births are of any race.

- Denotes no events in that category.

ity, 2000

<i>Total population estimate</i>
3,450,654
32,080
33,924
8,831
27,740
34,402
19,456
7,545
13,184
38,369
12,623
69,451
11,411
10,569
11,814
660,448
39,685
44,437
33,194
16,612
68,190
43,953
35,143
65,521
11,667
3,436
70,641
24,894
38,972
43,182
20,107
9,287
563,299
57,491
48,996
11,508
9,089
18,486

¹Hispanic births are of any race.

- Denotes no events in that category.

Table 2. Percent of births by race and Hispanic origin of mother and percent of state for each county: Oklahoma, 2000

County	Race of mother				Hispanic ¹	Total births
	White	Black	American Indian	Other		
State	77.5	9.6	10.5	2.0	8.8	49,712
Adair	47.0	0.3	51.9	0.3	4.4	385
Alfalfa	97.5	-	2.5	-	5.0	40
Atoka	80.7	4.8	14.5	-	1.4	145
Beaver	95.9	-	-	-	22.4	49
Beckham	92.8	3.0	3.0	1.3	2.1	237
Blaine	74.2	3.1	21.9	0.8	18.8	128
Bryan	332.8	2.3	71.9	1.6	3.6	524
Caddo	196.9	7.0	110.9	2.3	10.1	407
Canadian	762.5	11.7	62.5	28.1	5.5	1,112
Carter	400.0	38.3	46.1	10.9	3.0	634
Cherokee	53.9	1.0	44.7	0.2	8.4	618
Choctaw	70.5	10.1	17.9	1.4	2.9	207
Cimarron	97.0	-	-	3.0	36.4	33
Cleveland	86.8	3.7	5.4	3.2	4.8	2,468
Coal	89.6	-	10.4	-	1.3	77
Comanche	65.6	21.7	8.3	4.2	10.6	1,933
Cotton	86.4	1.5	12.1	-	9.1	66
Craig	75.9	0.5	23.1	-	2.0	199
Creek	86.2	3.2	9.5	0.7	1.5	878
Custer	84.9	3.5	7.1	0.3	17.0	312
Delaware	66.1	-	33.4	0.5	2.9	443
Dewey	88.7	-	11.3	-	7.5	53
Ellis	100.0	-	-	-	2.7	37
Garfield	89.4	2.9	2.9	3.2	7.7	815
Garvin	89.3	3.0	7.0	0.8	5.5	400
Grady	89.9	5.1	3.8	0.9	4.7	573
Grant	92.9	-	5.4	1.8	7.1	56
Greer	97.0	1.5	1.5	-	9.1	66
Harmon	82.4	17.6	-	-	38.2	34
Harper	97.6	-	-	-	7.3	41
Haskell	79.0	0.6	19.8	0.6	1.2	162
Hughes	64.9	2.3	32.7	-	2.3	171
Jackson	86.8	10.2	1.9	1.0	21.7	479
Jefferson	94.6	-	5.4	-	8.1	74
Johnston	81.5	0.8	16.0	1.7	1.7	119
Kay	85.0	2.1	11.0	1.3	6.0	681
Kingfisher	91.3	-	7.5	-	18.5	173
Kiowa	87.0	6.1	5.3	0.8	13.0	131
Latimer	70.9	3.1	26.0	-	1.6	127
Leflore	82.4	1.5	15.3	0.7	7.6	733

¹Hispanic births are of any race.

- Denotes no events in that category.

Table 2. Percent of births by race and Hispanic origin of mother and percent of state for each county: Oklahoma, 2000

<i>County</i>	<i>Race of mother</i>				<i>Hispanic¹</i>	<i>Total births</i>
	<i>White</i>	<i>Black</i>	<i>American Indian</i>	<i>Other</i>		
State	77.5	9.6	10.5	2.0	8.8	49,712

¹Hispanic births are of any race.

- Denotes no events in that category.

Table 2. Percent of births by race and Hispanic origin of mother and percent of state for each county: Oklahoma, 2000

<i>County</i>	<i>Race of mother</i>					<i>Total births</i>
	<i>White</i>	<i>Black</i>	<i>American Indian</i>	<i>Other</i>	<i>Hispanic¹</i>	
State	77.5	9.6	10.5	2.0	8.8	49,712
Lincoln	88.6	2.3	8.3	0.3	2.1	385
Logan	91.9	4.6	2.4	1.1	3.0	370
Love	88.3	1.1	8.5	2.1	18.1	94
McClain	91.9	1.0	5.9	0.8	7.1	393
McCurtain	71.2	9.8	18.6	0.4	6.0	553
McIntosh	68.0	5.0	24.7	2.3	1.4	219
Major	97.3	-	-	-	6.8	73
Marshall	87.1	3.1	9.8	-	22.1	163
Mayes	67.3	0.4	31.3	0.9	1.4	563
Murray	76.7	2.7	19.3	1.3	4.7	150
Muskogee	59.9	16.8	23.0	0.4	4.2	967
Noble	87.9	1.4	9.9	0.7	2.1	141
Nowata	76.1	2.2	21.6	-	-	134
Okfuskee	62.2	9.1	28.7	-	1.4	143
Oklahoma	73.9	17.6	4.5	3.5	14.7	10,951
Okmulgee	73.5	11.4	15.1	-	2.4	551
Osage	75.5	4.6	19.1	0.6	1.9	523
Ottawa	71.8	-	25.6	0.9	5.7	457
Pawnee	91.0	0.5	8.5	-	0.5	211
Payne	85.5	4.9	5.7	3.8	2.0	793
Pittsburg	77.8	2.8	17.8	1.0	2.4	495
Pontotoc	72.9	2.2	23.9	0.9	2.0	539
Pottawatomie	75.3	3.3	19.7	1.5	3.3	912
Pushmataha	78.6	-	21.4	-	0.8	131
Roger Mills	83.3	-	16.7	-	2.4	42
Rogers	83.0	0.5	15.6	0.4	3.5	925
Seminole	64.8	6.1	29.1	-	1.3	378
Sequoyah	75.6	1.7	22.5	0.2	1.2	521
Stephens	90.4	2.9	5.9	0.8	6.8	511
Texas	98.2	0.3	1.0	0.5	42.4	387
Tillman	85.3	11.0	2.8	-	28.4	109
Tulsa	75.6	15.3	6.4	2.3	10.3	9,335
Wagoner	84.2	4.6	9.9	1.1	2.9	720
Washington	81.6	2.9	14.0	1.5	4.9	593
Washita	96.0	-	2.4	0.8	10.4	125
Woods	97.6	-	-	2.4	6.1	82
Woodward	96.8	-	2.4	-	7.9	253

¹Hispanic births are of any race.

- Denotes no events in that category.

*% of
state*

100.00

0.77

0.08

0.29

0.10

0.48

0.26

1.05

0.82

2.24

1.28

1.24

0.42

0.07

4.96

0.15

3.89

0.13

0.40

1.77

0.63

0.89

0.11

0.07

1.64

0.80

1.15

0.11

0.13

0.07

0.08

0.33

0.34

0.96

0.15

0.24

1.37

0.35

0.26

0.26

1.47

¹Hispanic births are of any race.

- Denotes no events in that category.

*% of
state*

100.00

¹Hispanic births are of any race.

- Denotes no events in that category.

<i>% of state</i>
100.00
0.77
0.74
0.19
0.79
1.11
0.44
0.15
0.33
1.13
0.30
1.95
0.28
0.27
0.29
22.03
1.11
1.05
0.92
0.42
1.60
1.00
1.08
1.83
0.26
0.08
1.86
0.76
1.05
1.03
0.78
0.22
18.78
1.45
1.19
0.25
0.16
0.51

¹Hispanic births are of any race.
 - Denotes no events in that category.

Table 3. Number of births by age of mother: Oklahoma and each County, 2000

County	Total	Age of mother									Unk
		10-14 years	15-17 years	18-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45+ years	
State	49,712	120	2,492	5,219	16,065	13,471	8,182	3,464	651	25	23
Adair	385	1	33	62	132	88	46	19	4	-	-
Alfalfa	40	-	-	4	12	13	7	4	-	-	-
Atoka	145	-	11	12	57	40	12	10	3	-	-
Beaver	49	-	2	9	14	15	6	2	1	-	-
Beckham	237	1	10	31	84	61	34	14	2	-	-
Blaine	128	-	13	23	38	31	16	3	3	-	1
Bryan	524	2	27	72	190	139	64	22	6	1	1
Caddo	407	2	25	59	142	102	60	16	-	1	-
Canadian	1,112	1	37	81	287	341	241	107	17	-	-
Carter	634	1	28	78	251	164	72	34	5	1	-
Cherokee	618	3	40	79	222	159	71	41	3	-	-
Choctaw	207	1	15	32	82	44	22	10	1	-	-
Cimarron	33	-	2	4	11	9	4	3	-	-	-
Cleveland	2,468	2	77	172	668	781	541	202	23	2	-
Coal	77	-	6	13	23	22	7	4	2	-	-
Comanche	1,933	6	109	203	713	504	250	119	28	1	-
Cotton	66	-	4	6	25	20	9	2	-	-	-
Craig	199	-	9	28	68	58	23	9	1	-	3
Creek	878	1	54	113	272	241	135	57	5	-	-
Custer	312	2	14	34	111	80	53	15	3	-	-
Delaware	443	5	21	63	152	117	57	18	8	-	2
Dewey	53	-	1	7	15	19	9	2	-	-	-
Ellis	37	-	2	3	8	15	7	2	-	-	-
Garfield	815	3	38	84	284	218	131	49	8	-	-
Garvin	400	1	22	51	122	119	63	17	5	-	-
Grady	573	2	26	62	195	158	85	38	7	-	-
Grant	56	-	1	4	17	12	12	10	-	-	-
Greer	66	2	4	11	21	16	3	7	2	-	-
Harmon	34	-	6	5	11	3	4	3	1	-	1
Harper	41	-	-	3	16	10	6	6	-	-	-
Haskell	162	.	18	31	54	34	18	7	-	-	-
Hughes	171	1	10	26	56	45	23	7	2	1	-
Jackson	479	3	28	45	174	119	85	21	4	-	-
Jefferson	74	-	2	7	31	22	9	2	1	-	-
Johnston	119	-	5	23	46	27	8	6	4	-	-
Kay	681	3	30	71	231	167	121	51	7	-	-
Kingfisher	173	-	15	9	52	46	32	17	2	-	-
Kiowa	131	-	8	16	54	33	14	6	-	-	-
Latimer	127	-	7	22	51	23	14	8	2	-	-
Leflore	733	-	41	101	307	179	66	37	2	-	-

- Denotes no events in that category.

Table 3. Number of births by age of mother: Oklahoma and each County, 2000

County	Total	Age of mother									Unk
		10-14 years	15-17 years	18-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45+ years	
State	49,712	120	2,492	5,219	16,065	13,471	8,182	3,464	651	25	23
Lincoln	385	.	19	61	137	87	57	20	4	-	-
Logan	370	.	11	39	95	109	65	47	4	-	-
Love	94	1	9	12	30	24	13	3	2	-	-
McClain	393	.	16	36	126	118	68	25	4	-	-
McCurtain	553	1	38	68	210	133	71	29	3	-	-
McIntosh	219	-	13	25	81	57	31	9	3	-	-
Major	73	-	1	2	22	21	9	15	3	-	-
Marshall	163	-	9	17	53	49	24	10	1	-	-
Mayes	563	-	37	84	170	158	77	31	6	-	-
Murray	150	-	14	17	52	37	19	11	-	-	-
Muskogee	967	5	56	115	403	231	112	42	3	-	-
Noble	141	-	5	14	44	39	27	11	1	-	-
Nowata	134	-	6	14	42	32	28	8	3	-	1
Okfuskee	143	1	10	20	57	32	11	10	2	-	-
Oklahoma	10,951	32	566	1,006	3,373	3,004	1,907	880	173	7	3
Okmulgee	551	1	26	82	201	126	75	30	9	1	-
Osage	523	3	26	61	178	132	79	34	10	-	-
Ottawa	457	1	26	67	153	127	54	23	4	-	2
Pawnee	211	-	7	18	63	81	28	8	6	-	-
Payne	793	2	28	64	257	238	134	56	13	1	-
Pittsburg	495	1	40	52	159	139	70	30	4	-	-
Pontotoc	539	2	24	58	188	161	75	23	8	-	-
Pottawatomie	912	1	52	139	327	206	127	54	4	-	2
Pushmataha	131	-	15	17	41	38	12	8	-	-	-
Roger Mills	42	-	1	5	18	12	5	1	-	-	-
Rogers	925	3	33	82	281	250	185	74	16	-	1
Seminole	378	1	20	67	133	88	45	19	5	-	-
Sequoyah	521	3	26	61	207	136	59	25	4	-	-
Stephens	511	1	26	55	200	116	74	33	6	-	-
Texas	387	-	19	42	146	107	48	20	5	-	-
Tillman	109	-	8	16	37	33	10	4	1	-	-
Tulsa	9,335	14	419	858	2,715	2,572	1,832	747	165	8	5
Wagoner	720	2	37	61	208	207	149	47	8	1	-
Washington	593	1	25	66	175	162	109	48	6	-	1
Washita	125	-	6	18	54	24	15	7	1	-	-
Woods	82	-	-	8	37	18	14	4	1	-	-
Woodward	253	1	17	33	93	73	24	11	1	-	-

Table 4. Age-specific birth rates by age of mother: Oklahoma and each County, average 1998-2000

(Rates are per 1,000 female population in specified age group. Fertility rates are total live births per 1,000 female population aged 15-44.)

<i>County</i>	<i>15-19 years</i>	<i>15-17 years</i>	<i>18-19 years</i>	<i>20-24 years</i>	<i>25-29 years</i>	<i>30-34 years</i>	<i>35-39 years</i>	<i>40-44 years</i>	<i>Fertility rate</i>
State	60.5	33.0	100.1	138.5	124.6	74.8	26.9	4.9	68.7
Adair	99.0	56.8	177.5	179.3	119.8	57.5	19.8	3.6	80.6
Alfalfa	37.2	14.7	111.1	131.3	105.8	62.2	31.8	4.1	55.5
Atoka	53.6	33.6	103.2	187.9	115.8	55.1	19.9	4.2	65.3
Beaver	45.9	18.0	124.3	160.8	105.3	67.6	13.7	2.9	55.4
Beckham	69.1	29.7	143.8	173.5	122.0	56.2	19.8	4.6	69.6
Blaine	89.1	57.1	145.6	207.2	137.5	67.4	18.4	5.2	80.3
Bryan	63.8	35.2	100.5	130.7	127.9	66.6	21.4	3.1	67.8
Caddo	76.2	40.4	134.6	162.8	109.7	61.1	24.9	2.9	70.5
Canadian	39.1	20.7	73.1	126.5	122.5	73.9	25.9	4.3	56.9
Carter	70.1	35.8	139.6	221.3	127.5	55.4	23.2	4.6	75.6
Cherokee	64.7	40.3	82.1	120.7	123.8	68.7	27.5	3.5	69.5
Choctaw	82.6	39.1	167.5	183.4	112.4	49.5	20.8	0.6	71.5
Cimarron	55.9	30.0	116.5	164.8	128.7	52.4	23.1	-	61.0
Cleveland	27.6	17.0	39.1	66.4	101.2	74.1	24.1	4.0	48.0
Coal	81.4	49.8	162.5	144.0	133.7	50.5	16.9	7.9	68.8
Comanche	73.4	39.8	116.5	167.1	128.3	68.8	28.2	5.1	81.7
Cotton	36.9	24.4	70.8	124.4	122.7	77.8	12.6	1.4	59.0
Craig	70.0	31.9	137.5	158.8	143.7	60.3	22.8	2.5	69.4
Creek	62.0	34.1	118.8	155.8	124.3	70.7	21.2	3.0	64.9
Custer	48.5	37.5	52.1	85.0	114.0	74.4	22.6	4.2	59.6
Delaware	65.1	29.4	132.2	171.1	124.5	64.1	19.7	4.6	69.6
Dewey	43.5	10.6	110.4	153.1	114.0	51.5	17.1	4.0	57.5
Ellis	49.3	13.5	158.9	153.5	178.8	56.1	9.8	-	57.5
Garfield	66.7	32.9	121.4	149.3	133.5	71.3	23.8	3.6	71.5
Garvin	66.0	27.3	136.1	181.2	141.5	69.5	18.4	4.3	74.0
Grady	53.2	26.0	95.1	139.2	107.5	62.5	22.6	2.6	60.2
Grant	31.2	14.9	69.4	155.3	99.8	87.1	30.1	5.7	59.6
Greer	76.0	45.9	134.6	141.5	140.2	55.0	28.8	4.0	69.9
Harmon	80.9	55.1	112.8	114.9	97.9	75.6	16.1	6.6	63.7
Harper	35.4	7.9	101.0	312.9	112.0	64.4	35.4	6.0	69.2
Haskell	86.3	42.8	169.3	188.0	106.1	58.1	20.1	0.8	69.7
Hughes	69.6	37.0	140.5	190.7	131.7	65.6	21.1	1.9	70.4
Jackson	65.9	34.7	116.4	154.4	126.5	88.6	25.5	4.5	79.2
Jefferson	37.4	21.8	73.6	191.8	102.6	60.9	17.8	4.2	60.7
Johnston	53.8	34.7	81.6	153.8	108.6	39.4	24.3	6.0	60.0
Kay	75.9	35.3	129.0	204.6	125.0	86.3	29.6	3.8	79.9
Kingfisher	51.0	26.6	89.4	207.3	134.5	67.2	30.4	6.2	73.7
Kiowa	74.3	36.1	158.5	184.7	86.1	63.9	26.0	1.0	69.0
Latimer	69.0	33.9	96.6	163.5	80.3	51.1	17.0	5.5	64.4
Leflore	70.2	34.5	133.4	184.9	108.4	58.1	18.4	2.1	69.0

- Denotes no events in that category.

Table 4. Age-specific birth rates by age of mother: Oklahoma and each County, average 1998-2000

(Rates are per 1,000 female population in specified age group. Fertility rates are total live births per 1,000 female population aged 15-44.)

<i>County</i>	<i>15-19 years</i>	<i>15-17 years</i>	<i>18-19 years</i>	<i>20-24 years</i>	<i>25-29 years</i>	<i>30-34 years</i>	<i>35-39 years</i>	<i>40-44 years</i>	<i>Fertility rate</i>
State	60.5	33.0	100.1	138.5	124.6	74.8	26.9	4.9	68.7
Lincoln	59.2	25.7	127.8	182.0	110.4	61.5	19.5	3.8	63.9
Logan	39.7	19.7	52.8	105.6	115.8	65.0	30.8	5.8	56.1
Love	61.5	33.7	138.5	139.5	145.4	62.3	18.8	5.3	64.6
McClain	52.4	25.7	106.3	169.3	142.1	79.8	25.2	2.5	69.8
McCurtain	81.4	40.1	171.2	183.1	111.6	60.4	20.0	2.8	73.5
McIntosh	63.4	32.7	127.6	176.3	112.4	60.2	20.5	6.1	65.8
Major	16.8	8.8	34.7	144.7	125.4	56.8	36.8	9.0	55.5
Marshall	68.5	33.3	131.0	200.2	146.7	82.0	38.3	3.7	81.5
Mayes	84.1	45.6	150.1	186.5	134.6	67.4	22.9	3.2	77.7
Murray	75.3	43.3	134.9	176.9	135.0	72.5	16.4	2.6	69.9
Muskogee	73.7	37.5	136.8	188.6	113.7	57.4	17.8	3.6	71.4
Noble	42.1	22.0	80.6	141.6	128.2	68.5	20.0	3.3	61.9
Nowata	65.3	36.1	122.0	191.7	124.7	66.9	22.5	2.8	70.9
Okfuskee	75.2	52.3	121.1	199.0	116.6	65.8	16.6	6.0	73.2
Oklahoma	68.5	39.7	106.8	140.4	127.9	83.9	33.2	6.3	75.2
Okmulgee	70.5	34.8	125.3	186.7	126.8	56.4	20.5	5.6	70.4
Osage	48.6	20.0	107.4	147.5	100.0	50.7	18.9	4.2	52.8
Ottawa	70.0	41.1	103.1	176.2	155.7	70.6	23.1	2.4	77.6
Pawnee	58.5	27.9	120.6	148.5	160.7	64.6	18.9	6.6	65.3
Payne	27.6	24.3	28.5	47.9	104.7	77.6	31.2	6.3	47.6
Pittsburg	65.5	40.1	118.0	155.1	117.0	58.4	18.4	2.4	63.1
Pontotoc	52.7	30.1	85.0	122.2	139.7	61.5	22.0	5.4	65.8
Pottawatomie	59.5	35.5	92.6	143.1	126.1	69.5	22.1	2.6	67.1
Pushmataha	79.4	36.0	168.0	137.7	141.2	49.4	18.5	3.3	66.3
Roger Mills	51.7	14.0	142.9	185.7	118.8	41.5	17.2	2.8	57.4
Rogers	48.3	20.0	97.0	143.0	133.7	79.2	25.9	4.0	63.0
Seminole	87.6	46.7	151.3	199.5	126.5	58.6	22.3	4.7	78.8
Sequoyah	54.8	30.5	106.6	143.9	104.2	51.7	16.2	2.8	59.7
Stephens	57.0	26.2	117.1	177.0	113.1	57.8	20.4	4.1	62.7
Texas	78.3	42.8	123.5	226.0	192.7	86.3	27.4	7.3	95.4
Tillman	77.1	42.6	151.2	140.5	116.2	72.8	16.9	2.3	68.9
Tulsa	64.2	34.8	105.5	136.2	134.0	90.1	33.4	6.7	74.2
Wagoner	42.8	23.4	82.5	128.4	128.4	71.2	23.3	4.2	57.4
Washington	52.8	23.8	101.5	153.8	131.0	64.6	24.3	3.5	62.0
Washita	61.6	19.8	145.2	192.4	90.3	55.4	15.0	3.6	62.2
Woods	39.1	16.1	52.0	113.6	126.3	59.1	24.5	2.6	59.4
Woodward	73.7	33.0	152.8	203.7	112.3	52.0	16.8	2.5	68.6

- Denotes no events in that category.

Table 5. Births to women less than 20 years of age by race of mother and percent of teen births by first trimester, prenatal care, previous births, marital status, and total births to teens: Oklahoma and each County, 2000

County	Race of mother			Total < 20 years	% 1st Trimester	% Poor ¹ Care	% Previous Births	% Not Married
	White	Black	American Indian					
State	5,429	1,095	1,200	7,831	67.3	9.7	20.9	71.9
Adair	36	1	59	96	63.0	9.8	19.6	66.7
Alfalfa	4	-	-	4	**	**	**	**
Atoka	20	-	3	23	70.0	10.0	9.1	65.2
Beaver	9	-	-	11	50.0	10.0	**	**
Beckham	38	2	2	42	67.9	0.0	20.0	64.3
Blaine	26	2	8	36	67.6	17.6	24.2	61.1
Bryan	80	1	20	101	75.5	18.4	20.4	67.3
Caddo	47	3	36	86	59.2	14.5	25.6	76.7
Canadian	97	3	18	119	64.2	11.9	21.3	76.5
Carter	84	9	13	107	84.5	3.9	26.8	57.0
Cherokee	60	1	61	122	61.7	10.3	14.5	73.0
Choctaw	32	5	11	48	82.2	6.7	20.8	56.3
Cimarron	6	-	-	6	**	**	**	**
Cleveland	207	13	25	251	72.2	8.0	15.9	74.9
Coal	16	-	3	19	**	**	**	**
Comanche	176	95	35	318	73.0	6.7	19.0	70.1
Cotton	6	-	4	10	**	**	**	**
Craig	27	-	10	37	65.7	5.7	17.1	64.9
Creek	137	7	23	168	57.9	14.6	22.3	69.6
Custer	42	3	4	50	55.8	14.0	22.7	66.0
Delaware	45	-	43	89	75.6	11.6	17.8	70.8
Dewey	7	-	1	8	**	**	**	**
Ellis	5	-	-	5	**	**	**	**
Garfield	112	5	6	125	74.3	2.8	22.0	80.0
Garvin	65	4	5	74	64.5	11.3	16.7	73.0
Grady	78	7	4	90	77.8	4.9	25.0	70.0
Grant	5	-	-	5	**	**	**	**
Greer	17	-	-	17	**	**	**	**
Harmon	10	1	-	11	**	**	**	**
Harper	3	-	-	3	**	**	**	**
Haskell	40	-	9	49	71.4	6.1	20.8	49.0
Hughes	19	1	17	37	60.6	9.1	29.6	67.6
Jackson	64	10	1	76	85.2	3.3	21.1	68.4
Jefferson	9	-	-	9	**	**	**	**
Johnston	21	1	6	28	85.2	7.4	28.0	57.1
Kay	84	4	14	104	67.7	12.5	23.1	75.7
Kingfisher	22	-	1	24	90.5	4.8	**	70.8
Kiowa	18	4	1	24	66.7	14.3	9.1	79.2
Latimer	23	1	5	29	74.1	0.0	23.1	55.2
Leflore	107	1	33	142	70.1	5.2	20.0	58.6

¹ Beginning prenatal care in 3rd trimester, having less than four visits, or no prenatal care.

- Denotes no events in that category.

** Percent not computed when denominator < 20.

Table 5. Births to women less than 20 years of age by race of mother and percent of teen births by first trimester, prenatal care, previous births, marital status, and total births to teens: Oklahoma and each County, 2000

County	Race of mother			Total < 20 years	% 1st Trimester	% Poor ¹ Care	% Previous Births	% Not Married
	White	Black	American Indian					
State	5,429	1,095	1,200	7,831	67.3	9.7	20.9	71.9
Lincoln	70	1	8	80	82.0	1.6	25.0	56.3
Logan	43	5	2	50	78.6	3.6	**	80.0
Love	20	-	2	22	81.8	4.5	18.2	59.1
McClain	44	1	6	52	81.1	5.4	14.7	73.1
McCurtain	71	11	25	107	85.6	3.8	16.7	71.0
McIntosh	29	4	5	38	68.4	7.9	12.1	76.3
Major	3	-	-	3	**	**	**	**
Marshall	18	2	6	26	76.0	8.0	9.1	57.7
Mayer	76	-	43	121	72.3	7.6	24.4	61.7
Murray	19	1	11	31	53.3	13.3	35.7	45.2
Muskogee	70	48	58	176	65.9	9.8	20.5	71.6
Noble	18	-	1	19	**	**	**	**
Nowata	14	-	6	20	**	**	10.0	60.0
Okfuskee	20	4	7	31	73.3	13.3	17.9	71.0
Oklahoma	1,043	423	107	1,604	67.0	10.6	20.8	79.6
Okmulgee	65	13	31	109	63.3	9.2	29.1	75.2
Osage	67	6	17	90	58.8	7.1	13.5	63.3
Ottawa	68	-	22	94	72.8	7.4	27.2	73.4
Pawnee	21	1	3	25	76.0	16.0	**	64.0
Payne	83	3	7	94	64.4	4.4	**	73.4
Pittsburg	67	3	22	93	63.7	16.5	13.2	62.4
Pontotoc	53	5	25	84	66.7	8.6	37.9	58.3
Pottawatomie	136	5	48	192	73.1	4.2	25.6	68.2
Pushmataha	22	-	10	32	74.2	6.5	23.3	75.0
Roger Mills	4	-	2	6	**	**	**	**
Rogers	85	3	30	118	66.7	8.8	16.7	61.9
Seminole	47	9	32	88	63.3	15.2	23.6	72.7
Sequoyah	65	3	22	90	65.5	11.5	18.6	64.4
Stephens	68	7	7	82	63.6	10.4	23.7	64.6
Texas	59	1	-	61	64.0	40.0	32.8	49.2
Tillman	17	6	1	24	62.5	8.3	25.0	66.7
Tulsa	822	333	115	1,291	59.9	11.7	20.8	76.6
Wagoner	74	9	15	100	57.6	11.1	16.4	75.0
Washington	68	4	19	92	80.7	4.8	15.7	69.6
Washita	22	-	2	24	68.8	**	19.0	62.5
Woods	6	-	-	8	**	**	**	**
Woodward	48	-	2	51	49.0	10.2	17.9	74.5

¹ Beginning prenatal care in 3rd trimester, having less than four visits, or no prenatal care.

- Denotes no events in that category.

** Percent not computed when denominator < 20.

Table 6. Number and percent of births by low birthweight, marital status, and low educational attainment of mother: Oklahoma and each County, 2000

County	Low Birthweight				Not Married		Education < 12 grades		Total Births
	< 1500 grams		< 2500 grams		Number	%	Number	%	
State	643	1.3	3711	7.5	17,026	34.3	11,389	23.2	49,712
Adair	4	1.1	36	9.5	150	39.2	129	34.4	385
Alfalfa	1	2.5	1	2.5	8	20.0	4	10.0	40
Atoka	1	0.7	6	4.1	53	36.6	37	25.7	145
Beaver	0	0	3	6.1	14	28.6	10	20.4	49
Beckham	1	0.4	20	8.4	85	36.0	37	15.9	237
Blaine	1	0.8	9	7.0	54	42.2	43	33.9	128
Bryan	6	1.1	33	6.3	177	33.8	127	24.2	524
Caddo	6	1.5	23	5.7	180	44.2	118	29.2	407
Canadian	11	1.0	70	6.3	259	23.3	153	13.9	1,112
Carter	9	1.4	42	6.6	220	34.7	156	24.8	634
Cherokee	8	1.3	50	8.2	248	40.1	191	31.3	618
Choctaw	0	0	7	3.4	75	36.2	48	23.2	207
Cimarron	0	0	1	3.0	8	24.2	13	39.4	33
Cleveland	31	1.3	174	7.1	603	24.4	298	12.3	2,468
Coal	0	0	3	3.9	24	31.2	25	32.5	77
Comanche	12	0.6	135	7.0	679	35.2	313	16.3	1,933
Cotton	0	0	2	3.0	19	28.8	13	20.0	66
Craig	1	0.5	16	8.1	71	35.7	51	26.0	199
Creek	10	1.1	86	9.8	286	32.6	220	25.2	878
Custer	7	2.2	34	10.9	92	29.6	55	17.9	312
Delaware	5	1	40	9.0	166	37.6	116	26.7	443
Dewey	0	0	4	7.5	14	26.4	6	11.3	53
Ellis	0	0.0	1	2.7	6	16.2	4	10.8	37
Garfield	16	2.0	54	6.7	283	34.7	153	19.2	815
Garvin	5	1	30	7.5	133	33.3	91	22.9	400
Grady	5	1	30	5.3	184	32.1	134	23.4	573
Grant	0	0	4	7.1	13	23.2	5	9.1	56
Greer	0	0	2	3.0	23	34.8	18	27.3	66
Harmon	0	0	0	0.0	15	44.1	13	38.2	34
Harper	0	0	3	7.3	10	24.4	4	10.0	41
Haskell	1	0.6	13	8.0	48	29.6	50	31.1	162
Hughes	4	2.3	11	6.4	60	35.1	40	23.4	171
Jackson	6	1.3	40	8.4	151	31.7	108	22.7	479
Jefferson	1	1.4	4	5.4	18	24.3	21	28.4	74
Johnston	3	3	8	6.7	48	40.3	25	21.4	119
Kay	13	1.9	46	6.8	250	36.8	173	25.6	681
Kingfisher	1	0.6	6	3.5	52	30.1	43	25.1	173
Kiowa	2	1.5	12	9.2	56	42.7	28	21.9	131
Latimer	2	1.6	12	9.4	48	37.8	37	29.4	127
Leflore	11	2	51	7.0	240	32.9	188	25.8	733

- Denotes no events in that category.

Table 6. Number and percent of births by low birthweight, marital status, and low educational attainment of mother: Oklahoma and each County, 2000

County	Low Birthweight				Not Married		Education < 12 grades		Total Births
	< 1500 grams		< 2500 grams		Number	%	Number	%	
State	643	1.3	3711	7.5	17,026	34.3	11,389	23.2	49,712
Lincoln	1	0.3	21	5.5	119	30.9	79	20.7	385
Logan	7	1.9	34	9.2	115	31.1	54	14.8	370
Love	1	1.1	3	3.2	26	27.7	34	36.2	94
McClain	3	0.8	23	5.9	106	27.0	66	17.2	393
McCurtain	5	1	36	6.5	236	42.7	161	29.2	553
McIntosh	2	0.9	12	5.5	92	42.0	47	21.5	219
Major	1	1	1	1.4	12	16.4	8	11.4	73
Marshall	0	0.0	8	4.9	54	33.1	62	38.8	163
Mayes	6	1.1	48	8.5	166	29.5	140	25.0	563
Murray	3	2	16	10.7	47	31.3	39	26.2	150
Muskogee	13	1.3	76	7.9	406	42.0	295	30.6	967
Noble	1	0.7	12	8.5	34	24.1	27	19.4	141
Nowata	3	2.2	7	5.2	45	33.6	28	20.9	134
Okfuskee	1	0.7	6	4.2	65	45.5	35	24.5	143
Oklahoma	161	1	884	8.1	4303	39.3	2769	25.9	10,951
Okmulgee	5	0.9	46	8.3	234	42.5	123	22.6	551
Osage	9	1.7	35	6.7	165	31.5	111	21.2	523
Ottawa	6	1.3	38	8.3	181	39.6	115	25.9	457
Pawnee	1	0.5	14	6.6	57	27.0	47	22.3	211
Payne	8	1	51	6.4	207	26.2	101	12.9	793
Pittsburg	7	1.4	34	6.9	164	33.1	121	24.5	495
Pontotoc	4	0.7	43	8.0	161	29.9	111	20.7	539
Pottawatomie	16	1.8	78	8.6	371	40.7	244	27.1	912
Pushmataha	1	0.8	7	5.3	46	35.1	43	33.1	131
Roger Mills	2	5	4	9.5	14	33.3	6	14.6	42
Rogers	6	0.6	54	5.8	217	23.5	165	17.9	925
Seminole	2	0.5	31	8.2	184	48.7	98	26.1	378
Sequoyah	11	2.1	40	7.7	163	31.4	139	26.8	521
Stephens	4	0.8	36	7.1	138	27.0	127	24.9	511
Texas	6	1.6	29	7.5	115	29.7	173	45.1	387
Tillman	2	1.9	4	3.7	38	34.9	30	28.6	109
Tulsa	141	1.5	745	8.0	3,110	33.3	2,146	23.1	9,335
Wagoner	13	1.8	57	7.9	184	25.6	129	18.0	720
Washington	5	1	25	4.2	177	29.8	115	19.4	593
Washita	0	0.0	7	5.6	38	30.4	26	20.8	125
Woods	1	1.2	6	7.3	19	23.2	9	11.3	82
Woodward	1	0.4	18	7.1	94	37.2	68	0.3	253

Table 7. Risk factors for Infants: Birth Interval and Parity Oklahoma and each County, 2000

Note: Among women with at least one previous birth

County	Live-birth Order				Percent Repeat Births	< 20 years of age: 2 or more previous births		20 years or older: 4 or more previous births		Total Births
	First	Second	Third or Higher	Unknown		Number	%	Number	%	
State	12,922	10,467	9,024	17,299	60.1	183	17.9	1,184	6.4	49,712
Adair	91	81	71	142	62.6	1	9.1	11	7.8	385
Alfalfa	10	16	12	2	73.7	-	-	1	3.7	40
Atoka	55	46	33	11	59.0	-	-	6	7.8	145
Beaver	17	13	14	5	61.4	2	**	1	4.5	49
Beckham	93	67	63	14	58.3	-	-	4	3.3	237
Blaine	45	32	29	22	57.5	3	**	5	9.4	128
Bryan	207	169	127	21	58.8	6	30.0	10	3.6	524
Caddo	127	102	125	53	64.1	1	5.0	24	11.6	407
Canadian	304	288	239	281	63.4	4	**	26	5.1	1,112
Carter	216	209	175	34	64.0	4	15.4	25	7.0	634
Cherokee	158	109	104	247	57.4	1	**	22	10.8	618
Choctaw	86	66	51	4	57.6	1	**	4	3.7	207
Cimarron	10	8	15	0.0	69.7	2	**	4	20.0	33
Cleveland	546	399	289	1,234	55.8	4	18.2	38	5.7	2,468
Coal	11	6	15	45	65.6	-	-	2	11.1	77
Comanche	733	507	439	254	56.3	12	21.4	66	7.4	1,933
Cotton	21	22	16	7	64.4	-	-	2	5.6	66
Craig	67	52	45	35	59.1	2	33.3	3	3.4	199
Creek	201	200	146	331	63.3	5	23.8	23	7.1	878
Custer	115	92	68	37	58.2	-	-	13	8.7	312
Delaware	154	131	98	60	59.8	1	**	11	5.1	443
Dewey	11	15	14	13	72.5	-	-	2	7.1	53
Ellis	10	9	10	8	65.5	-	-	.	-	37
Garfield	319	251	208	37	59.0	4	14.8	26	6.0	815
Garvin	99	70	70	161	58.6	1	**	15	11.3	400
Grady	174	125	131	143	59.5	9	**	18	7.6	573
Grant	19	13	17	7	61.2	-	-	3	10.7	56
Greer	21	24	16	5	65.6	1	**	2	5.6	66
Harmon	15	5	13	1	54.5	1	**	2	13.3	34
Harper	6	11	7	17	75.0	-	-	1	5.9	41
Haskell	70	50	35	7	54.8	2	**	2	2.7	162
Hughes	49	35	27	60	55.9	-	-	4	7.4	171
Jackson	180	145	106	48	58.2	1	**	12	5.1	479
Jefferson	18	25	24	7	73.1	-	-	3	6.3	74
Johnston	47	36	24	12	56.1	3	**	3	5.7	119
Kay	44	48	49	540	68.8	1	**	15	16.5	681
Kingfisher	49	39	30	55	58.5	-	-	3	4.3	173
Kiowa	49	39	30	13	58.5	-	-	3	4.5	131
Latimer	44	41	32	10	62.4	-	-	5	7.5	127
Leflore	287	242	184	20	59.7	4	14.3	25	6.3	733

- Denotes no events in that category.

**Percent not computed when denominator < 20.

Table 7. Risk factors for Infants: Birth Interval and Parity Oklahoma and each County, 2000

Note: Among women with at least one previous birth

County	Live-birth Order				Percent Repeat Births	< 20 years of age: 2 or more previous births		20 years or older: 4 or more previous births		Total Births
	First	Second	Third or Higher	Unknown		Number	%	Number	%	
State	12,922	10,467	9,024	17,299	60.1	183	17.9	1,184	6.4	49,712
Lincoln	64	65	56	200	65.4	-	-	3	2.7	385
Logan	62	60	50	198	64.0	1	**	4	3.7	370
Love	38	32	23	1	59.1	-	-	3	5.9	94
McClain	103	75	57	158	56.2	-	-	11	8.7	393
McCurtain	197	170	144	42	61.4	3	**	17	5.7	553
McIntosh	75	59	47	38	58.6	-	-	2	2.0	219
Major	18	16	34	5	73.5	-	-	6	12.0	73
Marshall	59	54	41	9	61.7	-	-	6	6.5	163
Mayes	145	113	105	200	60.1	4	**	14	7.0	563
Murray	50	35	28	37	55.8	2	**	1	1.9	150
Muskogee	331	276	235	125	60.7	4	12.5	27	5.6	967
Noble	13	12	7	109	59.4	1	**	1	5.6	141
Nowata	55	36	30	13	54.5	-	-	3	4.7	134
Okfuskee	52	33	42	16	59.1	-	-	8	11.4	143
Oklahoma	1,995	1,494	1,390	6,072	59.1	19	19.2	185	6.6	10,951
Okmulgee	187	161	146	57	62.1	6	20.0	18	6.5	551
Osage	138	115	108	162	61.8	2	**	9	4.2	523
Ottawa	158	144	132	23	63.6	7	28.0	13	5.2	457
Pawnee	27	28	32	124	69.0	-	-	5	8.5	211
Payne	36	35	23	699	61.7	-	-	6	10.9	793
Pittsburg	183	158	125	29	60.7	2	**	15	5.5	495
Pontotoc	66	36	43	394	54.5	2	**	10	14.7	539
Pottawatomie	274	229	192	217	60.6	9	22.5	29	7.6	912
Pushmataha	54	46	27	4	57.5	-	-	3	4.5	131
Roger Mills	15	12	11	4	60.5	-	-	.	-	42
Rogers	170	166	155	434	65.4	1	**	20	6.4	925
Seminole	112	101	86	79	62.5	5	**	16	9.4	378
Sequoyah	158	139	135	89	63.4	3	**	20	7.7	521
Stephens	174	149	120	68	60.7	2	**	10	4.0	511
Texas	128	142	113	4	66.6	4	20.0	19	8.1	387
Tillman	39	26	33	11	60.2	-	-	6	11.3	109
Tulsa	2,404	1,916	1,645	3,370	59.7	25	18.4	212	6.2	9,335
Wagoner	208	207	170	135	64.4	1	**	16	4.4	720
Washington	220	187	165	21	61.5	3	**	12	3.6	593
Washita	44	39	31	11	61.4	-	-	1	1.5	125
Woods	37	20	14	11	47.9	-	-	2	5.9	82
Woodward	55	43	28	127	56.3	1	**	6	9.1	253

- Denotes no events in that category.

**Percent not computed when denominator < 20.

Table 8. Number and percent of births by first trimester and adequacy of prenatal care: Oklahoma and each County, 2000

County	1st trimester		1st trimester and > 9 visits		Little care ¹	Late care ²	No care ³	Poor Care ⁴
	Number	%	Number	%	Number	Number	Number	%
State	34,113	78.7	27,962	64.5	656	1504	547	6.2
Adair	272	73.7	199	53.9	13	13	7	8.9
Alfalfa	34	89.5	32	84.2	-	1	-	2.6
Atoka	103	73.6	56	40.0	2	10	-	8.6
Beaver	37	77.1	29	60.4	2	2	-	8.3
Beckham	104	65.8	74	46.8	7	7	1	9.5
Blaine	90	78.9	79	69.3	5	3	2	8.8
Bryan	411	81.9	272	54.2	10	23	3	7.2
Caddo	258	73.5	198	56.4	10	16	9	10.0
Canadian	724	87.4	614	74.2	8	15	5	3.4
Carter	521	85.3	475	77.7	5	12	3	3.3
Cherokee	393	68.7	262	45.8	14	24	14	9.1
Choctaw	158	79.0	80	40.0	6	5	2	6.5
Cimarron	22	66.7	13	39.4	4	1	-	15.2
Cleveland	1,677	86.3	1,513	77.8	8	42	25	3.9
Coal	54	73.0	39	52.7	1	3	1	6.8
Comanche	1,476	85.8	1,277	74.2	24	30	9	3.7
Cotton	60	95.2	57	90.5	-	-	-	-
Craig	151	79.9	103	54.5	1	5	2	4.2
Creek	615	72.4	489	57.6	17	30	14	7.2
Custer	223	81.4	182	66.4	-	8	4	4.4
Delaware	304	72.6	243	58.0	7	24	2	7.9
Dewey	38	79.2	31	64.6	2	2	-	8.3
Ellis	30	85.7	27	77.1	-	-	-	-
Garfield	617	84.1	585	79.7	2	16	1	2.6
Garvin	261	79.6	205	62.5	2	14	9	7.6
Grady	402	80.9	301	60.6	7	13	3	4.6
Grant	41	77.4	38	71.7	1	1	-	3.8
Greer	44	71.0	42	67.7	1	2	-	4.8
Harmon	22	78.6	20	71.4	-	-	-	-
Harper	27	69.2	24	61.5	-	2	1	7.7
Haskell	123	76.9	91	56.9	4	6	-	6.3
Hughes	118	73.8	97	60.6	1	9	2	7.5
Jackson	338	86.9	316	81.2	3	6	1	2.6
Jefferson	56	77.8	52	72.2	2	4	1	9.7
Johnston	93	83.0	71	63.4	1	6	1	7.1
Kay	511	78.5	390	59.9	3	35	5	6.6
Kingfisher	139	93.9	126	85.1	1	1	-	1.4
Kiowa	87	73.7	75	63.6	4	5	-	7.6
Latimer	94	78.3	71	59.2	-	5	1	5.0
Leflore	560	78.9	376	53.0	12	22	5	5.5

¹ 1-3 pnc visits beginning in the 1st or 2nd trimester

² Any number of visits beginning in the 3rd trimester

³ 0 pnc visits

⁴ Late, Little or No care

- Denotes no events in that category.

Table 8. Number and percent of births by first trimester and adequacy of prenatal care: Oklahoma and each County, 2000

County	1st trimester		1st trimester and > 9 visits		Little care ¹	Late care ²	No care ³	Poor Care ⁴
	Number	%	Number	%	Number	Number	Number	%
State	34,113	78.7	27,962	64.5	656	1504	547	6.2
Lincoln	256	81.5	218	69.4	3	8	8	6.1
Logan	198	87.2	173	76.2	1	1	1	1.3
Love	79	84.9	71	76.3	-	2	1	3.2
McClain	265	86.9	238	78.0	1	6	3	3.3
McCurtain	447	84.2	374	70.4	5	12	5	4.1
McIntosh	157	73.7	129	60.6	4	7	6	8.0
Major	59	89.4	58	87.9	-	1	1	3.0
Marshall	125	79.6	94	59.9	1	6	5	7.6
Mayes	445	80.2	361	65.0	5	14	5	4.3
Murray	96	67.6	91	64.1	3	4	2	6.3
Muskogee	714	74.5	589	61.4	7	33	32	7.5
Noble	106	78.5	87	64.4	-	1	1	1.5
Nowata	107	84.9	94	74.6	1	2	1	3.2
Okfuskee	91	67.9	72	53.7	3	14	4	15.7
Oklahoma	6,134	80.4	5,233	68.6	105	273	100	6.3
Okmulgee	414	76.1	347	63.8	6	22	7	6.4
Osage	399	79.3	325	64.6	4	16	7	5.4
Ottawa	291	71.7	193	47.5	5	17	11	8.1
Pawnee	172	81.9	140	66.7	6	6	2	6.7
Payne	590	77.9	503	66.4	4	17	8	3.8
Pittsburg	355	73.0	293	60.3	6	34	3	8.8
Pontotoc	400	79.2	365	72.3	2	20	2	4.8
Pottawatomie	627	80.1	524	66.9	13	19	5	4.7
Pushmataha	98	76.6	62	48.4	2	4	1	5.5
Roger Mills	20	64.5	13	41.9	3	0	1	12.9
Rogers	739	81.4	642	70.7	2	25	10	4.1
Seminole	261	77.4	209	62.0	6	18	7	9.2
Sequoyah	375	73.5	283	55.5	8	24	9	8.0
Stephens	373	76.7	299	61.5	7	15	7	6.0
Texas	219	66.2	52	15.7	76	18	2	29.0
Tillman	80	77.7	75	72.8	1	6	-	6.8
Tulsa	6,813	74.9	5,415	59.5	161	391	132	7.5
Wagoner	546	77.0	453	63.9	5	18	13	5.1
Washington	489	88.4	427	77.2	7	8	-	2.7
Washita	69	71.1	50	51.5	1	2	5	8.2
Woods	56	77.8	49	68.1	-	3	1	5.6
Woodward	160	65.6	137	56.1	2	14	6	9.0

¹ 1-3 pnc visits beginning in the 1st or 2nd trimester

² Any number of visits beginning in the 3rd trimester

³ 0 pnc visits

⁴ Late, Little or No care

- Denotes no events in that category.

*Total
Reporting
Care*

43,345

369

38

140

48

158

114

502

351

828

611

572

200

33

1,944

74

1,721

63

189

849

274

419

48

35

734

328

497

53

62

28

39

160

160

389

72

112

651

148

118

120

710

¹ 1-3 pnc visits beginning in the 1st or 2nd trimester

² Any number of visits beginning in the 3rd trimester

³ 0 pnc visits

⁴ Late, Little or No care

- Denotes no events in that category.

*Total
Reporting
Care*

43,345

314

227

93

305

531

213

66

157

555

142

959

135

126

134

7,627

544

503

406

210

757

486

505

783

128

31

908

337

510

486

331

103

9,097

709

553

97

72

244

¹ 1-3 pnc visits beginning in the 1st or 2nd trimester

² Any number of visits beginning in the 3rd trimester

³ 0 pnc visits

⁴ Late, Little or No care

- Denotes no events in that category.

Table 9. Number of births by selected health indicators: Oklahoma and each County, 1996-2000

County	Low	Teen Births < 20 years	Beginning	Unmarried	Education	Previous births		Infant deaths
	Birthweight < 2500 gms		Prenatal Care 1st Trimester		< 12 grades	Age < 20 2+ births	Age > 19 4+ births	
State	17,641	39,589	162,823	79,306	54,394	987	6,458	1,991
Adair	121	458	1,209	670	672	8	47	17
Alfalfa	11	34	195	59	46	1	13	1
Atoka	55	145	580	266	196	3	14	7
Beaver	22	54	212	76	67	2	4	3
Beckham	107	266	474	474	306	3	27	11
Blaine	42	164	490	315	227	8	28	5
Bryan	167	470	1,809	741	588	16	53	15
Caddo	128	439	1,187	859	541	14	110	19
Canadian	343	632	3,356	1,200	753	16	121	50
Carter	239	630	2,532	1,171	864	23	113	16
Cherokee	191	553	1,944	1,057	838	11	91	13
Choctaw	62	245	682	401	237	7	25	5
Cimarron	15	34	118	36	59	3	10	1
Cleveland	751	1,255	7,188	2,710	1,387	18	191	75
Coal	34	104	286	110	134	3	10	3
Comanche	788	1,645	6,367	3,058	1,594	46	279	83
Cotton	28	58	267	100	71	3	14	4
Craig	73	168	653	261	221	5	26	6
Creek	358	825	3,217	1,427	1,072	17	115	33
Custer	119	292	1,223	518	378	6	58	14
Delaware	173	406	1,391	751	578	8	55	14
Dewey	11	29	137	58	36	-	8	4
Ellis	9	35	165	47	33	1	4	1
Garfield	297	638	3,138	1,325	803	18	135	42
Garvin	122	320	1,111	525	450	8	62	13
Grady	184	509	1,917	878	677	28	80	21
Grant	9	26	185	63	41	1	12	2
Greer	23	73	219	112	83	4	7	-
Harmon	11	53	139	82	74	3	9	2
Harper	9	24	120	40	29	1	6	-
Haskell	47	169	527	182	206	3	17	8
Hughes	54	177	577	321	196	2	22	9
Jackson	181	418	2,025	729	554	9	80	9
Jefferson	20	52	254	72	89	0	15	4
Johnston	51	135	493	220	164	5	11	3
Kay	241	646	2,526	1,227	1,006	11	106	23
Kingfisher	60	120	728	222	208	-	19	3
Kiowa	61	147	426	262	172	2	21	10
Latimer	42	152	419	226	183	1	16	5
Leflore	226	651	2,212	998	961	15	117	22

Table 9. Number of births by selected health indicators: Oklahoma and each County, 1996-2000

County	<i>Low</i>	<i>Teen Births</i> <i>< 20 years</i>	<i>Beginning</i>	<i>Unmarried</i> <i>Births</i>	<i>Education</i>	<i>Previous births</i>		<i>Infant</i> <i>deaths</i>
	<i>Birthweight</i> <i>< 2500 gms</i>		<i>Prenatal Care</i> <i>1st Trimester</i>		<i>< 12</i> <i>grades</i>	<i>Age < 20</i> <i>2+ births</i>	<i>Age > 19</i> <i>4+ births</i>	
State	17,641	39,589	162,823	79,306	54,394	987	6,458	1,991
Lincoln	123	359	1,313	584	414	7	38	15
Logan	144	265	1,141	551	313	8	62	15
Love	35	103	408	146	147	2	11	3
McClain	91	248	1,010	417	282	1	34	22
McCurtain	199	630	2,055	1,113	801	28	99	23
McIntosh	68	217	699	412	270	4	23	11
Major	19	37	319	76	66	-	17	1
Marshall	59	158	613	261	291	2	26	8
Mayes	187	555	2,063	846	744	12	64	22
Murray	62	160	559	239	210	2	13	6
Muskogee	378	1,112	3,299	2,068	1,487	26	143	43
Noble	42	99	514	175	125	5	13	3
Nowata	51	118	481	213	137	-	20	5
Okfuskee	52	172	499	306	223	13	29	7
Oklahoma	4,297	8,101	30,489	20,018	12,650	191	1,143	537
Okmulgee	199	552	1,951	1,038	672	17	103	21
Osage	147	396	1,636	700	460	11	72	11
Ottawa	160	427	1,483	792	505	23	79	19
Pawnee	58	180	793	286	251	-	31	6
Payne	234	508	2,981	949	540	11	72	29
Pittsburg	164	506	1,757	824	603	11	61	16
Pontotoc	183	427	1,842	754	488	7	45	23
Pottawatomie	302	842	3,084	1,569	1,068	22	138	34
Pushmataha	38	156	479	235	208	3	21	6
Roger Mills	17	31	86	39	26	-	2	3
Rogers	299	630	3,547	978	764	12	128	31
Seminole	148	413	1,164	858	546	14	67	26
Sequoyah	154	487	1,661	776	689	9	78	27
Stephens	156	456	1,803	676	640	12	73	19
Texas	109	294	700	502	644	9	55	11
Tillman	38	148	398	221	188	2	23	6
Tulsa	3,384	6,220	33,137	14,534	9,503	163	1,290	346
Wagoner	231	491	2,541	872	633	11	99	28
Washington	162	418	2,116	779	530	9	83	14
Washita	41	138	363	170	150	-	15	1
Woods	43	58	352	106	48	1	12	6
Woodward	82	226	789	374	284	6	25	6
Unknown	-	-	-	-	-	-	-	5

Table 10. Percent of births by selected health indicators: Oklahoma and each County, 1996-2000

(Infant mortality rates are infant deaths per 1,000 live births.)

County	Low	Teen Births < 20 years	Beginning	Unmarried Births	Education	Previous births		Infant Mortality Rate
	Birthweight < 2500 gms		Prenatal Care 1st Trimester		< 12 grades	Age < 20 2+ births	Age > 19 4+ births	
State	7.3	16.4	78.8	33.0	23.1	16.5	6.6	8.2
Adair	6.9	25.8	70.7	37.8	38.4	13.3	7.7	9.5
Alfalfa	4.4	13.7	87.4	23.7	18.5	**	8.6	4.0
Atoka	6.9	18.0	75.4	34.0	24.3	12.5	3.3	8.7
Beaver	7.5	18.2	80.9	25.9	22.9	**	2.6	10.1
Beckham	8.2	20.3	72.4	36.5	23.9	8.3	4.3	8.4
Blaine	5.8	22.6	76.8	43.4	31.9	23.5	8.5	6.9
Bryan	7.0	19.8	79.6	32.6	24.8	14.8	4.4	6.3
Caddo	6.4	21.7	70.0	42.7	27.1	16.7	11.2	9.4
Canadian	6.6	12.1	88.7	23.0	14.7	19.0	5.8	9.5
Carter	7.4	19.5	84.4	36.3	26.9	19.7	6.8	4.9
Cherokee	6.6	19.0	71.7	36.3	29.2	16.2	8.6	4.4
Choctaw	6.1	24.2	71.1	43.1	23.5	14.6	5.0	4.9
Cimarron	8.6	19.5	76.1	21.8	34.3	**	9.8	5.7
Cleveland	6.3	10.6	87.4	22.9	12.9	15.5	5.3	6.3
Coal	8.4	25.7	74.7	27.1	33.0	14.3	6.7	7.4
Comanche	7.9	16.3	81.7	30.5	16.1	14.4	5.8	8.2
Cotton	7.1	14.6	84.0	26.0	18.2	**	6.5	10.0
Craig	8.1	18.6	75.7	28.7	24.5	17.9	5.7	6.6
Creek	8.0	18.5	74.3	31.9	24.1	14.3	5.9	7.4
Custer	6.8	16.7	80.2	29.8	22.1	12.2	7.1	8.0
Delaware	8.2	19.1	70.1	35.4	27.5	13.8	5.3	6.6
Dewey	5.1	13.5	72.1	26.9	16.9	**	6.7	18.5
Ellis	4.2	16.4	77.8	22.1	15.4	**	3.7	4.7
Garfield	7.4	15.8	85.4	32.8	20.4	19.8	6.4	10.4
Garvin	7.0	18.2	82.4	29.9	27.2	17.4	9.2	7.4
Grady	6.3	17.4	78.7	30.1	23.7	28.9	6.5	7.2
Grant	3.6	10.4	80.1	25.2	16.7	**	8.1	8.0
Greer	7.6	23.9	81.7	36.8	27.5	**	4.9	0.0
Harmon	5.4	26.1	78.5	41.2	37.0	**	8.6	9.8
Harper	4.9	13.0	68.2	21.7	15.8	**	6.7	0.0
Haskell	6.4	23.1	74.9	24.9	28.3	11.1	4.7	10.9
Hughes	6.5	21.1	73.6	38.4	23.5	5.7	6.2	10.7
Jackson	7.1	16.4	89.9	28.9	22.0	10.6	5.9	3.5
Jefferson	5.8	15.2	79.1	22.1	26.1	**	8.2	11.7
Johnston	8.0	21.2	81.5	35.1	26.0	20.0	3.6	4.7
Kay	6.9	18.4	74.2	35.0	28.8	15.5	10.1	6.5
Kingfisher	6.8	13.5	93.9	25.1	23.9	**	5.9	3.4
Kiowa	9.3	22.2	74.1	39.8	26.4	8.0	7.0	15.1
Latimer	6.7	24.1	70.7	36.0	29.3	4.0	4.9	7.9
Leflore	7.0	20.0	72.5	30.7	29.7	12.1	6.8	6.7

**Percent not computed when based on a denominator < 20.

Table 10. Percent of births by selected health indicators: Oklahoma and each County, 1996-2000

(Infant mortality rates are infant deaths per 1,000 live births.)

<i>County</i>	<i>Low</i>	<i>Teen Births</i> <i>< 20 years</i>	<i>Beginning</i>	<i>Unmarried</i> <i>Births</i>	<i>Education</i>	<i>Previous births</i>		<i>Infant</i> <i>Mortality</i> <i>Rate</i>
	<i>Birthweight</i> <i>< 2500 gms</i>		<i>Prenatal Care</i> <i>1st Trimester</i>		<i>< 12</i> <i>grades</i>	<i>Age < 20</i> <i>2+ births</i>	<i>Age > 19</i> <i>4+ births</i>	
State	7.3	16.4	78.8	33.0	23.1	16.5	6.6	8.2
Lincoln	6.5	18.9	82.0	30.9	22.1	13.5	5.8	7.9
Logan	8.3	15.1	89.4	31.5	18.3	30.8	11.0	8.5
Love	6.7	19.7	82.9	28.8	28.5	**	3.9	5.7
McClain	5.3	14.4	86.1	24.3	18.3	**	5.9	12.8
McCurtain	7.3	23.2	82.2	42.5	29.8	20.1	6.9	8.5
McIntosh	6.5	20.7	68.5	39.3	25.9	13.8	4.8	10.5
Major	4.9	9.5	88.6	19.5	17.4	**	7.7	2.6
Marshall	7.1	19.0	77.1	31.7	35.7	9.5	6.5	9.6
Mayes	7.0	20.7	78.6	31.6	27.9	12.8	5.5	8.2
Murray	7.9	20.3	79.3	30.4	27.3	7.7	4.0	7.6
Muskogee	7.4	21.7	65.6	40.3	29.1	12.5	6.1	8.4
Noble	6.0	14.1	77.4	25.0	18.2	**	4.9	4.3
Nowata	7.9	18.2	82.5	32.8	21.1	**	5.8	7.7
Okfuskee	7.0	23.1	70.9	41.1	30.1	32.5	7.7	9.4
Oklahoma	8.2	15.3	81.7	38.0	25.0	21.4	7.3	10.1
Okmulgee	7.6	21.1	75.8	39.8	25.8	15.7	7.5	8.0
Osage	6.8	18.2	80.9	32.3	21.2	16.7	7.1	5.1
Ottawa	7.2	19.2	71.0	35.7	23.3	23.5	6.3	8.5
Pawnee	5.6	17.5	79.5	27.8	24.5	**	7.5	5.8
Payne	5.9	12.8	78.5	23.8	13.7	19.6	5.6	7.3
Pittsburg	6.7	20.7	74.2	33.7	24.8	11.8	4.8	6.5
Pontotoc	7.6	17.7	80.6	31.3	20.4	14.6	6.0	9.5
Pottawatomie	7.0	19.3	81.9	36.1	24.9	13.8	6.9	7.8
Pushmataha	5.6	23.2	74.3	35.9	31.0	10.3	5.8	8.9
Roger Mills	9.9	17.7	71.1	22.4	15.5	**	2.2	17.1
Rogers	6.9	14.6	84.1	22.7	17.8	15.2	6.7	7.2
Seminole	8.3	23.0	73.3	47.9	30.6	17.9	8.0	14.4
Sequoyah	6.3	19.9	69.6	31.8	28.3	11.7	6.7	11.0
Stephens	6.0	17.6	75.6	26.1	24.9	11.5	5.5	7.3
Texas	6.4	17.2	68.1	29.5	38.0	15.3	6.0	6.4
Tillman	6.4	24.5	80.1	37.2	32.0	6.5	8.1	9.9
Tulsa	7.6	14.0	76.7	32.7	21.4	17.6	6.9	7.8
Wagoner	6.8	14.5	77.7	25.8	18.8	15.7	5.6	8.3
Washington	5.9	15.2	87.3	28.3	19.3	12.3	5.6	5.1
Washita	6.2	20.8	78.1	25.8	22.8	0.0	4.5	1.5
Woods	9.7	13.0	85.0	23.8	10.9	**	5.6	13.4
Woodward	6.8	18.6	69.0	30.9	23.6	15.8	4.9	4.9

**Percent not computed when based on a denominator < 20.

Table 11. County rankings for selected health indicators: Oklahoma, 1996-2000

(Lowest rank indicates best value.)

County	<i>Low</i>	<i>Teen Births</i> < 20 years	<i>Beginning</i>	<i>Unmarried</i> Births	<i>Education</i>	<i>Previous births</i>	
	<i>Birthweight</i> < 2500 gms		<i>Prenatal Care</i> 1st Trimester		< 12 grades	<i>Age < 20</i> 2+ births	<i>Age > 19</i> 4+ births
Adair	39	76	68	64	77	21	62
Alfalfa	2	10	6	10	17	**	70
Atoka	39	32	50	51	38	18	3
Beaver	57	33	25	20	29	**	2
Beckham	68	53	61	61	35	7	8
Blaine	11	65	44	76	70	53	69
Bryan	43	50	31	46	41	31	9
Caddo	22	62	71	74	52	40	77
Canadian	29	4	4	9	4	46	28
Carter	54	47	12	59	51	48	51
Cherokee	29	42	63	59	63	39	70
Choctaw	17	73	64	75	31	29	18
Cimarron	74	47	46	3	73	**	74
Cleveland	1	3	6	8	2	34	19
Coal	73	75	52	24	72	26	46
Comanche	63	22	21	35	8	28	28
Cotton	49	15	14	21	13	**	43
Craig	67	39	48	27	39	44	27
Creek	65	38	53	44	37	26	33
Custer	34	25	28	31	26	16	57
Delaware	68	44	70	54	55	23	19
Dewey	6	8	62	23	10	**	46
Ellis	2	23	40	4	5	**	5
Garfield	54	21	10	48	20	49	42
Garvin	43	33	17	32	53	42	73
Grady	19	27	35	33	34	55	43
Grant	1	2	29	17	9	**	66
Greer	58	71	21	62	55	**	14
Harmon	8	77	37	72	75	**	70
Harper	4	6	75	2	7	**	46
Haskell	22	67	51	14	58	11	11
Hughes	26	59	58	66	31	3	40
Jackson	49	23	2	29	25	10	33
Jefferson	11	18	34	4	49	**	68
Johnston	65	61	24	53	48	50	4
Kay	39	37	55	52	61	34	75
Kingfisher	34	8	1	16	35	**	33
Kiowa	75	64	57	68	50	6	56
Latimer	31	72	68	57	64	2	14
Leflore	43	52	60	36	65	15	51

**Rank not computed when associated percent is based on a denominator < 20.

Table 11. County rankings for selected health indicators: Oklahoma, 1996-2000

(Lowest rank indicates best value.)

County	<i>Low</i>	<i>Teen Births</i> < 20 years	<i>Beginning</i>	<i>Unmarried</i> Births	<i>Education</i>	<i>Previous births</i>	
	<i>Birthweight</i> < 2500 gms		<i>Prenatal Care</i> 1st Trimester		< 12 grades	<i>Age < 20</i> 2+ births	<i>Age > 19</i> 4+ births
Lincoln	26	41	19	37	26	22	28
Logan	71	17	3	40	15	56	76
Love	31	49	15	28	60	**	6
McClain	7	13	9	13	15	**	33
McCurtain	53	69	18	73	66	51	53
McIntosh	26	55	74	67	47	23	12
Major	4	1	5	1	11	**	62
Marshall	49	42	43	42	74	8	43
Mayes	43	55	36	41	57	20	21
Murray	62	53	33	34	54	5	7
Muskogee	54	62	77	70	62	18	39
Noble	15	12	42	15	13	**	14
Nowata	63	33	16	48	22	**	28
Okfuskee	43	67	67	71	67	57	62
Oklahoma	68	20	21	65	45	52	59
Okmulgee	58	59	47	68	46	36	60
Osage	34	33	25	45	23	40	57
Ottawa	52	45	66	55	30	53	41
Pawnee	9	28	32	25	39	**	60
Payne	13	5	37	11	3	47	23
Pittsburg	31	55	55	50	41	14	12
Pontotoc	58	30	27	39	20	29	37
Pottawatomie	43	46	20	58	44	23	53
Pushmataha	9	69	54	56	69	9	28
Roger Mills	77	30	64	6	6	**	1
Rogers	39	15	13	7	12	32	46
Seminole	71	66	59	77	68	45	65
Sequoyah	19	51	72	43	58	13	46
Stephens	15	29	49	22	43	12	21
Texas	22	26	76	30	76	33	37
Tillman	22	74	29	63	71	4	66
Tulsa	58	11	45	47	24	43	53
Wagoner	34	14	41	18	18	36	23
Washington	13	18	8	26	19	17	23
Washita	18	58	39	18	28	1	10
Woods	76	6	11	11	1	**	23
Woodward	34	39	73	37	33	38	14

**Rank not computed when associated percent is based on a denominator < 20.

*Infant
Mortality
Rate*

57
7
53
64
48

28
20
55
57
12

9
12
17
20
33

45
63
25
33
42

25
77
10
66
33

29
42
1
61
1

69
68
6
71
10

23
5
75
40
27

**Rank not computed when associated percent is based on a denominator < 20.

*Infant
Mortality
Rate*

40
50
17
72
50

67
4
60
45
36

48
8
37
55
64

42
15
50
19
31

23
57
38
54
76

29
74
70
31
22

62
39
47
15
3

73
12

**Rank not computed when associated percent is based on a denominator < 20.

Table 12. Infant, neonatal, post-neonatal, fetal, and perinatal mortality: Oklahoma and each County, 1

NOTE: See definitions for explanation of rates.

<i>County</i>	<i>Infant</i>		<i>Neonatal</i>		<i>Post-Neonatal</i>	
	<i>Number</i>	<i>Rate</i>	<i>Number</i>	<i>Rate</i>	<i>Number</i>	<i>Rate</i>
State	1,991	8.2	1,204	5.0	787	3.3
Adair	17	9.5	11	6.2	6	3.4
Alfalfa	1	4.0	-	0.0	1	4.0
Atoka	7	8.7	2	2.5	5	6.2
Beaver	3	10.1	3	10.1	-	0.0
Beckham	11	8.4	6	4.6	5	3.8
Blaine	5	6.9	3	4.1	2	2.7
Bryan	15	6.3	8	3.4	7	2.9
Caddo	19	9.4	7	3.5	12	5.9
Canadian	50	9.5	31	5.9	19	3.6
Carter	16	4.9	9	2.8	7	2.2
Cherokee	13	4.4	5	1.7	8	2.7
Choctaw	5	4.9	2	2.0	3	3.0
Cimarron	1	5.7	-	0.0	1	5.7
Cleveland	75	6.3	43	3.6	32	2.7
Coal	3	7.4	2	4.9	1	2.5
Comanche	83	8.2	54	5.3	29	2.9
Cotton	4	10.0	2	5.0	2	5.0
Craig	6	6.6	6	6.6	-	0.0
Creek	33	7.4	18	4.0	15	3.3
Custer	14	8.0	9	5.2	5	2.9
Delaware	14	6.6	10	4.7	4	1.9
Dewey	4	18.5	1	4.6	3	13.9
Ellis	1	4.7	1	4.7	-	0.0
Garfield	42	10.4	22	5.4	20	4.9
Garvin	13	7.4	8	4.5	5	2.8
Grady	21	7.2	12	4.1	9	3.1
Grant	2	8.0	-	0.0	2	8.0
Greer	0	0.0	-	0.0	-	0.0
Harmon	2	9.8	1	4.9	1	4.9
Harper	0	0.0	-	0.0	-	0.0
Haskell	8	10.9	4	5.5	4	5.5
Hughes	9	10.7	7	8.3	2	2.4
Jackson	9	3.5	7	2.7	2	0.8
Jefferson	4	11.7	3	8.8	1	2.9
Johnston	3	4.7	1	1.6	2	3.1
Kay	23	6.5	14	4.0	9	2.6
Kingfisher	3	3.4	1	1.1	2	2.3
Kiowa	10	15.1	9	13.6	1	1.5
Latimer	5	7.9	5	7.9	-	0.0
Leflore	22	6.7	13	4.0	9	2.8

Table 12. Infant, neonatal, post-neonatal, fetal, and perinatal mortality: Oklahoma and each County, 1

NOTE: See definitions for explanation of rates.

<i>County</i>	<i>Infant</i>		<i>Neonatal</i>		<i>Post-Neonatal</i>	
	<i>Number</i>	<i>Rate</i>	<i>Number</i>	<i>Rate</i>	<i>Number</i>	<i>Rate</i>
State	1,991	8.2	1,204	5.0	787	3.3
Lincoln	15	7.9	9	4.7	6	3.2
Logan	15	8.5	11	6.3	4	2.3
Love	3	5.7	2	3.8	1	1.9
McClain	22	12.8	17	9.9	5	2.9
McCurtain	23	8.5	13	4.8	10	3.7
McIntosh	11	10.5	6	5.7	5	4.8
Major	1	2.6	-	0.0	1	2.6
Marshall	8	9.6	5	6.0	3	3.6
Mayer	22	8.2	11	4.1	11	4.1
Murray	6	7.6	3	3.8	3	3.8
Muskogee	43	8.4	15	2.9	28	5.4
Noble	3	4.3	1	1.4	2	2.8
Nowata	5	7.7	2	3.1	3	4.6
Okfuskee	7	9.4	7	9.4	-	0.0
Oklahoma	537	10.1	355	6.7	182	3.4
Okmulgee	21	8.0	10	3.8	11	4.2
Osage	11	5.1	6	2.8	5	2.3
Ottawa	19	8.5	9	4.0	10	4.5
Pawnee	6	5.8	3	2.9	3	2.9
Payne	29	7.3	16	4.0	13	3.3
Pittsburg	16	6.5	10	4.1	6	2.4
Pontotoc	23	9.5	15	6.2	8	3.3
Pottawatomie	34	7.8	19	4.3	15	3.4
Pushmataha	6	8.9	4	5.9	2	3.0
Roger Mills	3	17.1	3	17.1	-	0.0
Rogers	31	7.2	19	4.4	12	2.8
Seminole	26	14.4	14	7.8	12	6.7
Sequoyah	27	11.0	17	6.9	10	4.1
Stephens	19	7.3	11	4.2	8	3.1
Texas	11	6.4	6	3.5	5	2.9
Tillman	6	9.9	3	5.0	3	5.0
Tulsa	346	7.8	205	4.6	141	3.2
Wagoner	28	8.3	18	5.3	10	2.9
Washington	14	5.1	3	1.1	11	4.0
Washita	1	1.5	-	0.0	1	1.5
Woods	6	13.4	6	13.4	-	0.0
Woodward	6	4.9	5	4.1	1	0.8
Unknown	5	-	5	-	-	-

Table 13. Number of child deaths by age of child and county of residence: Oklahoma, 2000

<i>County</i>	<i>< 1 year</i>	<i>1-4 years</i>	<i>5-9 years</i>	<i>10-14 years</i>	<i>15-19 years</i>	<i>1-19 years</i>	<i>Unknown years</i>
State	415	65	39	60	198	362	-
Adair	5	1	-	-	2	3	-
Alfalfa	-	-	-	-	1	1	-
Atoka	2	1	-	-	1	2	1
Beaver	-	-	-	-	-	-	-
Beckham	3	-	1	1	1	3	-
Blaine	1	-	-	-	-	-	-
Bryan	3	-	-	1	2	3	-
Caddo	4	-	1	-	4	5	-
Canadian	10	-	2	2	3	7	-
Carter	3	2	-	1	2	5	-
Cherokee	3	-	1	2	3	6	-
Choctaw	-	-	1	-	-	1	-
Cimarron	1	-	-	-	1	1	-
Cleveland	18	5	-	-	10	15	-
Coal	1	-	-	-	-	-	-
Comanche	7	3	2	2	7	14	-
Cotton	-	-	-	-	1	1	-
Craig	-	1	1	-	1	3	-
Creek	6	3	2	1	4	10	-
Custer	3	1	1	1	2	5	-
Delaware	2	-	-	-	1	1	-
Dewey	-	-	-	-	-	-	-
Ellis	-	-	-	-	1	1	-
Garfield	13	1	-	2	1	4	-
Garvin	4	-	-	-	1	1	-
Grady	3	2	1	-	4	7	-
Grant	1	-	-	-	1	1	-
Greer	-	-	-	-	1	1	-
Harmon	-	-	-	1	-	1	-
Harper	-	-	-	-	2	2	-
Haskell	3	-	-	1	3	4	-
Hughes	5	-	-	-	-	-	-
Jackson	1	-	-	-	2	2	-
Jefferson	-	-	-	-	-	-	-
Johnston	-	-	-	-	-	-	-
Kay	3	-	-	2	3	5	-
Kingfisher	1	1	2	1	2	6	-
Kiowa	1	-	-	-	-	-	-
Latimer	1	-	-	1	4	5	-
Leflore	6	-	2	.	3	5	-

Table 13. Number of child deaths by age of child and county of residence: Oklahoma, 2000

<i>County</i>	<i>< 1 year</i>	<i>1-4 years</i>	<i>5-9 years</i>	<i>10-14 years</i>	<i>15-19 years</i>	<i>1-19 years</i>	<i>Unknown years</i>
State	415	65	39	60	198	362	-
Lincoln	-	1	1	.	1	3	-
Logan	1	-	-	.	4	4	-
Love	-	-	-	1	1	2	-
McClain	1	1	-	1	4	6	-
McCurtain	4	2	1	3	1	7	-
McIntosh	-	-	-	-	2	2	-
Major	1	-	-	-	-	-	-
Marshall	2	-	-	-	1	1	-
Mayes	5	-	-	2	3	5	-
Murray	-	-	-	-	2	2	-
Muskogee	7	2	-	1	4	7	-
Noble	-	-	-	-	-	-	-
Nowata	-	1	-	-	-	1	-
Okfuskee	1	-	1	-	-	1	-
Oklahoma	123	12	9	9	31	61	-
Okmulgee	8	1	-	2	4	7	-
Osage	3	-	-	-	7	7	-
Ottawa	2	-	-	-	5	5	-
Pawnee	1	-	-	-	1	1	-
Payne	4	1	-	-	1	2	-
Pittsburg	4	1	1	-	6	8	-
Pontotoc	6	2	2	1	3	8	-
Pottawatomie	5	1	1	5	2	9	-
Pushmataha	3	-	-	-	2	2	-
Roger Mills	-	-	-	-	-	-	-
Rogers	5	2	-	2	1	5	-
Seminole	4	-	1	-	1	2	-
Sequoyah	8	-	-	1	1	2	-
Stephens	2	1	1	-	1	3	-
Texas	5	1	-	-	-	1	-
Tillman	2	-	-	-	-	-	-
Tulsa	84	10	3	5	27	45	-
Wagoner	3	1	-	-	3	4	-
Washington	2	3	1	-	4	8	-
Washita	1	-	-	-	1	1	-
Woods	1	-	-	-	-	-	-
Woodward	1	1	-	-	-	1	-
Unknown	2	-	-	-	-	-	-

- Denotes no events in that category.

Table 14. Number of child deaths by age and sex of child and county of residence: Oklahoma, 2000

County	Age of child											
	< 1 year		1-4 years		5-9 years		10-14 years		15-19 years		Unknown	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
State	241	174	39	26	19	20	36	24	124	74	-	-
Adair	2	3	1	-	-	-	-	-	2	-	-	-
Alfalfa	-	-	-	-	-	-	-	-	-	1	-	-
Atoka	1	1	-	1	-	-	-	-	1	-	-	1
Beaver	-	-	-	-	-	-	-	-	-	-	-	-
Beckham	3	.	-	-	1	-	1	-	1	-	-	-
Blaine	1	-	-	-	-	-	-	-	-	-	-	-
Bryan	2	1	-	-	-	-	-	1	1	1	-	-
Caddo	3	1	-	-	-	1	-	-	2	2	-	-
Canadian	5	5	-	-	1	1	2	-	2	1	-	-
Carter	2	1	1	1	-	-	1	-	-	2	-	-
Cherokee	1	2	-	-	-	1	2	-	2	1	-	-
Choctaw	-	-	-	-	1	-	-	-	-	-	-	-
Cimarron	1	-	-	-	-	-	-	-	1	-	-	-
Cleveland	13	5	4	1	-	-	1	7	7	3	-	-
Coal	-	1	-	-	-	-	-	-	-	-	-	-
Comanche	2	5	3	-	2	-	2	-	6	1	-	-
Cotton	-	-	-	-	-	-	-	-	-	1	-	-
Craig	-	-	1	-	1	-	-	-	1	-	-	-
Creek	3	3	1	2	1	1	-	1	1	3	-	-
Custer	2	1	1	-	-	1	1	-	-	2	-	-
Delaware	-	2	-	-	-	-	-	-	1	-	-	-
Dewey	-	-	-	-	-	-	-	-	-	-	-	-
Ellis	-	-	-	-	-	-	-	-	1	-	-	-
Garfield	7	6	1	-	-	-	1	1	1	-	-	-
Garvin	4	-	-	-	-	-	-	-	1	-	-	-
Grady	2	1	1	1	1	-	-	-	1	3	-	-
Grant	-	1	-	-	-	-	-	-	1	-	-	-
Greer	-	-	-	-	-	-	-	-	-	1	-	-
Harmon	-	-	-	-	-	-	-	1	-	-	-	-
Harper	-	-	-	-	-	-	-	-	1	1	-	-
Haskell	2	1	-	-	-	-	1	-	1	2	-	-
Hughes	4	1	-	-	-	-	-	-	-	-	-	-
Jackson	1	-	-	-	-	-	-	-	1	1	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-	-
Johnston	-	-	-	-	-	-	-	-	-	-	-	-
Kay	1	2	-	-	-	-	2	-	1	2	-	-
Kingfisher	-	1	-	1	-	2	1	-	2	-	-	-
Kiowa	1	-	-	-	-	-	-	-	-	-	-	-
Latimer	1	-	-	-	-	-	1	-	1	3	-	-
Leflore	2	4	-	-	2	-	-	-	2	1	-	-

- Denotes no events in that category.

Table 14. Number of child deaths by age and sex of child and county of residence: Oklahoma, 2000

County	Age of child											
	< 1 year		1-4 years		5-9 years		10-14 years		15-19 years		Unknown	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
State	241	174	39	26	19	20	36	24	124	74	-	-
Lincoln	-	-	1	-	1	-	-	-	1	-	-	-
Logan	-	1	-	-	-	-	-	-	3	1	-	-
Love	-	-	-	-	-	-	1	-	1	-	-	-
McClain	-	1	-	1	-	-	-	1	4	-	-	-
McCurtain	3	1	2	-	1	-	1	2	1	-	-	-
McIntosh	-	-	-	-	-	-	-	-	2	-	-	-
Major	-	1	-	-	-	-	-	-	-	-	-	-
Marshall	1	1	-	-	-	-	-	-	1	-	-	-
Mayer	5	-	-	-	-	-	1	1	2	1	-	-
Murray	-	-	-	-	-	-	-	-	1	1	-	-
Muskogee	3	4	1	1	-	-	-	1	1	3	-	-
Noble	-	-	-	-	-	-	-	-	-	-	-	-
Nowata	-	-	-	1	-	-	-	-	-	-	-	-
Okfuskee	-	1	-	-	-	1	-	-	-	-	-	-
Oklahoma	66	57	6	6	3	6	7	2	21	10	-	-
Okmulgee	7	1	1	-	-	-	1	1	2	2	-	-
Osage	1	2	-	-	-	-	-	-	7	-	-	-
Ottawa	1	1	-	-	-	-	-	-	2	3	-	-
Pawnee	1	-	-	-	-	-	-	-	1	-	-	-
Payne	-	4	-	1	-	-	-	-	1	-	-	-
Pittsburg	1	3	1	-	-	1	-	-	4	2	-	-
Pontotoc	3	3	2	-	-	2	1	-	2	1	-	-
Pottawatomie	4	1	-	1	1	-	2	3	1	1	-	-
Pushmataha	1	2	-	-	-	-	-	-	1	1	-	-
Roger Mills	-	-	-	-	-	-	-	-	-	-	-	-
Rogers	5	-	1	1	-	-	2	-	-	1	-	-
Seminole	2	2	-	-	1	-	-	-	1	-	-	-
Sequoyah	6	2	-	-	-	-	1	-	1	-	-	-
Stephens	-	2	1	-	1	-	-	-	1	-	-	-
Texas	4	1	-	1	-	-	-	-	-	-	-	-
Tillman	1	1	-	-	-	-	-	-	-	-	-	-
Tulsa	52	32	6	4	1	2	3	2	17	10	-	-
Wagoner	2	1	1	-	-	-	-	-	-	3	-	-
Washington	2	-	2	1	-	1	-	-	2	2	-	-
Washita	1	-	-	-	-	-	-	-	1	-	-	-
Woods	-	1	-	-	-	-	-	-	-	-	-	-
Woodward	1	-	-	1	-	-	-	-	-	-	-	-
Unknown	2	-	-	-	-	-	-	-	-	-	-	-

Table 15. Number of deaths to children ages 0-19 by race of decedent and county of residence: Oklahoma, 2000

<i>County</i>	<i>White</i>	<i>Black</i>	<i>American Indian</i>	<i>Other</i>	<i>Unk</i>	<i>Total</i>
State	578	124	66	9	1	778
Adair	6	-	2	-	-	8
Alfalfa	1	-	-	-	-	1
Atoka	3	1	1	-	-	5
Beaver	-	-	-	-	-	-
Beckham	5	1	-	-	-	6
Blaine	-	-	1	-	-	1
Bryan	3	1	1	1	-	6
Caddo	3	2	4	-	-	9
Canadian	15	-	1	-	1	17
Carter	6	-	2	-	-	8
Cherokee	5	-	4	-	-	9
Choctaw	1	-	-	-	-	1
Cimarron	2	-	-	-	-	2
Cleveland	29	4	5	3	-	41
Coal	1	-	-	-	-	1
Comanche	17	3	1	-	-	21
Cotton	1	-	-	-	-	1
Craig	3	-	-	-	-	3
Creek	16	-	-	-	-	16
Custer	5	2	1	-	-	8
Delaware	3	-	-	-	-	3
Dewey	1	-	-	-	-	1
Ellis	16	1	-	-	-	17
Garfield	-	-	-	-	-	-
Garvin	4	-	1	-	-	5
Grady	8	2	-	-	-	10
Grant	2	-	-	-	-	2
Greer	1	-	-	-	-	1
Harmon	1	-	-	-	-	1
Harper	2	-	-	-	-	2
Haskell	6	-	1	-	-	7
Hughes	4	-	1	-	-	5
Jackson	2	1	-	-	-	3
Jefferson	-	-	-	-	-	-
Johnston	-	-	-	-	-	-
Kay	7	-	1	-	-	8
Kingfisher	5	-	2	-	-	7
Kiowa	-	-	1	-	-	1
Latimer	5	-	1	-	-	6
Leflore	10	-	1	-	-	11

- Denotes no events in that category.

Table 15. Number of deaths to children ages 0-19 by race of decedent and county of residence: Oklahoma, 2000

<i>County</i>	<i>White</i>	<i>Black</i>	<i>American Indian</i>	<i>Other</i>	<i>Unk</i>	<i>Total</i>
State	578	124	66	9	1	778
Lincoln	2	1	-	-	-	3
Logan	3	2	-	-	-	5
Love	2	-	-	-	-	2
McClain	6	-	1	-	-	7
McCurtain	10	-	1	-	-	11
McIntosh	-	1	1	-	-	2
Major	1	-	-	-	-	1
Marshall	2	-	1	-	-	3
Mayes	8	-	2	-	-	10
Murray	1	-	1	-	-	2
Muskogee	9	5	-	-	-	14
Noble	-	-	-	-	-	-
Nowata	-	-	1	-	-	1
Okfuskee	1	-	1	-	-	2
Oklahoma	124	52	4	4	-	184
Okmulgee	10	2	3	-	-	15
Osage	7	-	2	1	-	10
Ottawa	5	-	2	-	-	7
Pawnee	2	-	-	-	-	2
Payne	6	-	-	-	-	6
Pittsburg	9	1	2	-	-	12
Pontotoc	10	1	3	-	-	14
Pottawatomie	12	1	1	-	-	14
Pushmataha	4	1	-	-	-	5
Roger Mills	-	-	-	-	-	-
Rogers	9	1	-	-	-	10
Seminole	3	2	1	-	-	6
Sequoyah	9	-	1	-	-	10
Stephens	5	-	-	-	-	5
Texas	6	-	-	-	-	6
Tillman	2	-	-	-	-	2
Tulsa	89	36	4	-	-	129
Wagoner	7	-	-	-	-	7
Washington	8	-	2	-	-	10
Washita	2	-	-	-	-	2
Woods	1	-	-	-	-	1
Woodward	2	-	-	-	-	2
Unknown	2	-	-	-	-	2

- Denotes no events in that category.

Table 16. Number of child deaths by cause of death and age of decedent: Oklahoma, 2000

<i>Cause of death by ICD-10 Code</i>	<i>< 1 year</i>	<i>1-4 years</i>	<i>5-9 years</i>	<i>10-14 years</i>	<i>15-19 years</i>	<i>unk years</i>	<i>Total</i>
All deaths	415	65	39	60	198	1	778
Certain Infectious & Parasitic Disease (A00-B99)	17	6	1	-	2	-	26
Neoplasms (C00-D48)	4	4	5	5	6	-	24
Malignant Neoplasm (C00-C97)	3	2	4	5	6	-	20
In Situ, Benign, & Neoplasms of Uncertain & Unknown Behavior (D00-D48)	1	2	1	-	-	-	4
Diseases of the Blood & Blood-Forming Organs & Certain Disorders Involving the Immune Mechanism (D50-D89)	2	-	-	-	1	-	3
Endocrine, Nutritional, & Metabolic Diseases (E00-E88)	6	2	-	1	3	-	12
Diseases of the Nervous System (G00-G98)	3	7	5	2	7	-	24
Diseases of the Circulatory System (I00-I99)	16	1	1	4	5	-	27
Pulmonary Heart Disease & Disease of Pulmonary Circulation (I26-I28)	5	-	-	-	-	-	5
Pericarditis, endocarditis and myocarditis (I30, I33, I40)	-	-	-	-	-	-	0
Cardiomyopathy (I42)	2	-	-	1	2	-	5
Cardiac arrest (I46)	1	-	-	-	-	-	1
Cerebrovascular Disease (I60-I69)	3	-	1	-	1	-	5
All other diseases of circulatory system	5	1	-	3	2	-	11
Diseases of the Respiratory System (J00-J98)	6	3	3	2	1	-	15
Acute upper respiratory infections (J00-J06)	-	-	-	-	-	-	0
Influenza & Pneumonia (J10-J18)	2	2	1	1	-	-	6
Acute bronchitis and acute bronchiolitis (J20-J21)	-	-	-	-	-	-	0
Bronchitis, chronic and unspecified (J40-J42)	-	-	1	-	-	-	1
Asthma (J45-J46)	-	-	1	1	-	-	2
Pneumonitis due to solids and liquids (J69)	-	-	-	-	-	-	0
Other and unspecified diseases of respiratory system	4	1	-	-	1	-	6
Diseases of the Digestive System (K00-K92)	6	1	-	1	-	-	8
Disease of the Genitourinary System (N00-N98)	6	-	-	1	1	-	8
Certain Conditions Originating in the Perinatal Period (P00-P96)	156	1	-	-	1	-	158
Newborn Affected by Maternal Factors & by Complications of Pregnancy, Labour & Delivery (P00-P04)	26	-	-	-	-	-	26
Disorders Related to Length of Gestation & Fetal Growth (P05-P08)	58	-	-	-	-	-	58
Birth Trauma (P10-P15)	-	-	-	-	-	-	0
Intrauterine hypoxia and birth asphyxia (P20-P21)	6	-	-	-	-	-	6
Respiratory distress of newborn (P22)	10	1	-	-	-	-	11
Other respiratory conditions originating in the perinatal period (P23-P28)	19	-	-	-	-	-	19
Infections Specific to the Perinatal Period (P35-P39)	9	-	-	-	-	-	9
Hemorrhagic & Haematological Disorders of Fetus & Newborn (P50-P61)	6	-	-	-	-	-	6
Other conditions originating in the perinatal period	22	-	-	-	-	1	23
Congenital Malformations, Deformations, & Chromosomal Abnormalities (Q00-Q99)	91	2	1	2	3	-	99
Symptoms, Signs, & Abnormal Clinical & Laboratory Findings, Not Elsewhere Classified (R00-R99)	81	7	2	2	5	-	97
Sudden Infant Death Syndrome (R95)	33	-	-	-	-	-	33

-Denotes no events in that category.

Table 16. Number of child deaths by cause of death and age of decedent: Oklahoma, 2000

<i>Cause of death by ICD-10 Code</i>	<i>< 1 year</i>	<i>1-4 years</i>	<i>5-9 years</i>	<i>10-14 years</i>	<i>15-19 years</i>	<i>unk years</i>	<i>Total</i>
All deaths	415	65	39	60	198	1	778
External Causes of Morbidity & Mortality (V01-Y89)	22	29	21	38	162	1	273
Accidents (unintentional injuries) V01-X59	14	25	20	29	121	1	210
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, 80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	4	5	6	13	84	-	112
Falls (W00-W19)	-	-	-	2	-	-	2
Accidental discharge of firearms (W32-W34)	-	-	1	1	4	-	6
Accidental Drowning & Submersion (W65-W74)	2	12	6	1	7	-	28
Accidental suffocation and strangulation in bed (W75)	1	1	-	-	-	-	2
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	2	-	-	-	-	-	2
Exposure to Smoke, Fire, & Flames (X00-X09)	-	4	3	4	-	-	11
Accidental poisoning and exposure to noxious substances (X40-X49)	-	-	2	4	4	-	10
Intentional Self-Harm (X60-X84)	-	-	-	6	23	-	29
Assault (X85-Y09)	3	4	1	2	12	-	22
Legal Intervention (Y35, Y89.0)	-	-	-	-	1	-	1
Complications of Medical & Surgical Care (Y40-Y84)	-	1	-	-	-	-	1

Table 17. Female population estimates by age: Oklahoma and each County, 2000

(Estimates provided by the Ok Department of Commerce, U.S. Census Bureau)

<i>County</i>	<i>15-17 years</i>	<i>18-19 years</i>	<i>20-24 years</i>	<i>25-29 years</i>	<i>30-34 years</i>	<i>35-39 years</i>	<i>40-44 years</i>
State	77,409	52,842	119,368	112,061	110,113	129,715	133,085
Adair	541	301	593	703	683	744	718
Alfalfa	134	50	93	101	133	158	167
Atoka	285	137	309	366	370	441	444
Beaver	167	63	101	138	164	238	210
Beckham	450	263	539	525	494	670	733
Blaine	264	142	246	259	271	337	401
Bryan	777	638	1,409	1,145	1,122	1,204	1,269
Caddo	860	440	763	770	864	1,118	1,046
Canadian	2,241	1,156	2,265	2,644	2,974	3,839	3,878
Carter	1,027	561	1,248	1,410	1,330	1,660	1,817
Cherokee	990	1,032	2,157	1,371	1,229	1,478	1,485
Choctaw	332	204	420	447	459	558	528
Cimarron	76	35	65	67	90	106	101
Cleveland	4,616	4,151	10,378	7,457	7,161	8,318	8,509
Coal	139	65	155	183	179	181	214
Comanche	2,563	1,824	4,269	4,165	3,881	4,363	4,095
Cotton	143	65	168	184	210	228	225
Craig	322	185	392	360	439	557	549
Creek	1,643	858	1,724	1,934	2,218	2,529	2,629
Custer	623	759	1,539	711	710	915	888
Delaware	789	428	879	983	1,004	1,256	1,328
Dewey	137	73	87	88	104	156	188
Ellis	84	33	65	92	90	121	137
Garfield	1,306	764	1,810	1,709	1,798	2,120	2,345
Garvin	634	368	699	807	821	949	1,047
Grady	1,109	742	1,365	1,329	1,454	1,834	1,871
Grant	147	59	85	110	127	197	178
Greer	122	63	127	116	135	156	162
Harmon	94	48	78	75	88	99	119
Harper	86	38	70	72	77	118	142
Haskell	294	164	305	356	327	398	395
Hughes	291	169	315	370	349	438	461
Jackson	629	413	983	943	1,005	1,130	1,016
Jefferson	155	82	158	190	186	229	247
Johnston	239	176	300	291	295	352	409
Kay	1,176	751	1,339	1,244	1,370	1,696	1,797
Kingfisher	414	185	356	355	375	545	609
Kiowa	236	141	228	216	251	367	374
Latimer	239	277	343	279	307	406	354
Leflore	1,092	693	1,463	1,401	1,503	1,663	1,749

Table 17. Female population estimates by age: Oklahoma and each County, 2000

(Estimates provided by the Ok Department of Commerce, U.S. Census Bureau)

<i>County</i>	<i>15-17 years</i>	<i>18-19 years</i>	<i>20-24 years</i>	<i>25-29 years</i>	<i>30-34 years</i>	<i>35-39 years</i>	<i>40-44 years</i>
State	77,409	52,842	119,368	112,061	110,113	129,715	133,085
Lincoln	836	422	781	856	960	1,261	1,249
Logan	845	697	1,304	970	928	1,378	1,374
Love	211	89	197	243	246	316	321
McClain	669	341	728	814	908	1,187	1,229
McCurtain	850	439	976	1,049	1,116	1,230	1,270
McIntosh	409	226	421	462	486	654	633
Major	180	87	161	172	184	276	301
Marshall	251	154	294	357	319	451	455
Mayes	874	491	1,090	1,132	1,134	1,360	1,395
Murray	304	168	330	388	350	460	427
Muskogee	1,546	1,034	2,250	2,091	2,117	2,620	2,683
Noble	253	131	284	330	353	424	446
Nowata	231	111	262	254	325	362	403
Okfuskee	283	146	291	303	285	403	369
Oklahoma	14,051	10,209	26,228	25,262	22,503	25,251	25,887
Okmulgee	905	630	1,131	1,095	1,106	1,384	1,515
Osage	1,017	544	1,052	1,036	1,288	1,693	1,847
Ottawa	721	545	985	943	1,006	1,147	1,058
Pawnee	393	210	361	499	490	578	664
Payne	1,217	2,485	5,908	2,365	1,700	2,115	2,092
Pittsburg	958	483	984	1,116	1,219	1,515	1,547
Pontotoc	721	576	1,461	1,073	1,062	1,239	1,299
Pottawatomie	1,471	1,120	2,345	2,133	2,118	2,607	2,507
Pushmataha	283	134	232	293	358	406	402
Roger Mills	95	41	67	69	76	114	135
Rogers	1,815	944	1,632	2,055	2,376	2,966	3,022
Seminole	592	389	730	645	705	830	924
Sequoyah	865	472	1,085	1,238	1,255	1,514	1,417
Stephens	951	539	1,124	1,057	1,179	1,598	1,683
Texas	495	357	804	734	621	713	661
Tillman	221	103	215	237	261	324	273
Tulsa	11,852	7,973	19,811	20,824	20,123	22,035	22,861
Wagoner	1,446	760	1,475	1,725	1,907	2,344	2,434
Washington	1,167	606	1,250	1,288	1,398	1,697	2,011
Washita	303	162	271	308	303	430	430
Woods	157	216	415	197	185	257	273
Woodward	505	212	545	482	516	704	754

Table 18. Population estimates of children by age group: Oklahoma and each County, 2000

(Estimates provided by the Ok Department of Commerce, U.S. Census Bureau)

<i>County</i>	<i>< 1 year</i>	<i>1-4 years</i>	<i>5-9 years</i>	<i>10-14 years</i>	<i>15-19 years</i>	<i>1-19 years</i>
State	47,533	188,820	244,525	252,029	269,373	954,747
Adair	305	1,278	1,855	1,811	1,702	6,646
Alfalfa	47	228	289	379	360	1,256
Atoka	165	652	893	956	943	3,444
Beaver	65	268	463	446	480	1,657
Beckham	237	989	1,290	1,343	1,458	5,080
Blaine	143	545	747	901	867	3,060
Bryan	512	1,857	2,523	2,609	2,855	9,844
Caddo	409	1,585	2,276	2,571	2,688	9,120
Canadian	1,150	4,778	6,623	7,406	7,162	25,969
Carter	653	2,473	3,239	3,455	3,269	12,436
Cherokee	581	2,389	2,968	3,141	3,962	12,460
Choctaw	201	774	1,067	1,208	1,145	4,194
Cimarron	40	169	224	276	235	904
Cleveland	2,677	10,462	13,693	14,628	18,270	57,053
Coal	73	324	474	453	426	1,677
Comanche	1,834	7,305	8,991	8,495	10,170	34,961
Cotton	72	365	490	460	466	1,781
Craig	196	696	948	1,056	1,061	3,761
Creek	972	3,615	5,087	5,439	5,224	19,365
Custer	326	1,263	1,643	1,823	2,704	7,433
Delaware	463	1,805	2,495	2,660	2,494	9,454
Dewey	44	185	286	336	390	1,197
Ellis	43	158	240	260	289	947
Garfield	765	3,109	3,899	4,037	4,243	15,288
Garvin	361	1,397	1,804	1,889	2,079	7,169
Grady	614	2,496	3,205	3,593	3,710	13,004
Grant	61	200	362	385	430	1,377
Greer	62	221	309	362	414	1,306
Harmon	39	161	208	250	290	909
Harper	35	132	209	267	273	881
Haskell	166	692	847	886	630	3,055
Hughes	142	773	911	965	791	3,440
Jackson	454	1,869	2,268	2,247	2,055	8,439
Jefferson	92	369	447	480	317	1,613
Johnston	116	645	746	888	645	2,924
Kay	648	2,822	3,601	3,872	2,702	12,997
Kingfisher	189	836	1,087	1,194	753	3,870
Kiowa	139	438	645	747	787	2,617
Latimer	145	578	750	759	1,038	3,125
Leflore	675	2,619	3,462	3,572	3,812	13,465

Table 18. Population estimates of children by age group: Oklahoma and each County, 2000

(Estimates provided by the Ok Department of Commerce, U.S. Census Bureau)

<i>County</i>	<i>< 1 year</i>	<i>1-4 years</i>	<i>5-9 years</i>	<i>10-14 years</i>	<i>15-19 years</i>	<i>1-19 years</i>
State	47,533	188,820	244,525	252,029	269,373	954,747
Lincoln	388	1,699	2,389	2,587	2,658	9,333
Logan	415	1,667	2,261	2,503	3,267	9,698
Love	124	416	615	661	657	2,349
McClain	309	1,532	1,986	2,173	2,228	7,919
McCurtain	515	2,003	2,690	2,806	2,610	10,109
McIntosh	206	853	1,152	1,349	1,307	4,661
Major	76	357	464	584	577	1,982
Marshall	172	649	843	868	916	3,276
Mayes	497	2103	2777	2933	2964	10,777
Murray	177	653	792	820	947	3,212
Muskogee	885	3,972	4,953	4,939	5,399	19,263
Noble	140	591	794	855	839	3,079
Nowata	133	555	769	803	777	2,904
Okfuskee	145	583	760	856	875	3,074
Oklahoma	10,018	38,209	46,429	45,677	48,766	179,081
Okmulgee	498	2,211	2,875	3,131	3,309	11,526
Osage	542	2,206	3,191	3,584	3,376	12,357
Ottawa	432	1,771	2,363	2,440	2,679	9,253
Pawnee	175	864	1,222	1,341	1,238	4,665
Payne	778	2,926	3,561	3,619	7,068	17,174
Pittsburg	497	1,958	2,829	3,048	3,091	10,926
Pontotoc	449	1,751	2,390	2,489	2,888	9,518
Pottawatomie	888	3,566	4,642	4,711	5,544	18,463
Pushmataha	146	583	792	943	855	3,173
Roger Mills	43	145	210	222	284	861
Rogers	907	4,000	5,599	6,095	5,569	21,263
Seminole	318	1,351	1,733	1,924	2,028	7,036
Sequoyah	517	2,244	2,966	3,098	2,848	11,156
Stephens	495	2,212	2,766	3,123	3,138	11,239
Texas	359	1,341	1,526	1,535	1,758	6,160
Tillman	120	457	642	747	764	2,610
Tulsa	8,445	32,989	41,733	40,529	40,528	155,779
Wagoner	782	3,274	4,560	4,635	4,533	17,002
Washington	574	2,344	3,343	3,677	3,616	12,980
Washita	129	575	759	936	945	3,215
Woods	84	320	481	523	780	2,104
Woodward	244	973	1,198	1,385	1,519	5,075

Table 19. Number and percent of births by age of mother and selected characteristics: Oklahoma, 2000

Characteristic	Total	Age of mother								Unk
		10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45+ years	
Total	49,712	120	7,711	16,065	13,471	8,182	3,464	651	25	23
<i>Race/ethnicity of mother</i>										
White	38,512	66	5,363	12,112	10,816	6,759	2,834	529	21	12
Black	4,777	27	1,068	1,833	1,015	513	259	58	2	2
Am. Indian	5,206	25	1,175	1,871	1,266	595	222	44	1	7
Other	1,013	2	65	182	329	282	130	20	1	2
Unknown	204	-	40	67	45	33	19	-	-	-
Hispanic ¹	4,352	21	810	1,500	1,071	680	225	44	1	-
<i>Marital status</i>										
Married	32,649	8	2,192	9,346	10,662	6,970	2,910	523	24	14
Not married	17,026	112	5,509	6,707	2,797	1,210	553	128	1	9
Unknown	37	-	10	12	12	2	1	-	-	-
Percent Not Married	34.3	93.3	71.5	41.8	20.8	14.8	16.0	19.7	4.0	39.1
<i>Education of mother</i>										
0-8 years	2,131	90	634	635	398	245	111	17	1	-
9-11 years	9,258	26	3,882	3,296	1,270	517	214	42	1	10
12 years	17,944	-	2,729	7,435	4,469	2,141	964	199	6	1
13-15 years	10,647	-	336	3,648	3,592	2,068	844	145	7	7
16+ years	9,182	-	0	874	3,616	3,135	1,301	241	10	5
Unknown	550	4	130	177	126	76	30	7	-	-
Percent less than 12 years education	23.2	100.0	59.6	24.7	12.5	9.4	9.5	9.2	8.0	43.5
<i>Birthweight</i>										
< 1500 grams	643	1	115	201	159	120	39	8	-	-
1500-2499 grams	3,068	10	574	1,043	715	437	230	52	2	5
2500-3999 grams	41,211	101	6,512	13,468	11,185	6,638	2,761	515	19	12
4000 and over	4,640	6	487	1,303	1,375	965	422	72	4	6
Unknown	150	2	23	50	37	22	12	4	-	-
Percent < 1500 grams	1.3	0.8	1.5	1.3	1.2	1.5	1.1	1.2	0	0
Percent < 2500 grams	7.5	9.3	9.0	7.8	6.5	6.8	7.8	9.3	8.0	21.7
<i>Plurality</i>										
Single birth	48,366	117	7,588	15,703	13,059	7,900	3,328	629	23	19
Multiple birth	1,346	3	123	362	412	282	136	22	2	4
<i>Live-birth order</i>										
1st birth	12,922	67	3,796	4,552	2,753	1,238	447	64	2	3
2nd birth	10,467	2	837	3,560	3,275	1,978	703	105	3	4
3rd birth	5,778	-	157	1,581	1,836	1,437	654	104	4	5
4th birth	2,058	1	22	369	685	562	335	77	4	3
5th or more	1,188	-	3	123	361	333	262	98	7	1
Unknown	17,299	50	2,896	5,880	4,561	2,634	1,063	203	5	7
<i>Trimester prenatal care began</i>										
1st trimester	34,113	43	4,448	10,469	9,903	6,185	2,582	456	10	17
2nd trimester	7,181	33	1,656	2,693	1,527	814	370	77	8	3
3rd trimester	1,504	16	352	611	292	152	63	16	1	1
No care	547	5	123	205	119	52	30	12	1	-
Unknown	6,367	23	1,132	2,087	1,630	979	419	90	5	2
Percent 1st Trimester Care	78.7	44.3	67.6	74.9	83.6	85.9	84.8	81.3	50.0	81.0

- Denotes no events in that category.

Table 19. Number and percent of births by age of mother and selected characteristics: Oklahoma, 2000

Characteristic	Total	Age of mother								Unk
		10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45+ years	
Total	49,712	120	7,711	16,065	13,471	8,182	3,464	651	25	23
<i>Number of prenatal care visits</i>										
No visits	573	5	126	215	123	58	33	12	1	-
1-4 visits	2,104	10	516	804	427	226	96	22	-	3
5-9 visits	10,134	37	2,050	3,656	2,307	1,343	594	133	9	5
10-12 visits	17,412	23	2,398	5,330	5,015	3,117	1,296	219	9	5
13+ visits	14,099	22	1,661	4,260	4,237	2,621	1,095	193	2	8
Unknown	5,390	23	960	1,800	1,362	817	350	72	4	2
Percent with 10 or more visits	71.1	46.4	60.1	67.2	76.4	77.9	76.8	71.2	52.4	61.9
<i>Adequacy of prenatal care</i>										
1st trimester and 10 or more visits	27,962	33	3,311	8,358	8,407	5,264	2,186	381	9	13
Intermediate care	12,676	40	2,642	4,561	2,882	1,659	732	144	9	7
Little care	656	3	151	243	141	76	34	8	-	-
Late care	1,504	16	352	611	292	152	63	16	1	1
No care	547	5	123	205	119	52	30	12	1	-
Unknown	6,367	23	1,132	2,087	1,630	979	419	90	5	2
Percent 1st trimester and 10 or more visits	64.5	34.0	50.3	59.8	71.0	73.1	71.8	67.9	45.0	61.9
Percent late, little, or no care	6.2	24.7	9.5	7.6	4.7	3.9	4.2	6.4	10.0	4.8
<i>Tobacco use during pregnancy</i>										
No	35,766	82	5,095	11,071	10,097	6,310	2,600	477	19	15
Yes	7,493	19	1,555	2,866	1,621	871	456	100	1	4
Unknown	6,453	19	1,061	2,128	1,753	1,001	408	74	5	4
Percent with tobacco use	17.3	18.8	23.4	20.6	13.8	12.1	14.9	17.3	5.0	21.1
<i>Alcohol use during pregnancy</i>										
No	42,581	98	6,550	13,750	11,546	7,052	2,985	562	20	18
Yes	547	4	71	149	142	111	56	14	-	-
Unknown	6,584	18	1,090	2,166	1,783	1,019	423	75	5	5
Percent with alcohol use	1.3	3.9	1.1	1.1	1.2	1.5	1.8	2.4	0	0

Table 20. Number and percent of births by race of mother and selected characteristics: Oklahoma, 2000

<i>Characteristic</i>	<i>Total</i>	<i>Race of mother</i>					<i>Unk</i>
		<i>White</i>	<i>Black</i>	<i>Am. Indian</i>	<i>Other</i>		
Total	49,712	38,512	4,777	5,206	1,013	204	
<i>Age of mother</i>							
10-14 years	120	66	27	25	2	-	
15-19 years	7,711	5,363	1,068	1,175	65	40	
20-24 years	16,065	12,112	1,833	1,871	182	67	
25-29 years	13,471	10,816	1,015	1,266	329	45	
30-34 years	8,182	6,759	513	595	282	33	
35-39 years	3,464	2,834	259	222	130	19	
40-44 years	651	529	58	44	20	-	
45 and over	25	21	2	1	1	-	
Unknown	23	12	2	7	2	-	
<i>Marital Status</i>							
Married	32,649	27,508	1,422	2,750	843	126	
Not married	17,026	10,979	3,346	2,454	170	77	
Unknown	37	25	9	2	-	1	
Percent not married	34.3	28.5	70.2	47.2	16.8	37.9	
<i>Education of mother</i>							
0-8 years	2,131	1,796	82	197	41	15	
9-11 years	9,258	6,659	1,054	1,403	101	41	
12 years	17,944	13,419	1,992	2,159	314	60	
13-15 years	10,647	8,317	1,113	981	203	33	
16+ years	9,182	7,960	446	407	347	22	
Unknown	550	361	90	59	7	33	
Percent less than 12 years education	23.2	22.2	24.2	31.1	14.1	32.7	
<i>Birthweight</i>							
< 1500 grams	643	440	141	45	12	5	
1500-2499 grams	3,068	2,239	487	278	60	4	
2500-3999 grams	41,211	31,999	3,926	4,224	889	173	
4000 and over	4,640	3,728	213	637	49	13	
Unknown	150	106	10	22	3	9	
Percent < 1500 grams	1.3	1.1	3.0	0.9	1.2	2.6	
Percent < 2500 grams	7.5	7.0	13.2	6.2	7.1	4.6	
<i>Plurality</i>							
Single birth	48,366	37,487	4,619	5,071	991	198	
Multiple birth	1,346	1,025	158	135	22	6	
<i>Live-birth order</i>							
1st birth	12,922	10,231	921	1,426	300	44	
2nd birth	10,467	8,455	692	1,095	189	36	
3rd birth	5,778	4,552	492	617	95	22	
4th birth	2,058	1,571	207	233	39	8	
5th birth	1,188	830	153	185	15	5	
Unknown	17,299	12,873	2,312	1,650	375	89	

¹ Hispanic births are of any race.

- Denotes no events in that category.

Table 20. Number and percent of births by race of mother and selected characteristics: Oklahoma, 2000

<i>Characteristic</i>	<i>Total</i>	<i>Race of mother</i>					<i>Unk</i>
		<i>White</i>	<i>Black</i>	<i>Am. Indian</i>	<i>Other</i>		
Total	49,712	38,512	4,777	5,206	1,013	204	
<i>Trimester prenatal care began</i>							
1st trimester	34,113	27,259	2,736	3,301	710	107	
2nd trimester	7,181	5,057	880	1,081	130	33	
3rd trimester	1,504	970	202	294	28	10	
No care	547	361	89	83	10	4	
Unknown	6,367	4,865	870	447	135	50	
Percent 1st trimester care	78.7	81.0	70.0	69.4	80.9	69.5	
<i>Number of prenatal care visits</i>							
No visits	573	386	91	81	11	4	
1-4 visits	2,104	1,382	294	379	35	14	
5-9 visits	10,134	7,239	1,182	1,450	218	45	
10-12 visits	17,412	13,983	1,339	1,671	371	48	
13+ visits	14,099	11,399	1,119	1,270	261	50	
Unknown	5,390	4,123	752	355	117	43	
Percent with 10 or more visits	71.1	73.8	61.1	60.6	70.5	60.9	
<i>Adequacy of prenatal care</i>							
1st trimester and 10 or more visits	27,962	22,742	2,069	2,493	572	86	
Intermediate care	12,676	9,127	1,453	1,784	260	52	
Little care	656	447	94	105	8	2	
Late care	1,504	970	202	294	28	10	
No care	547	361	89	83	10	4	
Unknown	6367	4865	870	447	135	50	
Percent 1st trimester and 10 or more visits	64.5	67.6	53.0	52.4	65.1	55.8	
Percent late, little, or no care	6.2	5.3	9.9	10.1	5.2	10.4	
<i>Tobacco use during pregnancy</i>							
No	35,766	27,610	3,401	3,782	852	121	
Yes	7,493	5,939	494	1,003	40	17	
Unknown	6,453	4,963	882	421	121	66	
Percent with tobacco use	17.3	17.7	12.7	21.0	4.5	12.3	
<i>Alcohol use during pregnancy</i>							
No	42,581	33,020	3,835	4,706	884	136	
Yes	547	428	51	59	7	2	
Unknown	6,584	5,064	891	441	122	66	
Percent with alcohol use	1.3	1.3	1.3	1.2	0.8	1.4	

¹ Hispanic births are of any race.

- Denotes no events in that category.

*Hispanic*¹

4,352

21
810
1,500
1,071
680
225
44
1
.

2,649
1,699
4
39.1

1,125
1,347
1,100
447
232
101
58.2

51
225
3,685
372
19
1.2
6.4

4,256
96

866
634
428
155
124
2,145

¹ Hispanic births are of any race.

- Denotes no events in that category.

*Hispanic*¹

4,352

2,171

793

210

86

1,092

66.6

88

314

954

1,129

862

1,005

59.5

1,646

1,213

105

210

86

1092

50.5

12.3

3,623

195

534

5.1

3,795

19

538

0.5

¹ Hispanic births are of any race.

- Denotes no events in that category.

Table 21. Number and percent of births by birthweight and selected characteristics: Oklahoma, 2000

Characteristic	Total	Birthweight				Unk	Total	
		< 1500 grams	1500-2499 grams	2500-3999 grams	4000 grams or more		< 2500 grams	Percent
Total	49,712	643	3,068	41,211	4,640	150	3,711	7.5
<i>Race/ethnicity of mother</i>								
White	38,512	440	2,239	31,999	3,728	106	2,679	7.0
Black	4,777	141	487	3,926	213	10	628	13.2
American Indian	5,206	45	278	4,224	637	22	323	6.2
Other	1,013	12	60	889	49	3	72	7.1
Unknown	204	5	4	173	13	9	9	4.6
Hispanic ¹	4,352	51	225	3,685	372	19	276	6.4
<i>Age of mother</i>								
10-14 years	120	1	10	101	6	2	11	9.3
15-19 years	7,711	115	574	6,512	487	23	689	9.0
20-24 years	16,065	201	1,043	13,468	1,303	50	1,244	7.8
25-29 years	13,471	159	715	11,185	1,375	37	874	6.5
30-34 years	8,182	120	437	6,638	965	22	557	6.8
35-39 years	3,464	39	230	2,761	422	12	269	7.8
40-44 years	651	8	52	515	72	4	60	9.3
45 and over	25	-	2	19	4	-	2	8.0
Unknown	23	-	5	12	6	-	5	21.7
<i>Marital Status</i>								
Married	32,649	356	1,736	26,992	3,478	87	2,092	6.4
Not married	17,026	287	1,324	14,194	1,159	62	1,611	9.5
Unknown	37	-	8	25	3	1	8	22.2
<i>Education of mother</i>								
0-8 years	2,131	41	143	1,767	171	9	184	8.7
9-11 years	9,258	122	728	7,751	629	28	850	9.2
12 years	17,944	246	1,162	14,831	1,650	55	1,408	7.9
13-15 years	10,647	140	569	8,818	1,099	21	709	6.7
16+ years	9,182	78	424	7,608	1,050	22	502	5.5
Unknown	550	16	42	436	41	15	58	10.8
<i>Plurality</i>								
Single birth	48,366	492	2,407	40,688	4,638	141	2,899	6.0
Multiple birth	1,346	151	661	523	2	9	812	60.7
<i>Live-birth order</i>								
1st birth	12,922	164	798	10,900	1,032	28	962	7.5
2nd birth	10,467	99	524	8,745	1,076	23	623	6.0
3rd birth	5,778	54	302	4,790	619	13	356	6.2
4th birth	2,058	22	136	1,674	221	5	158	7.7
5th birth	1,188	23	71	949	141	4	94	7.9
Unknown	17,299	281	1,237	14,153	1,551	77	1,518	8.8
<i>Gestational age</i>								
< 37 weeks	5,270	406	1,347	3,336	167	14	1,753	33.4
37-39 weeks	20,788	10	727	18,287	1,722	42	737	3.6
40 weeks or more	16,544	10	312	13,965	2,216	41	322	2.0
Unknown	7,110	217	682	5,623	535	53	899	12.7

¹ Hispanic births are of any race.

- Denotes no events in that category.

Table 21. Number and percent of births by birthweight and selected characteristics: Oklahoma, 2000

Characteristic	Total	Birthweight				Unk	Total	
		< 1500 grams	1500-2499 grams	2500-3999 grams	4000 grams or more		< 2500 grams	Number
Total	49,712	643	3,068	41,211	4,640	150	3,711	7.5
<i>Trimester prenatal care began</i>								
1st trimester	34,113	357	1,824	28,505	3,360	67	2,181	6.4
2nd trimester	7,181	58	487	6,006	613	17	545	7.6
3rd trimester	1,504	4	95	1,294	110	1	99	6.6
No care	547	29	55	410	49	4	84	15.5
Unknown	6,367	195	607	4,996	508	61	802	12.7
<i>Number of prenatal care visits</i>								
No visits	573	32	59	426	52	4	91	16.0
1-4 visits	2,104	93	207	1,652	146	6	300	14.3
5-9 visits	10,134	231	830	8,291	761	21	1,061	10.5
10-12 visits	17,412	71	778	14,858	1,674	31	849	4.9
13+ visits	14,099	38	659	11,794	1,575	33	697	5.0
Unknown	5,390	178	535	4,190	432	55	713	13.4
<i>Adequacy of prenatal care</i>								
1st trimester and 10 or more visits	27,962	103	1,248	23,642	2,914	55	1,351	4.8
Intermediate care	12,676	268	989	10,377	1,016	26	1,257	9.9
Little care	656	44	74	492	43	3	118	18.1
Late care	1,504	4	95	1,294	110	1	99	6.6
No care	547	29	55	410	49	4	84	15.5
Unknown	6,367	195	607	4,996	508	61	802	12.7
Percent 1st trimester and 10 or more	65	23	51	65	71	62	46	
Percent late, little, or no care	94	83	91	94	95	91	90	
<i>Tobacco use during pregnancy</i>								
No	35766	461	1986	29481	3733	105	2447	6.9
Yes	7493	118	716	6304	345	10	834	11.1
Unknown	6453	64	366	5426	562	35	430	6.7
<i>Alcohol use during pregnancy</i>								
No	42581	569	2633	35237	4029	113	3202	7.5
Yes	547	8	57	446	35	1	65	11.9
Unknown	6584	66	378	5528	576	36	444	6.8

¹ Hispanic births are of any race.

- Denotes no events in that category.

Table 22. Number and percent of births to teens by age group and selected characteristics: Oklahoma, 2000

<i>Characteristic</i>	<i>All births all ages</i>	<i>10-14 years</i>	<i>15-17 years</i>	<i><18 years</i>	<i>18-19 years</i>	<i>15-19 years</i>
Total	49,712	120	2,492	2,612	5,219	7,711
<i>Race/ethnicity of mother</i>						
White	38,512	66	1,676	1,742	3,687	5,363
Black	4,777	27	381	408	687	1,068
American Indian	5,206	25	393	418	782	1,175
Other	1,013	2	20	22	45	65
Unknown	204	-	22	22	18	40
Hispanic1	4,352	21	345	366	465	810
<i>Education of mother</i>						
0-8 years	2,131	90	386	476	248	634
9-11 years	9,258	26	1,808	1,834	2,074	3,882
12 years	17,944	-	236	236	2,493	2,729
13-15 years	10,647	-	2	2	334	336
16+ years	9,182	4	60	64	70	130
Unknown	550					
<i>Marital Status</i>						
Married	32,649	8	426	434	1,766	2,192
Not married	17,026	112	2,062	2,174	3,447	5,509
Unknown	37	-	4	4	6	10
Percent Not Married	34.3					
<i>Trimester prenatal care began</i>						
1st trimester	34,113	43	1,342	1,385	3,106	4,448
2nd trimester	7,181	33	586	619	1,070	1,656
3rd trimester	1,504	16	138	154	214	352
No care	547	5	45	50	78	123
Unknown	6,367	23	381	404	751	1,132
Percent 1st Trimester Care	78.7	44.3	63.6	62.7	69.5	67.6
<i>Number of prenatal care visits</i>						
No visits	573	5	47	52	79	126
1-4 visits	2,104	10	187	197	329	516
5-9 visits	10,134	37	721	758	1,329	2,050
10-12 visits	17,412	23	720	743	1,678	2,398
13+ visits	14,099	22	491	513	1,170	1,661
Unknown	5,390					
Percent with 10 or more visits	71.1	45.9	60.5	59.8	70.3	67.1
<i>Adequacy of prenatal care</i>						
1st trimester and 10 or more visits	27,962	33	958	991	2,353	3,311
Intermediate care	12,676	40	923	963	1,719	2,642
Little care	656	3	47	50	104	151
Late care	1,504	16	138	154	214	352
No care	547	5	45	50	78	123
Unknown	6,367	23	381	404	751	1,132
Percent 1st trimester and 10 or more visits	64.5	34.0	45.4	44.9	52.7	50.3
Percent late, little, or no care	6.2	24.7	10.9	11.5	8.9	9.5

- Denotes no events in that category.

Table 22. Number and percent of births to teens by age group and selected characteristics: Oklahoma, 2000

<i>Characteristic</i>	<i>All births all ages</i>	<i>10-14 years</i>	<i>15-17 years</i>	<i><18 years</i>	<i>18-19 years</i>	<i>15-19 years</i>
Total	49,712	120	2,492	2,612	5,219	7,711
<i>Birthweight</i>						
< 1500 grams	643	1	43	44	72	115
1500-2499 grams	3,068	10	200	210	374	574
2500-3999 grams	41,211	101	2,086	2,187	4,426	6,512
4000 and over	4,640	6	156	162	331	487
Unknown	150	2	7	9	16	23
Percent < 1500 grams	1.3	0.8	1.7	1.7	1.4	1.5
Percent < 2500 grams	7.5	9.3	9.8	9.8	8.6	9.0

<20
years
7,831

5,429
1,095
1,200
67
40
831

724
3,908
2,729
336
134

2,200
5,621
10

4,491
1,689
368
128
1,155
67.3

131
526
2,087
2,421
1,683

66.8

3,344
2,682
154
368
128
1,155
50.1
9.7

<20
years

7,831

116
584
6,613
493
25
1.5
9.0

Table 23. Number and crude rate of births and deaths: Oklahoma, 1975-2000

<i>Year</i>	<i>Births</i>		<i>Deaths</i>	
	<i>Number</i>	<i>Rate</i>	<i>Number</i>	<i>Rate</i>
1975	43,130	15.6	27,165	9.8
1976	43,663	15.5	27,103	9.6
1977	45,449	15.9	26,766	9.3
1978	45,885	15.8	27,892	9.6
1979	49,007	16.5	27,802	9.4
1980	52,065	17.2	28,227	9.3
1981	53,620	17.3	28,568	9.2
1982	58,748	18.3	29,305	9.1
1983	56,859	17.3	29,426	8.9
1984	54,323	16.5	28,635	8.7
1985	53,100	16.2	29,735	9.1
1986	50,536	15.5	29,708	9.1
1987	47,701	14.9	29,191	9.1
1988	47,279	14.9	29,766	9.4
1989	47,238	15.0	29,487	9.4
1990	47,725	15.2	30,301	9.6
1991	47,759	15.1	30,172	9.5
1992	47,544	14.8	30,425	9.5
1993	46,165	14.3	32,265	10.0
1994	45,607	14.0	32,082	9.9
1995	45,365	13.9	32,431	9.9
1996	46,133	14.0	32,872	10.0
1997	48,160	14.5	33,780	10.2
1998	49,354	14.7	33,796	10.1
1999	48,470	14.4	33,930	10.1
2000	49,712	14.4	34,707	10.1

Note: Crude birth rates are per 1,000 total population.

**Figure 1. Crude Birth and Death Rates
Oklahoma, 1975-2000
(rates per 1,000 total population)**




Table 24. Race-specific infant deaths and infant mortality rates: Oklahoma, 1975-2000

(Infant mortality rates are infant deaths per 1,000 live births for specified racial group.)

<i>Year</i>	<i>Number of infant deaths</i>				<i>Infant mortality rate</i>			
	<i>White</i>	<i>Black</i>	<i>American Indian</i>	<i>Total¹</i>	<i>White</i>	<i>Black</i>	<i>American Indian</i>	<i>Total¹</i>
1975	537	113	38	690	15.0	27.7	14.8	16.0
1976	561	111	53	732	15.5	26.4	19.4	16.8
1977	472	93	52	624	12.4	22.4	19.0	13.7
1978	487	99	53	653	12.8	22.2	17.9	14.2
1979	459	94	54	611	11.4	19.4	16.8	12.5
1980	498	113	44	660	11.6	22.7	12.9	12.7
1981	486	92	45	632	11.0	19.1	12.6	11.8
1982	576	90	48	722	11.8	17.9	12.0	12.3
1983	483	81	46	616	10.3	15.9	11.8	10.8
1984	453	74	34	568	10.1	15.0	9.3	10.5
1985	449	98	23	574	10.3	19.8	6.3	10.8
1986	391	93	33	519	9.5	18.9	9.0	10.3
1987	345	72	35	458	9.0	15.2	9.6	9.6
1988	331	66	27	428	8.8	13.7	6.7	9.1
1989	280	69	42	394	7.5	13.7	10.4	8.3
1990	329	71	28	432	8.8	14.1	6.8	9.1
1991	325	89	23	445	8.7	17.3	5.2	9.3
1992	290	85	34	411	7.8	16.5	7.7	8.6
1993	297	79	24	404	8.2	16.0	5.4	8.8
1994	296	53	30	385	8.3	11.2	6.9	8.4
1995	284	67	23	377	8.0	15.0	5.4	8.3
1996	276	79	28	388	7.6	17.7	6.5	8.4
1997	251	70	34	359	6.6	14.9	7.3	7.5
1998	309	66	37	421	8.0	13.8	7.6	8.5
1999	300	71	34	408	8.0	15.4	7.1	8.4
2000	300	80	29	415	7.8	16.7	5.6	8.3

¹Includes unknown race and races other than White, Black, and American Indian.

Figure 2. Race-Specific Infant Mortality Rates
Oklahoma, 1975-2000




Table 25. Percent of births by short birth interval, high parity, number of teen births, percent of births to teens, and teen fertility rate aged 15-19: Oklahoma, 1975-2000

(Teen fertility rates are live births per 1,000 female population aged 15-19.)

<i>Year</i>	<i>Short birth interval</i>		<i>Previous births</i>		<i>Number of teen births</i>	<i>% of births to women < 20 years</i>
	<i>< 18 months</i>	<i>< 24 months</i>	<i>Age < 20: 2+ births</i>	<i>Age > 19: 4+ births</i>		
1975	17.0	30.1	12.3	8.0	10,061	23.6
1976	17.0	30.5	13.6	7.5	9,931	22.8
1977	17.2	30.8	14.1	6.7	9,740	21.4
1978	17.2	31.0	15.0	6.4	9,574	20.9
1979	17.4	31.5	15.3	6.1	10,032	20.5
1980	18.8	33.3	15.0	5.9	10,192	19.6
1981	19.3	34.6	13.6	5.6	10,210	19.0
1982	19.4	35.0	15.6	5.6	10,752	18.3
1983	19.8	35.0	13.9	5.7	10,014	17.6
1984	18.9	34.0	15.1	5.4	8,807	16.2
1985	18.2	32.8	14.9	5.5	8,410	15.8
1986	18.7	32.8	16.6	5.6	7,894	15.6
1987	18.3	32.9	22.0	6.1	7,648	16.0
1988	18.6	32.8	24.7	6.3	7,561	16.0
1989	18.6	32.6	24.7	6.7	7,736	16.4
1990	19.6	33.6	23.7	6.3	7,719	16.6
1991	20.4	35.4	18.7	6.1	8,147	17.1
1992	20.3	35.1	23.9	6.1	7,950	16.8
1993	20.3	34.5	16.9	6.1	7,880	17.1
1994	19.6	33.7	17.8	6.3	7,757	17.0
1995	18.8	32.6	18.1	6.4	7,706	17.0
1996	18.0	31.3	16.2	6.2	7,842	17.0
1997	18.0	31.7	16.1	6.5	8,104	16.8
1998	18.0	31.3	17.8	6.9	7,998	16.3
1999	18.3	32.3	14.4	7.2	7,814	16.2
2000	18.9	32.7	17.9	6.4	7,831	15.8

*Fertility rate
ages 15-19*

78.6

76.7

74.5

72.2

74.6

74.5

73.0

75.8

70.9

64.7

64.6

62.9

62.7

63.5

66.4

67.3

70.1

67.7

66.6

66.2

65.2

64.6

65.6

61.0

59.2

59.2

Table 26. Number of teen births and age-specific birth rates by age and race of mother: Oklahoma, 1975-2000

(Rates are live births per 1,000 female population in specified group.)

Year	10-14 Years		15-17 Years		18-19 Years		Race ¹ of mother: Ages 15-19			
	Number	Rate	Number	Rate	Number	Rate	White	Black	American Indian	Total ²
1975	179	1.5	3,881	51.9	6,001	117.5	68.2	141.1	120.4	78.6
1976	171	1.5	3,822	50.8	5,938	114.0	67.0	132.7	117.9	76.7
1977	148	1.3	3,666	48.4	5,926	111.6	66.0	124.7	111.3	74.5
1978	147	1.3	3,481	45.6	5,946	109.7	64.3	121.5	107.4	72.2
1979	154	1.4	3,624	47.1	6,254	112.7	66.3	130.5	109.0	74.6
1980	146	1.3	3,593	46.1	6,453	113.4	68.5	123.7	99.3	74.5
1981	134	1.2	3,414	42.8	6,662	114.4	70.3	109.4	92.2	73.0
1982	133	1.1	3,523	43.5	7,096	119.9	76.2	91.2	96.5	75.8
1983	148	1.3	3,302	41.1	6,564	111.6	71.6	96.6	89.7	70.9
1984	164	1.4	3,025	39.2	5,618	99.4	64.8	92.1	77.1	64.7
1985	150	1.3	2,997	40.6	5,263	97.2	64.2	97.2	72.9	64.6
1986	133	1.2	2,848	40.0	4,913	94.0	61.2	97.8	71.6	62.9
1987	145	1.3	2,772	40.2	4,731	93.3	59.7	100.7	72.0	62.7
1988	141	1.3	2,710	40.2	4,710	95.0	58.5	106.4	78.7	63.5
1989	120	1.1	2,596	39.3	5,020	103.1	60.6	114.8	81.0	66.4
1990	113	1.0	2,531	38.9	5,075	105.8	61.2	117.9	79.4	67.3
1991	166	1.5	2,708	41.3	5,273	109.1	62.4	128.8	89.9	70.1
1992	153	1.3	2,751	41.5	5,046	103.2	62.0	115.2	82.0	67.7
1993	143	1.2	2,744	41.1	4,993	101.3	60.5	112.2	86.0	66.6
1994	150	1.3	2,823	41.9	4,784	96.1	58.9	108.5	85.1	66.2
1995	158	1.3	2,763	41.2	4,785	97.6	58.6	103.2	83.2	65.2
1996	145	1.2	2,758	41.0	4,939	96.5	61.7	89.9	83.5	64.6
1997	139	1.1	2,819	38.0	5,146	104.1	57.6	96.7	90.0	65.6
1998	120	1.0	2,704	34.6	5,174	101.8	54.9	84.5	84.5	61.0
1999	131	1.1	2,514	32.3	5,169	99.7	53.6	82.2	77.5	59.2
							Break in Trend by Race ¹			
2000	120	1.0	2,492	32.2	5,219	98.8	N/A	N/A	N/A	59.2


¹ Due to changes in the collection of race data on the census, continuous trends by race are not available

² Includes unknown race and races other than White, Black, and American Indian.


Table 27. Percent of births by race, low birthweight, low educational attainment and marital status: Oklahoma, 1975-2000

<i>Year</i>	<i>Race of mother</i>			<i>Birthweight</i>		<i>Education</i>	<i>Not married</i>	
	<i>White</i>	<i>Black</i>	<i>American Indian</i>	<i>< 1500 grams</i>	<i>< 2500 grams</i>	<i>< 12 grades</i>	<i>All ages</i>	<i>Age < 20 years</i>
1975	82.8	9.5	6.0	1.2	7.4	30.7	11.9	28.7
1976	83.0	9.7	6.2	1.2	7.5	29.6	12.5	29.9
1977	83.9	9.1	6.0	1.0	7.1	28.5	13.0	31.5
1978	82.7	9.7	6.4	1.0	7.1	27.8	14.8	33.1
1979	82.6	9.9	6.5	1.0	6.5	27.0	15.5	34.7
1980	82.6	9.5	6.5	1.0	6.8	26.8	14.1	33.0
1981	82.8	9.0	6.7	1.0	6.6	26.2	14.2	32.8
1982	83.0	8.6	6.8	1.1	6.8	25.6	14.0	32.4
1983	82.6	8.9	6.9	1.0	6.7	24.9	15.3	35.9
1984	82.6	9.1	6.8	1.0	6.3	24.0	16.2	39.4
1985	82.2	9.3	6.9	1.1	6.4	23.3	17.2	42.6
1986	81.3	9.8	7.3	1.0	6.5	23.0	18.6	46.6
1987	80.6	10.0	7.7	1.0	6.7	23.1	20.7	50.7
1988	79.5	10.2	8.6	1.0	6.6	23.4	22.4	52.9
1989	85.1	11.4	9.2	1.1	6.5	23.7	23.8	54.3
1990	78.7	10.6	8.7	1.0	6.5	23.6	25.2	56.3
1991	78.4	10.8	9.2	1.1	6.6	23.7	27.1	58.1
1992	78.3	10.8	9.2	1.1	6.7	23.4	28.4	60.9
1993	78.1	10.7	9.6	1.1	6.7	23.5	29.2	62.0
1994	78.3	10.4	9.6	1.2	7.1	23.3	29.8	62.9
1995	78.8	9.9	9.5	1.2	6.9	23.3	30.6	65.0
1996	79.3	9.7	9.3	1.1	7.4	22.9	31.1	66.7
1997	78.4	9.8	9.6	1.2	7.3	23.2	32.7	69.2
1998	78.5	9.8	9.9	1.3	7.2	23.1	33.5	70.4
1999	78.6	9.6	10.0	1.2	7.3	22.6	33.2	70.6
2000	77.8	9.6	10.5	1.3	7.5	23.3	34.3	71.8


**Figure 3. Percent of Births of Low Birthweight
Oklahoma: 1975-2000**



**Figure 4. Percent of Births to Mothers with Low Education
Oklahoma, 1975-2000**



**Figure 5. Percent of Births to Unmarried Mothers
Oklahoma: 1975-2000**



**Figure 6. Percent of Teen Births to Unmarried Mothers
Oklahoma: 1975-2000**




Table 28. Percent of births by first trimester and adequacy of prenatal care: Oklahoma, 1975-2000

<i>Year</i>	<i>1st trimester</i>	<i>1st trimester & 10 or more prenatal visits</i>	<i>Late¹ prenatal care</i>	<i>Little² prenatal care</i>	<i>No prenatal care</i>	<i>Total births</i>
1975	65.9	46.4	7.3	2.2	1.5	43,130
1976	66.1	46.6	7.4	2.3	1.6	43,663
1977	67.9	48.5	6.4	2.1	1.9	45,449
1978	68.6	50.1	6.3	2.0	1.8	45,885
1979	68.0	51.2	6.7	1.8	1.8	49,007
1980	68.1	51.7	6.6	2.0	1.9	52,065
1981	68.1	51.5	6.2	2.4	2.1	53,620
1982	67.6	50.8	6.4	2.3	3.0	58,748
1983	67.3	51.4	6.3	1.9	2.8	56,859
1984	69.4	53.0	6.1	2.0	2.3	54,323
1985	70.5	54.9	5.6	2.0	1.7	53,100
1986	71.5	56.4	5.4	2.0	1.9	50,536
1987	73.2	58.4	5.0	1.8	1.6	47,701
1988	73.5	58.4	5.0	1.8	1.4	47,279
1989	72.3	57.3	5.0	2.2	1.5	47,238
1990	72.1	57.2	5.6	2.1	1.5	47,725
1991	73.2	57.3	4.4	1.8	1.3	47,759
1992	75.2	61.7	4.2	1.3	1.2	47,544
1993	74.8	60.6	4.2	1.5	2.1	46,165
1994	76.0	61.1	3.7	1.4	2.4	45,607
1995	78.0	63.8	3.7	1.4	1.2	45,365
1996	78.5	63.4	3.4	1.4	1.3	46,133
1997	78.3	65.3	3.4	1.4	1.4	48,160
1998	78.6	64.0	3.8	1.5	0.9	49,354
1999	80.1	65.6	3.3	1.4	1.0	48,470
2000	78.7	64.5	3.5	1.5	1.3	49,712

¹Prenatal care beginning in the third trimester of pregnancy.²Prenatal care beginning in the first or second trimester and less than four prenatal care visits.

**Figure 7. Percent of Births to Mothers
Who Began Prenatal Care in First Trimester
Oklahoma, 1975-2000**




Table 29. Total and accidental deaths to children by age group: Oklahoma, 1975-2000

<i>Year</i>	<i>Ages 1-4</i>		<i>Ages 5-9</i>		<i>Ages 10-14</i>		<i>Ages 15-19</i>	
	<i>Total</i>	<i>Accident</i>	<i>Total</i>	<i>Accident</i>	<i>Total</i>	<i>Accident</i>	<i>Total</i>	<i>Accident</i>
1975	157	73	97	48	116	68	308	251
1976	142	77	88	54	113	71	287	226
1977	122	61	84	43	106	61	346	282
1978	141	80	77	45	101	59	346	302
1979	123	62	91	49	88	51	323	270
1980	110	52	93	58	70	41	325	276
1981	151	72	78	47	88	57	330	271
1982	140	72	105	57	107	59	335	270
1983	136	65	77	38	91	57	249	197
1984	124	55	73	38	86	51	240	194
1985	132	68	73	35	89	62	247	199
1986	119	66	62	36	56	42	241	184
1987	101	55	76	45	51	35	213	172
1988	102	59	63	32	68	42	213	173
1989	105	51	62	33	65	35	245	204
1990	104	56	65	35	71	48	237	196
1991	103	56	57	38	58	32	241	205
1992	93	41	55	31	61	36	221	184
1993	106	51	61	26	77	47	255	207
1994	107	62	55	30	60	36	238	201
1995	101	45	60	24	90	39	241	119
1996	75	32	55	23	73	29	220	125
1997	93	44	54	25	74	30	254	134
1998	74	36	67	35	68	32	226	114
1999	94	35	47	27	59	28	225	121
2000	65	25	39	20	60	29	198	123


NOTE: Accidental deaths ICD Codes (E800-E929) 1975-1998; (V01-X59, Y85-Y86) 1999-2000.

**Table 30. Child mortality rates by age group and number of suicides and homicides for children ages 15-19:
Oklahoma, 1975-2000**

(Rates are deaths per 100,000 population in specified age group.)

<i>Year</i>	<i>Age of decedent</i>				<i>Ages 15-19</i>	
	<i>1-4 years</i>	<i>5-9 years</i>	<i>10-14 years</i>	<i>15-19 years</i>	<i>Number of Suicides</i>	<i>Number of Homicides</i>
1975	84.6	40.1	49.5	135.4	30	32
1976	75.5	37.4	48.5	124.0	19	10
1977	65.1	36.8	45.6	143.6	31	24
1978	75.5	34.1	43.6	136.8	26	28
1979	67.0	39.9	38.1	121.9	37	28
1980	61.4	40.3	30.3	116.2	28	28
1981	85.8	33.4	37.6	114.8	30	22
1982	82.5	44.5	44.7	115.7	27	19
1983	78.5	32.7	37.4	87.4	32	16
1984	68.2	31.3	35.0	88.9	33	21
1985	70.7	31.4	36.1	97.8	32	16
1986	63.2	26.6	22.7	100.4	36	16
1987	53.8	32.3	20.8	91.6	31	20
1988	54.4	26.4	28.2	93.2	31	24
1989	56.3	25.7	27.4	107.0	35	21
1990	55.9	26.6	30.6	101.7	36	34
1991	55.0	23.2	25.5	101.6	29	35
1992	49.3	22.5	27.1	92.5	34	25
1993	54.9	25.3	34.4	107.6	37	12
1994	57.5	21.7	25.0	98.5	29	40
1995	53.9	23.6	37.2	99.1	32	25
1996	41.3	23.0	28.3	86.5	30	31
1997	50.7	22.4	28.5	99.2	36	41
1998	40.8	28.0	27.2	84.8	41	22
1999	50.9	19.7	23.6	84.0	26	25
2000	34.4	15.9	23.8	73.5	23	12

**Figure 8. Age-Specific Child Mortality Rates
Oklahoma, 1975-2000**



**Table 31. Crude birth rates, birth rates for teens aged 15-19, percent of births to women less than 20 years of age, fertility r
fertility rates by race of mother, and percent of births of low birth weight: UNITED STATES, 1975-2000**

(Crude birth rates are per 1,000 total population. Fertility rates are live births per 1,000 female population aged 15-44.)

Year	Crude birth rate	Birth rate ages 15-19	% of births to women < 20 years	Fertility rate	Fertility rates by race of mother		
					White	Black	American Indian
1975	14.6	55.6	18.9	66.0	62.5*	87.9	-
1976	14.6	52.8	18.0	65.0	61.5*	85.8	-
1977	15.1	52.8	17.2	66.8	63.2*	88.1	-
1978	15.0	51.5	16.6	65.5	61.7*	86.7	-
1979	15.6	52.3	16.0	67.2	63.4*	88.3	-
1980	15.9	53.0	15.6	68.4	65.6	84.7	82.7
1981	15.8	52.2	14.8	67.3	64.8	82.0	79.6
1982	15.9	52.4	14.2	67.3	64.8	80.9	83.6
1983	15.6	51.4	13.7	65.7	63.4	78.7	81.8
1984	15.6	50.6	13.1	65.5	63.2	78.2	79.8
1985	15.8	51.0	12.7	66.3	64.1	78.8	78.6
1986	15.6	50.2	12.6	65.4	63.1	78.9	75.9
1987	15.7	50.6	12.4	65.8	63.3	80.1	75.6
1988	16.0	53.0	12.5	67.3	64.5	82.6	76.8
1989	16.4	57.3	12.8	69.2	66.4	86.2	79.0
1990	16.7	59.9	12.8	70.9	68.3	86.8	76.2
1991	16.3	62.1	12.9	69.6	67.0	85.2	75.1
1992	15.9	60.7	12.7	68.9	66.5	83.2	75.4
1993	15.5	59.6	12.8	67.6	65.4	80.5	73.4
1994	15.2	58.9	13.1	66.7	64.9	76.9	70.9
1995	14.8	56.8	13.1	65.6	64.4	72.3	69.1
1996	14.8	54.7	12.9	65.7	64.7	70.8	69.8
1997	14.7	54.4	12.8	65.3	64.2	70.8	68.9
1998	14.6	51.1	12.5	65.6	64.6	71.0	70.7
1999	14.5	49.6	12.3	65.9	65.1	70.1	69.7
2000	14.8	48.7	11.8	67.6	66.7	71.4	71.3

- Data not available.

*Race of child-NCHS classification prior to 1980.

rates,

<i>% Low birthweight</i>
7.4
7.3
7.1
7.1
6.9
6.8
6.8
6.8
6.8
6.7
6.8
6.8
6.9
6.9
7.0
7.0
7.1
7.1
7.2
7.3
7.3
7.4
7.5
7.8
7.6
7.6

Figure 9. Percent of Births of Low Birthweight
United States and Oklahoma, 1975-1999




Table 32. Percent of births by first trimester prenatal care, low educational attainment, marital status, gestational age, short birth interval and infant mortality rate: UNITED STATES, 1975-2000


<i>Year</i>	<i>1st trimester</i>	<i>Education</i> <i>< 12 grades</i>	<i>Not married</i>	<i>< 37 weeks gestation</i>	<i>Birth interval</i> <i>< 24 months</i>	<i>Infant mortality rate</i>
1975	72.4	28.6	14.2	8.9	25.2	16.1
1976	73.5	27.4	14.8	8.8	25.2	15.2
1977	74.1	26.2	15.5	8.8	25.2	14.1
1978	74.9	26.1	16.3	8.9	26.1	13.8
1979	75.9	24.4	17.1	8.9	26.6	13.1
1980	76.3	23.7	18.4	8.9	27.5	12.6
1981	76.3	22.9	18.9	9.4	28.0	11.9
1982	76.1	22.3	19.4	9.5	27.7	11.5
1983	76.2	21.7	20.3	9.6	27.3	11.2
1984	76.5	20.9	21.0	9.4	26.9	10.8
1985	76.2	20.6	22.0	9.8	26.5	10.6
1986	76.0	20.4	23.4	10.0	26.9	10.4
1987	76.0	20.2	24.5	10.2	26.9	10.1
1988	75.9	20.5	25.7	10.2	26.9	10.0
1989	75.5	23.2	27.1	10.6	27.3	9.8
1990	75.8	23.8	28.0	10.6	27.8	9.2
1991	76.2	24.3	29.5	10.8	28.4	8.9
1992	77.7	23.6	30.1	10.7	-	8.5
1993	78.9	23.3	31.0	11.0	-	8.4
1994	80.2	22.9	32.6	11.0	-	8.0
1995	81.3	22.6	32.2	11.0	-	7.6
1996	81.8	-	32.4	-	-	7.2
1997	82.5	22.1	32.4	11.4	-	7.1
1998	82.8	21.9	32.8	11.7	-	7.2
1999	83.2	21.7	33.0	11.8	-	7.1
2000	83.2	*	33.1	*	*	*

Note: Infant mortality rates are deaths per 1,000 live births.

- Data are not available.

* Data are not available at the time of printing

**Figure 10. Infant Mortality Rate
United States and Oklahoma, 1975-2000**



**Figure 11. Percent of Births to Unmarried Mothers
United States and Oklahoma, 1975-2000**




Table 33. Risk factors and other data from birth certificate check boxes: Oklahoma, 2000

<i>Risk Factors</i>	<i>Count</i>	<i>Delivery Method</i>	<i>Count</i>
Anemia (HCT < 30/HGB < 10)	839	Vaginal	31,508
Cardiac Disease	256	Vaginal after C-Section	840
Lung Disease	530	Primary C-Section	6,278
Diabetes	1,191	Repeat C-Section	4,395
Genital Herpes	276	Forceps	1,201
Hydramnios/Oligohydramios	467	Vacuum	1,846
Hemoglobinopathy	21	Blank/Unknown	6,374
Hypertension, Chronic	458	<i>Type/Method Count</i>	46,068
Hypertension, Preg. Assoc.	1,999	<i>Deliveries Reported</i>	43,338
Eclampsia	233		
Incompetent Cervix	112		
Previous Infant > 4000 gms.	361		
Previous Preterm Infant	532		
Renal Disease	69		
RH Sensitization	294		
Uterine Bleeding	391		
Other	6,512		
Blank/Unknown	38,067		
<i>Risk Count</i>	14,541		
<i>Patient Count</i>	11,645		
<i>Complications</i>	<i>Count</i>	<i>Abnormal Conditions</i>	<i>Count</i>
Febrile (> 100 F)	277	Anemia (HCT < 39/HGB < 13)	73
Meconium, Moderate/Heavy	1,414	Birth Injury	45
Pre. Ruptured Membrane	797	Fetal Alcohol Syndrome	2
Abruptio Placenta	328	Fetal Membrane Disease/Rds.	716
Placenta Previa	167	Meconium Aspiration Syndrome	84
Other Excessive Bleeding	208	Assisted Ventilation (< 30 min.)	353
Seizures During Labor	40	Assisted Ventilation (> 30 min.)	625
Precipitous Labor < 3 hrs	629	Seizures	60
Prolonged Labor > 20 hrs	243	Other	1,998
Dysfunctional Labor	779	Blank/Unknown	46,664
Breech/Malpresentation	1,471	<i>Abnormal Count</i>	3,956
Cephalopelvic Disproportion	1,018	<i>Patient Count</i>	3,048
Cord Prolapse	273		
Anesthetic Complication	43		
Fetal Distress	1,454		
Other	4,608		
Blank/Unknown	38,360		
<i>Complication Count</i>	13,749		
<i>Patient Count</i>	11,352		
<i>OB Procedures</i>	<i>Count</i>	<i>Congenital Anomalies</i>	<i>Count</i>
Amniocentesis	487	Anencephalus	8
Electronic Fetal Monitor	34,614	Spina Bifida/Meningocele	13
Induction of Labor	10,252	Hydrocephalus	19
Stimulation of Labor	6,355	Microcephalus	7
Tocolysis	1,090	Other Central Nervous System Anomalies	20
Ultrasound	24,755	Heart Malformation	45
Other	1,176	Other Circulatory/Respiratory	35
Blank/Unknown	11,238	Rectal Atresia/Stenosis	2
<i>Procedure Count</i>	78,729	Traceo-Esophageal Atresia	1
<i>Patient Count</i>	38,474	Omphalocele/Gastroschisis	14
		Other Gastrointestinal Anomalies	19
		Malformed Genitalia	21
		Renal Agenesis	5
		Other Urogenital Anomalies	41
		Cleft Lip/Palate	55
		Polydactyly/Syndactyly/Adactyly	26
		Club Foot	23
		Diaphragmatic Hernia	11
		Other Musculoskeletal/Integumental Anomalies	41
		Down's Syndrome	35
		Other Chromosomal Anomalies	367
		Other	394
		Blank/Unknown	48,642
		<i>Anomaly Count</i>	1,202
		<i>Patient Count</i>	1,070
		Total Births	49,712

Table 34. Number of births by age of mother: Oklahoma and selected cities, 2000

Resident city	Age of mother								Unk
	10-14 years	15-17 years	18-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-54 years	
State	120	2,492	5,219	16,065	13,471	8,182	3,464	677	22
Ada	1	11	30	96	72	27	10	5	-
Altus	3	22	37	140	100	73	15	3	-
Alva	-	-	5	28	12	7	4	1	-
Anadarko	1	7	18	38	18	17	7	1	-
Antlers	-	5	6	12	7	4	1	-	-
Ardmore	1	20	48	143	97	45	20	4	-
Atoka	-	4	4	22	18	4	4	-	-
Bartlesville	1	15	55	131	105	90	38	5	1
Bethany	-	15	25	69	71	38	23	6	-
Bixby	1	7	13	52	79	55	18	5	-
Blackwell	1	4	15	42	26	20	5	1	-
Bristow	-	5	8	22	19	8	3	-	-
Broken Arrow	2	28	73	241	376	320	140	17	-
Broken Bow	-	8	19	37	25	8	4	-	-
Catoosa	-	2	9	33	14	11	3	1	-
Chandler	-	3	7	17	9	10	2	-	-
Checotah	-	4	9	34	8	9	2	-	-
Chickasha	1	10	31	102	57	30	15	5	-
Choctaw	-	3	11	44	45	31	14	3	-
Claremore	1	12	32	94	83	55	14	4	1
Cleveland	-	4	5	12	11	8	1	-	-
Clinton	2	10	22	52	37	20	5	-	-
Collinsville	-	2	10	38	44	30	2	2	1
Cordell	-	1	7	15	6	6	-	1	-
Coweta	-	10	13	46	32	15	5	-	-
Cushing	1	8	14	39	20	10	5	3	-
Davis	-	3	6	15	7	5	5	-	-
Del City	1	15	38	120	73	35	13	5	-
Dewey	-	3	4	16	13	4	3	-	-
Drumright	-	3	4	16	13	2	2	1	-
Duncan	1	16	30	132	59	39	13	4	-
Durant	1	10	40	94	70	26	8	3	-
Edmond	-	12	36	174	398	373	189	36	-
El Reno	1	13	33	86	52	28	8	-	-
Elk City	-	5	17	56	31	16	8	1	-
Enid	3	35	80	239	180	111	41	7	-
Eufaula	-	2	3	8	10	5	1	2	-
Fairview	-	1	1	8	4	4	7	-	-
Fort Gibson	-	-	7	24	11	10	1	-	-
Frederick	-	5	11	19	22	7	2	1	-

- Denotes no events in that category.

Table 34. Number of births by age of mother: Oklahoma and selected cities, 2000

<i>Resident city</i>	<i>Age of mother</i>								<i>Unk</i>
	<i>10-14 years</i>	<i>15-17 years</i>	<i>18-19 years</i>	<i>20-24 years</i>	<i>25-29 years</i>	<i>30-34 years</i>	<i>35-39 years</i>	<i>40-54 years</i>	
Glenpool	-	4	6	43	48	33	6	3	-
Grove	-	-	13	23	17	9	5	-	-
Guthrie	-	4	21	50	48	20	14	2	-
Guymon	-	15	33	91	58	26	13	3	-
Harrah	-	4	6	27	26	10	8	2	-
Healdton	-	3	3	24	8	-	2	-	-
Heavener	-	5	12	33	21	6	4	-	-
Henryetta	-	2	20	34	17	12	5	1	-
Hobart	-	4	6	23	8	7	3	-	-
Holdenville	1	3	13	13	18	5	3	-	-
Hollis	-	6	5	6	2	4	1	-	-
Hugo	1	10	18	33	18	10	3	1	-
Idabel	-	11	10	51	20	15	7	1	-
Jenks	-	2	5	18	59	51	11	2	-
Kingfisher	-	4	6	19	18	9	3	2	-
Lawton	6	91	162	582	384	178	76	22	-
Lindsay	-	-	6	9	14	5	1	-	-
Lone Grove	-	-	8	21	16	6	3	-	-
Madill	-	4	8	22	26	10	5	1	-
Mangum	1	2	9	10	10	2	2	1	-
Marlow	-	2	8	20	18	9	7	-	-
McAlester	-	20	25	79	67	22	12	1	-
McCloud	-	-	-	-	1	-	-	-	-
Miami	-	14	29	58	62	17	9	2	1
Midwest City	4	31	74	285	220	114	43	7	1
Moore	2	32	41	193	236	108	37	3	-
Muldrow	1	2	7	28	20	7	4	1	-
Muskogee	5	37	72	269	141	69	28	2	-
Mustang	-	2	5	61	52	38	20	1	-
Newcastle	-	1	2	10	11	9	2	-	-
Nichols Hills	-	-	-	-	-	-	1	-	-
Noble	-	1	10	33	34	20	3	-	-
Norman	-	27	74	303	372	283	113	13	-
Nowata	-	5	4	22	11	11	4	2	1
Okema	-	4	7	13	11	3	3	-	-
Oklahoma City	26	465	759	2,495	2,085	1,269	570	123	1
Okmulgee	1	16	34	90	54	18	7	2	-
Owasso	-	11	20	63	81	84	29	7	-
Pauls Valley	1	9	11	29	25	18	2	1	-
Pawhuska	1	1	10	22	10	7	3	1	-

- Denotes no events in that category.

Table 34. Number of births by age of mother: Oklahoma and selected cities, 2000

Resident city	Age of mother								Unk
	10-14 years	15-17 years	18-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-54 years	
Perry	-	3	12	28	13	15	6	-	-
Piedmont	-	1	3	7	14	21	6	3	-
Pocola	-	3	8	16	14	10	1	1	-
Ponca City	1	12	34	124	100	56	26	4	-
Poteau	-	8	19	80	35	9	4	-	-
Pryor Creek	-	10	25	46	47	24	8	1	-
Purcell	-	6	11	36	27	17	3	1	-
Sallisaw	1	8	12	61	29	16	7	2	-
Sand Springs	-	8	41	92	84	38	18	4	-
Sapulpa	-	21	36	99	82	51	25	2	-
Sayre	1	1	9	10	10	8	4	-	-
Seminole	-	8	30	52	36	15	5	-	-
Shawnee	-	30	87	181	120	61	32	-	1
Skiatook	1	6	14	45	26	15	7	-	-
Spencer	-	3	10	33	14	5	8	1	-
Stigler	-	6	9	15	10	8	3	-	-
Stillwater	1	6	27	135	142	79	38	5	-
Stilwell	-	9	16	24	16	9	2	1	-
Stroud	-	1	10	17	10	4	4	-	-
Sulphur	-	8	7	25	19	7	2	-	-
Tahlequah	2	15	41	101	56	25	16	2	-
Tecumseh	-	4	11	35	17	10	3	1	-
The Village	-	-	-	1	5	1	1	-	-
Tishomingo	-	2	11	19	7	1	2	1	-
Tonkawa	-	2	4	23	8	8	2	-	-
Tulsa	11	345	666	2,083	1,729	1,181	499	126	4
Tuttle	-	3	6	14	31	10	6	-	-
Vinita	-	4	15	34	23	8	1	1	-
Wagoner	1	9	16	37	39	10	4	2	-
Walters	-	2	4	10	8	7	1	-	-
Warr Acres	-	1	5	7	21	8	3	-	-
Watonga	-	7	10	17	10	8	2	2	1
Weatherford	-	2	9	38	24	21	6	1	-
Wewoka	-	3	8	26	13	8	3	-	-
Wilburton	-	1	10	21	11	4	2	1	-
Woodward	1	13	27	78	45	15	6	-	-
Yukon	-	15	24	92	175	107	51	9	-
Unknown	27	709	1,534	4,492	3,720	2,142	914	172	9

Total

49,712

252

393

57

107

35

378

56

441

247

230

114

65

1,197

101

73

48

66

251

151

296

41

148

129

36

121

100

41

300

43

41

294

252

1,218

221

134

696

31

25

53

67

Total

143
67
159
239
83

40
81
91
51
56

24
94
115
148
61

1,501
35
54
76
37

64
226
1
192
779

652
70
623
179
35

1
101
1,185
60
41

7,793
222
295
96
55

Total

77
55
53
357
155

161
101
136
285
316

43
146
512
114
74

51
433
77
46
68

258
81
8
43
47

6,644
70
86
118
32

45
57
101
61
50

185
473
13719

Table 35. Number of births by race and Hispanic origin of mother: Oklahoma and selected cities, 2000

(Estimates provided by the U.S. Census Bureau)

<i>Resident city</i>	<i>Race of mother</i>						<i>Total</i>	<i>Population Estimate</i>
	<i>White</i>	<i>Black</i>	<i>Am. Indian</i>	<i>Other</i>	<i>Unk</i>	<i>Hispanic¹</i>		
State	38,512	4,777	5,206	1,013	204	4,352	49,712	3,450,654
Ada	176	11	62	3	-	8	252	15,691
Altus	335	48	6	4	-	93	393	21,447
Alva	55	-	-	2	-	2	57	5,288
Anadarko	36	6	62	3	-	12	107	6,645
Antlers	30	-	5	-	-	1	35	2,552
Ardmore	280	43	41	14	-	16	378	23,711
Atoka	37	7	12	-	-	1	56	2,988
Bartlesville	367	15	55	4	-	26	441	24,748
Bethany	220	15	8	3	1	14	247	2,037
Bixby	199	6	22	3	-	12	230	13,336
Blackwell	103	1	9	1	-	5	114	7,668
Bristow	52	3	10	-	-	.	65	4,325
Broken Arrow	1,049	47	58	38	5	55	1,197	74,859
Broken Bow	61	16	24	-	-	8	101	4,230
Catoosa	61	-	12	-	-	4	73	5,447
Chandler	43	2	3	-	-	1	48	2,842
Checotah	46	6	12	2	-	1	66	3,481
Chickasha	208	27	10	5	1	18	251	15,850
Choctaw	138	3	8	1	1	5	151	9,377
Claremore	242	4	45	3	2	17	296	15,873
Cleveland	37	1	3	-	-	1	41	3,282
Clinton	116	9	12	1	10	43	148	8,833
Collinsville	121	1	7	-	-	3	129	4,077
Cordell	35	-	1	-	-	3	36	2,867
Coweta	101	6	14	-	-	3	121	7,139
Cushing	85	5	10	-	-	-	100	8,371
Davis	31	4	6	-	-	2	41	2,610
Del City	214	63	18	3	2	15	300	22,128
Dewey	31	2	8	2	-	2	43	3,179
Drumright	40	-	1	-	-	-	41	2,905
Duncan	255	14	22	3	-	30	294	22,505
Durant	198	2	50	2	-	12	252	13,549
Edmond	1,088	60	22	45	3	58	1,218	68,315
El Reno	167	6	45	2	1	20	221	16,212
Elk City	120	6	6	2	-	3	134	10,510
Enid	615	23	22	25	11	59	696	47,045
Eufaula	18	2	11	-	-	-	31	2,639
Fairview	25	-	-	-	-	-	25	2,733
Fort Gibson	40	1	12	-	-	2	53	4,054
Frederick	55	8	3	-	1	17	67	4,637

¹ Hispanic births are of any race.

- Denotes no events in that category.

Table 35. Number of births by race and Hispanic origin of mother: Oklahoma and selected cities, 2000

(Estimates provided by the U.S. Census Bureau)

<i>Resident city</i>	<i>Race of mother</i>						<i>Total</i>	<i>Population Estimate</i>
	<i>White</i>	<i>Black</i>	<i>Am. Indian</i>	<i>Other</i>	<i>Unk</i>	<i>Hispanic¹</i>		
Glenpool	130	2	9	2	-	6	143	8,123
Grove	52	-	15	-	-	3	67	5,131
Guthrie	146	7	4	2	-	7	159	9,925
Guymon	233	1	3	2	-	115	239	10,472
Harrah	79	1	3	-	-	1	83	4,719
Healdton	38	-	2	-	-	1	40	2,786
Heavener	70	-	10	1	-	30	81	3,201
Henryetta	76	-	15	-	-	.	91	6,096
Hobart	45	4	2	-	-	12	51	3,997
Holdenville	36	1	19	-	-	1	56	4,732
Hollis	20	4	-	-	-	12	24	2,264
Hugo	57	13	21	3	-	4	94	5,536
Idabel	69	28	17	1	-	14	115	6,952
Jenks	138	1	6	2	1	11	148	9,557
Kingfisher	50	-	11	-	-	7	61	4,380
Lawton	935	379	115	69	3	160	1,501	92,757
Lindsay	34	-	1	-	-	-	35	2,889
Lone Grove	51	1	2	-	-	-	54	4,361
Madill	66	4	6	-	-	29	76	3,410
Mangum	36	1	-	-	-	3	37	2,924
Marlow	61	-	3	-	-	-	64	4,592
McAlester	174	12	35	3	2	9	226	17,783
McCloud	1	-	-	-	-	-	1	3,548
Miami	139	-	48	3	2	5	192	13,704
Midwest City	572	163	29	13	2	36	779	54,088
Moore	576	26	30	14	6	33	652	41,138
Muldrow	61	-	9	-	-	1	70	3,104
Muskogee	355	139	125	4	-	33	623	38,310
Mustang	169	2	7	1	-	7	179	13,156
Newcastle	33	-	2	-	-	-	35	5,434
Nichols Hills	1	-	-	-	-	-	1	4,056
Noble	95	-	5	.	1	2	101	5,260
Norman	994	53	74	50	14	67	1,185	95,694
Nowata	42	3	15	-	-	-	60	3,971
Okemah	22	3	16	-	-	-	41	3,038
Oklahoma City	5,540	1,514	380	319	40	1,445	7,793	506,132
Okmulgee	142	50	30	-	-	8	222	13,022
Owasso	265	2	20	7	1	17	295	18,502
Pauls Valley	90	3	2	1	-	11	96	8,256
Pawhuska	34	2	19	-	-	2	55	3,629

¹ Hispanic births are of any race.

- Denotes no events in that category.

Table 35. Number of births by race and Hispanic origin of mother: Oklahoma and selected cities, 2000

(Estimates provided by the U.S. Census Bureau)

<i>Resident city</i>	<i>Race of mother</i>						<i>Total</i>	<i>Population Estimate</i>
	<i>White</i>	<i>Black</i>	<i>Am. Indian</i>	<i>Other</i>	<i>Unk</i>	<i>Hispanic¹</i>		
Perry	74	2	-	1	-	3	77	5,230
Piedmont	53	-	1	1	-	5	55	3,650
Pocola	47	-	5	1	-	2	53	3,994
Ponca City	308	11	31	4	3	24	357	25,919
Poteau	127	3	22	2	1	10	155	7,939
Pryor Creek	114	-	43	3	1	2	161	8,659
Purcell	86	3	10	1	1	16	101	5,571
Sallisaw	97	3	35	1	-	4	136	7,989
Sand Springs	255	8	19	3	-	6	285	17,451
Sapulpa	272	15	25	3	1	5	316	19,166
Sayre	41	1	-	1	-	2	43	4,114
Seminole	96	7	43	-	-	1	146	6,899
Shawnee	364	25	112	11	-	21	512	28,692
Skiatook	100	-	14	-	-	1	114	5,396
Spencer	16	52	3	1	2	2	74	3,746
Stigler	41	-	9	1	-	-	51	2,731
Stillwater	356	33	19	25	-	11	433	39,065
Stilwell	32	-	44	-	1	5	77	3,276
Stroud	39	3	4	-	-	1	46	2,758
Sulphur	51	-	16	1	-	3	68	4,794
Tahlequah	162	4	91	-	1	41	258	14,458
Tecumseh	65	-	14	2	-	-	81	6,098
The Village	8	-	-	-	-	1	8	10,157
Tishomingo	33	1	7	2	-	-	43	3,162
Tonkawa	40	-	5	1	1	7	47	3,299
Tulsa	4,662	1,369	416	167	30	843	6,644	393,049
Tuttle	68	-	2	-	-	2	70	4,294
Vinita	69	1	15	-	1	2	86	6,472
Wagoner	85	16	16	1	-	5	118	7,669
Walters	25	-	7	-	-	3	32	2,657
Warr Acres	39	5	-	1	-	3	45	9,735
Watonga	39	4	13	1	-	19	57	4,658
Weatherford	93	1	7	-	-	5	101	9,859
Wewoka	31	9	21	-	-	1	61	3,562
Wilburton	36	2	12	-	-	-	50	2,972
Woodward	179	-	4	-	2	16	185	11,853
Yukon	415	6	18	30	4	18	473	21,043
Unknown	11,037	301	2,256	80	45	598	13,719	-

¹ Hispanic births are of any race.

- Denotes no events in that category.