

Amendment of Solicitation

Date of Issuance: 07/18/18		Sol	icitation No. 34	100001590	
		Solicitation No. <u>3400001590</u> Amendment No. #1			
Requisition No.	′	-\111E	nament No. #1	l	
Hour and date specified for receipt of offers is change	d: X□N	0	☐ Yes, to:		CST
Pursuant to OAC 260:115-7-30(d), this document shall above. Such notice is being provided to all suppliers to Suppliers submitting bids or quotations shall acknowled date specified in the solicitation as follows: (1) Sign and return a copy of this amendment with (2) If the supplier has already submitted a responsible the solicitation deadline. All amendment acknown number and bid opening date printed clearly of the supplier has already submitted a responsible to the solicitation deadline.	o which the edge receip in the solicities, this acknowledgeme	origination	ginal solicitation this solicitation and the response being viedgement mus submitted sepai	was sent. amendment <u>prior</u> to the submitted; or, set be signed and re	to the hour and eturned prior to
1000 NE 10th St	Ruby F. St Contracting 405 - 271	g Of	ficer		
or Personal or Common Carrier Delivery: Procurement 1000 NE 10th St	Phone Nurubys@hea	mbe alth.	er ok.gov		
Oklahoma City, OK 73117					
Description of Amendment:					
a. This is to incorporate the following: Be sure to sign and return with proposal. REMEMBER THE BIDS MUST BE LOGGED IN AT CAUGUST 20, 2018, TO BE CONSIDERED FOR AWA OERSSIRF RFP Pre-Proposal Conference Questions Number Question Response 1 Q. Will information for the pre-bid conferent https://www.ok.gov/health/Organization/Procurement/I AInformation is at this link: https://www3400001590OERSSIRF.html 2 Q. hould an applicant contact the Depart A. It is not required. 3 Q. I was hoping you could confirm that pay A. O.A.C. 310:642-3-1 (a) (1) (A) states: proposal conference. The Department shall su assessment, and the status of previous OERS (B) At the pre-proposal conference, preliminary matter with the proposal period, requirements and procedures 4 Q. There is a typo on page 19 of the RFF A. The webpage is correct. The question	ence be po Procureme v.ok.gov/he ment to par articipation All potenti ummarize a SSIRF-fund is may be g s. P, which sta	sted nt ealth is o al a vail ed p pene	l at this link: _3400001590 /Organization/P pate in the Pre-F ptional for applicants are en able funding, ar projects. (Partically discussed the questions n	OERSSIRF.html Procurement/Procu Proposal Conferen cants?" ncouraged to partic reas of need identif icipation is not req to familiarize all co	? urement nce? sipate in a pre- fied by any state uired) oncerned parties y June15, 2018.
 Q .Is the licensed service area the limits A. No, the project area can be larger tha Q.Has there been a group of proposals been 	n your licer	ised	l service area.	on dollars, but ther	e was multiple

propos	als with	n small budgets?				
	A.	We have had more than one proposal submitted by qualified applicants, but they have been treated as				
	"stanc	dalone" proposals, individually scored.				
7	Q	.What are the areas of funding detailed in statute?				
	A.	See page 4 of the application				
8	Q.	The mileage to Trauma Centers, is that Oklahoma Trauma Centers?				
	A.	Yes				
9	Q.	When do you anticpate awarding the funds?				
	A.	We are hoping middle to end of September				
10	Q.	What is the lowest score that has ever been awarded?				
10	A.	Unknown. I would not quantify awards and scores in the way it is asked. On average, we award 12				
		awards per cycle. The award is based on funding, so in years of less funding, the proposals awarded				
		would have a higher score.				
11	_	Can copies of previous awards or scores be viewed?				
''	Q.					
12	A. Q.	Yes, email dalea@health.ok.gov. as an open record request				
12		Can we get a copy of a proposal?				
	A.	Hard copies may have charges attached to receiving the document. E-copies do not have copy				
		es, but a research fee may apply. Proposals may also be viewed at the Department. Email				
40		@health.ok.gov to make an appointment or make a request.				
13	Q.	Are the same agencies awarded year after year?				
l.,	Α.	A list of awardees and benchmark scores can be provided through an open record request.				
14	Q.	Is there a reason why the previous proposals can be posted on our website				
1	Α.	This will be researched to see if it can be done.				
15	Q.	How often do vendors need to register with the State as a vendor?				
	Α.	Each year. Email Ruby Sherwan at rubys@health.ok.gov for information for vendor				
		ration. OR got to the website below				
		s://www.ok.gov/DCS/Central_Purchasing/Vendor_Registration/index.html				
16	Q.	Does this registration requirement need to be part of the solicitation?				
		, you don't have to register to respond to a proposal. However, you will have to register before an award				
	can b	e made. Information will be provided through the website or through email.				
17	Q.	How are matching funds calculated?				
	A.	See page 9 of the application for formula and scoring.				
18	Q.	"I just need some clarification for the OERSSIRF submission. Under ""General Provision"" Bid				
Submi	ssion se	ection A.2.4 it states that ""In addition to a hard copy submittal, the bidder will also be required to submit				
an elec	ctronic o	copy. Electronic responses must be submitted in the identical format contained in the solicitation (for				
examp	le Micro	osoft Word, Microsoft Excel, but not Adobe PDF)."" However, under ""Special Provisions"" section E				
""Instru	uctions	to Bidder"" (E.5.1-2) it states that the ""Supplier must submit an original and nine (9) copies of their				
		osal."" and "" If mailing proposals, Supplier must allow sufficient time to ensure delivery by the date				
		""Proposals submitted in person should be taken to the east side of the building, enter through the				
		ving gate and through the shipping/receiving dock door, past the security guard desk to the				
		ving window on the right. There the proposals will be stamped in and receipt given showing date and time				
of deliv		g				
		s do we submit the original, 9 copies AND an electronic copy? If so, Section A.2.4 stipulates that the				
electronic submission must be in the identical format as the solicitation, but that it cannot be in the Adobe pdf format,						
	however the original format is Adobe pdf and I'm not sure how to reconcile this dilemma if this is indeed a submission					
requirement.						
require	A.	An electronic copy is not required. Only the original and nine copies of the original.				
19. Q. Is there any stipulations on what kind of radio system must be requested? I can't find one and don't want to						
request one if it won't meet the requirements.						
A. There are no equipment limits within the solicitation or the regulations regarding the OERSSIRF process. The						
only regulations for radio or communication equipment are in O.A.C. 310:641. The link to these regulations is:						
https://www.ok.gov/health2/documents/EMS%20Regulations%209-11-2016.pdf						
h All c	ther ter	ms and conditions remain unchanged.				
<i>5.</i> ∧ii €	, a 101 161	mo ana conditiono femali anchangea.				

b. All other terms and conditions remain unor	langea.	
Supplier Company Name (PRINT)	Date	
Authorized Representative Name (PRINT)	Title	Authorized Representative Signature