STATE OF OKLAHOMA

HONORABLE J. KEVIN STITT
GOVERNOR

OKLAHOMA MINING COMMISSION
DEPARTMENT OF MINES

107th Annual Report
Calendar Year 2023

Suzen M. Rodesney
Director

ANNUAL REPORT

2023

As authorized by Suzen M. Rodesney, Director

In compliance with Title 45, Section 31,
Oklahoma Statutes

You can review this report on our website at
https://oklahoma.gov/mines.html
or
Copies of this report may be obtained from

Oklahoma Department of Mines
2915 North Classen Boulevard, Suite 213
Oklahoma City, Oklahoma 73106

405.427.3859
405.427.9646 Fax
405.424.4932 Fax

Table of Contents

MINING IN OKLAHOMA – OVERVIEW

The Oklahoma mining industry has been very important to Oklahoma since before statehood. Currently, mining provides the basic raw materials for all of the products that we require so that: "If it is not grown, it must be mined".

The Oklahoma Department of Mines regulates the production of solid minerals in the state, including coal and non-fuel minerals (crushed stone/limestone, granite, sand/gravel, clay/shale, dimensional stone, gypsum, salt, tripoli, asphalt, bentonite, copper, iron ore, volcanic ash, lead/zinc, and chat). The Oklahoma Corporation Commission regulates the production of the liquid and gaseous minerals in the state including iodine and helium, which are non-fuel minerals whose values are included below in the national statistics for non-fuel minerals used in this report. The Oklahoma Corporation Commission also regulates the production of the fuel minerals, oil and natural gas, which are reported as a separate Oil/Gas category for state and national statistics and are not included in the non-fuel mineral production report totals.

In 2021, Oklahoma ranked 30th in the U.S. for non-fuel mineral production with a value of $930 million or 0.98 % of the U.S. total, according to the U.S. Geological Survey. Oklahoma coal production significantly decreased to 375 tons in 2021 from 11,660 tons in 2020.

Mining production in Oklahoma is expected to grow due to increased need for major repairs and expansion of Oklahoma's highway and bridge infrastructure.

The Oklahoma mining industry has an excellent record of safety and environmental responsibility. Nationally, mining safety has been greatly improved from its past history. Unfortunately, there was one reported fatality in Oklahoma in December 2023. While the potential hazards at mines still exist, the continuing diligent efforts of all the mining companies and their employees are proving of great value for achieving productive, safe, and environmentally responsible mining.

OFFICE OF THE DIRECTOR - STATE OF OKLAHOMA
DEPARTMENT OF MINES - KEY PERSONNEL

Director ……	Suzen M. Rodesney
Chief of Minerals Permitting …….……	Jenna Bedwell
Chief of Minerals Operations …….	Travis Shore
Chief Financial Officer ……	Benita Jose-Mathew
Chief Counsel ……..	Clayton Eubanks

OKLAHOMA DEPARTMENT OF MINES

The Office of the Chief Mine Inspector was created before statehood for the safe operation of mines and the protection of the health of those employed in the mines. The territorial years were well noted for the many mining disasters, and officials were busied with the necessary investigations and recommendations following each serious or fatal accident. Over the years, major revisions in mining health and safety laws and the increase in surface mining versus underground mining helped to decrease mining fatalities in Oklahoma.

The extraction or mining of minerals from the earth occurs in every county of the state. Minerals mined in Oklahoma include coal, limestone, sand and gravel, gypsum, clay and shale, granite, volcanic ash, tripoli, salt, bentonite, iron ore, asphalt, copper and chat.

Before commencement of mining operations, a permit must be obtained from the Department. A permit is issued when the mine operator submits an acceptable application and posts adequate bond to cover reclamation costs should it be necessary for a third party to complete the reclamation process. The mining operator's permit application must include the requirements for legal and financial compliance, the safeguard of environmental resources, and an operations and reclamation plan. Before opening the site, the employees of the mining operation must be trained and certified in accordance with state and federal safety regulations. Mining practices, reclamation, and health and safety procedures are monitored on a regular basis by Department inspectors.

The general provisions of Title 45 O.S. address health and safety on the mine site and reclamation of mined land. In 1967, the Oklahoma Legislature passed the state's first reclamation law which became effective January 1, 1968. That law was replaced in July 1971 with the Mining Lands Reclamation Act, which requires better reclamation in general and includes all mining. Until the passage of such legislation, however, 17,000 acres had been mined with little or no reclamation. This Act is still in effect for non-coal lands.

The Surface Mining Control and Reclamation Act of 1977 was created by Congress with the passage of Public Law 95-87. Subsequently, the State of Oklahoma enacted further legislation to equal the enforcement ability of the federal government. The Coal Reclamation Act of 1978 enabled Oklahoma to operate the interim program law and regulations (Section 715, CFR 30) under P. L. 95-87. It was followed by permanent standards adopted in 1979.

In July of 2020, the US Supreme Court decided *McGirt v Oklahoma*, which found that Indian reservations still existed in the eastern part of the State. The US Department of Interior notified the State of Oklahoma that because of *McGirt*, Oklahoma could no longer administer its state coal permitting and abandoned mine reclamation programs. When the federal government refused to provide the matching funds needed to run the State's coal permitting program the following year, ODM was forced to close the program on December 31, 2021.

OFFICE OF CHIEF MINE INSPECTOR ABOLISHED

In 1986, State Question 594 was passed by the Oklahoma voters. This amended sections of the Oklahoma Constitution by removing all mention of the Chief Mine Inspector. The Department of Mines is now administered by a Director chosen by the Mining Commission. The Director must be knowledgeable of the Oklahoma mining industry and have the ability to administer the functions of the Department.

DIRECTORS, DEPARTMENT OF MINES

Gayle Townley	1986 -- 1987
Bennie Cox	1987 -- 1993
James Hamm	1993 -- 1998
Mary Ann Pritchard	1998 -- 2023
Suzen M. Rodesney	2023 --

CHIEF MINE INSPECTORS

Pete Hanraty	1907 -- 1910
R. W. Church	1910 -- 1911
Ed Boyle	1911 -- 1927
Miller D. Hay	1927 -- 1931
Robert Brown	1931 -- 1947
John M. Malloy	1947 -- 1963
Ward Padgett	1963 -- 1980
Otis English	1980 – 1980

DEPUTY CHIEF MINE INSPECTORS

Blaney Qualls	1980 -- 1984
Gayle Townley	1984 -- 1986

TERRITORIAL DIRECTORS

Luke W. Bryan	1894 -- 1901
William Cameron	1901 -- 1907

STATE MINING BOARD

The State Mining Board was established at statehood with the express purpose of testing and certifying persons who would hold the important positions of mine superintendent, foreman, hoisting engineer, and fire boss. The Board was later given additional responsibilities: to promulgate and enforce rules and regulations with regard to the health and safety of persons employed in the mines, to issue or revoke certificates of competency for surface and underground mine positions, to require the submission and review of plans and specifications for underground mine ventilation and safety and to recommend approval or denial of such plans to the Chief Mine Inspector. In addition, the Board acted as mediator between miners and operators on matters of health and safety; the decision of the Board was binding unless overturned by an opinion of the Attorney General or by a court of law.

As revised by the 1982 Legislature, the Mining Board was composed of ten members. Four of the members were strip miners, of which at least two represented the industry mining non-coal minerals. Two members were practical miners, who held either underground mine superintendent, mine foreman, or fire boss certification. Two members were owners or superintendents of coal mines. One member was a non-supervisory miner who was actively employed in an underground coal mine for at least five years and held a minimum of a fire boss certificate. The last member was the Chief Mine Inspector, who was the executive officer of the Board.

THE OKLAHOMA MINING COMMISSION

In 1985, the State Legislature abolished the State Mining Board and replaced it with the Oklahoma Mining Commission. This nine member board, which held its first meeting in January, 1986, is the policy-determining body of the Department of Mines and determines the broad plans and programs for the Department.

The membership of the Commission consists of one person with a background in engineering or geology; one person with a background in labor or worker's safety; one person with a background in agriculture or soil conservation; one person with a background in transportation; one person with a background in economic development or banking; one person with a background in public utilities; one person with a background in natural resources; and two persons selected at large.

OKLAHOMA MINING COMMISSION - 2023

Stanley T. Krukowski ..... Norman, OK
Position #1; Engineering/Geology
Kurt Klutts, Chairman ..... Poteau, OK
Position #2; Labor/Worker's Safety
Joshua R. Haven ..... Cheyenne, OK
Position #3; Agriculture/Conservation
B. Dave Donoley ..... Wilburton, OK
Position #4; Transportation
Jim Brakefield ..... Adair, OK
Position #5; Banking/Economic Development
Tommy R. Caldwell ..... Shady Point, OK
Position #6, Public Utilities
John R. Curtis, Vice Chairman ..... Broken Arrow, OK
Position #7; Natural Resources
James A. Kemp ..... Pryor, OK
Position #8; At-Large
Mark A. Helm, Secretary ..... Edmond, OK
Position #9; At-Large

OKLAHOMA MINER TRAINING INSTITUTE

The Oklahoma Miner Training Institute (OMTI) is operated under the direction of the Oklahoma Mining Commission. The Institute, located at Eastern Oklahoma State College in Wilburton, OK provides training in all aspects of mine safety and health. Regularly scheduled classes are provided at the school, or at the mine sites throughout the state to minimize the inconvenience to both miners and operators.

Courses Offered by OMTI

Annual Refresher Training (Surface)
Annual Refresher (Underground)
Cardiopulmonary Resuscitation (CPR)
(CPR) Refresher
Electrical Retraining
Fire Prevention and Control
First Aid (Initial)
First Aid (Refresher)
Instructor Training
New Miner Training #1 (Surface)
New Miner Training #2 (Surface) Blasting
New Miner Training (Underground)
State and Federal Regulations
State Surface Certification
State Surface Certification Refresher
Surface Blasters Refresher
Surface Blasters Initial

OMTI Personnel

Michael Reed, Executive Director
Chassey Kirk, Adminstrative Assistant
Karen Clark, Part-Time Administrative Assistant
Roy Collins, Instructor
Holly Coffey, Instructor

OKLAHOMA MINER TRAINING INSTITUTE 2023 ANNUAL REPORT				
	# Certificates Issued During Training		Total #	Total #
Year	Coal	Metal/Non-Metal	Of Classes	Classroom Hours
2023	31	5,055	244	2,051

OKLAHOMA MINE HEALTH AND SAFETY CONFERENCE

The State of Oklahoma is one of a very few states that has its own Mine Health and Safety Conference. For the past several years, the Oklahoma Miner Training Institute and the Oklahoma Department of Mines have joined with the Mine Safety and Health Administration (MSHA) to co-host this conference. The purpose of the conference is to combat health and safety issues that plague the mining industry. This conference is usually held in the fall of the year at a designated site in Oklahoma. As many as twelve other mining states come to Oklahoma to attend beneficial workshops and receive recognition awards for their safety efforts.

ODM INSPECTOR'S SAFETY AWARDS

In 2006, the Oklahoma Department of Mines created the Inspector's Safety Award. Since its inception, 339 awards have been earned by mine operators across Oklahoma. Recipients are chosen on an established set of criteria to reward operators for safe mining practices. These criteria include number of violations, reduction in violations from the previous year, and warnings. The awards are presented each year at the Oklahoma Mine Health & Safety Conference. ODM decided to make the awards more visible by using 30" by 36" road signs produced by the Oklahoma Department of Transportation's Sign Shop. These awards are much coveted, and ODM is proud to recognize these operators who make safety a priority.

2023 INSPECTOR'S SAFETY AWARDS

Small Mines	Large Mines
Benton County Stone, L.E.-2359 (Rockin E. Quarry)	APAC-Central, Inc., L.E.-1964 (Pawhuska Quarry)
JCJ Trucking, LLC, L.E.-1443 (Black Bear Mine #2)	TXI Operations, L.E.-1639 (Bells Savoy)
Meridian Brick, L.E.-1824	APAC-Central, Inc., L.E.-1185 (Muskogee)
B & B Sand and Gravel, L.E.-1910 (#2)	Oklahoma Aztec Co., L.E.-1521 (Asher 1 and Asher 1-4)
Belt Construction, LLC, L.E.-2505 (Pit on 70)	Unimin Corp.,L.E.-1565 (Roff Plant)
-C- Farms, Inc., L.E.-2306 (Carter)	Lightle Sand and Construction, L.E.-2663 (South Sand Mine)
Capitol Stone, L.E.- 2069	Quality Stone, L.E-2484
Future, Inc., L.E.-2734 (Britton and Post)	Dolese Bros., L.E.-2576 (White Eagle)

SAFETY COMMITTEE

The Oklahoma Mining Commission established a Safety Committee in March 2000. This committee creates and produces monthly "Safety-Grams" for distribution to all mining permittees and operators in Oklahoma. Safety-Grams have been published since 2000. The Safety-Grams cover basic first-aid, safe operation of mining equipment, and compliance with Oklahoma mining rules and regulations. Safety-Grams are distributed on mine sites, so all mine employees have access to the information. Each Safety Gram is also posted on our website at www.ok.gov/mines under publications.


Safety-Gram
Title 45, Chapter 11
September 2023
Volume 24, Number 9
Proper Chocking Procedures
Chocking prevents accidental or unintended movement of mobile equipment. Chocking the wheels of a truck, trailer, tractor, or other piece of mobile equipment provides a physical stopper to the wheels to prevent runaways that can crush and injure workers.
ODM-Title 45, Chapter 11 - Section 913 (25) Mobile equipment shall not be left unattended unless the brakes are set. The wheels shall be turned into a bank or wall, or shall be blocked, when such equipment is parked on a grade.
MSHA Standard for Surface Operations 30 CFR § 56.14207 - Parking procedures for unattended equipment. Mobile equipment shall not be left unattended unless the controls are placed in the park position and the parking brake, if provided, is set. When parked on a grade, the wheels or tracks of mobile equipment shall be either chocked or turned into a bank.
Unattended mobile equipment parked on a grade must have the wheels or tracks chocked or turned into bank in addition to setting the park brake (if provided) in order to prevent equipment from unexpectedly rolling and striking miners working in the area. Grade can be determined a number of ways, to include testing the equipment to determine if it rolls when the transmission is placed in neutral.
This standard applies to all off-road and on-road self-propelled equipment used on mine property, including vehicles such as vans, suburbans, and pick-up trucks. Any piece of mobile equipment used on the mine site will have to comply with the standard. The standard would allow for mobile equipment parked on a grade to be turned into a bank, chocked, or parked with the front or rear wheels in a ditch or trough.
Don't be a blockhead! Chocking prevents serious injuries caused by runaway vehicles and accidentally activated machinery.

GEOLOGY AND MINERAL RESOURCES OF OKLAHOMA

Geology

Oklahoma is a region of complex geology where several major sedimentary basins are set among mountain ranges and uplifts. The state contains many classic areas where fundamental concepts of geology, petroleum exploration, and mineral production have been formulated through the years. Because of its geologic history, Oklahoma has abundant mineral resources that include petroleum (crude oil and natural gas), coal, non-fuel minerals (lead, zinc, gypsum, limestone, salt, sand and gravel), and water.

Geologic forces deep within the earth's crust hundreds of millions of years ago caused portions of Oklahoma to subside as major sedimentary basins, while adjacent areas were folding and thrust upward as major mountain uplifts. Most of the outcropping rocks in Oklahoma are of sandstone, limestone, and gypsum. These sedimentary rocks typically are 2,000-10,000 feet thick in the northern shelf areas, and they increase sharply to 30,000-40,000 feet thick in the deep basins of the south. These sedimentary rocks contain most of the state's mineral resources, including petroleum, coal, water, and most of the non-fuel minerals. Sedimentary rocks rest upon a "basement" of igneous and metamorphic rocks that underlie all parts of the state.

Exposed in the southern Oklahoma mountain belts are a great variety of sedimentary and igneous rock units seen at few other places in the entire mid-continent region. Steeply dipping strata, such as those exposed along Interstate 35 through the Arbuckle Mountains, attest to the strong geologic forces that folded and raised the mountain blocks. Outcropping rocks outside the mountain regions are essentially horizontal, with dips of less than one degree being most common. These strata typically form gently rolling hills and plains: thick shale units form broad, flat plains and valleys, where resistant layers of sandstone and limestone cap mesas, cuestas, and hills 100-500 feet high. Rocks and soils of western Oklahoma typically are red in color, due to oxides present in the bedrock, whereas rocks and soils elsewhere are shades of brown, gray, and black.

Oklahoma Minerals Production – Tons
2023



STATE OF OKLAHOMA
PRODUCTION 2023

Product Mined	2023 Production
Clay	1,603,704
Dimensional Stone	1,215,814
Dolomite	136,294
Granite	10,851,075
Gypsum	4,020,263
Limestone	43,478,375
Salt	116,328
Sand & Gravel	22,394,433
Select Fill	1,444,728
Shale	461,559
Tripoli	16,149
Total Production	**85,738,722**

NON-FUEL MINERALS

In 2021, Oklahoma's estimated value of non-coal raw mineral production was $930,000,000 based upon the annual U.S. Geological Survey (USGS) data. The state ranked 30th in 2021, of which Oklahoma accounted for 0.98% of the U. S. total value.

In 2023, there were 770 permitted minerals mines throughout Oklahoma and material has been mined in all 77 counties. Permits to mine are issued in compliance with statutes (O.S. Title 45) and regulations (OAC 460:10) once companies complete the application process and submit a reclamation bond to ensure restoration of the land. Permitting application forms are availalble at https://oklahoma.gov/mines.html.

MINERALS PERMITS

Minerals Mining Permit Activities	2023
Permits Issued	53
Revisions Issued	58
Transfers Issued	21
Limited Use Permits Issued	36
Inspections Conducted	4,254
Violations Issued	216
Non-Mining Blasting Activity	**2023**
Blasting Permits Issued	12
Limited Time Permits	0
One Time Permit	0
Blasting Plans Reviewed	10
Blasting Exemptions Issued	97
Non-Mining Blasting Inspections	0
Violations Issued	0

ASPHALT

Asphalt is a viscous residue of petroleum found in porous rocks. It was mined commercially in Oklahoma from around 1900 through 1960, primarily in Murray and Atoka Counties, but has not been mined in recent years.

BENTONITE

Bentonite is either of two principally aluminum silicate clays, containing some magnesium and iron, distinguished by sodium or calcium content with corresponding high or low swelling capacity and used in various adhesives, cements, and ceramic fillers. There has been no bentonite production in Oklahoma since 2010.

CALICHE

Caliche is a sedimentary rock, a hardened deposit of calcium carbonate. This calcium carbonate cements together other materials, including gravel, sand, clay, and silt. Caliche is generally light colored but can range from white to light pink to reddish-brown, depending on the impurities present. It is generally found on or near the surface, but it can be found in deeper subsoil deposits as well. The layers can vary from a few inches to feet thick, and multiple layers can exist in a single location. No caliche production was reported in 2023.

CHAT (CHAT HAULING)

The term "***chat***" is applied to fragments of silicious rock, limestone, and dolomitic waste rejected in the lead-zinc milling operations that accompanied lead-zinc mining in Ottawa County, largely in the first half of the twentieth century. These chats, found as huge man-made mounds in that county, are utilized as construction aggregate, principally for railroad ballast, highway construction, and concrete production. No chat removal was reported in 2023.

CLAY

Clay is a naturally occurring material composed primarily of fine-grained minerals. Clay deposits are mostly composed of clay minerals, a subtype of phyllosilicate minerals, which impart plasticity and harden when fired or dried; they also may contain variable amounts of water trapped in the mineral structure by polar attraction. Organic materials which do not impart plasticity may also be a part of clay deposits. In 2021 Oklahoma ranked 4th in the nation in clay production.

Clay Production Information	2023
Producing Counties	18
Companies Reporting	52
Total Tonnage	1,603,704
Clay Production by County	
Beckham	13,536
Bryan	74,645
Canadian	55,105
Cherokee	40,956
Cleveland	45,404
Delaware	17,994
Greer	28,752
Kingfisher	325,986
Love	340,170
Mayes	11,776
Muskogee	77,972
Oklahoma	141,799
Ottawa	10,360
Payne	9,896
Pontotoc	122,593
Rogers	75,521
Seminole	203,762
Sequoyah	7,477

COPPER

The occurrence of ***copper*** in Oklahoma has been known since the mid-19th century, when observations were first recorded in what is now Jefferson County. Studies in 1962 proved that deposits in Jackson County were of a sufficient quality and thickness for commercial value. First production from these reserves was in 1965, although the operation is inactive now.

DIMENSIONAL STONE

The term ***dimensional stone*** refers to stone that is finished to specific dimensions and shapes. Most commonly it is quarried in large rectangular blocks, which are then sawed into slabs for further finishing, and used in building, monuments, furniture industrial applications and other uses. Other stone, sold as fieldstone, flagging, rubble and other similar names, is sold in either natural or broken sizes and shapes that are sorted into size ranges, but not finished or dressed to specific dimensions. These types of stone can be used for building, paving, decorative, or other purposes. Of the 34 states that produce dimensional stone, Oklahoma ranked in the top 10 in 2021.

Dimensional Stone Production Information	2023
Producing Counties	10
Companies Reporting	179
Total Tonnage	1,215,814
Dimensional Stone Production by County	
Haskell	190,398
Latimer	360
LeFlore	744,574
McIntosh	24,710
Muskogee	5,475
Nowata	105,884
Pittsburg	3,804
Pottawatomie	11,318
Rogers	2,861
Sequoyah	126,430

DOLOMITE

Dolomite differs from limestone in that it contains magnesium as well as calcium. It is used to supply both of these elements and is a very effective neutralizing agent. It is a carbonate limestone type product that should contain between 8-12% Magnesium as Mg and 18-22% Calcium as Ca. Dolomite should contain less than 0.2% Sodium as well, so this should be checked prior to purchase. The best quality dolomite is sourced from limestone type rock, and requires crushing and screening.

Dolomite Production Information	2023
Producing Counties	1
Companies Reporting	1
Total Tonnage	136,294
Dolomite Production by County	
Johnston	136,294

GRANITE

Oklahoma's commercially quarried ***granite*** deposits are confined to the Arbuckle and Wichita Mountains. Production is limited to Johnston and Murray Counties in the Arbuckles and Greer and Kiowa Counties in the Wichitas. The variety of colors of granite found in Oklahoma makes it desirable for use as dimension stone and monument stone.

Granite Production Information	2023
Producing Counties	3
Companies Reporting	11
Total Tonnage	10,851,075

Granite Production by County	
Johnston	8,099,642
Kay	1,311,575
Kiowa	1,439,858

GYPSUM

Gypsum is a calcium sulfate compound found in large quantities as rock in western Oklahoma, principally in Blaine, Caddo, Jackson, Major and Woods Counties. The mineral is used as a plaster for interior walls and wallboard, and soil conditioners. Oklahoma ranked in the top three states nationally for gypsum production for 2021.

Gypsum Production Information	2023
Producing Counties	4
Companies Reporting	22
Total Tonnage	4,020,263
Gypsum Production by County	
Blaine	1,158,337
Caddo	1,108,408
Jackson	824,670
Major	928,848

IRON ORE

The term "***iron ore***" refers to any body of rock which contains economically extractable quantities of iron. The most common iron ores are the iron-based minerals hematite, magnetite and goethite. These minerals occur quite commonly throughout the world and account for the majority of iron ore production. These minerals occur in sedimentary, igneous and metamorphic environments with percentages of iron contained in typical ores ranging from thirty to sixty-five percent or higher. No iron ore has been mined in Oklahoma since 1988.

LEAD & ZINC

Lead and zinc ores were discovered in the Ottawa County region of northeastern Oklahoma in 1904. Rapid development of these resources and those in neighboring Kansas and Missouri made the Tri-State Mining District the leading producer of lead and zinc in the world. In almost every year from 1918 until 1945, Oklahoma led the world in the production of zinc. The greatest production levels were reached shortly after the discovery of the ore bodies at Picher in 1914; production highs for both lead and zinc mining industries were recorded in 1925.

Production dropped to pre-World War I levels during the Great Depression. Although a minor resurgence in production occurred just before and during the Second World War, the lead and zinc mining industries were never able to again come close to the boom of the 1920's. Declining world prices forced a temporary shutdown of the field in 1959 and 1960; the mines were permanently closed in October 1970. Depletion of the higher grade ores in the field, a decline of the world price, and the cost of continual pumping made mining in the once-great mining center uneconomical and forced its closure. During the years of production, Oklahoma mines produced 1.3 million tons of recoverable lead and 5.2 million tons of recoverable zinc.

The lead and zinc mines of the Tri-State District operated with the room-and-pillar method of mining; many of the rooms were as much as sixty feet in height, with only a thin roof of rock separating them from the surface. Some of the contaminated waters from the mines have seeped into the drinking water and surface water systems of the area. In the 1980's and again in the early 2000's, the Department of Mines worked with task forces which focused on the pollution problems resulting from this situation. Extensive funding has been provided at various times by both the State of Oklahoma and the federal government for the remediation of soil and water contamination, but some of the problems persist. Relocation of many residents has taken place.

LIMESTONE

Limestone represents one of the most widely available of the mineral resources of Oklahoma, and has generally accounted for around 57% of the reported tonnage of all non-fuel minerals mined in the state. Three major production areas exist within Oklahoma: the Tulsa-Rogers-Mayes counties region of northeastern Oklahoma north of the Arkansas River; the Arbuckle Mountains region of Murray County and extending into Pontotoc County; and the Wichita Mountains area of Comanche and Kiowa counties. Limestone is used mainly in the crushed state as concrete aggregate for building highways and other structures, railroad ballast, glass manufacturing, cement production, preparation of lime, and agricultural purposes. Some limestone is used as dimensional building stone.

Limestone Production Information	2023
Producing Counties	35
Companies Reporting	109
Total Tonnage	43,478,375
Limestone Production By County	
Adair	194,817
Atoka	5,053,789
Bryan	45,224
Carter	1,107,323
Cherokee	901,417
Choctaw	4,271,353
Comanche	3,383,352

Craig	304,917
Creek	652,535
Delaware	8,825
Haskell	5,744
Johnston	4,385,127
Kay	168,958
Kiowa	1,788,774
Latimer	2,424
LeFlore	7,624
Mayes	1,099,677
McCurtain	692,848
McIntosh	15,172
Murray	7,358,880
Muskogee	1,417
Nowata	10,412
Osage	433,289
Ottawa	475,810
Pawnee	292,135
Payne	149,794
Pittsburg	596,096
Pontotoc	1,564,262
Pushmataha	45,787
Rogers	4,296,123
Seminole	84,047
Sequoyah	1,057,133
Tulsa	2,307,256
Wagoner	305,586
Washington	410,448

SALT

Oklahoma's vast ***salt*** reserves underlie most of the northwestern portion of the state. Salt brine, dissolved from underground deposits by ground water, is brought to the surface either as natural springs or by pumping; the salt is recovered as a residue through solar evaporation of the brine. Salt is used primarily for stock feeds, recharging water softeners, and road de-icing.

Salt Production Information	2023
Producing Counties	1
Companies Reporting	1
Total Tonnage	116,328
Salt Production by County	
Woods	116,328

SAND & GRAVEL

Sand and gravel is produced in most counties in Oklahoma from deposits that are found near the many rivers and streams. Principal uses are in mixing concrete for highway building and other construction, and for railroad ballast. Silica sands, found chiefly in the Arbuckle Mountain region of south-central Oklahoma, are used in the manufacture of various grades of glass and other chemical and industrial activities.

Sand & Gravel Production Information	2023
Producing Counties	51
Companies Reporting	235
Total Tonnage	22,394,433
Sand & Gravel Production by County	
Atoka	240,223
Beaver	191,994
Beckham	33,653
Bryan	2,966,388
Canadian	410,624
Carter	52,728
Cherokee	3,044
Choctaw	246,758
Cleveland	1,179,273
Comanche	109,915
Cotton	487,932
Creek	2,383
Dewey	3,563,937
Garfield	37,552
Garvin	4,325
Harper	76
Haskell	413,423
Hughes	1,743
Jackson	149,115
Jefferson	4,500
Johnston	2,049,627
Kay	252,652
Kingfisher	1,010,068
Latimer	1,390
LeFlore	496,593
Lincoln	18,891
Logan	824,814
Love	231,071
Major	106,657
Marshall	124,052
Mayes	7,823
McClain	110,922

Sand & Gravel Production by County	
McCurtain	533,932
McIntosh	52,919
Muskogee	303,698
Okfuskee	154
Oklahoma	615,351
Okmulgee	14,750
Payne	77,552
Pittsburg	48
Pontotoc	1,925,130
Pottawatomie	456,100
Pushmataha	1,354
Seminole	96,670
Sequoyah	31,297
Stephens	3,690
Texas	15,797
Tillman	2,090
Tulsa	776,881
Wagoner	2,120,150
Woodward	32,725

SELECT FILL

Select Fill is a clay-based excavated product that packs well. This dirt has some rocks present, but is generally composed of clay and/or silty sand. It is appropriate for filling holes or as a base for other materials around a house foundation or berm.

Select Fill Production Information	2023
Producing Counties	22
Companies Reporting	84
Total Tonnage	1,444,728
Select Fill Production by County	
Adair	15,128
Beckham	4,361
Canadian	6,710
Cleveland	187,788
Creek	32,840
Custer	35
Garfield	5,000
Garvin	12,287
Haskell	9,745

Select Fill Production by County	
Kingfisher	37,576
Latimer	974
Logan	24,506
Love	34,820
Muskogee	6,552
Oklahoma	529,149
Payne	20,863
Pittsburg	1,800
Rogers	5,071
Stephens	9,589
Texas	1,373
Tulsa	492,011
Wagoner	6,550

SHALE

Shale is a classic sedimentary rock typically composed of variable amounts of clay sized particles and weathering debris. The addition of variable amounts of other mineral constituents alters the color of the rock. In manufacturing, shale is used as a filler material for concrete and brick.

Shale Production Information	2023
Producing Counties	14
Companies Reporting	67
Total Tonnage	461,559
Shale Production by County	
Beckham	681
Blaine	66,616
Canadian	57,892
Creek	71,368
Kingfisher	5,833
Latimer	1,365
LeFlore	8,431
Muskogee	84,290
Oklahoma	10,052
Pittsburg	7,415
Sequoyah	32,248
Tulsa	65,904
Wagoner	17,307
Washington	32,157

TRIPOLI

Tripoli is the general name for soft, porous silica found in sedimentary rocks in Ottawa County and neighboring parts of Missouri and Arkansas. Primarily used as an abrasive, it is also used in concrete and as paint filler. One company is at present responsible for the production in Oklahoma. The United States is self-sufficient in tripoli and much of the product is exported.

Tripoli Production Information	2023
Producing Counties	1
Companies Reporting	1
Total Tonnage	16,149
Tripoli Production by County	
Ottawa	16,149

VOLCANIC ASH

Volcanic Ash is composed of fine, uncemented particles of volcanic dust that were deposited in lakes during pre-historic activity. These deposits occur in many western and central counties in Oklahoma. The material is primarily used for concrete mixtures, abrasives, and insulating compounds. There was no production of Volcanic Ash in Oklahoma for 2023.

OKLAHOMA'S REMAINING COAL RESOURCES

Oklahoma fuel resources include coal, oil, and natural gas. As of January 1, 2022, coal mining is regulated by the federal Office of Surface Mining Reclamation and Enforcement. Oil and natural gas production are regulated by the Oklahoma Corporation Commission and are not discussed in this report.

Identified coal resources are present in an area of approximately 8,000 square miles in 20 counties in eastern Oklahoma. The area is within the southern part of the Western Region of the Interior Coal Province of the United States. The coal beds are of Middle and Late Pennsylvanian age, 0.8-10 ft thick, 0.4-6.5% in sulfur content, coking or non-coking, contain 11,400-15,000 Btu/lb, and are low (2-7%) in inherent moisture. Oklahoma contains the most significant deposits of bituminous coal between the Mississippi River and the Rocky Mountains. Although the McClellan-Kerr Arkansas River Navigation System is available for barging coal to international ports, most coal production is shipped by truck or rail. As of January 1, 2007, 8.1 billion short tons of remaining coal resources have been identified; 76% are in the Arkoma basin and 24% are in the northeast Oklahoma shelf area. About 41% of the state's coal resources are low- and medium-volatile bituminous in rank and are present in the Arkoma basin. Four mining companies produced 294,334 tons of coal at four mine sites in four counties in 2019.

The bituminous coals of the state are low volatile in northern LeFlore County; medium volatile in northern LeFlore, Sequoyah, and most of Haskell Counties; high volatile A and B in Craig and Nowata Counties, parts of Haskell County, and in most of the remaining coal-bearing counties; and high volatile C in Coal and Pittsburg Counties.

The commercial coalbeds in the Northeast Oklahoma Shelf area are 0.8-5.0 feet thick, average 2.0 feet thick, dip westward from ½ degree to 2 degrees, and contain more than 3 percent sulfur by weight with the exception of the low-sulfur Croweburg and Secor coals. The coalbeds in the Arkoma Basin area are 1-10 feet thick and occur in eroded anticlines and synclines that trend northeastward. The coals crop out mostly along the sides of these folded and faulted structures, and their dip ranges from 3 degrees to nearly vertical.

The face cleat trend is northwestward in the coal beds of the Shelf and the Basin. In the Arkoma Basin, coals that exhibit steep dips (18 degrees to 65 degrees) commonly were mined before 1960. From 1960 to 1974, no mines were developed in steeply dipping coalbeds because of cost. The Arab oil embargo of 1973 resulted in increases in demand and prices for coal. Thus from 1974 to 1984, seven surface mines were developed in steeply dipping coalbeds in the Arkoma Basin, and they produced coking and metallurgical coal in which the sulfur content was only 1%. Coal from steeply dipping beds has not been mined since 1984 because of the high cost. Of the remaining coal resources in the state, 76% are in the Arkoma Basin and 24% are in the Shelf area. The weighted average sulfur content of the total remaining coal resources is 2.3%.

Remaining Identified (Bituminous) Coal Resources in Oklahoma - January 1, 2007

County	Short Tons(thousands)
Atoka	29,619
Coal	292,875
Craig	638,560
Creek	15,573
Haskell	1,509,081
Latimer	840,492
LeFlore	1,962,725
Mayes	31,094
McIntosh	36,319
Muskogee	95,531
Nowata	27,829
Okfuskee	155,964
Okmulgee	339,909
Pittsburg	1,383,833
Rogers	360,183
Sequoyah	27,146
Tulsa	169,974
Wagoner	128,945
Washington	23,450
Total	**8,069,102**

Approximately 680 million tons of Oklahoma's remaining coal resources were estimated (Friedman, 1974) as strippable from beneath 100 feet or less of overburden, in beds 12 inches or more in thickness. Strippable coal resources were reported in Atoka, Coal, Craig, Creek, Haskell, Latimer, LeFlore, Mayes, McIntosh, Muskogee, Nowata, Okfuskee, Okmulgee, Pittsburg, Rogers, Sequoyah, Tulsa, Wagoner, and Washington Counties in 25 different coalbeds. The Demonstrated Reserve Base (DRB) shows 342 million tons as strippable (U.S. Department of Energy, 1996).

In 1986, the major use of Oklahoma coal was by out-of-state electric power generating plants, and the major use of Oklahoma coal in Oklahoma was in cement and lime kilns, at a paper plant, and for process heat at an auto assembly plant. In 1987, however, state law required blending 10% of the BTU value of total non-Oklahoma (Wyoming) coal consumed at Oklahoma power plants with Oklahoma coal. Consequently, a significant change took place in the distribution of Oklahoma coals by the end use. By 1991, more than 50% of Oklahoma coal production was shipped to Oklahoma electric power plants. Although the 1987 “10%” law was declared unconstitutional by the U.S. Supreme Court in January 1992, the 1991 Oklahoma coal production increased 16% from 1990.

This is explained by a shift in shipments of Oklahoma coal in 1991 to the AES Shady Point fluidized-bed combustion power plant in LeFlore County. Nevertheless, about 18 million tons of low-sulfur (0.4%) subbituminous Wyoming coal was shipped to Oklahoma public utilities in 1997. Oklahoma power plants rank fourth among the states consuming coal imported from Wyoming. Cumulative coal production in Oklahoma (1873-2019) is 302.3 million tons.



COALBEDS

A total of 25 named bituminous coal beds are present and have been mined in eastern Oklahoma. Most past production has been from the Hartshorne, Lower Hartshorne, McAlester, and Croweburg Coals, which were mined by underground methods. Coal rank, generalized for all coals at or near the surface, ranges from high-volatile bituminous in the northeast Oklahoma shelf and western Arkoma Basin to medium-volatile bituminous and low-volatile bituminous in the eastern Arkoma Basin in Oklahoma. Rank increases from west to east and with depth in the Arkoma Basin, attaining semianthracite in Arkansas.

HARTSHORNE COAL

At the southern edge of the coal region in Oklahoma, the Hartshorne Coal commonly is split into two beds by shale and sandstone that are 1 to 100 feet thick. The two beds are called the Upper and Lower Hartshorne Coals, and they have been extensively mined. North of the position of the long axis of the Arkoma Basin, the Hartshorne Coal is not split but is a single bed 1 to 7 feet thick containing, in most places, a persistent black shale or mudstone parting about 1 to 5 inches thick. Core drilling and successful efforts at underground mine development since 1969 have demonstrated significant underground coal resources in the Hartshorne Coal in areas

in Haskell and LeFlore Counties, where it is 3 to 7 feet thick, of low or medium-volatile bituminous rank, and an excellent coking coal.

LOWER HARTSHORNE COAL

Mined in the Arkoma Basin mostly for metallurgical coke manufacture for 115 years, the Lower Hartshorne Coal has been shipped to electric power plants since 1985. Hundreds of underground mines, many of them referred to as no more than "dog holes", have been developed along the 120 miles of outcrop of the Lower Hartshorne Coal since 1872, at which time a railroad first connected McAlester, Pittsburg County, with Arkansas, and thus with the other states. The Lower Hartshorne Coal is 0.8 to 7.0 feet thick, averaging 4 feet in underground mines. The railroads used this premium-grade coal for steam, but historically the coal was shipped to blast furnaces in Colorado, Ohio, Pennsylvania, Texas and Japan. The Lower Hartshorne Coalbed contains at least 1,541,000 tons of remaining coal resources (Friedman, 1974), and it also contains coalbed methane resources.

UPPER HARTSHORNE COAL

The Upper Hartshorne Coal was once extensively mined at outcrops on the flanks of anticlines in LeFlore, Haskell, Latimer and Pittsburg Counties. It is 2 to 4 feet thick and is low- or medium-volatile bituminous in rank in the east end of the Arkoma Basin and high-volatile in the west end. The Upper Hartshorne Coalbed contains 663 million tons of remaining coal resources (Friedman, 1974), and it also contains coalbed methane resources.

McALESTER COAL

The McAlester Coalbed has been extensively mined by underground methods at McAlester in central Pittsburg County and in southeastern Coal County. Throughout the Arkoma Basin, the McAlester Coalbed is 1.5 to 5.0 feet thick and mostly high-volatile bituminous in rank. The coal is thickest in Coal and Pittsburg Counties. It is suitable for use in electric power generation, for blending with higher rank coal for coke manufacture, in cement and lime manufacture, and it is suitable for gasification and liquefaction conversion processes. The McAlester Coal contains 1,012,000 tons of remaining resources (Friedman, 1974), and it contains significant coalbed methane resources in places where it is 3 to 5 feet thick.

STIGLER COAL

Correlated with the McAlester Coal (Friedman, 1978), the Stigler Coal has been mined historically to depths of 30 to 45 feet by surface methods in Haskell, LeFlore, Muskogee and Sequoyah Counties. The Stigler Coal was mined to 100 feet in Sequoyah County and to 140 feet in Haskell County. Mostly of low- and medium-volatile bituminous rank, the low-sulfur (0.5 to 1.0%) Stigler Coal has been used in coke manufacture in U.S. and overseas markets. In 1978-1979, 11 companies operated surface mines in this high BTU (13,000 - 14,500) coal, where it is 1.0 to 2.7 feet thick. This premium grade coal is overlain by 15 to 110 feet of medium- and dark-gray mudstone, the Stigler Rider Coal (correlated with the Upper McAlester Coal of Latimer, Pittsburg and Coal Counties), one sandstone bed, and in places, Quaternary silt and sand. The Stigler Coalbed contains 533 million tons of remaining resources (Friedman, 1974).

CAVANAL COAL

The Cavanal Coal, moderate in ash and high in sulfur content, is of medium-volatile bituminous rank and crops out on the synclinal flanks of Cavanal Mountain in LeFlore County (Knechtel, 1949). Of high-volatile bituminous rank, it was mapped in Pittsburg County (Hendricks, 1937). In 1976, it was mined at a surface operation on the north side of Cavanal Mountain, where it is 2 feet thick and overlain by 35 feet of blue-gray shale that is overlain by sandstone. Total remaining resources in the Cavanal Coal in the Arkoma Basin are 159 million tons (Friedman, 1974). About 60 feet below the Cavanal, the Lower Cavanal Coal, 2.0 to 2.2 feet thick, was mined by surface and underground methods in LeFlore County in 1942-43 (Knechtel, 1949). This medium-volatile bituminous coal contains undetermined resources.

LOWER WITTEVILLE COAL

The Lower Witteville Coal is widely distributed in the Arkoma Basin. In the first half of the twentieth century, underground mines produced 522,000 tons of this coal from Cavanal Mountain, LeFlore County, where it is 3 to 4 feet thick and contains thin shale partings. The Lower Witteville may correlate with the Drywood Coal in the Savanna Formation of the Northeast Shelf area (Friedman, 1982), or with an unnamed coal that occurs in a shale interval within the Bluejacket sandstone member of the Boggy Formation (Hemish, 1994). It is medium-volatile bituminous in rank, and thus it probably contains coalbed methane resources. The Lower Witteville Coal contains 52 million tons of identified coal resources in LeFlore County (Friedman, 1974).

ROWE COAL

A high-sulfur, high-volatile bituminous coal, the Rowe is 0.8 to 3.0 feet thick in Craig, Mayes, Muskogee, Rogers and Wagoner Counties. The remaining resources in the Rowe Coal are 25 million tons (Hemish, 1986, 1989). The Rowe Coal may be suitable for gasification and liquefaction conversion processes.

SECOR COAL

The Secor Coal in the Boggy Formation contains a minimum of 446 million tons of identified coal resources (Friedman, 1974). Recent exploration and mining indicates that additional millions of tons of this coal are present in LeFlore County. The Secor Coalbed is 1.5 to 4.3 feet thick, moderately brightly banded and medium-to-high-volatile bituminous in rank. High in ash and sulfur content, it contains 12,000 to 14,000 BTU/lb. The coal has been considered of marginal economic value for most markets. Discovery of a rare occurrence of a low-sulfur (1% or less) deposit of the Secor Coal in McIntosh and Wagoner Counties (Friedman, 1978) resulted in 3.2 million tons of production of this rare coal from 10 strip mines from 1978-1990.

WEIR-PITTSBURG COAL

Correlated from outcrops and drilling data in southeastern Kansas (Friedman, 1974), the Weir-Pittsburg Coal contains 496 million tons of identified coal resources in the Northeastern Oklahoma Shelf. Mined by surface methods in Craig, Mayes, Rogers, and Wagoner Counties, the Weir-Pittsburg Coal is 1.1 to 3.0 feet thick and is overlain by 20 to 30 feet of gray shale that in some places contains marine invertebrate fossils. This coal is high in sulfur (more than 3%) and ash (more than 12%). No production has been reported from this coalbed since 1980 because its run-of-mine condition has been of marginal economic value.

MINERAL COAL & MORRIS COAL

The Mineral Coal is a high-volatile bituminous coal, 1.2 to 2.7 feet thick, averaging 1.8 feet in Craig, Nowata, Rogers, Tulsa, and Wagoner Counties. The Mineral Coal is overlain by a hard, thin, impure limestone and gray shale in most places in Craig County. Dunham and Trumbull (1955) described the Morris Coal as 7 to 30 inches thick, averaging 16 inches in the Henryetta Mining District. About 30 million short tons of identified resources of Morris Coal have been determined (Friedman, 1974). Although adverse geologic and mining conditions are present in the faulted area north of Morris, additional resources and recoverable reserves of Morris Coal undoubtedly are present in other places in Okmulgee County. Physical, chemical, petrographic and stratigraphic characteristics of the Morris Coal strongly indicate its correlation with the Mineral Coal of the Northern Shelf area (and of Kansas and Missouri)(Friedman, 1974, 1982). The Eram Coal in Okmulgee County is also correlated with the Mineral Coal (Hemish, 1988). The Mineral Coal (and equivalent coalbeds) contains 198 million tons of identified coal resources in Craig, Nowata, Okmulgee, Rogers, Tulsa, and Wagoner Counties (Hemish, 1986, 1989, 1990, 1994). One mine produced 375 tons of Eram coal in 2021.

CROWEBURG COAL

The Croweburg has been one of three leading coals produced in Oklahoma, because it contains 1% or less sulfur and a Free Swelling Index (FSI) of 6 or more in most of the area of its distribution in the Northeastern Oklahoma Shelf. A total of 681 million tons of identified remaining resources of the Croweburg Coal has been reported (Hemish, 1986, 1989, 1990, 1994) as present in Oklahoma. The Croweburg has been known as the Henryetta Coal, the Broken Arrow Coal, and the “Sequoyah” Coal (Oakes, 1944).

IRON POST COAL

Fort Scott Coal is also known as Iron Post Coal. The Iron Post Coal is the uppermost commercial coal in the Senora Formation. It crops out across Craig, Nowata, and Rogers Counties in an irregular line roughly parallel to the outcrop line of the Croweburg Coal. The Iron Post Coal lies about 30 to 50 feet above the Verdigris Limestone and is overlain by a few inches to a few feet of black and gray shale. The shale is overlain in turn by a limestone known as Breezy Hill. It has a high BTU value that averages about 13,000. It averages about 12 inches in thickness, and has an average sulfur content of about 3.5%.

COAL PRODUCTION

In response to the *McGirt v Oklahoma* ruling, the federal government ceased funding to Oklahoma to administer its coal program and the program was closed December 31, 2021. Coal permitting and abandon mine reclamation programs were assumed by the federal Office of Surface Mining Reclamation and Enforcement (OSMRE). The local OSMRE field office is located at 1 West Third St., Suite 1600, Mailbox 43, Tulsa, Oklahoma 74103-3521. Information about OSMRE may be found at https://www.osmre.gov/.

Oklahoma's coal production had significantly decreased over the last several years. Oklahoma state law requires production fees be paid on all mined material. In 2022, the Department of Mines did not receive any coal production.

HISTORICAL COAL PRODUCTION
Surface & Underground Tonnage Comparison

YEAR (Fiscal)	Surface	Underground	% Surface Mined	Total
1930	351,109	2,905,557	11	3,256,666
1932	245,344	1,146,401	18	1,391,745
1933	228,674	758,230	23	986,904
1934	278,199	841,803	25	1,120,002
1935	275,233	832,590	25	1,107,823
1936	268,058	974,880	20	1,242,947
1937	452,704	875,037	36	1,327,741
1938	430,961	921,534	32	1,352,495
1939	355,175	707,037	33	1,062,212
1940	499,989	840,340	37	1,340,329
1941	675,429	982,583	41	1,658,012
1942	851,223	1,241,236	41	2,092,459
1943	1,273,960	1,582,462	45	2,856,422
1944	1,377,637	1,408,855	49	2,786,492
1945	1,804,954	1,295,974	58	3,100,928
1946	1,630,250	1,008,860	62	2,639,110
1947	1,812,881	1,013,885	64	2,826,766
1948	2,270,668	1,149,484	66	3,420,152
1949	2,218,492	991,960	69	3,210,452
1950	2,042,705	856,823	70	2,899,528
1951	1,437,278	957,691	60	2,394,969
1952	1,203,020	958,306	56	2,161,326
1953	1,426,672	870,162	62	2,296,834
1954	1,105,955	764,377	59	1,870,332
1955	1,118,841	787,440	59	1,906,281
1956	1,470,688	581,611	72	2,052,299
1957	1,469,891	474,875	76	1,944,766
1958	1,434,555	430,985	77	1,865,540
1959	1,347,922	348,608	80	1,696,530

HISTORICAL COAL PRODUCTION Surface & Underground Tonnage Comparison Cont…				
YEAR (Fiscal)	**Surface**	**Underground**	**% Surface Mined**	**Total**
1960	1,064,938	425,999	71	1,490,937
1961	953,265	128,436	88	1,081,701
1962	891,431	161,294	85	1,052,725
1963	956,232	55,713	94	1,011,945
1964	1,026,162	12,817	99	1,038,979
1965	954,043	9,523	99	963,566
1966	835,692	6,291	99	841,983
1967	822,903	2,352	99	825,983
1968	1,059,263	45,979	96	1,105,242
1969	1,716,877	120,490	94	1,837,367
1970	2,204,870	237,594	90	2,442,464
1971	2,038,565	194,928	91	2,233,493
1972	2,445,311	84,900	97	2,530,211
1973	2,194,670	0	100	2,194,670
1974	2,374,685	0	100	2,374,685
1975	2,850,427	0	100	2,850,427
1976	3,626,781	0	100	3,636,781
1977	5,346,654	0	100	5,346,654
1978	5,425,432	3,246	99	5,428,678
1979	4,491,211	1,476	99	4,492,687
1980	5,338,287	3,102	99	5,341,389
1981	5,723,312	5,149	99	5,728,461
1982	4,619,783	39,556	99	4,659,339
1983	3,672,107	13,783	99	3,685,890
1984	4,226,106	0	100	4,226,106
1985	3,343,188	0	100	3,343,188
1986	2,969,523	6,751	98	2,976,274
1987	2,866,840	0	100	2,866,840
1988	2,117,536	0	100	2,117,536
1989	1,728,437	39,855	98	1,768,292
1990	1,523,797	102,963	94	1,626,760
1991	1,863,720	26,839	99	1,890,599
1992	1,691,406	58,590	97	1,749,996
1993	1,704,275	92,076	95	1,796,351
1994	1,900,114	10,647	99	1,910,761
1995	1,860,514	25,450	99	1,885,964
1996	1,570,393	136,702	92	1,707,095
1997	1,407,562	211,686	87	1,619,248
1998	1,439,708	294,205	83	1,733,913
1999	1,461,234	199,760	88	1,660,994
2000	1,349,036	244,577	85	1,593,613
2001	1,303,334	412,434	76	1,715,818
2002	930,657	463,481	67	1,394,138
2003	1,174,237	456,837	72	1,631,074

HISTORICAL COAL PRODUCTION Surface & Underground Tonnage Comparison Cont…				
YEAR (Fiscal)	**Surface**	**Underground**	**% Surface Mined**	**Total**
2004	1,269,968	409,068	76	1,679,036
2005	1,172,751	465,459	72	1,638,209
2006	1,315,872	464,086	74	1,779,958
2007	1,146,230	514,288	69	1,660,518
2008	1,027,291	442,338	70	1,469,629
2009	548,961	487,063	53	1,036,024
2010	569,929	408,913	54	978,842
2011	736,306	438,266	57	1,174,572
2012	706,695	368,374	56	1,075,069
2013	494,341	672,867	57	1,167,208
2014	419,725	507,338	54	927,063
2015	389,494	407,365	49	796,859
2016	398,800	271,810	41	670,610
2017	374,972	259,480	40	634,452
2018	235,469	294,867	46	639,462
2019	227,300	67,034	79	294,334
2020	795	10,865	7	11,660
2021	375	0	100	375

Major Mining Disasters in Oklahoma

Name & Location	Date	Number of Men Killed	Cause
Osage Coal & Mining, Krebs, OK	03/00/1885	13	Gas & Dust
Mines #1 & #2, Savannah, OK	04/06/1887	18	Gas & Dust
Osage Coal & Mining Co., Krebs, OK	01/07/1892	96	Gas & Dust
Choctaw-Oklahoma Gulf Railway Co., Alderson, OK	01/04/1897	5	Gas & Dust
McAlester Coal Co., Alderson, OK	04/29/1901	6	Gas & Dust
McAlester Coal Co., Hartshorne, OK	12/28/1901	6	Cage Dump
Milby-Dow Coal Co., Dow, OK	01/13/1902	10	Mine Fire
Central Coal & Coke Co., Canton, OK	04/13/1903	6	Gas & Dust
Missouri-Kansas Co., Wilburton, OK	04/30/1905	13	Gas & Dust
Poteau Coal & Mercantile Co., Witteville, OK	04/30/1906	14	Dynamite
Hailey-Ola Coal Co., Haileyville, OK	08/26/1908	29	Oil Fire
Rock Island Coal & Mining Co., Hartshorne, OK	10/21/1909	10	Gas & Dust
Western Coal & Coke Co., LeHigh, OK	03/31/1910	6	Gas & Dust
San Boise Coal Co., McCurtain, OK	03/20/1912	73	Gas & Oil
Union Coal Co., Adamson, OK	09/04/1914	14	Slope Cave-in
Rock Island Coal & Mining Co., Alderson, OK	06/30/1919	15	Gas & Dust
M.K. & T. Coal Co., Degnan, OK	08/21/1920	10	Gas & Dust
McCurtain Improvement Co., McCurtain, OK	10/20/1922	8	Gas & Dust
Eastern Coal Co., Wilburton, OK	01/13/1926	91	Gas & Dust
Superior Smokeless Coal Co., Tahona, OK	09/03/1926	16	Gas & Dust
Covington Coal Co., Poteau, OK	09/17/1929	8	Gas & Dust
Old Town Coal Co., McAlester, OK	12/17/1929	61	Gas & Dust
Sample Coal Co., McAlester, OK	10/30/1930	30	Gas & Dust
Hailey-Ola Coal Co., Lutie, OK	11/29/1930	13	Gas & Dust
Bond Valley Coal Company, Haileyville, OK	01/17/1945	9	Gas & Dust

ACKNOWLEDGEMENTS

Oklahoma Geological Survey
University of Oklahoma
Norman, Oklahoma

Dr. Stanley Krukowski (retired)
Oklahoma Geological Survey
University of Oklahoma
Norman, Oklahoma

US Geological Survey
Reston, Virginia

Oklahoma Department of Libraries
Archives Division
Government Documents Division

SOURCES

United States Geological Survey, Department of the Interior - 1891 through 1924 reports
Mineral Resources of the United States
Bureau of Mines, Department of Commerce - 1925 through 1931 reports
U. S. Geological Mineral Yearbook 2019
Bureau of Mines, Department of the Interior - 1932 through 1979 reports
Oklahoma's Metallic and Non-Metallic Minerals
Industrial Development Division, Oklahoma Planning and Resources Board 1952
Annual Report - Office of the Territorial Mine Inspector - 1884 through 1907 reports
Annual Report - Office of the Chief Mine Inspector - 1910 through 1983 reports
Annual Report - Oklahoma Department of Mines -1984 through 2022 reports