

# Invenergy

One South Wacker Drive | Suite 1800 | Chicago, Illinois 60606  
T 312-224-1400 | F 312-224-1444

---

## **Via Electronic Submission**

Oklahoma Corporation Commission  
Attn: Director of Public Utility Division  
P.O. Box 52000  
Oklahoma City, OK 73152-2000  
[PUDenergy@occcmail.com](mailto:PUDenergy@occcmail.com)

RE: Subsequent Notice of Intent to Build a Wind Energy Facility to be located in Garfield County, Kingfisher County, Logan County, and Noble County, Oklahoma in accordance with the Oklahoma Wind Energy Development Act.

Ladies and Gentlemen:

Pursuant to the Oklahoma Wind Energy Development Act (“Act”) and the Oklahoma Corporation Commission (“OCC”) rules implementing the Act, this letter is a subsequent notification of intent to build a wind energy facility (“Subsequent Notice”). We filed the initial notice of intent to build a wind energy facility for the Wagon Wheel Wind Energy Project located in Garfield County, Kingfisher County, Logan County, and Noble County, Oklahoma (the “Project”) on November 7, 2022 (“Initial Notice”). Pursuant to §17-160.21, if the owner of a wind energy facility is required to file subsequent Notice of Proposed Construction (“7460-1 Forms”) with the Federal Aviation Administration (“FAA”) due to changing locations or heights of individual structures from the locations or heights originally proposed in the initial 7460-1 Forms submitted, then the owner shall submit such subsequent 7460-1 Forms to the OCC.

Enclosed as Exhibit A to this Subsequent Notice are copies of all the subsequent 7460-1s Forms for each wind turbine, met tower, or other structure that requires such form that is a part of the Project. For reference, a map depicting the Project boundary is included with this Subsequent Notice as Exhibit B, but please note the Project boundary remains the same as shown in the Initial Notice. As of the date of this Subsequent Notice, and based on publicly available data, we confirm that the Project design complies with the setback requirements set forth under section 17-160.20A of the Act.

Please file stamp a copy of this letter confirming your receipt and send us a file-stamped copy. Please confirm receipt of this notice by providing an email confirmation to Max Moore, at [MAMoore@invenergy.com](mailto:MAMoore@invenergy.com). Thank you.

Sincerely,



Bristi Cure  
Vice President, Development

Exhibit A

Subsequent FAA 7460-1 filings for the Wagon Wheel Wind Energy Project

Structure Name	Latitude (DD-MM-SS.SS)	Longitude (DD-MM-SS.SS)	Site Elevation	Structure Height (AGL)	ASN
1	36-13-18.00	97-40-13.20	1126	551	2023-WTW-4044-OE
2	36-13-40.64	97-39-17.84	1119	551	2023-WTW-4045-OE
3	36-14-03.69	97-39-01.55	1112	551	2023-WTW-4046-OE
4	36-14-03.79	97-38-31.51	1087	551	2023-WTW-4047-OE
5	36-14-08.34	97-38-13.79	1078	551	2023-WTW-4048-OE
6	36-13-33.62	97-37-37.31	1087	551	2023-WTW-4049-OE
7	36-14-05.38	97-37-06.20	1095	551	2023-WTW-4050-OE
8	36-14-34.84	97-36-23.52	1095	551	2023-WTW-4051-OE
9	36-14-04.34	97-36-34.38	1087	551	2023-WTW-4052-OE
10	36-13-48.37	97-36-00.22	1087	551	2023-WTW-4053-OE
11	36-13-23.61	97-36-21.74	1083	551	2023-WTW-4054-OE
12	36-13-10.30	97-35-48.57	1096	551	2023-WTW-4055-OE
13	36-13-47.82	97-34-45.76	1074	551	2023-WTW-4056-OE
14	36-14-03.03	97-33-52.66	1092	551	2023-WTW-4057-OE
15	36-13-35.62	97-33-39.99	1097	551	2023-WTW-4058-OE
16	36-12-54.80	97-33-55.91	1110	551	2023-WTW-4059-OE
17	36-12-54.95	97-33-38.81	1114	551	2023-WTW-4060-OE
18	36-12-56.18	97-33-11.17	1114	551	2023-WTW-4061-OE
19	36-13-19.40	97-32-51.39	1136	551	2023-WTW-4062-OE
20	36-13-34.96	97-32-35.75	1146	551	2023-WTW-4063-OE
21	36-12-49.08	97-32-19.27	1093	551	2023-WTW-4064-OE
22	36-12-17.40	97-31-13.88	1121	551	2023-WTW-4065-OE
23	36-12-32.09	97-30-59.93	1108	551	2023-WTW-4066-OE
24	36-12-31.17	97-40-09.50	1117	551	2023-WTW-4067-OE
25	36-12-31.11	97-39-48.68	1117	551	2023-WTW-4068-OE
26	36-12-49.99	97-39-02.94	1107	551	2023-WTW-4069-OE
27	36-12-29.33	97-38-47.14	1109	551	2023-WTW-4070-OE
28	36-12-20.89	97-38-30.99	1107	551	2023-WTW-4071-OE
29	36-12-03.02	97-38-09.49	1096	551	2023-WTW-4072-OE
30	36-12-00.74	97-37-47.01	1079	551	2023-WTW-4073-OE

31	36-11-52.23	97-36-59.37	1057	551	2023-WTW-4074-OE
32	36-11-34.48	97-34-48.90	1103	551	2023-WTW-4075-OE
33	36-11-34.38	97-34-29.09	1094	551	2023-WTW-4076-OE
34	36-11-33.91	97-33-41.37	1063	551	2023-WTW-4077-OE
35	36-11-51.85	97-30-11.29	1128	551	2023-WTW-4078-OE
36	36-11-36.68	97-29-55.43	1174	551	2023-WTW-4079-OE
37	36-11-39.03	97-29-36.12	1176	551	2023-WTW-4080-OE
38	36-11-28.51	97-29-20.99	1170	551	2023-WTW-4081-OE
39	36-11-47.04	97-29-01.63	1190	551	2023-WTW-4082-OE
40	36-11-50.09	97-28-33.69	1199	551	2023-WTW-4083-OE
41	36-08-53.22	97-29-39.68	1175	551	2023-WTW-4084-OE
42	36-11-35.58	97-25-59.59	1232	551	2023-WTW-4085-OE
43	36-11-32.16	97-25-43.48	1179	551	2023-WTW-4086-OE
44	36-11-38.03	97-25-15.75	1205	551	2023-WTW-4087-OE
45	36-12-19.09	97-25-16.16	1246	551	2023-WTW-4088-OE
46	36-12-02.18	97-24-51.01	1194	551	2023-WTW-4089-OE
47	36-11-56.16	97-24-35.04	1203	551	2023-WTW-4090-OE
48	36-11-38.23	97-39-41.00	1089	551	2023-WTW-4091-OE
49	36-10-44.67	97-40-23.71	1071	551	2023-WTW-4092-OE
50	36-10-20.60	97-40-09.17	1048	551	2023-WTW-4093-OE
51	36-11-00.45	97-39-35.16	1073	551	2023-WTW-4094-OE
52	36-10-19.84	97-39-48.24	1055	551	2023-WTW-4095-OE
53	36-10-34.89	97-39-13.08	1075	551	2023-WTW-4096-OE
54	36-11-08.18	97-38-49.84	1091	551	2023-WTW-4097-OE
55	36-10-35.52	97-38-32.69	1077	551	2023-WTW-4098-OE
56	36-10-18.26	97-38-50.37	1076	551	2023-WTW-4099-OE
57	36-09-48.70	97-39-16.52	1063	551	2023-WTW-4100-OE
58	36-10-43.94	97-38-01.70	1065	551	2023-WTW-4101-OE
59	36-11-00.25	97-37-40.14	1083	551	2023-WTW-4102-OE
60	36-11-32.63	97-37-27.13	1069	551	2023-WTW-4103-OE
61	36-11-03.95	97-37-09.90	1058	551	2023-WTW-4104-OE
62	36-10-45.31	97-36-38.13	1043	551	2023-WTW-4105-OE
63	36-10-10.83	97-35-52.76	1058	551	2023-WTW-4106-OE
64	36-11-11.70	97-35-47.24	1057	551	2023-WTW-4107-OE
65	36-10-45.91	97-35-31.57	1038	551	2023-WTW-4108-OE
66	36-11-03.95	97-33-26.94	1050	551	2023-WTW-4109-OE
67	36-11-07.97	97-31-43.40	1121	551	2023-WTW-4110-OE
68	36-10-57.76	97-31-11.89	1142	551	2023-WTW-4111-OE
69	36-10-35.87	97-31-01.29	1140	551	2023-WTW-4112-OE

70	36-11-10.64	97-30-35.15	1165	551	2023-WTW-4113-OE
71	36-10-42.40	97-30-25.72	1126	551	2023-WTW-4114-OE
72	36-10-35.37	97-29-55.55	1174	551	2023-WTW-4115-OE
73	36-11-07.93	97-29-36.02	1173	551	2023-WTW-4116-OE
74	36-10-33.65	97-29-07.61	1164	551	2023-WTW-4117-OE
75	36-10-42.18	97-28-50.85	1109	551	2023-WTW-4118-OE
76	36-10-58.41	97-28-33.71	1146	551	2023-WTW-4119-OE
77	36-10-38.16	97-28-19.22	1113	551	2023-WTW-4120-OE
78	36-11-07.87	97-27-53.17	1152	551	2023-WTW-4121-OE
79	36-11-09.60	97-26-51.36	1112	551	2023-WTW-4122-OE
80	36-10-33.53	97-26-57.25	1128	551	2023-WTW-4123-OE
81	36-10-49.22	97-26-23.75	1177	551	2023-WTW-4124-OE
82	36-09-23.81	97-33-14.48	1004	551	2023-WTW-4125-OE
83	36-09-41.24	97-32-45.79	1083	551	2023-WTW-4126-OE
84	36-09-04.13	97-32-38.47	1079	551	2023-WTW-4127-OE
85	36-09-19.39	97-32-20.08	1059	551	2023-WTW-4128-OE
86	36-10-07.27	97-32-19.60	1119	551	2023-WTW-4129-OE
87	36-10-19.27	97-31-47.78	1133	551	2023-WTW-4130-OE
88	36-10-07.43	97-31-36.14	1104	551	2023-WTW-4131-OE
89	36-09-24.28	97-31-40.91	1080	551	2023-WTW-4132-OE
90	36-09-45.81	97-31-11.29	1130	551	2023-WTW-4133-OE
91	36-09-18.54	97-31-01.86	1158	551	2023-WTW-4134-OE
92	36-10-10.81	97-30-37.19	1113	551	2023-WTW-4135-OE
93	36-09-41.91	97-30-27.79	1147	551	2023-WTW-4136-OE
94	36-10-09.46	97-30-07.90	1169	551	2023-WTW-4137-OE
95	36-09-22.85	97-30-11.86	1179	551	2023-WTW-4138-OE
96	36-10-03.64	97-29-18.86	1140	551	2023-WTW-4139-OE
97	36-10-07.29	97-26-48.80	1123	551	2023-WTW-4140-OE
98	36-10-07.08	97-26-14.54	1168	551	2023-WTW-4141-OE
99	36-10-02.75	97-25-53.71	1157	551	2023-WTW-4142-OE
100	36-09-47.03	97-24-56.98	1137	551	2023-WTW-4143-OE
101	36-09-46.62	97-24-34.70	1150	551	2023-WTW-4144-OE
102	36-08-28.18	97-40-23.35	1068	551	2023-WTW-4145-OE
103	36-08-35.44	97-40-06.26	1081	551	2023-WTW-4146-OE
104	36-08-28.20	97-39-49.47	1078	551	2023-WTW-4147-OE
105	36-08-12.47	97-39-38.20	1071	551	2023-WTW-4148-OE
106	36-07-43.22	97-40-17.91	1040	551	2023-WTW-4149-OE
107	36-07-43.84	97-39-55.43	1056	551	2023-WTW-4150-OE
108	36-07-17.64	97-39-42.38	1044	551	2023-WTW-4151-OE

109	36-07-38.69	97-39-12.80	1054	551	2023-WTW-4152-OE
110	36-06-43.02	97-38-37.08	1000	551	2023-WTW-4153-OE
111	36-08-22.93	97-35-46.24	1075	551	2023-WTW-4154-OE
112	36-08-32.24	97-30-45.21	1134	551	2023-WTW-4155-OE
113	36-08-54.75	97-29-59.05	1177	551	2023-WTW-4156-OE
114	36-09-13.02	97-29-24.63	1169	551	2023-WTW-4157-OE
115	36-09-04.62	97-28-56.07	1128	551	2023-WTW-4158-OE
116	36-09-01.23	97-28-20.16	1094	551	2023-WTW-4159-OE
117	36-08-34.64	97-29-07.87	1142	551	2023-WTW-4160-OE
118	36-08-33.43	97-28-34.94	1100	551	2023-WTW-4161-OE
119	36-08-35.38	97-27-30.64	1050	551	2023-WTW-4162-OE
120	36-09-01.76	97-26-59.60	1133	551	2023-WTW-4163-OE
121	36-08-49.31	97-26-43.42	1136	551	2023-WTW-4164-OE
122	36-09-12.24	97-26-25.68	1149	551	2023-WTW-4165-OE
123	36-09-04.65	97-25-59.30	1132	551	2023-WTW-4166-OE
124	36-09-00.05	97-25-13.16	1098	551	2023-WTW-4167-OE
125	36-09-12.65	97-24-45.70	1137	551	2023-WTW-4168-OE
126	36-08-08.65	97-30-29.17	1144	551	2023-WTW-4169-OE
127	36-08-09.18	97-30-12.13	1144	551	2023-WTW-4170-OE
128	36-08-12.31	97-29-30.79	1155	551	2023-WTW-4171-OE
129	36-08-01.88	97-28-53.92	1096	551	2023-WTW-4172-OE
130	36-08-12.58	97-28-20.24	1116	551	2023-WTW-4173-OE
131	36-08-05.59	97-27-58.45	1086	551	2023-WTW-4174-OE
132	36-08-09.43	97-26-26.88	1078	551	2023-WTW-4175-OE
133	36-08-22.83	97-26-11.01	1086	551	2023-WTW-4176-OE
134	36-08-25.80	97-24-48.82	1146	551	2023-WTW-4177-OE
135	36-08-12.25	97-24-44.26	1136	551	2023-WTW-4178-OE
136	36-07-58.61	97-24-10.62	1111	551	2023-WTW-4179-OE
137	36-07-41.10	97-23-59.02	1073	551	2023-WTW-4180-OE
138	36-07-30.40	97-30-40.62	1092	551	2023-WTW-4181-OE
139	36-07-17.92	97-30-17.20	1142	551	2023-WTW-4182-OE
140	36-07-31.54	97-30-00.55	1162	551	2023-WTW-4183-OE
141	36-07-19.58	97-28-05.13	1092	551	2023-WTW-4184-OE
142	36-07-28.36	97-26-55.63	1042	551	2023-WTW-4185-OE
143	36-07-19.00	97-26-23.63	1077	551	2023-WTW-4186-OE
144	36-07-41.54	97-26-11.93	1068	551	2023-WTW-4187-OE
145	36-07-31.30	97-25-06.96	1110	551	2023-WTW-4188-OE
146	36-07-27.43	97-24-48.03	1096	551	2023-WTW-4189-OE
147	36-06-45.40	97-31-05.35	1040	551	2023-WTW-4190-OE

148	36-06-44.89	97-30-45.30	1070	551	2023-WTW-4191-OE
149	36-06-37.54	97-30-04.29	1143	551	2023-WTW-4192-OE
150	36-06-42.30	97-29-41.21	1157	551	2023-WTW-4193-OE
151	36-06-13.95	97-29-42.57	1111	551	2023-WTW-4194-OE
152	36-06-25.31	97-29-25.48	1150	551	2023-WTW-4195-OE
153	36-06-21.65	97-29-08.13	1151	551	2023-WTW-4196-OE
154	36-06-12.40	97-28-27.64	1086	551	2023-WTW-4197-OE
155	36-06-42.91	97-28-18.60	1068	551	2023-WTW-4198-OE
156	36-06-44.40	97-26-12.36	1049	551	2023-WTW-4199-OE
157	36-06-22.66	97-24-47.12	1095	551	2023-WTW-4200-OE
158	36-06-21.41	97-24-12.17	1060	551	2023-WTW-4201-OE
159	36-06-43.10	97-23-58.74	1054	551	2023-WTW-4202-OE
160	36-05-57.24	97-23-00.20	1045	551	2023-WTW-4203-OE
161	36-05-32.55	97-22-42.78	1079	551	2023-WTW-4204-OE
162	36-04-35.71	97-42-19.14	1029	551	2023-WTW-4205-OE
163	36-04-39.80	97-42-02.25	1023	551	2023-WTW-4206-OE
164	36-04-28.43	97-40-48.61	998	551	2023-WTW-4207-OE
165	36-04-41.57	97-40-08.99	1012	551	2023-WTW-4208-OE
166	36-04-55.82	97-39-53.48	1019	551	2023-WTW-4209-OE
167	36-04-50.75	97-38-35.74	1013	551	2023-WTW-4210-OE
168	36-04-59.98	97-36-52.01	970	551	2023-WTW-4211-OE
169	36-05-31.23	97-36-36.45	984	551	2023-WTW-4212-OE
170	36-05-29.96	97-33-30.96	974	551	2023-WTW-4213-OE
171	36-05-33.53	97-32-27.27	1058	551	2023-WTW-4214-OE
172	36-05-29.11	97-32-07.38	1033	551	2023-WTW-4215-OE
173	36-04-55.45	97-32-18.52	1047	551	2023-WTW-4216-OE
174	36-04-40.05	97-31-47.52	992	551	2023-WTW-4217-OE
175	36-04-55.33	97-31-18.27	1022	551	2023-WTW-4218-OE
176	36-05-06.54	97-31-03.54	1016	551	2023-WTW-4219-OE
177	36-05-30.71	97-30-46.05	1054	551	2023-WTW-4220-OE
178	36-05-22.74	97-30-27.19	1057	551	2023-WTW-4221-OE
179	36-05-33.18	97-30-03.06	1089	551	2023-WTW-4222-OE
180	36-05-02.96	97-30-12.48	1040	551	2023-WTW-4223-OE
181	36-04-51.81	97-29-59.24	1031	551	2023-WTW-4224-OE
182	36-05-00.84	97-29-40.51	1050	551	2023-WTW-4225-OE
183	36-05-46.16	97-29-10.54	1086	551	2023-WTW-4226-OE
184	36-04-51.73	97-29-14.92	1059	551	2023-WTW-4227-OE
185	36-04-54.17	97-28-56.18	1080	551	2023-WTW-4228-OE
186	36-03-46.69	97-42-25.74	1057	551	2023-WTW-4229-OE

187	36-03-52.42	97-42-05.08	1026	551	2023-WTW-4230-OE
188	36-03-45.06	97-41-28.75	1031	551	2023-WTW-4231-OE
189	36-03-39.29	97-40-58.29	1036	551	2023-WTW-4232-OE
190	36-03-47.34	97-40-40.29	1043	551	2023-WTW-4233-OE
191	36-03-51.63	97-40-15.63	1034	551	2023-WTW-4234-OE
192	36-02-18.26	97-39-40.69	1042	551	2023-WTW-4235-OE
193	36-02-02.53	97-39-18.58	1032	551	2023-WTW-4236-OE
194	36-01-34.39	97-39-04.70	1019	551	2023-WTW-4237-OE
195	36-13-41.63	97-30-34.11	1143	551	2023-WTW-4238-OE
196	36-13-34.00	97-30-11.53	1170	551	2023-WTW-4239-OE
197	36-13-09.72	97-30-23.62	1138	551	2023-WTW-4240-OE
198	36-13-12.96	97-29-55.66	1164	551	2023-WTW-4241-OE