

February 11, 2016

Oklahoma Corporation Commission
P.O. BOX 52000
Oklahoma City, OK 73105

RECEIVED
PUBLIC UTILITY
DIVISION

2016 FEB 16 AM 8 23

Attn: Fairo Mitchell
Chief of Energy & Water

RE: Notice of Intent to Construct a Wind Farm in Texas County, Oklahoma

Dear Commission:

Pursuant to the Oklahoma Wind Energy Development Act, as amended in 2015 by SB NO 808, 17 Okla. Stat. § 160 this is a notification of plans for the erection of wind turbines related to Phase 1 the Firewheel Renewable Energy, LLC (Firewheel) wind project. Notice is being provided within six (6) months of the initial filing of a Notice of Construction (Form 7460-1) with the Federal Aviation Administration (FAA), made on December 10, 2015. As of the date of this notice, and based on publicly available data, Firewheel attests that the Project design complies with the setbacks required by the Wind Energy Development Act.

The Project site is located in southeastern Texas County. Phase I of the Project will consist of up to 200 wind turbine generators and associated facilities. Exhibit A to this letter presents a map indicating the Project boundary and proposed wind turbine locations. Exhibit B provides a summary of the FAA Notice information, including the coordinates and elevation of each turbine and key turbine dimensions.


In accordance with the notification requirements of SB 808, notice of intent to construct will also be subsequently provided to the Texas County Board of Commissioners. No project facilities are located within an incorporated area of a municipality and thus no additional notice is required under SB 808.

If you have any questions about this filing, you can reach me at the number or email below.

Sincerely,

Thomas Kruger
503-758-4539
Thomas.Kruger@RFTKConsulting.com


● Turbines_FWL_Phase1



Copyright © 2013 National Geographic Society



1:130,000
NAD83 UTM 14



Turbine ID	WTG Type	ASN	FAA Status	FAA			WTG Height (Feet)	Site	
				Determination	Latitude (DMS)	Longitude (DMS)		Elevation (Feet)	WTG Height AMSL (Feet)
1	Vestas V126	2015-WTW-12024-OE	Determined	No Hazard	36 - 30 - 13.30 N	101 - 15 - 41.01 W	495	3028	3523
2	Vestas V126	2015-WTW-12025-OE	Determined	No Hazard	36 - 30 - 16.14 N	101 - 15 - 56.13 W	495	3035	3530
3	Vestas V126	2015-WTW-12026-OE	Determined	No Hazard	36 - 30 - 07.61 N	101 - 16 - 46.89 W	495	3051	3546
4	Vestas V126	2015-WTW-12027-OE	Determined	No Hazard	36 - 30 - 07.97 N	101 - 17 - 04.17 W	495	3060	3555
5	Vestas V126	2015-WTW-12028-OE	Determined	No Hazard	36 - 30 - 16.03 N	101 - 16 - 13.41 W	495	3043	3538
6	Vestas V126	2015-WTW-12029-OE	Determined	No Hazard	36 - 30 - 33.06 N	101 - 19 - 14.85 W	495	3088	3583
7	Vestas V126	2015-WTW-12030-OE	Determined	No Hazard	36 - 30 - 32.81 N	101 - 17 - 50.25 W	495	3069	3564
8	Vestas V126	2015-WTW-12031-OE	Determined	No Hazard	36 - 31 - 11.04 N	101 - 15 - 10.41 W	495	3022	3517
9	Vestas V126	2015-WTW-12032-OE	Determined	No Hazard	36 - 30 - 32.85 N	101 - 18 - 08.97 W	495	3073	3568
10	Vestas V126	2015-WTW-12033-OE	Determined	No Hazard	36 - 34 - 42.11 N	101 - 16 - 32.85 W	495	3034	3529
11	Vestas V126	2015-WTW-12034-OE	Determined	No Hazard	36 - 30 - 32.92 N	101 - 18 - 27.69 W	495	3082	3577
12	Vestas V126	2015-WTW-12035-OE	Determined	No Hazard	36 - 30 - 11.89 N	101 - 16 - 29.25 W	495	3046	3541
13	Vestas V126	2015-WTW-12036-OE	Determined	No Hazard	36 - 30 - 11.75 N	101 - 17 - 19.29 W	495	3062	3557
14	Vestas V126	2015-WTW-12037-OE	Determined	No Hazard	36 - 30 - 33.03 N	101 - 18 - 59.73 W	495	3086	3581
15	Vestas V126	2015-WTW-12038-OE	Determined	No Hazard	36 - 30 - 32.95 N	101 - 18 - 42.45 W	495	3084	3579
16	Vestas V126	2015-WTW-12039-OE	Determined	No Hazard	36 - 30 - 22.73 N	101 - 17 - 34.05 W	495	3066	3561
17	Vestas V126	2015-WTW-12040-OE	Determined	No Hazard	36 - 31 - 15.47 N	101 - 19 - 14.49 W	495	3091	3586
18	Vestas V126	2015-WTW-12041-OE	Determined	No Hazard	36 - 31 - 15.36 N	101 - 18 - 53.25 W	495	3086	3581
19	Vestas V126	2015-WTW-12042-OE	Determined	No Hazard	36 - 33 - 38.17 N	101 - 18 - 08.97 W	495	3048	3543
20	Vestas V126	2015-WTW-12043-OE	Determined	No Hazard	36 - 31 - 08.67 N	101 - 15 - 25.53 W	495	3031	3526
21	Vestas V126	2015-WTW-12044-OE	Determined	No Hazard	36 - 33 - 37.53 N	101 - 18 - 23.73 W	495	3045	3540
22	Vestas V126	2015-WTW-12045-OE	Determined	No Hazard	36 - 32 - 40.83 N	101 - 18 - 29.13 W	495	3069	3564
23	Vestas V126	2015-WTW-12046-OE	Determined	No Hazard	36 - 31 - 29.40 N	101 - 16 - 58.41 W	495	3046	3541
24	Vestas V126	2015-WTW-12047-OE	Determined	No Hazard	36 - 32 - 26.28 N	101 - 14 - 04.89 W	495	3022	3517
25	Vestas V126	2015-WTW-12048-OE	Determined	No Hazard	36 - 31 - 29.98 N	101 - 17 - 37.29 W	495	3061	3556
26	Vestas V126	2015-WTW-12049-OE	Determined	No Hazard	36 - 31 - 09.39 N	101 - 15 - 54.33 W	495	3032	3527
27	Vestas V126	2015-WTW-12050-OE	Determined	No Hazard	36 - 31 - 29.76 N	101 - 17 - 21.45 W	495	3053	3548
28	Vestas V126	2015-WTW-12051-OE	Determined	No Hazard	36 - 31 - 40.17 N	101 - 17 - 54.21 W	495	3057	3552
29	Vestas V126	2015-WTW-12052-OE	Determined	No Hazard	36 - 31 - 24.51 N	101 - 16 - 42.21 W	495	3042	3537
30	Vestas V126	2015-WTW-12053-OE	Determined	No Hazard	36 - 31 - 23.17 N	101 - 16 - 24.93 W	495	3034	3529
31	Vestas V126	2015-WTW-12054-OE	Determined	No Hazard	36 - 34 - 03.91 N	101 - 17 - 39.09 W	495	3024	3519
32	Vestas V126	2015-WTW-12055-OE	Determined	No Hazard	36 - 31 - 18.39 N	101 - 16 - 09.45 W	495	3034	3529
33	Vestas V126	2015-WTW-12056-OE	Determined	No Hazard	36 - 32 - 43.67 N	101 - 19 - 30.33 W	495	3075	3570
34	Vestas V126	2015-WTW-12057-OE	Determined	No Hazard	36 - 33 - 36.05 N	101 - 19 - 18.09 W	495	3055	3550
35	Vestas V126	2015-WTW-12058-OE	Determined	No Hazard	36 - 33 - 45.16 N	101 - 16 - 58.05 W	495	3063	3558

Turbine ID	WTG Type	ASN	FAA Status	FAA			WTG Height (Feet)	Site	
				Determination	Latitude (DMS)	Longitude (DMS)		Elevation (Feet)	WTG Height AMSL (Feet)
36	Vestas V126	2015-WTW-12059-OE	Determined	No Hazard	36 - 33 - 59.05 N	101 - 17 - 23.97 W	495	3042	3537
37	Vestas V126	2015-WTW-12060-OE	Determined	No Hazard	36 - 34 - 56.44 N	101 - 15 - 57.57 W	495	3025	3520
38	Vestas V126	2015-WTW-12061-OE	Determined	No Hazard	36 - 35 - 58.29 N	101 - 15 - 18.33 W	495	2976	3471
39	Vestas V126	2015-WTW-12062-OE	Determined	No Hazard	36 - 32 - 40.50 N	101 - 14 - 36.21 W	495	3022	3517
40	Vestas V126	2015-WTW-12063-OE	Determined	No Hazard	36 - 32 - 57.67 N	101 - 11 - 22.17 W	495	2915	3410
41	Vestas V126	2015-WTW-12064-OE	Determined	No Hazard	36 - 36 - 27.88 N	101 - 05 - 59.25 W	495	2834	3329
42	Vestas V126	2015-WTW-12065-OE	Determined	No Hazard	36 - 33 - 35.73 N	101 - 13 - 01.89 W	495	2978	3473
43	Vestas V126	2015-WTW-12066-OE	Determined	No Hazard	36 - 35 - 23.15 N	101 - 14 - 03.45 W	495	2973	3468
44	Vestas V126	2015-WTW-12067-OE	Determined	No Hazard	36 - 35 - 26.86 N	101 - 14 - 56.37 W	495	2995	3490
45	Vestas V126	2015-WTW-12068-OE	Determined	No Hazard	36 - 33 - 39.51 N	101 - 18 - 42.81 W	495	3051	3546
46	Vestas V126	2015-WTW-12069-OE	Determined	No Hazard	36 - 32 - 32.51 N	101 - 14 - 18.57 W	495	3016	3511
47	Vestas V126	2015-WTW-12070-OE	Determined	No Hazard	36 - 33 - 35.58 N	101 - 12 - 46.41 W	495	2975	3470
48	Vestas V126	2015-WTW-12071-OE	Determined	No Hazard	36 - 32 - 43.49 N	101 - 19 - 14.49 W	495	3074	3569
49	Vestas V126	2015-WTW-12072-OE	Determined	No Hazard	36 - 33 - 37.35 N	101 - 16 - 45.81 W	495	3063	3558
50	Vestas V126	2015-WTW-12073-OE	Determined	No Hazard	36 - 34 - 40.02 N	101 - 10 - 21.69 W	495	2913	3408
51	Vestas V126	2015-WTW-12074-OE	Determined	No Hazard	36 - 33 - 51.57 N	101 - 17 - 11.37 W	495	3050	3545
52	Vestas V126	2015-WTW-12075-OE	Determined	No Hazard	36 - 32 - 40.57 N	101 - 15 - 22.65 W	495	3042	3537
53	Vestas V126	2015-WTW-12076-OE	Determined	No Hazard	36 - 32 - 42.19 N	101 - 18 - 44.25 W	495	3073	3568
54	Vestas V126	2015-WTW-12077-OE	Determined	No Hazard	36 - 32 - 57.53 N	101 - 11 - 41.61 W	495	2923	3418
55	Vestas V126	2015-WTW-12078-OE	Determined	No Hazard	36 - 32 - 40.54 N	101 - 15 - 07.17 W	495	3033	3528
56	Vestas V126	2015-WTW-12079-OE	Determined	No Hazard	36 - 34 - 55.83 N	101 - 15 - 43.53 W	495	3018	3513
57	Vestas V126	2015-WTW-12080-OE	Determined	No Hazard	36 - 32 - 43.49 N	101 - 18 - 59.37 W	495	3074	3569
58	Vestas V126	2015-WTW-12081-OE	Determined	No Hazard	36 - 33 - 09.81 N	101 - 11 - 58.17 W	495	2934	3429
59	Vestas V126	2015-WTW-12082-OE	Determined	No Hazard	36 - 34 - 38.62 N	101 - 10 - 37.17 W	495	2909	3404
60	Vestas V126	2015-WTW-12083-OE	Determined	No Hazard	36 - 34 - 56.58 N	101 - 07 - 49.05 W	495	2845	3340
61	Vestas V126	2015-WTW-12084-OE	Determined	No Hazard	36 - 32 - 40.50 N	101 - 14 - 51.33 W	495	3026	3521
62	Vestas V126	2015-WTW-12085-OE	Determined	No Hazard	36 - 36 - 31.19 N	101 - 07 - 55.89 W	495	2850	3345
63	Vestas V126	2015-WTW-12086-OE	Determined	No Hazard	36 - 34 - 44.31 N	101 - 16 - 17.73 W	495	3030	3525
64	Vestas V126	2015-WTW-12087-OE	Determined	No Hazard	36 - 34 - 04.67 N	101 - 08 - 28.65 W	495	2843	3338
65	Vestas V126	2015-WTW-12088-OE	Determined	No Hazard	36 - 36 - 31.19 N	101 - 07 - 37.89 W	495	2846	3341
66	Vestas V126	2015-WTW-12089-OE	Determined	No Hazard	36 - 33 - 02.43 N	101 - 16 - 09.45 W	495	3057	3552
67	Vestas V126	2015-WTW-12090-OE	Determined	No Hazard	36 - 33 - 12.58 N	101 - 16 - 22.05 W	495	3062	3557
68	Vestas V126	2015-WTW-12091-OE	Determined	No Hazard	36 - 35 - 47.59 N	101 - 15 - 05.01 W	495	2985	3480
69	Vestas V126	2015-WTW-12092-OE	Determined	No Hazard	36 - 31 - 48.63 N	101 - 15 - 13.29 W	495	3028	3523
70	Vestas V126	2015-WTW-12093-OE	Determined	No Hazard	36 - 32 - 40.79 N	101 - 18 - 14.01 W	495	3062	3557

Turbine ID	WTG Type	ASN	FAA Status	FAA			WTG Height (Feet)	Site	
				Determination	Latitude (DMS)	Longitude (DMS)		Elevation (Feet)	WTG Height AMSL (Feet)
71	Vestas V126	2015-WTW-12094-OE	Determined	No Hazard	36 - 32 - 40.75 N	101 - 17 - 57.45 W	495	3053	3548
72	Vestas V126	2015-WTW-12095-OE	Determined	No Hazard	36 - 33 - 36.12 N	101 - 19 - 03.33 W	495	3051	3546
73	Vestas V126	2015-WTW-12096-OE	Determined	No Hazard	36 - 34 - 01.61 N	101 - 13 - 17.37 W	495	2982	3477
74	Vestas V126	2015-WTW-12097-OE	Determined	No Hazard	36 - 34 - 40.89 N	101 - 11 - 22.53 W	495	2930	3425
75	Vestas V126	2015-WTW-12098-OE	Determined	No Hazard	36 - 32 - 42.48 N	101 - 15 - 38.85 W	495	3041	3536
76	Vestas V126	2015-WTW-12099-OE	Determined	No Hazard	36 - 33 - 35.55 N	101 - 12 - 30.57 W	495	2957	3452
77	Vestas V126	2015-WTW-12100-OE	Determined	No Hazard	36 - 34 - 27.78 N	101 - 12 - 30.57 W	495	2975	3470
78	Vestas V126	2015-WTW-12101-OE	Determined	No Hazard	36 - 34 - 38.55 N	101 - 10 - 54.09 W	495	2910	3405
79	Vestas V126	2015-WTW-12102-OE	Determined	No Hazard	36 - 34 - 27.64 N	101 - 12 - 14.73 W	495	2959	3454
80	Vestas V126	2015-WTW-12103-OE	Determined	No Hazard	36 - 36 - 28.02 N	101 - 06 - 16.17 W	495	2836	3331
81	Vestas V126	2015-WTW-12104-OE	Determined	No Hazard	36 - 33 - 35.40 N	101 - 12 - 14.01 W	495	2934	3429
82	Vestas V126	2015-WTW-12105-OE	Determined	No Hazard	36 - 36 - 28.78 N	101 - 06 - 50.73 W	495	2838	3333
83	Vestas V126	2015-WTW-12106-OE	Determined	No Hazard	36 - 34 - 38.51 N	101 - 11 - 08.13 W	495	2921	3416
84	Vestas V126	2015-WTW-12107-OE	Determined	No Hazard	36 - 31 - 08.88 N	101 - 15 - 39.93 W	495	3021	3516
85	Vestas V126	2015-WTW-12108-OE	Determined	No Hazard	36 - 32 - 31.68 N	101 - 17 - 40.53 W	495	3050	3545
86	Vestas V126	2015-WTW-12110-OE	Determined	No Hazard	36 - 34 - 40.89 N	101 - 11 - 40.17 W	495	2940	3435
87	Vestas V126	2015-WTW-12111-OE	Determined	No Hazard	36 - 32 - 56.09 N	101 - 15 - 55.41 W	495	3046	3541
88	Vestas V126	2015-WTW-12112-OE	Determined	No Hazard	36 - 36 - 28.71 N	101 - 06 - 34.53 W	495	2837	3332
89	Vestas V126	2015-WTW-12113-OE	Determined	No Hazard	36 - 35 - 20.20 N	101 - 13 - 49.05 W	495	2959	3454
90	Vestas V126	2015-WTW-12114-OE	Determined	No Hazard	36 - 32 - 31.72 N	101 - 16 - 49.05 W	495	3044	3539
91	Vestas V126	2015-WTW-12109-OE	Determined	No Hazard	36 - 34 - 27.78 N	101 - 12 - 48.93 W	495	2964	3459
92	Vestas V126	2015-WTW-12115-OE	Determined	No Hazard	36 - 32 - 31.72 N	101 - 17 - 23.61 W	495	3047	3542
93	Vestas V126	2015-WTW-12116-OE	Determined	No Hazard	36 - 34 - 28.03 N	101 - 14 - 09.21 W	495	2984	3479
94	Vestas V126	2015-WTW-12117-OE	Determined	No Hazard	36 - 34 - 57.19 N	101 - 15 - 14.01 W	495	2982	3477
95	Vestas V126	2015-WTW-12118-OE	Determined	No Hazard	36 - 33 - 26.22 N	101 - 16 - 34.29 W	495	3062	3557
96	Vestas V126	2015-WTW-12119-OE	Determined	No Hazard	36 - 35 - 32.62 N	101 - 12 - 15.45 W	495	2932	3427
97	Vestas V126	2015-WTW-12120-OE	Determined	No Hazard	36 - 32 - 23.58 N	101 - 16 - 31.41 W	495	3039	3534
98	Vestas V126	2015-WTW-12121-OE	Determined	No Hazard	36 - 34 - 54.42 N	101 - 15 - 29.49 W	495	2994	3489
99	Vestas V126	2015-WTW-12122-OE	Determined	No Hazard	36 - 32 - 31.72 N	101 - 17 - 06.33 W	495	3045	3540
100	Vestas V126	2015-WTW-12123-OE	Determined	No Hazard	36 - 34 - 41.07 N	101 - 10 - 05.49 W	495	2886	3381
101	Vestas V126	2015-WTW-12124-OE	Determined	No Hazard	36 - 35 - 44.10 N	101 - 11 - 09.93 W	495	2914	3409
102	Vestas V126	2015-WTW-12125-OE	Determined	No Hazard	36 - 34 - 40.92 N	101 - 11 - 55.29 W	495	2939	3434
103	Vestas V126	2015-WTW-12126-OE	Determined	No Hazard	36 - 34 - 28.14 N	101 - 14 - 36.93 W	495	2985	3480
104	Vestas V126	2015-WTW-12127-OE	Determined	No Hazard	36 - 35 - 19.87 N	101 - 13 - 15.21 W	495	2940	3435
105	Vestas V126	2015-WTW-12128-OE	Determined	No Hazard	36 - 36 - 12.22 N	101 - 10 - 01.53 W	495	2894	3389

Turbine ID	WTG Type	ASN	FAA Status	FAA		Longitude (DMS)	WTG	Site	WTG Height AMSL (Feet)
				Determination	Latitude (DMS)		Height (Feet)	Elevation (Feet)	
106	Vestas V126	2015-WTW-12129-OE	Determined	No Hazard	36 - 35 - 32.58 N	101 - 11 - 43.41 W	495	2923	3418
107	Vestas V126	2015-WTW-12130-OE	Determined	No Hazard	36 - 36 - 12.29 N	101 - 10 - 18.45 W	495	2897	3392
108	Vestas V126	2015-WTW-12131-OE	Determined	No Hazard	36 - 34 - 12.48 N	101 - 09 - 32.73 W	495	2867	3362
109	Vestas V126	2015-WTW-12132-OE	Determined	No Hazard	36 - 32 - 06.91 N	101 - 16 - 05.13 W	495	3031	3526
110	Vestas V126	2015-WTW-12133-OE	Determined	No Hazard	36 - 36 - 02.03 N	101 - 10 - 33.93 W	495	2900	3395
111	Vestas V126	2015-WTW-12134-OE	Determined	No Hazard	36 - 34 - 12.77 N	101 - 15 - 08.61 W	495	2996	3491
112	Vestas V126	2015-WTW-12135-OE	Determined	No Hazard	36 - 33 - 56.79 N	101 - 13 - 32.13 W	495	2973	3468
113	Vestas V126	2015-WTW-12136-OE	Determined	No Hazard	36 - 36 - 19.67 N	101 - 09 - 41.01 W	495	2887	3382
114	Vestas V126	2015-WTW-12137-OE	Determined	No Hazard	36 - 35 - 54.18 N	101 - 10 - 53.37 W	495	2905	3400
115	Vestas V126	2015-WTW-12138-OE	Determined	No Hazard	36 - 33 - 46.42 N	101 - 14 - 20.73 W	495	2974	3469
116	Vestas V126	2015-WTW-12139-OE	Determined	No Hazard	36 - 33 - 53.26 N	101 - 13 - 46.89 W	495	2967	3462
117	Vestas V126	2015-WTW-12140-OE	Determined	No Hazard	36 - 36 - 27.99 N	101 - 09 - 21.57 W	495	2880	3375
118	Vestas V126	2015-WTW-12141-OE	Determined	No Hazard	36 - 35 - 20.13 N	101 - 13 - 32.49 W	495	2947	3442
119	Vestas V126	2015-WTW-12142-OE	Determined	No Hazard	36 - 36 - 33.35 N	101 - 09 - 01.05 W	495	2874	3369
120	Vestas V126	2015-WTW-12143-OE	Determined	No Hazard	36 - 35 - 09.43 N	101 - 08 - 20.01 W	495	2852	3347
121	Vestas V126	2015-WTW-12144-OE	Determined	No Hazard	36 - 34 - 09.31 N	101 - 09 - 00.69 W	495	2866	3361
122	Vestas V126	2015-WTW-12145-OE	Determined	No Hazard	36 - 31 - 48.70 N	101 - 15 - 31.29 W	495	3025	3520
123	Vestas V126	2015-WTW-12146-OE	Determined	No Hazard	36 - 34 - 34.69 N	101 - 09 - 48.57 W	495	2871	3366
124	Vestas V126	2015-WTW-12147-OE	Determined	No Hazard	36 - 34 - 10.65 N	101 - 09 - 15.45 W	495	2862	3357
125	Vestas V126	2015-WTW-12148-OE	Determined	No Hazard	36 - 33 - 35.80 N	101 - 14 - 44.13 W	495	2984	3479
126	Vestas V126	2015-WTW-12149-OE	Determined	No Hazard	36 - 33 - 49.95 N	101 - 14 - 02.37 W	495	2964	3459
127	Vestas V126	2015-WTW-12150-OE	Determined	No Hazard	36 - 34 - 02.80 N	101 - 08 - 46.65 W	495	2847	3342
128	Vestas V126	2015-WTW-12151-OE	Determined	No Hazard	36 - 31 - 56.40 N	101 - 15 - 47.85 W	495	3028	3523
129	Vestas V126	2015-WTW-12152-OE	Determined	No Hazard	36 - 36 - 33.67 N	101 - 08 - 25.77 W	495	2858	3353
130	Vestas V126	2015-WTW-12153-OE	Determined	No Hazard	36 - 33 - 35.83 N	101 - 15 - 41.73 W	495	2991	3486
131	Vestas V126	2015-WTW-12154-OE	Determined	No Hazard	36 - 34 - 28.00 N	101 - 13 - 52.29 W	495	2960	3455
132	Vestas V126	2015-WTW-12155-OE	Determined	No Hazard	36 - 36 - 33.42 N	101 - 08 - 42.33 W	495	2866	3361
133	Vestas V126	2015-WTW-12156-OE	Determined	No Hazard	36 - 33 - 35.65 N	101 - 15 - 04.65 W	495	2991	3486
134	Vestas V126	2015-WTW-12157-OE	Determined	No Hazard	36 - 35 - 30.46 N	101 - 09 - 33.45 W	495	2867	3362
135	Vestas V126	2015-WTW-12158-OE	Determined	No Hazard	36 - 35 - 09.43 N	101 - 08 - 38.73 W	495	2853	3348
136	Vestas V126	2015-WTW-12159-OE	Determined	No Hazard	36 - 33 - 35.80 N	101 - 15 - 20.49 W	495	2992	3487
137	Vestas V126	2015-WTW-12160-OE	Determined	No Hazard	36 - 35 - 32.62 N	101 - 11 - 59.25 W	495	2919	3414
138	Vestas V126	2015-WTW-12161-OE	Determined	No Hazard	36 - 34 - 28.36 N	101 - 14 - 51.33 W	495	2973	3468
139	Vestas V126	2015-WTW-12162-OE	Determined	No Hazard	36 - 35 - 09.79 N	101 - 09 - 01.05 W	495	2853	3348
140	Vestas V126	2015-WTW-12163-OE	Determined	No Hazard	36 - 35 - 25.20 N	101 - 09 - 15.81 W	495	2862	3357

Turbine ID	WTG Type	ASN	FAA Status	FAA			WTG Height (Feet)	Site	
				Determination	Latitude (DMS)	Longitude (DMS)		Elevation (Feet)	WTG Height AMSL (Feet)
141	Vestas V126	2015-WTW-12164-OE	Determined	No Hazard	36 - 34 - 07.62 N	101 - 08 - 13.53 W	495	2805	3300
142	Vestas V126	2015-WTW-12165-OE	Determined	No Hazard	36 - 34 - 06.29 N	101 - 07 - 58.41 W	495	2783	3278
143	Vestas V126	2015-WTW-12166-OE	Determined	No Hazard	36 - 33 - 36.45 N	101 - 06 - 59.01 W	495	2833	3328
144	Vestas V126	2015-WTW-12167-OE	Determined	No Hazard	36 - 33 - 36.88 N	101 - 06 - 35.61 W	495	2824	3319
145	Vestas V126	2015-WTW-12168-OE	Determined	No Hazard	36 - 33 - 36.45 N	101 - 06 - 19.05 W	495	2800	3295
146	Vestas V126	2015-WTW-12169-OE	Determined	No Hazard	36 - 33 - 36.73 N	101 - 06 - 01.05 W	495	2784	3279
147	Vestas V126	2015-WTW-12170-OE	Determined	No Hazard	36 - 36 - 36.73 N	101 - 05 - 43.77 W	495	2832	3327
148	Vestas V126	2015-WTW-12171-OE	Determined	No Hazard	36 - 36 - 32.02 N	101 - 05 - 27.57 W	495	2825	3320
149	Vestas V126	2015-WTW-12172-OE	Determined	No Hazard	36 - 36 - 26.37 N	101 - 05 - 10.29 W	495	2821	3316
150	Vestas V126	2015-WTW-12173-OE	Determined	No Hazard	36 - 35 - 31.03 N	101 - 04 - 38.61 W	495	2761	3256
151	Vestas V126	2015-WTW-12174-OE	Determined	No Hazard	36 - 35 - 26.97 N	101 - 04 - 20.61 W	495	2747	3242
152	Vestas V126	2015-WTW-12175-OE	Determined	No Hazard	36 - 35 - 23.44 N	101 - 04 - 02.97 W	495	2724	3219
153	Vestas V126	2015-WTW-12176-OE	Determined	No Hazard	36 - 38 - 08.64 N	101 - 04 - 02.25 W	495	2816	3311
154	Vestas V126	2015-WTW-12177-OE	Determined	No Hazard	36 - 38 - 12.21 N	101 - 04 - 31.05 W	495	2812	3307
155	Vestas V126	2015-WTW-12178-OE	Determined	No Hazard	36 - 38 - 15.41 N	101 - 04 - 56.61 W	495	2818	3313
156	Vestas V126	2015-WTW-12179-OE	Determined	No Hazard	36 - 38 - 34.20 N	101 - 05 - 21.81 W	495	2813	3308
157	Vestas V126	2015-WTW-12180-OE	Determined	No Hazard	36 - 38 - 39.78 N	101 - 05 - 36.21 W	495	2800	3295
158	Vestas V126	2015-WTW-12181-OE	Determined	No Hazard	36 - 38 - 12.17 N	101 - 06 - 05.73 W	495	2814	3309
159	Vestas V126	2015-WTW-12182-OE	Determined	No Hazard	36 - 37 - 28.11 N	101 - 06 - 30.93 W	495	2839	3334
160	Vestas V126	2015-WTW-12183-OE	Determined	No Hazard	36 - 37 - 25.98 N	101 - 06 - 48.93 W	495	2833	3328
161	Vestas V126	2015-WTW-12184-OE	Determined	No Hazard	36 - 37 - 23.21 N	101 - 07 - 04.77 W	495	2831	3326
162	Vestas V126	2015-WTW-12185-OE	Determined	No Hazard	36 - 37 - 27.21 N	101 - 07 - 22.77 W	495	2832	3327
163	Vestas V126	2015-WTW-12186-OE	Determined	No Hazard	36 - 37 - 34.84 N	101 - 07 - 39.33 W	495	2842	3337
164	Vestas V126	2015-WTW-12187-OE	Determined	No Hazard	36 - 37 - 37.68 N	101 - 07 - 55.17 W	495	2851	3346
165	Vestas V126	2015-WTW-12188-OE	Determined	No Hazard	36 - 37 - 44.38 N	101 - 08 - 10.65 W	495	2837	3332
166	Vestas V126	2015-WTW-12189-OE	Determined	No Hazard	36 - 37 - 44.74 N	101 - 08 - 34.41 W	495	2840	3335
167	Vestas V126	2015-WTW-12190-OE	Determined	No Hazard	36 - 37 - 44.23 N	101 - 08 - 57.09 W	495	2853	3348
168	Vestas V126	2015-WTW-12191-OE	Determined	No Hazard	36 - 38 - 13.57 N	101 - 09 - 14.01 W	495	2847	3342
169	Vestas V126	2015-WTW-12192-OE	Determined	No Hazard	36 - 38 - 23.51 N	101 - 09 - 29.13 W	495	2854	3349
170	Vestas V126	2015-WTW-12193-OE	Determined	No Hazard	36 - 38 - 23.37 N	101 - 09 - 48.21 W	495	2863	3358
171	Vestas V126	2015-WTW-12194-OE	Determined	No Hazard	36 - 37 - 58.49 N	101 - 10 - 06.21 W	495	2868	3363
172	Vestas V126	2015-WTW-12195-OE	Determined	No Hazard	36 - 37 - 58.38 N	101 - 10 - 23.13 W	495	2873	3368
173	Vestas V126	2015-WTW-12196-OE	Determined	No Hazard	36 - 37 - 57.73 N	101 - 10 - 37.17 W	495	2879	3374
174	Vestas V126	2015-WTW-12197-OE	Determined	No Hazard	36 - 37 - 57.88 N	101 - 10 - 50.85 W	495	2887	3382
175	Vestas V126	2015-WTW-12198-OE	Determined	No Hazard	36 - 37 - 44.52 N	101 - 11 - 08.85 W	495	2895	3390

Turbine ID	WTG Type	ASN	FAA Status	FAA			WTG Height (Feet)	Site	
				Determination	Latitude (DMS)	Longitude (DMS)		Elevation (Feet)	WTG Height AMSL (Feet)
176	Vestas V126	2015-WTW-12199-OE	Determined	No Hazard	36 - 37 - 44.70 N	101 - 11 - 37.65 W	495	2908	3403
177	Vestas V126	2015-WTW-12200-OE	Determined	No Hazard	36 - 36 - 33.60 N	101 - 10 - 45.81 W	495	2885	3380
178	Vestas V126	2015-WTW-12201-OE	Determined	No Hazard	36 - 36 - 32.52 N	101 - 11 - 05.97 W	495	2898	3393
179	Vestas V126	2015-WTW-12202-OE	Determined	No Hazard	36 - 36 - 00.52 N	101 - 12 - 30.93 W	495	2938	3433
180	Vestas V126	2015-WTW-12203-OE	Determined	No Hazard	36 - 36 - 00.48 N	101 - 12 - 46.41 W	495	2941	3436
181	Vestas V126	2015-WTW-12204-OE	Determined	No Hazard	36 - 36 - 01.13 N	101 - 13 - 01.89 W	495	2940	3435
182	Vestas V126	2015-WTW-12205-OE	Determined	No Hazard	36 - 36 - 01.35 N	101 - 13 - 18.81 W	495	2941	3436
183	Vestas V126	2015-WTW-12206-OE	Determined	No Hazard	36 - 36 - 18.09 N	101 - 13 - 37.89 W	495	2960	3455
184	Vestas V126	2015-WTW-12207-OE	Determined	No Hazard	36 - 36 - 25.97 N	101 - 13 - 50.13 W	495	2967	3462
185	Vestas V126	2015-WTW-12208-OE	Determined	No Hazard	36 - 36 - 38.50 N	101 - 14 - 26.13 W	495	2890	3385
186	Vestas V126	2015-WTW-12209-OE	Determined	No Hazard	36 - 38 - 14.47 N	101 - 03 - 09.69 W	495	2815	3310
187	Vestas V126	2015-WTW-12210-OE	Determined	No Hazard	36 - 38 - 09.07 N	101 - 02 - 53.85 W	495	2805	3300
188	Vestas V126	2015-WTW-12211-OE	Determined	No Hazard	36 - 37 - 32.25 N	101 - 02 - 35.49 W	495	2784	3279
189	Vestas V126	2015-WTW-12212-OE	Determined	No Hazard	36 - 37 - 29.91 N	101 - 02 - 19.29 W	495	2769	3264
190	Vestas V126	2015-WTW-12213-OE	Determined	No Hazard	36 - 37 - 21.41 N	101 - 03 - 02.85 W	495	2805	3300
191	Vestas V126	2015-WTW-12214-OE	Determined	No Hazard	36 - 37 - 17.20 N	101 - 03 - 19.77 W	495	2793	3288
192	Vestas V126	2015-WTW-12215-OE	Determined	No Hazard	36 - 34 - 29.40 N	101 - 07 - 22.05 W	495	2775	3270
193	Vestas V126	2015-WTW-12216-OE	Determined	No Hazard	36 - 34 - 16.08 N	101 - 07 - 05.49 W	495	2768	3263
194	Vestas V126	2015-WTW-12217-OE	Determined	No Hazard	36 - 35 - 54.40 N	101 - 06 - 42.45 W	495	2841	3336
195	Vestas V126	2015-WTW-12218-OE	Determined	No Hazard	36 - 35 - 45.69 N	101 - 05 - 14.25 W	495	2781	3276
196	Vestas V126	2015-WTW-12219-OE	Determined	No Hazard	36 - 35 - 45.69 N	101 - 04 - 54.09 W	495	2769	3264
197	Vestas V126	2015-WTW-12220-OE	Determined	No Hazard	36 - 35 - 45.58 N	101 - 07 - 56.25 W	495	2851	3346
198	Vestas V126	2015-WTW-12221-OE	Determined	No Hazard	36 - 35 - 45.54 N	101 - 07 - 36.09 W	495	2846	3341
199	Vestas V126	2015-WTW-12222-OE	Determined	No Hazard	36 - 36 - 01.63 N	101 - 07 - 23.85 W	495	2845	3340
200	Vestas V126	2015-WTW-12223-OE	Determined	No Hazard	36 - 36 - 01.85 N	101 - 07 - 03.69 W	495	2843	3338
201	Vestas V126	2016-WTW-1683-OE	In Process		36 - 31 - 15.00 N	101 - 17 - 52.66 W	495	3066	3561
202	Vestas V126	2016-WTW-1684-OE	In Process		36 - 33 - 22.57 N	101 - 19 - 49.41 W	495	3072	3567
203	Vestas V126	2016-WTW-1685-OE	In Process		36 - 33 - 20.31 N	101 - 19 - 34.94 W	495	3072	3567
204	Vestas V126	2016-WTW-1686-OE	In Process		36 - 32 - 41.25 N	101 - 19 - 44.67 W	495	3070	3565
205	Vestas V126	2016-WTW-1687-OE	In Process		36 - 31 - 15.16 N	101 - 18 - 07.96 W	495	3072	3567
206	Vestas V126	2016-WTW-1688-OE	In Process		36 - 31 - 15.33 N	101 - 18 - 23.01 W	495	3079	3574
207	Vestas V126	2016-WTW-1689-OE	In Process		36 - 31 - 15.38 N	101 - 18 - 39.32 W	495	3082	3577
208	Vestas V126	2016-WTW-1690-OE	In Process		36 - 30 - 30.98 N	101 - 19 - 49.62 W	495	3090	3585
209	Vestas V126	2016-WTW-1691-OE	In Process		36 - 30 - 30.73 N	101 - 19 - 24.55 W	495	3086	3581
210	Vestas V126	2016-WTW-1692-OE	In Process		36 - 31 - 59.42 N	101 - 18 - 45.31 W	495	3064	3559


Turbine ID	WTG Type	ASN	FAA Status	FAA Determination	Latitude (DMS)	Longitude (DMS)	WTG Height (Feet)	Site Elevation (Feet)	WTG Height AMSL (Feet)
211	Vestas V126	2016-WTW-1693-OE	In Process		36 - 31 - 59.22 N	101 - 18 - 28.97 W	495	3059	3554
212	Vestas V126	2016-WTW-1694-OE	In Process		36 - 31 - 51.65 N	101 - 19 - 24.27 W	495	3078	3573
213	Vestas V126	2016-WTW-1695-OE	In Process		36 - 31 - 51.76 N	101 - 19 - 40.10 W	495	3085	3580

EXHIBIT B. Wind Turbine Data

Provide the following wind turbine data when submitting 7460-1:

1. Make VESTAS
2. Model V126 (87 meter hub height)
3. Turbine dimensions (see below)
 - a. Base height 285.5 ft.
 - b. Base width (at the bottom) 13.7 ft.
 - c. Base width (at the top) 10.7 ft.
 - d. Base offset (from the blades) 7.9 ft.
 - e. Nacelle length 56 ft.
 - f. Nacelle radius 7 ft.
 - g. Blade length 202.3 ft.
 - h. Blade width 13.1 ft.

****Please include specific turbine dimension information for each make/model in your project.**



****Print and complete all requested data in 1, 2 and 3 a.-h. then upload this data to your project using the Upload a PDF to the Project link on the lower right side of your Project Summary page. For additional guidance, review the Attaching Documents Desk Reference Guide available in the Instructions link at <https://oiaaa.faa.gov>**