OKLAHOMA STATE BUREAU OF INVESTIGATION

FIREARMS & TOOLMARKS UNIT

TRAINING MANUAL



TABLE OF CONTENTS

- 1.0 <u>Introduction</u>
- 2.0 Administrative Matters
- 3.0 Evolution of Early Firearms and Ammunition
- 4.0 <u>Development, Operating Systems & Manufacture of Modern Firearms</u>
- 5.0 <u>Modern Ammunition</u>
- 6.0 Background/History of Firearm and Toolmark Examination and Current Trends
- 7.0 <u>Instrumentation</u>
- 8.0 Examination and Test Firing of Firearms
- 9.0 Theory of Identification and Range of Conclusions
- 10.0 Bullet Examinations and Comparisons
- 11.0 <u>Cartridge/Cartridge Case/Shotshell Examinations and Comparisons</u>
- 12.0 Shotshell Component Examinations
- 13.0 <u>Gunshot Residue Examinations and Distance Determination</u>
- 14.0 <u>Toolmark Examinations and Comparisons</u>
- 15.0 Serial Number Restoration
- 16.0 Expert Testimony

Section Approval Sign-Offs

<u>Approval</u>

<u>History</u>

Attachments: Supplemental Resources Assessment Summary

1.0 Introduction (top 1)

The Oklahoma State Bureau of Investigation (OSBI) Criminalistics Services Division (CSD) Firearms and Toolmarks (FATM) training program was developed to guide examiner trainees through the various areas of knowledge integral to the field of firearm and toolmark examination. It is paramount that the trainee is cognizant of the primary objective of this training period: to independently and competently examine and compare evidence related to firearm and toolmark examination; to independently and competently render an opinion and reach conclusions relating to examinations and comparisons; and to give expert testimony in court in matters encompassed within the broad discipline of firearm and toolmark examination in a professional, competent and impartial manner. The obligation rests with the trainee to maximize on the effectiveness of their training period and recognize the opportunity to gain as much knowledge as possible in the field. The extent to which the trainee applies themselves during this training and evaluation period will bear directly on the quality of their performance in the laboratory and on the witness stand. The firearm and toolmark examiner's technical ability and testimony may directly impact the outcome of an investigation/case. Therefore, the trainee has a moral and ethical obligation to prepare themselves technically and professionally during training, in order to be able to perform under the most rigorous standards.

The trainee will be expected to familiarize themselves with the Firearm and Toolmark Laboratory's equipment, FATM Quality and Policy Manual, CSD Quality Manual and Quality Procedures and OSBI policies and procedures. Frequent interaction with the trainer (the FATM Technical Manager or designee), a mentor, or other experienced section and system personnel is integral to the success of this training. The trainee should not hesitate to ask questions.

The trainee will be expected to become thoroughly familiar with the basic references and materials which are found as a 'Supplemental Resources' attachment to this manual. However, the trainee should not restrict themselves to these basic references. The trainee should familiarize themselves with the laboratory's reference collection (including files, indices, manufacturer's literature and AFTE Journals).

It is required that the trainee keep a record of their training notes for each topic listed in the training manual for research, discussion, demonstration, study or practical work. The trainee's notebook may include notes, charts, graphs, photographs, limited photocopied material, etc., at their discretion; however, it should address and expand on each of the required topics of study set out in the training manual. Organizing notes in a format that parallels the training manual is suggested which will assist in documenting the trainee's progress and serve as a ready reference in the months and even years following their training.

Coordination of the Program

The Firearms and Toolmarks Unit Technical Manager retains overall responsibility for the Firearms and Toolmarks Training Program. The training coordinator is the Firearms and Toolmarks Unit Technical Manager and/or their designee. The coordinator facilitates the overall training, but may delegate certain duties and blocks of instruction to other qualified individuals.

Training Period

In accordance with QP-19, an assessment should be done to identify a trainee's specific training needs. This assessment may include a review of his/her education, experience, and/or a quiz or other competency evaluation to assess his/her knowledge/skill level. The length of the training period is variable and is at the discretion of the Firearms and Toolmarks Unit Technical Manager or their designee. Certain individuals may require less time than others, depending on experience, education, or learning ability. Generally, the training period is completed within 24 months.

Assessments

Each section has its required assessments at the end of the Section. If the trainee fails any of the assessments, the FATM Technical Manager or their designee will evaluate the need for re-training or re-testing. A summary of these assessments can be found as an attachment to this manual. A one-page list of section sign-offs can be found at the end of this document.

Re-training

This training manual can be modified by the Firearms and Toolmarks Unit Technical Manager for re-training purposes, including a criminalist returning to the firearms and toolmarks unit from another discipline or a criminalist needing re-training in a specific area for remedial reasons. All re-training will be handled according to QP-19.

Depending on the needs of re-training, a specific training plan will be documented for the individual by the Technical Manager, ensuring all objectives are met and adequate training is provided.

Maintenance of Skills and Expertise

Once released for casework, the examiner is encouraged to seek further training, to review each new AFTE Journal publication and to work with the Supervisor/Technical Manager to secure regular attendance at regional/national meetings with relevant discipline topics.

This training manual and the trainee's notebook may also be reviewed periodically. Such review is strongly encouraged when the examiner is to perform casework types not typically seen or when preparing for testimony.

NOTE: Hyperlink and attachment maintenance (removal, addition, or correction of hyperlinks and attachments) shall not constitute a new document revision.

2.0 Administrative Matters (top 1)

OBJECTIVES

- Introduce the trainee to the policies and procedures of the OSBI CSD, and specifically the Firearms & Toolmarks Unit
- Be familiar with the field of forensic science, the role of the forensic scientist in the legal system, the significance of quality assurance and ethical behavior in forensics.

INTRODUCTION

This section of your training manual will address broad concerns related to forensic science in general and laboratory operations in particular. Many of these topics will be covered in much more detail later in your training, and the specifics of how these concerns are addressed in a given laboratory will undoubtedly vary. These issues relate to what are now mandatory aspects of forensic work and fall under a number of major headings. Paramount among these are health and safety concerns, not just in terms of the very obvious requirement for firearms safety, but also in terms of the diverse biological and chemical safety requirements of a multidisciplinary forensic laboratory. This is the environment in which most of us will find ourselves, even if we specialize in firearms-toolmark work. As the number and types of forensic techniques have progressed, so has the need for all types of laboratory safety awareness. Increasingly, most forensic scientists of all stripes have available a large body of safety information in general, as well as in the form of manuals specific to the needs of particular laboratories.

In addition to laboratory safety, there is also the requirement that testing be performed accurately. Therefore, this section of the training manual will also focus on the field of quality assurance procedures designed to make it so. Nearly all forensic laboratories today have instituted a program which tailors generally accepted procedures to the particular circumstances. Overall, these programs address standards for personnel, equipment, facilities, case management practices, training, case documentation, integrity of evidence, peer and supervisory review of work, technical protocols (laboratory procedures), note taking, report writing, monitoring of employee expert testimony, proficiency testing, corrective action for problems which are identified and procedures for introducing new techniques. Some laboratories may consider health and safety procedures a part of quality assurance, but typically health and safety matters are so comprehensive that they become a stand-alone topic as outlined in the previous paragraph.

Training was mentioned above as one aspect of quality assurance, but as in the case of health and safety, it can be also considered as a stand-alone topic. Although this is the training program specific for a firearms and toolmarks examiner, one must be aware that training is a continuous career-long requirement. Initial qualification and individual certification is only the beginning of in-service type training of many types from many sources. This type of training can be obtained from one's own agency, other state laboratory systems, federal sources (ATF and FBI) as well as from academic and private sources. In addition, professional associations and organizations are active in structuring and guiding the content of forensic firearms-toolmarks training, include the Association of Firearm and Tool Mark Examiners (AFTE) and the ANSI National Accreditation Board (ANAB). Training guidelines established by these groups are now wholly consistent with the requirements for individual examiner certification, as well as laboratory accreditation.

Subsuming all of the above are the very real values represented under the general heading of ethics, that is, the set of guidelines which should govern our conduct as forensic examiners. While all of us are generally guided by a reliable moral compass, or conscience, some of the subtleties faced by forensic scientists require as much thought as the actual examinations (Who should know my results? When should they know them? What about conflicts of interest?). Fortunately, the same organizations mentioned previously (AFTE and ANAB) have used the accumulated

experience of thousands of examiners over many decades to codify many of these concerns for the rest of us; these will also be covered in this section.

REQUIRED READINGS

	DATE COMPLETED	TRAINEE INITIALS
In addition to Section 3.0 Laboratory Safety, Security, and Administrative Proce Training Manual:		-
AFTE Technical Procedures Manual, "Safe Firearm Handling," (2015):10-11.		
AFTE website: https://afte.org/uploads/documents/procedures.pdf		
Dutton, G., "Firearms Safety in the Laboratory," AFTE Journal, 1997; 29(1):37-		
41.		
National Rifle Association (NRA), "NRA Gun Safety Rules."		
https://gunsafetyrules.nra.org/		
National Shooting Sports Foundation (NSSF), "Firearm Safety – 10 Rules of		
Safe Gun Handling." <u>https://nssf.org/safety/rules-firearms-safety/</u>		
Sapp, Rick, "The NRA Step-by-Step Guide to Gun Safety: How to Care For, Use,		
and Store your Firearms," Skyhorse Publishing, 2016.		
Occupational Safety and Health Administration, "Safety and Health Topics,		
Lead." https://www.osha.gov/SLTC/lead/		
Occupational Safety and Health Administration, "Protecting Workers from		
Lead Exposure at Indoor Firing Ranges."		
https://www.osha.gov/Publications/OSHA3771.pdf		
The National Institute for Occupational Safety and Health (NIOSH),		
"Preventing Occupational Exposures to Lead and Noise at Indoor Firing		
Ranges." https://www.cdc.gov/niosh/docs/2009-136/		
In addition to Section 4.0 Overview of Forensic Science of New Employee Gener	al Training Manue	al:
Mathews, J.H., Firearms Identification, Volume I, University of Wisconsin		
Press, Madison, WI, 1962, Chapter 1.		
Hatcher, J.S., Jury, F.J., and Weller, J., Firearms Investigation, Identification		
and Evidence, Ray Rifling Arms Books Co., Philadelphia, PA, 2006, Chapter 1.		
In addition to Section 6.0 Ethics in Forensic Science of New Employee General T	raining Manual:	
"AFTE Code of Ethics," AFTE website: <u>https://afte.org/about-us/code-of-</u>		
ethics		
Dutton, G., "Ethics in Forensic Firearms Investigation," AFTE Journal, 2005;		
37(2): 79-85.		
Dutton, G., "The Importance of Being Impartial," AFTE Journal, 1998; 30(3):		
523-526.		

ADMINISTRATIVE MATTERS ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
2.1 Complete all applicable / required sections of the OSBI CSD New			
Employee General Training Manual. Familiarize yourself with the ANAB			
Guiding Principles.			
2.2 Familiarize yourself with evidence storage and accessibility within the			
Firearms and Toolmarks Unit. Obtain key(s) to your cubicle cabinets and			
drawers, and mobile cabinet within the lab.			
2.3 Become familiar with the Projectile Recovery Tank, shooting room			
and long range. Know where to find all applicable PPE, how to operate			
the tank and ventilation systems and procedure for shooting when alone			
in the firearms and toolmarks laboratory.			
2.4 Read and familiarize yourself with the Firearms and Toolmarks Quality			
and Policy Manual. Discuss each section with your trainer. Ensure you			
review and discuss the following topics:			
Basic safety rules and guidelines for handling firearms			
 Receiving evidence firearms from investigators 			
 Secure storage of firearms after receipt 			
 Shipment and transportation of firearms 			
 General preliminary examination procedures 			
Safety checks for all firearms			
Safety checks for revolvers			
Safety checks for non-revolvers			
Black powder firearms and propellants			
Test firing protocols			
Eye and ear protection			
 Bullet recovery tanks and traps 			
General range rules			
2.5 Find and document the laboratory policies regarding the following:			
 Providing preliminary verbal or written results prior to issuance 			
of a final laboratory report			
 Inquiries from the press and other media 			
 Request for pre-trial meetings or depositions in a criminal case 			
 Request to testify in a civil case 			
 Request to testify in a grand jury proceeding or a preliminary 			
hearing			
 Providing a laboratory report to other agencies 			
• Policies on working private casework (secondary employment)			
The potential for re-examination of evidence			
Membership dues and attendance at professional meetings			
Training and funding			
2.6 Familiarize yourself with the Firearms and Toolmarks reference			
collections. Determine, by reviewing laboratory policy, which of these			
collections can be used for identification, comparison, interpretation or			
training purposes. Be familiar with how the laboratory files these items			
for retrieval and understand the correct procedure for using the			
specimens in casework or training.			

2.7 Familiarize yourself with the Association of Firearm and Toolmark Examiner's website (<u>http://afte.org/</u>). Familiarize yourself with the AFTE Certification Program located on the AFTE website. Through the AFTE website and journal, familiarize yourself with the history and development of AFTE.		
2.8 Read the AFTE Code of Ethics. Summarize and submit its contents in a		
report. Emphasize the following major topic areas:		
The scientific method applied to examinations		
An adequate basis for opinions and conclusions		
The ethics of court presentations		
• The general practice of firearm and toolmark examinations		

2.0 Administrative Matters (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Final written exam (New Employee General Training Manual)				
Completion of all section activities				

3.0 Evolution of Early Firearms and Ammunition (top 1)

OBJECTIVES

• Understand where current firearms and ammunition came from and the development of new technologies throughout history affecting their evolution

INTRODUCTION

Black Powder: In this section you will explore the origins and practical aspects of the propulsion of projectiles by chemical means. Originally this conversation of potential chemical energy to the energy represented by the motion of a projectile was only possible through the use of black powder. As you will note in the reference materials set out at the end of this section, black powder did not originate from the work of a chemical engineer, but from the empirical and accidental efforts of many different people who in their own time and place were probably considered among the most educated: alchemists, monks, philosophers, noblemen, and others. These were essentially individuals who during the earlier centuries of the last two millennia lived in societies where the elite who were not concerned with day-to-day survival could afford the time to delve into these "mysteries." As educated people these individuals were also able to leave many records in Chinese, Greek, Latin, Arabic, Old French and Hebrew, reflecting the movement of information along the trade routes of Central Asia and the Mediterranean basin. Many of these records have been lost, but most surviving records have been translated into or summarized in English. While your future caseload will not likely include many firearms using black powder, your depth of knowledge as an examiner will be definitely enhanced by this kind of basic background information.

Evolution of Early Firearms: In this section the goal is for you to gain an appreciation for the origins of muzzleloading firearms used along with black powder as the projectile propellant. The study of the evolution of these arms is typical of many devices we are familiar with, specifically, that no one individual can claim credit for the most advanced design. At each step someone new appears and takes what went before and adds an innovative idea to the previous concept. In the case of early firearms, the initial small arms design was simply a metal tube mounted on a pole, with ignition accomplished by manually applying fired to a touchhole, which digging the end of the pole into the ground. This was difficult to aim, so the tube was mounted on a wooden stock with a convenient spring-loaded mechanism, a primitive lock, allowing the touchhole to be fired by a burning cord (match) when the trigger was squeezed. This matchlock represented the state of the art for over two hundred years. Obviously the matchlock was a problem in wet weather, and the wheel lock, fired by a piece of iron pyrite brought into contract with a spinning steel disc, became the weapon of choice. The cost, complexity and slowness in use of the wheel lock gave way to the flint and steel lock mechanisms of the snaphaunce, the miquelet lock, and then the true flintlock. The flintlock reigned for at least two hundred years because of its general reliability. At the end of that time the flintlock was commonly rifled with spiraled grooves to stabilize the projectile. Shock-sensitive chemicals capable of generating a spark were discovered, leading to a chemically primed action called the percussion lock. These represented the highest point in the evolution of muzzle-loading firearms and were the immediate precursor to modern metallic cartridge weapons.

Evolution of Ammunition: The development of metallic cartridges was the most important landmark event in the evolution of modern firearms. The development of metallic cartridges and the evolution of modern firearms are closely related, and the latter is dependent on the former. Conceptually, pre-packaging powder and propellant in a single container, a paper cartridge, was not new. The problem had always been that these paper cartridges were still loaded from the muzzle of a firearm, and were separately primed by mechanical means (a firelock) or chemical means (a percussion cap). After a few evolutionary steps, the great leap forward came when multi-shot repeating percussion firearms using revolving cylinders, such as the Colt "revolver," were improved on by drilling completely through the cylinder. This allowed use of a pre-assembled metallic cartridge incorporating a case, powder, projectile and shock-sensitive primer, all in one convenient package. This was first successfully accomplished by

the firm of Smith & Wesson, using a rimfire metallic cartridge which carried the shock-sensitive priming material in the rim of the case. When the primer material was struck externally by the release of a spring-loaded firing pin, the shock-sensitive primer compound would release a spark, burning the black powder propellant. The resulting gas pressure would not only serve to propel the projectile out of the cartridge case and the firearm, but importantly, would also expand the typically brass or copper case to seal all the gases forward in the chamber and out of the shooter's face and eyes. This critical design feature virtually insured the application of the concepts to all manner of handguns and long arms, and also made possible the later evolution of all types of modern firearm actions and mechanisms. Due to the fact that rimfire cartridges were somewhat limited as to the pressures and projectile velocities they could safely generate, the centerfire cartridge, with the primer mounted in the center of the base, was developed. Centerfire cartridges with their longer ranges, higher pressures and ease of feeding through complex high-speed actions now predominate, with the familiar .22 rimfire types now nearly the sole survivor of a whole spectrum of that type of cartridge. Centerfire cartridges were then further enhanced by the use of a new propellant in the form of nitrocellulose, or smokeless powder, which was a product of the developing field of organic chemistry in the late nineteenth century. This propellant again enhanced ammunition performance while at the same time eliminating the great clouds of white smoke from the battlefield.

REQUIRED READING

	DATE COMPLETED	TRAINEE INITIALS
Archived Firearms Examiner Training Module 03: Propellants, Ammunition, and Firearms Development National Institute of Justice (ojp.gov) [Use as a resource to complete assignments; by end of Section 3.0, you will have completed this required		
reading.]		
Smith, W.H.B. Book of Rifles.Pages 3 through 43.Smith, W.H.B. Book of Pistols & Revolvers.Pages 6 through 20.		
Hatcher, Jury & Weller. <u>Firearms Investigations, Identification and Evidence</u> Chapter 2.		

EVOLUTION OF EARLY FIREARMS AND AMMUNITION ACTIVITIES

	DATE COMPLETED	TRAINEE INITIALS	TRAINER INITIALS
3.1 Watch A&E's The Story of the Gun DVDs.			
3.2 Research and discuss the early development of gunpowder.			
3.3 Prepare an outline of early firearms and ammunition development up			
to the advent of metallic cartridges, with particular emphasis on lock			
mechanisms, early rifling techniques, percussion systems, priming			
methods and pre-metallic cartridges. The listing should be in proper			
chronological order. Discuss how each new system was an improvement			
over the previous system.			
Areas of consideration:			
 What features of these early firearms are still in use today? 			
• What were the advantages of each of these systems?			
• What were the disadvantages of each of these systems?			
• Was there a common disadvantage to all these systems?			
What was it and how was it overcome?			

3.3 continued		
Milestones to include:		
Paper cartridges for muzzle		
Colt nitrated paper cartridges		
Sharps linen cartridges		
Maynard brass cases		
Maynard tape primers		
• The Minié ball		
• Snider coiled brass / paper cases		
Burnside brass cases		
Lefaucheux's cartridge		
Houiller's pinfire cartridge		
• Flobert's BB cap		
• Smith & Wesson's .22 rimfire		
The Volcanic bullet		
Henry's .44 rimfire		
Folded head cartridges		
Berdan primers and cases		
Boxer primers and cases		
Solid head cartridges		
Smokeless powder		
3.4 Visit the J.M. Davis Arms and Historical Museum in Claremore, OK to		
observe examples of early firearms and ammunition development, paying		
close attention to firearms that are developmental benchmarks. Note, in		
particular, commercial and military firearms since the development of		
metallic cartridges. You will need to prepare a report on your tour. You		
will need to keep comprehensive notes on what you observe and learn on		
the tour.		
3.5 Trace the evolution of the rimfire cartridge from the mid-nineteenth		
century to the current generation of modern 22 caliber rimfire cartridges.		
Prepare a chronological outline of rimfire ammunition development		
including firearms types that were developed for this ammunition. It		
should be in proper historical order and should discuss how each type of development was an improvement over the previous system.		
Areas of consideration:		
What features of these early ammunition/firearms are still in use		
• What reactives of these early animum tony means are still in use today?		
 What were the advantages of each of these systems? 		
 What were the disadvantages of each of these systems? What were the disadvantages of each of these systems? 		
 Was there a common disadvantage to all these systems? 		
 What was it and how was it overcome? 		

3.6 Prepare a chronological outline of rimfire ammunition development		
including firearms types that were develop for this type of ammunition. It		
should be in proper historical order. Discuss how each type of		
development was an improvement over the previous system. Areas of		
consideration:		
 What features of these early firearms are no longer in use 		
today?		
 What were the advantages of each of the systems? 		
 What were the disadvantages of each of the systems? 		
 What areas are still open to improvement to any of these 		
systems?		
3.7 Trace the evolution of the centerfire cartridge from the mid-		
nineteenth century to the present. Pay particular attention to the		
transition from black powder to smokeless powder. Include any		
information developed concerning caseless ammunition.		
3.8 Prepare a chronological outline of centerfire ammunition		
development including firearms types that were develop for this type of		
ammunition. It should be in proper historical order. Discuss how each		
type of development was an improvement over the previous system.		
Areas of consideration:		
 What features of these early firearms are no longer in use 		
today?		
 What were the advantages of each of the systems? 		
 What were the disadvantages of each of the systems? 		
 What areas are still open to improvement to any of these 		
systems?		
3.9 Study the firearm section standard ammunition file, noting in		
particular cartridges and shotshells that are representative of commercial		
and military ammunition development during the past three decades.		
3.10 Conduct an in-depth study of exterior bullet coatings. Prepare a		
report about how this technology could impact microscopic comparisons.		
3.11 Prepare a report listing trends you see unfolding in cartridge and		
bullet development and show any historical significance to these findings.		
3.12 Prepare an overview of the current development in handguns and		
how this information might be of significance to the firearm examiner.		

3.0 Evolution of Early Firearms and Ammunition (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				

4.0 Development, Operating Systems & Manufacture of Modern Firearms (top 1)

OBJECTIVES

- Understand how modern firearms are made
- Understand where modern operating systems came from
- Understand modern operating systems, their features and how to identify each

INTRODUCTION

Read this entire section before you begin. Be advised some areas require a general understanding or familiarization, where other areas require specific knowledge. Retain all training documentation. Follow the firearm safety rules and procedures learned from the additional required readings to Section 3.0 of the New Employee General Training Manual.

Modern Firearms Development and Operating Systems: The key to modern firearms development was the evolution of modern self-contained metallic cartridges which could be loaded into a firearm at the breech. As you have seen in the previous section, these ideas actually went back hundreds of years, but until the arrival of the necessary technology they remained in the conceptual stage, or took the form of inadequate, sometimes dangerous, attempts to give the ideas physical form. The major problems were a lack of precision machining techniques which precluded adequate sealing of the high-pressure gases involved, and unreliable priming systems. With the movement from mechanical priming systems (firelocks of all types) to chemical priming (percussion locks) concurrent with the advent of the industrial revolution and precision machining techniques, it was only a matter of time until breech-loaded metallic cartridges designed for particular firearms came into being. The first modern firearms of this type were typically produced in tandem with a custom-designed metallic cartridge. One the concept was proven workable, the way was open for a practically endless series of weapon designs, operating systems, cartridge designs in both rimfire and centerfire, repeating rapid-fire systems and other engineering refinements. Modern ammunition and the firearms it made possible moved into the realm of engineering instead of empirical trial and error design efforts. Weapons could be designed and machined to close tolerances to accommodate precision-made metallic cartridge cases which would expand (obturate) under the high pressure of the hot, expanding gases due to burned gunpowder, thus sealing gases within the breech. These very workable and practical developments during the last half of the nineteenth century allowed the engineers and machinists of the world to produce the modern operating systems we know today. In this present section you will focus on these systems, and you will study the related machining techniques in the succeeding section.

Modern Firearm Manufacturing: The development of modern firearms was dependent on several factors coming together at once. You have already studied the evolution of rimfire and centerfire ammunition. Without these, the development of faster, more efficient firearms mechanisms would not have been possible. Most often, early developments and innovations in ammunition were accompanied by some concurrent development in firearms, often in a kind of chicken and egg relationship. But the critical element was the onset of the industrial revolution which brought with it the precision machine tools and techniques which made possible the manufacture of both ammunition and firearms, and not firearms, but firearms with interchangeable parts, high speed operation and sophisticated mechanisms. In this section you will focus on the machining processes which were critical to the development and manufacture of modern firearms, without which these firearms and much of modern industry would not have been possible.

REQUIRED READINGS

	DATE	TRAINEE
	COMPLETED	INITIALS
Archived Firearms Examiner Training Module 04: Modern Firearms		
Manufacture National Institute of Justice (ojp.gov) [Use as a resource to		
complete assignments; by end of Section 4.0, you will have completed this		
required reading.]		

DEVELOPMENT, OPERATING SYSTEMS & MANUFACTURE OF MODERN FIREARMS ACTIVITIES

		DATE	TRAINEE	TRAINER
4.1 Decearch and he able to evaluin th	a maaning of the terms	COMPLETED	INITIALS	INITIALS
 4.1 Research and be able to explain th Ballistics 	e meaning of the terms:			
241101100				
Chemistry				
Firearms identification				
Mechanical engineering				
Metallography				
Metallurgy				
Physics A.2 Research some of the materials us				
a general understanding of molecular molecules, compounds and crystals. D general composition, qualities and lim relate to firearms and toolmarks. Inclu the following:	structure by reading about atoms, efine and be familiar with the itations of these materials as they			
Alloy	Iron ore			
Aluminum	Pig iron			
Bar stock	Polymer			
Barrel stock (chromium-	 Stainless steel 			
molybdenum)	• Steel			
• Carbon (as an element)	• Tin			
Ceramic (as used in	Titanium			
molds)	Tungsten carbide			
Ferrous alloy	 Zinc (as an element) 			
 Iron (as an element) 	 Zinc alloy (i.e. ZAMAK) 			
Iron crystals				

4.3 Select firearms from the laboratory			
demonstrate each action listed below.			
familiar with any additional firearm act			
Automatic	• Lever		
Blowback	 Martini 		
• Bolt	• Pump		
Break-open	Revolver		
Double	Rolling block		
Falling block	 Semi-automatic 		
Hinged frame	• Single		
 Hybrid 	Trap door		
4.4 Define each of the following types	of firearms and explain in detail		
the cycle of fire. The operation of each	type of firearm, including the		
loading of cartridges and the subseque	nt movement of the cartridge		
case and/or bullet after firing should b	-		
the manufacturers' specific nomenclat	-		
firearm information including make, m	odel, caliber, action and serial		
number for each firearm utilized.			
 Single and double action revo 	lvers		
 Single and double action semi 	-automatic pistols		
 Single shot pistols (including c 	lerringers)		
 Bolt-action rifle 			
 Gas operated semi-automatic 	rifle		
 Pump-action rifle 			
 Single shot rifles 			
 Sub-machine guns (including I 	blowback and delayed blowback)		
 Muzzle loading firearms 			
Percussion revolvers			
Lever action rifles			
4.5 Explain the difference between ma	nual, semi-automatic and		
automatic operation of firearms. Give a	an example of each.		
4.6 Explain the difference between a h	andgun and long gun.		
4.7 Define the following firearms parts	:		
• Hammer	Disconnector		
• Trigger	Magazine		
• Bolt	• Grip		
• Sear	• Frame		
Extractor	• Butt		
• Ejector	• Fore-end		
• Barrel	• Slide		
Firing pin			
4.8 Using shotguns from the firearms r	eference collection, explain and	+ +	
illustrate the differences between a ga	-		
auto-loading shotgun.			

4 9 Evn	lain and illustrate the difference	s between the following types of
actions		s between the following types of
•	Blowback	Bolt
•	Delayed blowback	Pump
•	Gas-delayed blowback	• Lever
•	Short recoil	Single action
•	Long recoil	Double action
•	Striker operated	Hammer operation
	-	
•	Manual operation	Double action only
•	Semi-automatic	Single action only
•	Revolver	Gas-operated
	umerous manufacturing method	
	n firearm parts. Research, identi	
-	ses using the AFTE Glossary and	
	r with the toolmark patterns (bo	
		earing surfaces of a firearm that
	lirect contact with ammunition	
	n, you are encouraged to view o	
	acturing process. Review the chi	•
	-	it in mind while completing this
assignn		
•	Abrasive machining	Lead lapping
•	Annealing	Machine hammer forging
•	Boring	Metal injection molding
٠	Broaching (excluding	(MIM)
	barrel broaching)	Milling (include both face
٠	Casting	milling and peripheral or
•	Chamfering	slab milling)
•	Computer numeric	Molding
	control (CNC)	Planning
•	Cope and drag (as used in	Powdered metal
	casting)	technology (PMT)
•	Drilling (excluding	Sacrificial wax and
	barrel/deep-hole drilling)	runners (as used in
•	Electro chemical	casting)
	machining (ECM)	Sanding
•	Electro discharge	Sawing
	machining (EDM)	Shaping
•	Extrusion	Stamping
•	Filing	Stoning
•	Fine-forming operations	Subcontract
•	Grinding	manufacturing
•	Hammer forging	Swaging
٠	Honing	Ballizing
•	Investment and die	Turning
	casting (parts)	Ultrasonic methods
•	Investment die casting	
	(IC)	

	1	
4.11 Research in detail and briefly define the following terms as they		
pertain to barrel production and rifling methods. Explain how some		
tools and procedures were used in the past and identify the more		
common methods currently used. Consider how each method may		
affect the ammunition component(s) they may be in contact with.		
Barrel deep-hole drilling		
Barrel straightening		
Burnishing		
Chambering and throating		
 Contouring/profiling 		
Crowning		
Cut rifling methods		
Damascus barrel		
 Electro chemical machining (ECM) 		
 Electro discharge machining (EDM) 		
Honing		
Lead lapping		
Mandrel		
Drawn over mandrel (DOM)		
Polygonal		
Reaming		
 Single point tolls (hook/scrape cutters) 		
Tungsten carbide swaging (microgroove rifling)		
4.12 Research some of the common manufacturing tools (buttons,		
broaches, mandrels, etc.) used in rifling processes. Select firearms from		
the laboratory reference collection which were produced using each		
method (if possible). Examine the rifling of each firearm with a		
stereoscope to observe the differences in the class characteristics		
produced by the various rifling methods. Test fire the firearms and		
examine the effects these rifling methods have on the bearing surface of		
fired bullets. Mark the test fired bullets with both the firearm and the		
rifling method.		
4.13 Prepare a short paper discussing the differences in these rifling		
techniques including the advantages and disadvantages for each as		
viewed by the industry and the firearms examiner.		
Button rifling		
ECM rifling		
EDM rifling		
Gang broach		
Hammer forge		
Microgroove		
 Single point (hook/scrape cutters) 		
4.14 Obtain broaches and buttons for study from your trainer.		
Determine the difference between barrels which have been button		
rifled and those which have been broach rifled. Write a short synopsis.		
4.15 Define the terms 'class,' 'individual' and 'subclass' characteristics		
using the AFTE Glossary. Identify and describe how, why or if there is a		
potential for each rifling method described previously to leave subclass		
characteristics in the rifling and on fired ammunition.		

4.16 Research AFTE Journal articles using the search key word 'subclass'
and 'carry over.' Prepare a brief document summarizing at least five (5)
articles. Have your trainer select one (1) of the articles to present to the
section.
4.17 Prepare and continue to update a personal repository/chart of
firearms known to produce potential subclass characteristics from
research published in the AFTE Journal. Identify the article, the
firearm(s) manufacturer, model and caliber. Also identify the location,
type and cause of the potential subclass characteristics identified in
each article and initial and date each new entry.
4.18 Identify, associate and explain how manufacturing processes may
leave potential subclass characteristics on specific parts of a firearm
other than the barrel (firing pin, extractor, ejector, breechface).
4.19 Research in detail the words 'caliber' and 'gauge' in relation to
firearms. Learn how and where a caliber is measured in a rifled barrel.
Explain the origin of the word 'gauge' with regard to shotguns and other
firearms as well.
4.20 Research and be familiar with the following part fabrication terms:
Final assembly
Final steps
Hand fitting assembly
Headspace
High-stress load parts
Low-stress load parts
Repeating mechanism components
Small pins, screws and springs
4.21 Research in detail and explain the meaning of the word
'headspace' and how it is measured in the chambers from all types of
firearms. Learn the effects and safety concerns for an improper
headspace.
4.22 Research and explain the significance of the following terms as
they related to firearms manufacture, accountability and identification.
Note their various general locations on firearms, air-guns and flare-guns.
Select ten firearms from the firearms reference collection and note the
marks and location for each. Record the firearm(s) used and the location
where this information was found:
Caliber
Firearm importer/exporter names
Hidden serial number(s)
Manufacturers' number
Manufacturers' name
Model
Part-stamped numbers (as on German Luger pistols)
Proof marks
Serial number
Work-stamp numbers (as on S&W revolvers)

4.23 Research t	he history and current sign	nifica	ance of proof marks as		
	he manufacture of firearm		-		
	repare a brief synopsis of				
	gham Gun Barrel Proof Ho				
Fireari	n Owners' Protection Act	1986	5		
Natior	al Firearms Act 1934				
Private	e Proof House				
 Sporti 	ng Arms and Ammunition	Man	ufacturers' Institute, Inc.		
(SAAN	11)				
The Ai	nerican National Standard	s Ins	titute (ANSI)		
Title II	of the Gun Control Act (G	CA) d	of 1968		
		-	e following manufacturing		
processes or m	ethods are used in the fini	shin	g process of firearms:		
Anodi	zing	•	Lead lapping		
 Barrel 	straightening	•	Microstamping		
 Bluing 		•	Nickel plating		
 Case h 	ardening	•	Parkerizing		
Chrom	e plating	•	Patina		
Cosme	etic finish	•	Polishing		
Electro	oplating	•	Powdered metal		
Honin			technology		
	e following firearms from t	he fi	rearms reference		
collection:					
	oolt action; semi-automati		-		
	automatic pistol (blowback		-		
	ver (single action; double a				
	ohs and label the following	par	ts of the seven firearms		
above, as appli					
 Breecl 		•	Barrel		
 Breech 	n bolt	•	Lands		
• Bolt		•	Grooves		
 Bolt fa 	ce	•	Ramp		
 Extrac 		•	Magazine		
 Ejecto 	r	•	Clip		
• Firing	pin	•	Ejection port		
 Rifling 		•	Receiver		

4.36 Demonstrate lunguidadae of the	hasis a second store of headsures						
4.26 Demonstrate knowledge of the	-						
rifles and shotguns by defining the w							
Discuss the manufacturing methods	-						
fabricate and finish each part. Note t							
marks produced from wear and abus							
impressions, striations or both on an	imunition. Include but do not						
restrict your study to the following:							
Actions	• Frames						
Anvil	• Grooves						
Barrel	• Hammer						
• Bolt	Hammer spur						
• Bore	• Heel						
Breech bolt	• Lands						
Breechface	Magazine						
• Butt	Muzzle						
Chamber	Percussion nipple						
Choke	• Ramp						
 Choke tubes 	Receiver						
• Clip	 Rifling type 						
Comb	Safeties						
Crown	• Sear						
 Cylinder 	Slides						
Ejection port	 Stock pistol grip 						
• Ejector	 Stock types 						
En bloc clip	 Stock wrist, heal and toe 						
Extractor	• Striker						
Feed ramps	 Throat/leade 						
Firing pin	• Trigger						
 Firing pin aperture 	 Trigger bar 						
Forcing cone	 Trigger guard 						
4.27 Research and explain the variou	s types of firing mechanisms,						
specifically hammer and striker mecl	nanisms found in open and closed						
bolt designs. Learn the internal safet							
these assemblies and how they func	tion. Learn the manufacturer's						
nomenclature for these parts, when	available, using the AFTE Glossary						
as needed.							
4.28 Research the evolution, purpos	-						
the application of serial numbers on	-						
the methods used to apply serial numbers to frames.							
4.29 Identify the role of Small Arms a							
Institute, Inc. (SAAMI) and the Europ							
Permanente (CIP) on the firearm ind	ustries in the United States and						
Europe.							
4.30 Be familiar with the concepts, p	-						
'microstamping' and evaluate the pr							
have on the discipline of firearms ide	entification.						

	:			
4.31 Select a firearm and				
-		nd low stress parts paying		
close attention to those a				
	during cycling and	firing. Define the following:		
Barrel	•	Ejector		
 Barrel extension 	•	Extractor		
 Breechface 	•	Feed ramp		
 Chamber(s) 	•	Firing pin		
Brown	•	Rifling		
Ejection port	•	Throat/leade		
4.32 Research and explain		tween an ammunition		
magazine and an ammun	ition clip.			
4.33 Research relevant st	ate and penal laws	and, at minimum, the legal		
definitions for the followi	ing words/terms. D	efine the following by state		
law and using the AFTE G	lossary if needed:			
Antique firearm	•	Machine gun		
Assault weapon	•	Magazine/high capacity		
 Disguised gun 	•	Pistol		
Firearm	•	Revolver		
Gun (discuss the	e meaning •	Rifle		
and use of the w	vord in •	Semi-automatic		
laboratory repor	rts) •	Shotgun		
 Imitation firearn 	n •	Silencer		
Replica firearm				
Oklahoma State Statutes	can be found here:	OKLAHOMA STATUTES		
(oklegislature.gov)				
4.34 Learn the meaning of	of the terms 'field st	trip,' detail strip' and		
_		nended that reach firearm		
examined be field strippe				
4.35 Research and define		ey relate to firearm		
accessories and attachme	-			
 Bayonet lug 				
Bipod				
Butt plate				
 Flash suppressor 	r			
Half-moon clip				
Moon clip				
Muzzle brake				
Pistol grip				
• •	antinny, Weaver, e	tc.)		
Scope ring	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	/		
 Sling 				
 Sling swivel 				
 Sound suppresso 	h.			
 Stripper clip 				
Threaded barrel				

 4.36 Identify the various types of internal and external safety mechanisms found in pistols, revolvers, rifles and shotguns. Learn the manufacturer's nomenclature for each safety mechanism. The AFTE Glossary may be used when needed. Classify each safety as active (manual) or passive. Include the following: Cross bolt Firing pin block Grip Half cock Lever Magazine Sliding button Tang Thumb Transfer bar Trigger Trigger lock Wing 		
4.37 Research and be able to comprehensively explain to a layman the manufacturing methods of common firearm parts that are in direct contact with ammunition during cycling and firing (barrel, breechface, chamber, extractor and ejector).		
4.38 If possible, tour the manufacturing facilities of at least six toolmakers, firearms and/or barrel manufacturers such as Wilson Barrels, Colt, Ruger, Smith & Wesson, Mossberg, Marlin, US Repeating Arms, etc. Document your experience and produce a written report of each visit. Emphasis should be placed on manufacturing and rifling techniques used by each manufacturer. Note the methods that may leave individual manufacturing toolmarks on firearm parts, which, in turn, produce individual microscopic marks on bullets and cartridge cases. Coordinate tours with your trainer.		
4.39 Explore some of the futuristic ideas and prototypes of new firearms. While these firearms may not be available for examination, attempt to evaluate any new manufacturing methods. Include in this research the use of 3-D printers to manufacture firearms. Document your findings.		

4.0 Development, Operating Systems & Manufacture of Modern Firearms (top ↑)

ASSESSMENT

	DATE		TRAINEE	TRAINER
	COMPLETED	SCORE	INITIALS	INITIALS
Completion of all section activities				
Written exam				

5.0 Modern Ammunition (top 1)

OBJECTIVES

- Understand the general manufacturing techniques used to make modern ammunition
- Be able to describe features of ammunition components (i.e., projectiles, cartridge cases, primers and gunpowder)
- Understand and be able to explain caliber / caliber-families

INTRODUCTION

Modern ammunition has not changed greatly after the invent of the self-contained metallic cartridge in the late 1800s. Manufacturing processes and a greater understanding of chemistry have helped 'fine-tune' the modern cartridge/shotshell; however, it can be difficult for an ammunition manufacturer to stand out in the crowd. This fact can aid, as well as limit, the examiner in their analysis.

In this section, you will learn the many types, features and manufacturing processes of modern ammunition, in addition to the current naming practices for ammunition. These can be used in the description and analysis of both unfired and fired ammunition components. The vast range of ammunition can seem overwhelming, as it is a topic with many years of history in addition to a continually expanding library of possibilities. Use this training section to collect resources and summarize large volumes of information, making yourself a resource to reference during further training sections, mock and real casework.

REQUIRED READINGS

	DATE COMPLETED	TRAINEE INITIALS
Archived Firearms Examiner Training Module 05: Small Arms Ammunition		
National Institute of Justice (ojp.gov) [Use as a resource to complete		
assignments; by end of Section 5.0, you will have completed this required		
reading.]		

MANUFACTURE OF MODERN AMMUNITION ACTIVITIES

				DATE	TRAINEE	TRAINER
				COMPLETED	INITIALS	INITIALS
cartridge from the photogra	tify and define the following word e case nomenclature/manufacturi e lab stock ammunition or ammun aph. Label the photograph approp aphs may be able to contain more erms):	ng. itior priat	Locate an example of each n reference collection and ely. (Note: some			
•	Cartridge case	•	Shoulder			
•	Head	•	Neck			
•	Headstamp	٠	Primer pocket			
•	Bunter	•	Flash hole			
•	Mouth	•	Primer (types and sizes)			
•	Web	•	Cannelure			
•	Extractor groove					

5.2 Metallic cartridges are primarily co		1 1
	nstructed of brass and lead. Brass	
is an alloy of copper and zinc. Research	and identify the percentage of	
each, copper and zinc, typically used to	manufacture the following:	
Bullet jacket		
Cartridge case		
Primer		
5.3 Identify some common steel ammu	inition (cartridge cases, bullet	
jackets and bullet cores) and their mar	keters. Record your findings by	
producing a list with headstamps and t	heir associated marketers.	
5.4 Military ammunitions often use col	or codes to identify bullet purpose	
and effect. Locate and examine three r	nilitary ammunition color code	
charts and see how they may differ in t	his regard. Report some potential	
hazards when dealing with military am	munition in a laboratory.	
5.5 Identify, define and assemble a col		
photographs that best display these ca		
significance of each. (Note: some phot		
more than one of these words/terms):		
Belted	Rimmed	
Bottleneck	Semi-rimmed	
Rebated-rim	Centerfire	
Rimless	Rimfire	
5.6 Identify the locations on each of th	e cartridges above where	
headspace is measured. Prepare a repo	-	
the measurable locations on each.		
5.7 Identify and define these words an	d terms. Identify those areas on	
applicable bullets. Locate an example of	-	
ammunition or ammunition reference		
the photograph appropriately. (Note: s		
contain more than one of these words,		
Meplat	Diameter	
Mold line/mold marks	Crimp	
Cannelure (types and	Core	
purposes)		
purposes) • Ogive	• Shank	
Ogive		
OgiveBearing surface	• Shank	
Ogive Bearing surface S.8 Identify, define and assemble a col	Shank ection of representative bullets	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays 	• Shank ection of representative bullets each of the following bullet types.	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each 	• Shank ection of representative bullets each of the following bullet types. bullet design.	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed Jacketed round nose (ball) 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed Soft point 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed Jacketed round nose (ball) Semi-jacketed soft point 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed Soft point Nylon-coated lead 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed Jacketed round nose (ball) Semi-jacketed soft point Hollow point 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed Soft point Nylon-coated lead Nickel plated 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed Jacketed round nose (ball) Semi-jacketed soft point Hollow point Jacketed hollow point 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed Soft point Nylon-coated lead Nickel plated Heel 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed Jacketed round nose (ball) Semi-jacketed soft point Hollow point Jacketed hollow point Wadcutter 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed Soft point Nylon-coated lead Nickel plated Heel Concave base 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed Jacketed round nose (ball) Semi-jacketed soft point Hollow point Jacketed hollow point Wadcutter Semi-wadcutter 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed Soft point Nylon-coated lead Nickel plated Heel Concave base Lead round nose 	
 Ogive Bearing surface 5.8 Identify, define and assemble a col and/or photographs that best displays Discuss the purpose and effect of each Full metal jacketed Total metal jacketed Jacketed round nose (ball) Semi-jacketed soft point Hollow point Jacketed hollow point Wadcutter 	 Shank ection of representative bullets each of the following bullet types. bullet design. Frangible Truncated-nosed Soft point Nylon-coated lead Nickel plated Heel Concave base 	

5.9 Research commercial names and ma	anufacturers for cartridges with		
unique bullet designs including but not l	_		
Document the problems involved with c	_		
commercial name versus the bullet desi			
Black Talon	Golden Saber		
Silvertip	Hydra-Shok		
Nyclad	 Lubaloy 		
Gold Dot	RIP		
SXT	Guard Dog		
5.10 Research and list at least twenty (2	-		
and discuss why the designer/manufact	, .		
names. For example: 30.06, 30-30, 308			
Luger, 357 Magnum, 7.62x39, 22 Long R	-		
Book – Small Arms Ammunition – Gener			
5.11 Research and prepare a brief repor			
composition between single base, doub	-		
powders.			
5.12 Research and identify the purpose	for various gunpowder grain		
shapes and coatings. Identify and list fro			
for each shape.			
5.13 Identify and document the differen	ce between the measured caliber		
of a fired bullet and its inclusive caliber			
Table 8 of the AFTE Glossary.			
5.14 Using a bullet puller and micrometer	er, measure and discuss the		
difference between the actual bullet cal			
to its commercial cartridge name application	able to those measurements.		
Research why some cartridges are taper	ed. Prepare a list of at least five		
tapered cartridges by name, caliber and	case length.		
5.15 Using magnification, examine each	bullet pulled in the above		
assignment for any striated marks. Note	the direction and depth of any		
striae and attempt to determine the cau			
on firearm identification these striations	s may have when fired.		
5.16 Watch a variety of available ammu	nition manufacturing videos and		
document the videos watched.			
5.17 Based on previous tours/manufact			
steps in the modern manufacturing of e	ach of the following:		
Rimfire cartridges			
Centerfire cartridges			
Jacketed bullets			
Lead bullets			
Shotshells			
Steps to consider:			
Blanking	Heading		
Cupping	 Tapering and necking 		
 Annealing, pickling and 	Head turning		
washing	Relief annealing		
Drawing	 Piercing flash hole 		
Trimming	 Priming / seating primer 		
Bunting	Extrusion		

	г	
5.18 From those ammunition manufacturing videos, assess the typical		
manufacturing procedures used to construct a cartridge. Identify those		
areas on new cartridges that may have manufacturing marks. Search		
AFTE Journal articles for the key word 'subclass' in relation to		
manufacturing marks on ammunition. Prepare a list of articles that		
specifically identify an area on cartridges where repeated manufacturing		
marks may be found.		
5.19 Research and identify what is meant by the term 'proof cartridge.'		
Why is it different than a commercial cartridge? What is it used for? What		
authority governs the characteristics of a proof cartridge?		
5.20 Identify the following words and terms with regard to the		
manufacture of lead bullets:		
Swaging		
Casting		
Casting seam		
• Sprue		
Cutter quill		
Bullet sizing		
5.21 Research the typical terminology used when discussing shotgun		
ammunition. Use the AFTE Glossary to define and be able to identify		
shotshell nomenclature. Do not limit your research to only this list.		
Shotshell Cup wad		
Battery cup Power Piston wad		
High brass Shot collar		
Low brass Crimp		
Overpowder wad Shot size		
Undershot wad Slug		
Overshot wad Buckshot		
Filler wad Birdshot		
5.22 Research modern shot compositions, manufacturing methods and		
preferred uses. Define and explain the following words and terms.		
Bliemeister method Grade and the second se		
Antimony Dram equivalent		
Arsenic, as related to shot Bismuth shot		
Chilled shot Tungsten shot		
5.23 Prepare a list of common cartridge case headstamps and identify		
their marketers. Research and group those marketers to further identify		
their past and present corporate owners. Discuss why a cartridge		
headstamp may only represent the cartridge marketer and not		
necessarily the cartridge manufacturer.		
5.24 Define and explain the components of and differences between		
Berdan and Boxer primers. Research the differences in cartridge cases		
used with each and learn which can typically be related and why.		
5.25 Research and report the purpose and essential ingredients of		
priming mixtures used in modern cartridges. Include those that no longer		
use lead styphnate. Identify some ammunition manufacturers that		
employ lead free primers and compile a list of how they can be identified		
visually.		
5.26 Define and discuss the difference between caliber and caliber family.		
Illustrate this difference by relating these terms to a discussion of the 22		
caliber, 30 caliber and 38 caliber families of cartridges.		
,	ı	I

5.27 Compile a list of resources concerning ammunition and ammunition		
components. This can include books, articles and websites. Keep this list		
available, as it may prove useful in future mock and actual casework.		

5.0 Modern Ammunition (top 1)

ASSESSMENT

	DATE		TRAINEE	TRAINER
	COMPLETED	SCORE	INITIALS	INITIALS
Completion of all section activities				
Written exam				

6.0 Background/History of Firearm and Toolmark Examination and Current Trends (top 1)

OBJECTIVES

- Understand the history and development of the field of firearm and toolmark examination
- Understand the basis for firearm and toolmark examination
- Become aware of current trends in the field

INTRODUCTION

In this section you will study the historical background, concepts and hardware advances in the field of firearms identification as we know it today. This body of knowledge is founded squarely on the previous topics covered in your training manual: small arms propellants, manufacturing processes, operating systems and very importantly, the cycle of fire of firearms. Propellants are essential to the accomplishment of the cycle of fire by any type of firearm operating system. In turn, the cycle of fire may cause the unique microscopic details left in the steel operating surfaces of firearms during factor machining process to be transferred to the surfaces of the softer metals of bullets and cartridge cases. These unique marks are often reproducible from shot to shot, and can be viewed and compared through an appropriate optical system, specifically the comparison microscope. If sufficient detail is present within these marks, fired ammunition components can often be identified as having been fired by a specific firearm, or by the same firearm as another similar component. This capability is at the core of what we call firearms identification today. Even in the absence of sufficient microscopic marks of value for identification purposes, certain grosser macroscopic markings can be used to at least categorize or classify fired ammunition components as to possible brands and models of firearms by which they could have been fired. For example, the relatively gross macroscopic impressions of the lands and grooves of a barrel left in fired bullets may yield data indicating the number of lands and grooves in that barrel, as well as the direction of the twist of these spiraled lands and grooves, and their dimensions. All of this data, while not unique to a particular firearm, are representative of a certain group of brands and models of firearms, and in this sense have value in limiting the field of possible firearms that could have fired a given evidence bullet. The potential value of even this limited kind of information is of great significance for investigators in managing and pursuing their cases.

At this point it is important to note that this section of your manual will also concentrate on the pioneers, history, personalities and hardware of firearms identification. The legitimate question as to the concept of what criteria constitute sufficient microscopic characteristics for identification of a fired bullet, cartridge case or shotshell casing with a particular firearm, as well as standards to be met for admissibility in court, will be held in abeyance until a subsequent section of your manual regarding these topics. The reason for this is that firearms identification, its pioneers and equipment, were originally focused on high profile crimes of violence using techniques based on empirical observations, good judgement, experience and training. All of this told them that each fired ammunition component bore unique markings, and that like fingerprints in humans, no two firearms bore the same individual characteristics. That sufficed for a period of years, until it was generally recognized that firearms identification was and is actually a very specialized subset of the umbrella discipline of general toolmarks identification. A convenient way to think about this is that since toolmarks in general are class, subclass and individual marks left by a harder object (a tool) acting on a softer object, that they steel parts of a firearm actually constitute a set of specialized steel tools that often leave unique microscopic marks on the softer metals of ammunition components. The problem arises when you consider that the discipline of firearms identification came to prominence historically before the conceptual basis and criteria for general toolmarks identifications (including firearms identification) had been articulated, defined and codified. That is an ongoing process, and would be confusing to incorporate in this section's historical orientation. Therefore, for clarity's sake, we will address this now rapidly accelerating

movement towards defining criteria for identification of any toolmark (including those caused by firearms) in a subsequent section.

REQUIRED READINGS

	DATE	TRAINEE
	COMPLETED	INITIALS
Archived Firearms Examiner Training Module 02: History National		
Institute of Justice (ojp.gov) [Use as a resource to complete assignments; by		
end of Section 6.0, you will have completed this required reading.]		

BACKGROUND/HISTORY OF FIREARM AND TOOLMARK EXAMINATION AND CURRENT TRENDS ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
6.1 Define the following terms:			
Firearm and toolmark examination			
Ballistics			
Interior ballistics			
Exterior ballistics			
Terminal ballistics			
6.2 Using applicable sections from the basic references and other			
relevant sources, prepare a report on the history, principles, evolution			
and scope of Firearm Identification in its broadest sense. Support your			
report by creating a timeline of key advancements in the field of Firearm			
and Toolmark Examination.			
6.3 Research the contributions of key individuals to the field of Firearm			
and Toolmark Examination. Summarize their contributions in a paper,			
devoting a paragraph to each individual.			
6.4 Prepare a short report on the history and development of laboratory			
instrumentation in the field of Firearm and Toolmark Examination, with			
emphasis on the comparison microscope.			
6.5 Discuss with system operators the status of the ongoing initiatives to			
link shootings using computer imagery such as the National Integrated			
Ballistics Information Network (NIBIN). Prepare a report on the legacy,			
existing, and emerging technologies.			
6.6 Research and discuss the emerging trends, pitfalls and identification			
possibilities of 3D-printed firearms, firearm parts and firearm accessories.			
6.7 Research and discuss 3D technologies as applied to firearm			
identification, including, but not limited to virtual comparison			
microscopy, measurement types (e.g., confocal, stereomicroscopy), etc.			
6.8 Visit and tour any laboratories that provide firearm and toolmark			
examination and comparison within your region. Coordinate these visits			
with your trainer.			
Oklahoma City PD			
Tulsa PD	1		
6.9 Become knowledgeable about proficiency testing programs	1		
administered by outside independent testing services, with emphasis on			
proficiency testing programs conducted within the field of Firearm and			
Toolmark Examination.			

6.10 Discuss the proficiency testing program with your trainer, including		
an introduction to the CTS Portal (or other proficiency test provider		
portal).		

6.0 Background/History of Firearm and Toolmark Examination and Current Trends (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Written exam				

7.0 Instrumentation (top 1)

OBJECTIVES

- Be familiar with the types, capabilities and limitations of the equipment used by the firearm and toolmark examiner
- Understand the requirements for each type of equipment found in the firearms and toolmarks unit
- Know how to use all instrumentation available and utilized in the FATM Unit

INTRODUCTION

One key aspect in the development of the discipline of firearms identification has always been the evolution of appropriate instrumentation. In this section you will study the evolution of the comparison microscope, the individuals involved, and the early ancillary equipment developed for or adapted to the firearms examiner's analysis of microscopic and macroscopic characteristics of value on fired ammunition components. All of these optical and mechanical tools have been developed because they have increased the examiner's ability to make observations and collect data at both the microscopic and macroscopic level, and to generate conclusions in terms of identifications or exclusions. Developments initiated during the last decade include computer-based imaging and pattern analysis systems such as the Integrated Ballistics Identification System (IBIS). These systems are additional tools which take advantage of the strength of computers: the ability to rapidly scan, store and make preliminary comparisons of extremely large numbers of images of microscopic marks from ammunition components and indicate high probability identifications. At the same time the human ability to make the final determination regarding identifications or unique matches is brought into play as has historically been the case. These systems increase the capabilities of firearms examiners, and paradoxically, the workload, in that the systems now make practical the comparison of today's evidence with all past submitted evidence, increasing the volume of work required of the human examiner.

REQUIRED READINGS

	DATE COMPLETED	TRAINEE INITIALS
Archived Firearms Examiner Training Module 07: Equipment and		
Instrumentation National Institute of Justice (ojp.gov) [Use as a resource to		
complete assignments; by end of Section 7.0, you will have completed this		
required reading.]		

INSTRUMENTATION ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
7.1 Describe and differentiate between the following:			
Compound microscope			
Stereo microscope			
Comparison microscope			
7.2 Familiarize yourself with the instruction manuals and the mechanical			
and optical aspects of the various makes/models of comparison			
microscopes in the firearm section. Note the differences and similarities			
of each, both mechanically and optically. Determine how to insert a			
reticle and conduct measurements.			

· · · · · · · · · · · · · · · · · · ·	
7.3 Familiarize yourself with the following types of light sources that are	
used with comparison microscopes.	
Fluorescent	
 Fiber optics (with and without filters) 	
Light emitting diode (LED)	
7.4 Use each of the light sources listed above with a comparison	
microscope. Observe the differences in the quality of each light source b	
examining specimens with various compositions to include: lead bullets,	
jacketed bullets and cartridge cases. In addition, various types of	
substrates displaying impressed and striated toolmarks, painted surfaces	
fabric, paper, etc. should be evaluated. Vary the direction and, if possible	e,
the intensity of the light sources. Discuss this with your trainer.	
7.5 Familiarize yourself with a comparison microscope in the firearm and	
toolmark unit and adjust the eyepieces and lighting. Become familiar wit	th
each of the objectives and the methods used to generate	
photomicrographs. Using each of the objective lenses, take photographs	5
of the same object while varying the intensity and angle of the light	
sources.	
7.6 Become familiar with the use of the following equipment.	
Steel rule	
 Reticle in ocular lens of binocular microscope 	
 Scales located in the firearm section 	
Stage micrometer	
Digital calibers	
7.7 Become familiar with and demonstrate use of the following	
equipment/software on the comparison microscope.	
Digital camera	
 Digital photography software (SPOT) 	
7.8 Weigh bullets of varying calibers using a scale. Report results in both	1
grams and grains.	
7.9 Become familiar with and demonstrate use of the following bullet	
recovery systems (if available):	
Water tank Bullet trap	
Cotton box Long range	
7.10 Become familiar with and demonstrate use of an inertial bullet	
puller.	
7.11 Become familiar with the preventative maintenance, performance	
and/or calibration checks required in your laboratory for the following:	
Comparison microscope Long range	
Micrometer Scale	
Calipers Steel rule	
Water tank Gage blocks	

7.0 Instrumentation (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Observation-based exam				

8.0 Examination and Test Firing of Firearms (top 1)

OBJECTIVES

- Be familiar with, able to describe, and able to mechanically manipulate all types of firearms
- Be able to safely examine a firearm, including but not limited to its overall functionality and obtaining known specimens (test firing)
- Be familiar with the various ways a firearm can malfunction, and ways to react or combat such malfunctions
- Image test fired specimens into the NIBIN databases via BrassTRAX

INTRODUCTION

This section of your training will rely heavily on your comprehension of certain previous building blocks: Section 4.0 Development, Operating Systems and Manufacture of Modern Ammunition and Section 5.0 Modern Ammunition. Taken together with this current section, these previous sections will allow you to conduct an examination of a firearm for proper function from the perspective of physical evidence and forensic science, as well as obtain known specimens of firearm ammunition components. This mandates an approach which as always considers safety first, transient forms of trace and associative evidence secondarily, and lastly, the actual technical protocol or procedure for examining the firearm itself. Because all that we do must be considered as ultimately open to review and scrutiny by our peers, supervisors, investigators, prosecutors, the courts and defense attorneys, and because we all want to do the best work possible, it is essential that we competently and accurately document what we do, how we do it and what our results are. This means conforming to standard protocols, gathering the necessary raw data and generating formal reports based on that data. These concepts will be adapted to the functional examination of firearms and obtaining known specimens.

Debris Collection

- Debris that is dislodged during the course of examination is considered derivative evidence.
 - Derivative evidence or containers will be marked with appropriate case number, item or subitem numbers, analyst's initials and date, and listed in the case file.
- Any dirt-, insect-, plant-, blood- or tissue-like debris dislodged or removed during examination shall be transferred to a paper bindle and placed in a coin envelope with a biohazard sticker, if applicable.
- An effort should be made to dislodge as much debris as possible before test firing, cleaning, using solvents, etc.
- The debris shall be noted on the worksheet and sub-itemized in the BEAST.
- Example worksheet note: Blood-like debris observed and collected; not examined.
- Derivative evidence must be listed in the case file and addressed in the report.
- If the debris is possibly a biohazard:
 - All disposable supplies used (i.e., gloves, butcher paper) shall be deposited in the biohazard bin.
 - All reusable supplies used (e.g., markers, scissors, etc.) shall be wiped down with a 10% bleach solution or equivalent.
- References:
 - OSBI CSD Quality Manual 3.0 Terms and Definitions
 - OSBI CSD QP 6.1 Evidence Handling
 - OSBI CSD QP 28 Report Writing

It is the hope that after completion of this Section of the training manual, you will be authorized to perform firearm functionality testing, which will allow you to begin working casework that contains firearms for NIBIN entry.

REQUIRED READINGS

	DATE	TRAINEE
	COMPLETED	INITIALS
Archived Firearms Examiner Training Module 08: Examination of Firearms		
<u> National Institute of Justice (ojp.gov)</u> [Use as a resource to complete		
assignments; by end of Section 8.0, you will have completed this required		
reading.]		

EXAMINATION AND TEST FIRING OF FIREARMS ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
8.1 Using each type of firearm listed below, demonstrate how to render			
each in a safe condition, load and unload each using dummy			
ammunition, and safely handle each in a forensic environment.			
Single shot firearm Manually operated rifle			
Single action revolver Semi-automatic rifle			
Double action revolver Automatic rifle			
Single action pistol Submachine gun			
Double action pistol Machine gun			
Hybrid action pistol			
8.2 Review the Firearms Chemical Inventory List (CIL), including the			
Safety Data Sheets (SDS) for the common chemical reagents used during			
the examination of firearms. Be familiar with the potential health			
hazards identified for each.			
8.3 Examine the following types of magazines and identify their parts.			
Pay close attention to those areas that come into direct contact with			
ammunition. Determine the comparative value of marks left on			
cartridges by these magazines in firearms identification. Read related			
AFTE Journal articles.			
Detachable box Single stack			
Drum Staggered column			
Internal box Tubular			
Internal rotary			
8.4 Partially disassemble and reassemble the following revolvers (if			
available). Photograph and note the differences in their mechanisms.			
Identify the major parts by name and make appropriate notes.			
Smith & Wesson double-action			
Colt double-action			
Ruger double-action			
 "Old style" Ruger single-action 			
 "New style" Ruger single-action 			
Colt single-action			

9 E Field	strip and reassemble the following pistols (if available).		
	raph and note differences in their mechanisms. Identify the		
-	arts by name and make appropriate notes.		
	Browning Hi-Power		
•			
	U.S. Pistol Model 1911A1		
•	Steyr, GB		
•	Glock Model 17		
•	Beretta Model 92F		
•	Sig Sauer Model 226		
•	Smith & Wesson Model 669		
•	H&K P7		
•	Desert Eagle		
•	Walther P.38		
•	Walther PPK		
•	Ruger MK II		
•	Luger P08		
•	Hi-Point Model C9		
•	Smith & Wesson Sigma		
8.6 Field	d strip and reassemble the following submachine guns (if		
availabl	e). Photograph and note the differences in their mechanisms.		
Identify	the major parts by name and make appropriate notes.		
•	RPB Industries, M10 (open & closed bolt)		
•	SWD Inc. M11/Nine		
•	Uzi		
•	M&K MP5		
•	US M3		
•	Intratec TEC 9		
•	Thompson		
•	IMI Desert Eagle		
8.7 Bec	ome familiar with the operation for each of the following		
firearm	s (if available). Photograph and note the differences in their		
	isms. Identify the major parts by name and make appropriate		
notes.			
•	U.S. Rifle Model M1		
•	U.S. Rifle Model M14		
•	U.S. Rifle Model M16		
•	Savage Model 99		
•	Winchester Model 94		
•	AK 47/74 and SKS		
•	U.S. Rifle Model 1903		
L			

	1	
8.8 Become familiar with the operation of each of the following		
shotguns (if available). Photograph and note the differences in their		
mechanisms. Identify the major parts by name and make appropriate		
notes.		
Remington Model 870		
Winchester Model 12		
Ithaca Model 37		
Browning Model A5		
Remington Model 1100		
 Harrington & Richardson Topper Model 158 		
 L.C. Smith, side-by-side double-barrel 		
 Beretta, Silver Snipe, over-under double-barrel 		
Mossberg Model 500		
8.9 Become familiar with the operation of each of the following 22		
caliber firearms (if available). Photograph and note the differences in		
their mechanisms. Identify the major parts by name and make		
appropriate notes.		
Browning Autoloading rifle		
Winchester Model 62 rifle		
Remington Model 582 rifle		
Ruger Model 10/22 rifle		
Ruger MKII pistol		
Colt Woodsman or Huntsman pistol		
Raven/Lorcin/Jennings pistol		
8.10 Become familiar with the operation of each of the following		
25 Auto caliber pistols (if available). Photograph and note the		
differences in their mechanisms. Identify the major parts by name and		
make appropriate notes.		
Raven Arms		
Colt Jr.		
Beretta		
• Bauer		
8.11 Become familiar with the Firearm and Toolmark Unit laboratory		
range and safety rules. Demonstrate how to render firearms in a safe		
condition, handle and carry firearms in the laboratory, and safety test		
fire each of the different types of firearms.		
8.12 Detail how the following safety mechanisms function with		
emphasis on how the firing mechanisms are blocked, interrupted or		
otherwise stopped from operating:		
• Thumb		
• Grip		
Magazine		
Firing pin block		
Transfer bar		
Hammer block		
8.13 Obtain a copy of and become familiar with the Firearm and		
Toolmark Unit Policy Manual for the examination of firearms.		
8.14 Discuss with your trainer the protocol to be used in determining		
whether a firearm can be made to fire without pulling the trigger.		
whether a meanin can be made to me without pulling the trigger.		

	1	
8.15 Research, define and/or determine the implications of the		
following terms as they relate to the safety of operating a firearm.		
Excessive headspace		
Barrel obstruction		
Barrel bulge		
Broken extractor		
Push off		
Trigger shoe		
False half-cock		
Slam-fire		
Poor sear engagement		
Defective safety		
• High primer		
Rail splitting		
Hairline cracks		
Improper timing		
Excessive pressure		
Dented barrel		
Jar-off		
Hang fire / delayed fire		
 Dirty firearm 		
Loose-fitting parts		
 Broken / defective sear tip 		
 Broken / defective sear notch 		
Subcaliber ammunition		
8.16 Define the term "misfire." Discuss the causes of misfires, the		
actions to be taken in the event of a misfire and when a firearm should		
be fired remotely.		
8.17 Discuss the use of a primed cartridge case/shotshell for testing the		
potential accidental / unintentional discharge of a firearm. Include the		
following in your notes:		
Drop test and related problems		
lar-off		
Slam-fire		
Push off		
 Defective safety 		
False half-cock		
Broken parts Looso fitting parts		
Loose-fitting parts 8.18 Discuss how to test fire modified, damaged or potentially unsafe		
firearms. Demonstrate using a safe firearm provided by your trainer.		
8.19 If possible, attend armorer training classes offered by various		
firearms manufacturers.		
8.20 When / if available, shadow another examiner as they explore the		
possibility of restoring an inoperable firearm obtained in casework to an		
operation condition. Note the limitations and reservations which must		
be considered and discuss these with your trainer.		
8.21 Review and discuss the references in the Firearm and Toolmark		
Unit library, including: computer references, physical files, print media		
and websites.		
מווע שכשאונכא.	l	

8.22 Visit websites for at	least five major firearm manufacturers. Print			
out or electronically store	e the available reference material and evaluate			
the value and limitations	of the manufacturer's websites from a forensic			
perspective.				
8.23 Visit the AFTE websit	te and search the AFTE Journal index to			
research a particular firea	arm.			
8.24 Visit the current AFT	E Recall / Safety Warning List on the AFTE			
website (found in Forums). Familiarize yourself with the structure of the			
list and the sources of the				
_	nce of the following marks in the determination			
of the origin and/or source	ce of a firearm or component.			
 Proof marks 				
 Inspector marks 				
 Factory numbers 	s and markings			
 Serial numbers 				
 Part numbers 				
Company logos				
8.26 Discuss the following	g topics and become familiar with their uses			
and limitations:				
 Marking evidence 	e firearms			
	ether an evidence firearm has been "recently"			
fired				
 Determining the 	manufacturer of a firearm by examining a part			
from the firearm	· - ·			
 Determining the 	manufacturer of a firearm from a photograph			
and comparing a	n evidence firearm to a photograph			
8.27 Investigate how to s	ubmit / store / examine evidence firearms			
when they have been rec	overed from water. Become familiar with the			
methods, limitations and	reservations that must be considered when			
restoring theses firearms	to an operating condition in order to obtain			
test specimens.				
8.28 Discuss how to exam	nine a firearm to determine if has been altered			
to fire full automatic. Exa	mine a firearm that has been altered to fire full			
automatic (if available) ar	nd report your findings.			
8.29 Discuss and docume	nt other types of trace evidence that may be			
present on a firearm whe	n submitted. Discuss the laboratory's priority			
for processing evidence a	nd the evidentiary potential of certain types of			
evidence over others whe	en present.			
 Blood 				
• Bone				
 Tissue 				
Glass				
Bore residues				
 Cylinder halos 				
• Hair				
Fibers				
 Fingerprints 				
 DNA 				
Paint				
 Impression on bit 	reech block face			
		I	1	I

8.30 Discuss the following concerns regarding the security and tracking		
of firearms as physical evidence:		
Marking of evidence and packaging		
Chain of custody documentation		
Proper packaging		
8.31 Review the Firearm and Toolmark Unit range safety guidelines,		
making sure to address the following:		
 Basic safety rules and guidelines for handling firearms 		
 Receiving firearms from investigators 		
 Secure storage of firearm upon receipt 		
 Shipment and transportation of firearms 		
 General preliminary examination procedures, including debris 		
collection		
 Safety checks for all firearms 		
 Test firing protocols and safety 		
Eye and ear protection		
Bullet recovery tanks and traps		
General range rules		
8.32 Using firearms provided by your trainer, generate images suitable	 	
for use in case documentation using the following equipment:		
Digital camera and lighting		
Computer, monitor and printer		
8.33 Review with your trainer the firearm worksheet(s) used for		
determining the functionality of firearms in the Firearm and Toolmark		
Unit. Demonstrate the proper use of the worksheet using a firearm(s)		
selected by your trainer.		
8.34 Discuss the process of selecting the appropriate ammunition type		
for obtaining "known" or "test" specimens for a particular case or		
incident. Consider the possibility of cartridge interchangeability for both		
function testing and obtaining test specimens.		
8.35 Discuss the procedure for indexing ammunition for orientation in		
the firearm and marking ammunition to record their sequence of firing.		
Make not of the action mode used for each test and if firing a revolver or		
derringer which chamber they were fired in.		
8.36 Become familiar with the Firearm and Toolmark Unit policy and		
procedure regarding measurement uncertainty for overall and barrel		
length measurements.		
Complete the laboratory's uncertainty of measurement training for		
overall and barrel length measurements. Upon successful training,		
complete the uncertainty of measurement process for overall and barrel		
lengths using the following firearms:		
 Revelation 350 Series K model 410 Gauge shotgun, serial 		
number A732467		
 Remington 870 Wingmaster model 20 Gauge shotgun, serial 		
number 993352X		
 DPMS A-15 model 223 REM/5.56x45mm rifle, serial number 		
10656		
Research the manufacturer's specifications and measurements for each		
firearm. Discuss how and why manufacturer's specifications and actual		
measurements may differ.		

8.37 Examine a variety of firearms provided by your trainer using the Firearm and Toolmark Unit firearm worksheet(s). Test fire each using the different types of bullet recovery methods available in the laboratory. Properly obtain test specimens of fired bullets and cartridge cases and package them as you would in casework.		
8.38 Discuss the uses and limitations of casting firearm parts in relation to casework. Using one of the previous firearms provided, cast both the barrel and the breechface using casting material available in the laboratory.		
8.39 Complete training in the imaging of fired cartridge cases into the ATF's BrassTRAX / NIBIN database.		
8.40 Research, then discuss with your trainer the extent and limitations concerning testimony in firearm functionality.		
8.41 Research, then discuss with your trainer the administrative and technical review(s) of a firearm functionality case. See QP 31 – Reviews.		

8.0 Examination and Test Firing of Firearms (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Written exam				
Observation-based competency test*				
Oral exam**				

*This competency test serves to fulfill the assessment for Section 8.0 of the FATM Training Manual, in addition to the required competency test for authorization to perform this function.

**Oral exam questions, acceptable answers and criteria for acceptable performance shall be established and documented by the FATM Technical Manager or their designee prior to the trainee beginning the oral exam.

9.0 Theory of Identification and Range of Conclusions (top 1)

OBJECTIVES

- Understand the principles on which the field of firearms and toolmarks examination stand
- Be extensively familiar with the AFTE Theory of Identification
- Be extensively familiar with the AFTE Range of Conclusions

INTRODUCTION

Firearm and toolmark examination, its pioneers and equipment, were originally focused on high profile crimes of violence using techniques based on empirical observations, good judgement, experience and training. All of this told them that each fired ammunition component bore unique markings, and that like fingerprints in humans, no two firearms bore the same individual characteristics. That sufficed for a period of years, until it was generally recognized that firearms identification was and is actually a very specialized subset of the umbrella discipline of general toolmarks identification. A convenient way to think about this is that single toolmarks in general are class, subclass and individual marks left by a harder object (a tool) acting on a softer object, that the steel parts of a firearm actually constitute a set of specialized steel tools that often leave unique microscopic marks on the softer metals of ammunition components. The problem arises when you consider that the discipline of firearms identification) had been articulated, defined and codified.

For this reason, the Association of Firearm and Toolmark Examiners (AFTE) published the Theory of Identification and Range of Conclusions. These two definitions help unify the practitioners of the field as well as attempt to codify or explain the principles on which conclusions are drawn.

For every assignment that follows, physically locate and examine the items mentioned where possible.

REQUIRED READINGS

	DATE COMPLETED	TRAINEE INITIALS
Archived Firearms Examiner Training AFTE Theory of Identification		
National Institute of Justice (ojp.gov) [Use as a resource to complete		
assignments; by end of Section 9.0, you will have completed this required		
reading.]		

THEORY OF IDENTIFICATION AND RANGE OF CONCLUSIONS ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
9.1 Answer the following questions:			
Is the forensic science discipline of Firearm and Toolmark			
Examination an art or a science?			
• What are the types of conclusions that can be reached in			
Firearm and Toolmark Examination comparisons?			
• What is the basis for each of the above conclusions?			
• Is it possible for experts in the forensic science discipline of			
Firearm and Toolmark Examination to disagree regarding their			
conclusions? Why or why not?			
 How does "probability" relate to Firearm and Toolmark 			
Examination?			

9.2 Describe the steps of the scientific method involved in the formation			
of a scientific theory.			ļ
9.3 Define the foundational premise of uniqueness behind the applied			
science of Toolmark Identification. Include the following:			
Manufacturing processes Chie formeration			
Chip formation			
Working surfaces			
Tool wear			
Subclass characteristics			
9.4 Discuss the AFTE Theory of Identification as it applies to impressed			
and striated toolmarks, including Firearm Examination as a subset of			
Toolmark Examination.			
9.5 With respect to the AFTE Theory of Identification, is a common source			
conclusion absolute? Why or why not?			
9.6 Be able to discuss the importance of studies involving consecutively			
manufactured tools/parts in relation to the validation of the AFTE Theory			
of Identification.			
9.7 Research and be able to discuss empirical and experimental studies of			
error rates in the field of Firearm and Toolmark Identification.			
9.8 Define the following and discuss them in relation to examinations,			
observations and interpretations in relation to Firearm and Toolmark			
Identification.			
Subjective			
Objective			
9.9 Define the following components of the AFTE Theory of Identification			
in your own words and discuss with your trainer:			
 To what is "sufficient agreement" related? 			
 How is significance (with respect to "sufficient agreement") 			
determined?			
 When is agreement deemed significant? 			
 What does "sufficient agreement" mean? 			
9.10 Respond to the following critique of the AFTE Theory of			
Identification and discuss with your trainer:			
"the state method [AFTE Theory of Identification] is circular. It declares			
that an examiner may state that two toolmarks have a 'common origin' when their features are in 'sufficient agreement.' It then defines			
-			
'sufficient agreement' as occurring when the examiner considers it a			
'practical impossibility' that the toolmarks have different origins."			
9.11 Define the following conclusions within the AFTE Range of			
Conclusions in your own words and discuss with your trainer.			
Identification			
Elimination			
Inconclusive			
Unsuitable			
9.12 Research the issue of contextual land confirmation bias and respond			
to the following questions, discussing them with your trainer:			
 Why is there a concern for the potential of contextual and 			
confirmation bias, especially in the pattern matching disciples?			
 In what ways can examiners be influenced by bias? 			
• What are some of the precautions that can be taken to reduce			
bias?			
	1	1	

	1	
9.13 Be able to discuss how the AFTE Theory of Identification along with		
the Range of Conclusions provide a framework for structuring and		
articulating identification criteria and possible conclusions that may be		
reached.		
9.14 Research the concept of consecutively matching striations (CMS) and		
respond to the following questions, discussing them with your trainer.		
 Define the concept of consecutively matching striations (CMS). 		
 For which type of toolmarks can CMS be used? 		
 How do those who utilize CMS differentiate between two- 		
dimensional and three-dimensional toolmarks?		
What is the minimum conservative quantitative criteria for		
three-dimensional striated toolmarks?		
What is the minimum conservative quantitative criteria for two-		
dimensional striated toolmarks?		
In what ways can the use of CMS and the minimum conservative		
quantitative criteria be used to bring a greater level of objectivity		
when identifying two toolmarks as sharing a common source?		
9.15 Research the range of conclusions used by the European Network of		
Forensic Science Institutes (ENFSI) and respond to the following		
questions, discussing them with your trainer.		
What is likelihood ratio?		
How are the range of conclusions used by ENFSI and the range of		
conclusions used by AFTE similar?		
How are the range of conclusions used by ENFSI and the range of		
conclusions used by AFTE different?		
9.16 The AFTE Theory of Identification requires that in order to opine that		
two toolmarks share a common source, the observed correspondence		
must exceed the best correspondence observed in toolmarks from		
different sources and must be consistent with the range of		
correspondence expected in toolmarks known to share the same source.		
Often individuals will describe the best-known non-match as when they		
compared toolmarks from consecutively manufactured tools. It is		
important to know that while these are <i>conditions</i> under which the best-		
known non-match may be observed, this does not describe the best-		
known non-match. The best-known non-match must be described		
relative to the correspondence of marks observed in toolmarks created		
by different tools.		
Meanwhile to almostic concreted by the same to down have a wild		
Meanwhile, toolmarks generated by the same tool can have a wide range		
of correspondence that extends from the level of correspondence		
observed in known non-matching conditions to almost perfect		
agreement.		
To properly develop a personal criterion for identification, it is essential		
that the trainee not only examine and compare toolmarks in known		
matching and known non-matching conditions but can articulate what		
the correspondence in those different conditions looks like. So, the		
remainder of the training with respect to the AFTE Range of Conclusions		
is in conjunction with the training involving the comparison of bullets,		
cartridge cases, shotshells and toolmarks.		

9.16 continued		
For <i>each</i> comparison of toolmarks in a known match condition, the		
trainee should be prepared to respond to the following:		
Describe how the least amount of observed correspondence		
appeared.		
Describe how the greatest amount of observed correspondence		
appeared.		
• Discuss the overall range of correspondence that was observed.		
 Discuss how the correspondence observed in this comparison 		
compared with the range of correspondence in other known		
matching toolmarks compared to this point.		
For <i>each</i> comparison of toolmarks in a known non-matching condition,		
the trainee should be prepared to respond to the following:		
 Describe how the best-known non-match correspondence 		
appeared.		
 Discuss how the correspondence observed in this comparison 		
compared with the correspondence observed in other known		
non-matching toolmarks compared to this point.		
Has your concept of the best-known non-match been adjusted?		
9.17 After the different comparisons are completed, return to this section		
to respond to the following questions:		
 What does your best-known non-match look like? 		
 What does the range of correspondence observed in known 		
matching conditions look like?		
What is the certainty with which you can express opinions of		
common source?		

9.0 Theory of Identification and Range of Conclusions (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				

10.0 Bullet Examinations and Comparisons (top 1)

OBJECTIVES

- Be familiar with the types of marks a firearm can leave on a fired bullet
- Understand the importance and limitations of the types of marks a firearm can leave on a fired bullet
- Be comfortable with comparing bullets and form conclusions
- Know the required procedure and documentation for bullet examinations and comparisons

INTRODUCTION

This portion of your training will address one of the core applications of the discipline of firearms identification. In this current section you will specifically consider toolmarked items (bullets) marked by a type of tool (a firearm). These items, which may bear class, subclass, as well as microscopic marks, are as familiar as fingerprints are, even to the general public. These class marks, or general rifling characteristics, consist of caliber, direction of twist, number of lands and grooves and their dimensions*. Subclass characteristics result from manufacturing processes related to the firearm and may be 'carried over' from one barrel to another. However, while all class and subclass characteristics found on fired bullets serve to narrow a larger group of items into a smaller subset, the striated toolmarks left on a fired bullet by the barrel of a firearm are unique and identifiable with a specific firearm. While applying the criteria for identification to the comparison of fired bullets, you will learn to use a standard technical protocol, a data collection worksheet and a logical approach to reporting your results in a formal report based on your raw data. Keep in mind that the techniques of comparison microscopy you will apply in this section are also at the heart of the comparisons of fired cartridge cases and shotshells you will examine in the next section.

REQUIRED READINGS

	DATE COMPLETED	TRAINEE INITIALS
Archived Firearms Examiner Training Module 10: Characterization and		
Evaluation of Fired Projectiles National Institute of Justice (ojp.gov) [Use as		
a resource to complete assignments; by end of Section 10.0, you will have		
completed this required reading.]		
Archived Firearms Examiner Training Module 11: Bullet Comparison and		
Identification National Institute of Justice (ojp.gov) [Use as a resource to		
complete assignments; by end of Section 10.0, you will have completed this		
required reading.]		

BULLET EXAMINATIONS AND COMPARISONS ACTIVITIES

	DATE COMPLETED	TRAINEE INITIALS	TRAINER INITIALS
	CONNELETED	INTIALS	INTIALS
10.1 Define class characteristics, subclass characteristics and individual			
characteristics as they relate to the comparison of fired bullets.			

TO'S DE	fine what is meant by or determine the similiance of the		
	efine what is meant by, or determine the significance of, the		
	ng words, terms or phrases as they relate to the examination and		
-	rison of fired bullets.		
•	Slippage (skid marks)		
•	Shaving		
•	Obturation		
٠	Leading edge / trailing edge		
•	Melting		
٠	Blow-by / gas cutting		
٠	Striation		
٠	Ogive		
•	Bearing surface		
٠	General rifling characteristics		
•	"insufficient individual microscopic marks"		
•	Corrosion		
•	Leading		
•	"Limited individual microscopic marks"		
•	"single-action" firing		
•	"double-action" firing		
•	Knurled and grooved cannelures		
•	Stab crimp		
•	Boattail		
•	Open base		
	Closed base		
•	Recessed base		
•			
•	Skived tip / hollow point		
•	Flared base		
•	Trace evidence aspects (lacquers, sealants, painted tips, biological materials, paint, fibers, glass, etc.)		
10.3 Dis	scuss the importance and limitations of each of the following as		
they rel	late to the examination and comparison of fired bullet / bullet		
fragme	nts:		
•	Weight		
•	Nominal caliber		
٠	Caliber family		
•	Manufacturer		
•	General rifling characteristics		
•	Pitch of rifling		
•	Depth of rifling		
•			
10.4 Ob			
	· · ·		
	ations and how conclusions are documented. Review conclusions		
	-		
they rel fragmer • • • • • • • • • • • • • • • • • • •	biological materials, paint, fibers, glass, etc.) scuss the importance and limitations of each of the following as late to the examination and comparison of fired bullet / bullet nts: Weight Nominal caliber Caliber family Manufacturer General rifling characteristics Pitch of rifling Depth of rifling Jacket construction / composition Datain a copy of and become familiar with the Firearm and ark Unit Policy Manual for the examination of fired bullets. eview the AFTE Theory of Identification and AFTE Range of sions. Determine what conclusions may be reached by the n and Toolmark Examiner from our laboratory in relation to bullet		

10.7 Discuss how to "index" bullets for examination and comparison.		
Demonstrate for your trainer.		
10.8 Discuss lighting techniques as they relate to the comparison of fired		
bullets with your trainer. Demonstrate your proficiency in using these		
lighting techniques.		
10.9 Familiarize yourself with the laboratory's ammunition reference		
collection. Learn how to search this file to determine the manufacturer		
of fired bullets. Demonstrate your proficiency in using this file to your		
trainer.		
10.10 Become familiar with the laboratory's test fire reference		
collection. Determine its location, composition, firing system, and uses		
as a reference file. Discuss this with your trainer.		
10.11 Become familiar with the AFTE General Rifling Characteristic (GRC)		
database.		
10.12 Become familiar with the FBI General Rifling Characteristic (GRC)		
database.		
10.13 Compile a list of possible firearms in a "no-gun case" using the		
laboratory's procedures and a relevant GRC file. Demonstrate		
proficiency of use to your trainer.		
10.14 Using fired bullets and bullet fragments provided to you by your		
trainer, determine their caliber, caliber family, manufacturer, and		
general rifling characteristics. Using the test fire reference collection,		
ammunition reference collection and GRC files, generate a list of		
firearms that could have been used to fire these bullet / bullet		
fragments.		
10.15 Determine and summarize the methods and techniques used to		
differentiate between lead bullets and bullet cores.		
10.16 Become familiar with the ammunition storage areas and learn		
how to locate test ammunition. Document and discuss with your trainer		
the reasons for using substitute ammunition or downloading		
ammunition for test firing.		
10.17 Microscopically compare bullets test fired from firearms with		
consecutively manufactured barrels. Observe the differences and		
similarities in the bullet stria. Document and discuss this with your		
trainer.		
10.18 Using the same 22 Long Rifle firearm, test fire two each of a		
variety of 22 Short, 22 Long and 22 Long Rifle ammunition and compare		
the test fired bullets with each other. Be sure to include different brands		
and different bullet styles, such as lead, copper-coated lead, and brass-		
coated lead bullets. Document and discuss your observations with your		
trainer. Take appropriate photographs and notes.		
10.19 Using the same 357 Magnum revolver, test fire two each of a		
variety of 38 Special and 357 Magnum caliber ammunition and compare		
the test fired bullets with each other. Be sure to include different brands		
and different bullet styles, such as lead round nose, copper jacketed,		
Winchester brand Silvertip, and Federal brand Nyclad or Syntech.		
Discuss your observations with your trainer. Take appropriate		
photographs and notes.	1	

10.20 Using the same 9mm Luger pistol, test fire two each of a variety of	
9mm Luger caliber ammunition and compare the test fired bullets with	
each other. Be sure to include different brand sand different bullet	
styles, such as RIP brand, Federal brand Hydra-Shok, PMC brand Starfire,	
Winchester brand Silver tip and Ranger SXT, Federal brand Nyclad or	
Syntech, full metal jacketed, total metal jacketed and frangible. Discuss	
your observations with your trainer. Take appropriate photographs and	
notes.	
10.21 Using a nominal 30-caliber rifle, test fire two each of a variety	
ammunition and compare the test fired bullets with each other. Be sure	
to include jacketed soft point, copper jacketed, steel jacketed and nickel	
plated bullets. Discuss your observations with your trainer. Take	
appropriate photographs and notes.	
10.22 Using a 32 S&W revolver, test fire two each of 32 S&W and 32	
Auto ammunition and compare the test fired bullets with each other.	
Discuss your observations with your trainer. Take appropriate	
photographs and notes.	
10.23 Test fire three different polygonally rifled pistols, such as Glock,	
H&K, IMI or Steyr, with two of the same cartridges. Compare the test	
fired bullets from each pistol with each and with the test fires from the	
other pistols. Discuss your observations with your trainer. Take	
appropriate photographs and notes.	
10.24 Discuss how potential subclass characteristics may be recognized	
and addressed during a microscopic bullet examination. Articulate the	
results using a photomicrograph representation of your findings.	
10.25 Compile a list of reasons why bullet identifications cannot be	
made in some cases, and why some barrels and/or bullets may preclude	
identifications. This list should include, but not be limited to, the results	
of the above exercises.	
10.26 Discuss the significance of identifying manufacturing toolmarks on	
a fired bullet from a shooting victim to those on unfired bullets from	
cartridges obtained from a suspect. Read the article in the April 1985	
issue of the Crime Laboratory Digest concerning "Manufacturing	
Toolmark Identification on the Base of Jacketed Bullets." (Re-print:	
Crum, R.A. "Manufacturing Toolmark Identification on the Base of	
Jacketed Bullets," 1987; 19(4): 447-450.)	
10.27 Research, then discuss with your trainer the extent and limitations	
concerning testimony in bullet examination and comparison.	
10.28 Research, then discuss with your trainer the administrative and	
technical review(s) of a bullet examination and/or comparison case. See	
QP 31 – Reviews.	

10.0 Bullet Examinations and Comparisons (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Competency test*				
Oral exam**				

*Competency test's expected results shall be established and documented by the FATM Technical Manager or their designee prior to the trainee receiving the competency test.

*This competency test serves to fulfill the assessment for Section 10.0 of the FATM Training Manual, in addition to the required competency test for authorization to perform this function.

**Oral exam questions, acceptable answers and criteria for acceptable performance shall be established and documented by the FATM Technical Manager or their designee prior to the trainee beginning the oral exam.

11.0 Cartridge/Cartridge Case/Shotshell Examinations and Comparisons (top 1)

OBJECTIVES

- Be familiar with the types of marks a firearm can leave on a cartridge/cartridge case/shotshell
- Understand the importance and limitations of the types of marks a firearm can leave on a fired cartridge case or shotshell
- Be comfortable with comparing cartridges/cartridge cases/shotshells and form conclusions
- Know the required procedure and documentation for cartridge case and shotshell examinations and comparisons

INTRODUCTION

This portion of your training will address another of the core applications of the discipline of firearms identification. In this section, you will consider a category of toolmarked items (cartridges, cartridge cases, shotshells and fired shotshells) marked by a specific type of tool (a firearm). These marks are the result of firing a gun as well as by working a cartridge or shotshell through the action of a firearm. The marks may include extractor and ejector marks, firing pin impressions, breech or bolt face marks, chamber marks due to obturation, anvil marks, magazine marks, etc., all of which reflect both class and individual characteristics. Although these types of marks may not be as familiar to the general public as the unique marks which can be left on fired bullets, they can nonetheless have a great impact on the presentation of a case in court. The class characteristics left on cartridges and shotshells are valuable due to their size, shape and relative positioning, and due to the fact that they can assist in narrowing the field of possible firearms involved in an incident through the use of the GRC File and other publications. In addition to class and possible subclass marks, the unique microscopic detail which can be left on these components may also be identified with aa specific firearm. Although these identifications are just as valid as with bullets, the meaning of them will vary with the type of mark, as you will see. The theory of identification, the criteria for identification and the types of conclusions which are possible apply in this specialized area as well as in bullet identifications.

REQUIRED READINGS

	DATE	TRAINEE
	COMPLETED	INITIALS
Archived Firearms Examiner Training Module 09: Cartridge and Shotshell		
Examination National Institute of Justice (ojp.gov) [Use as a resource to		
complete assignments; by end of Section 11.0, you will have completed this		
required reading.]		

CARTRIDGE/CARTRIDGE CASE EXAMINATIONS AND COMPARISONS ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
11.1 Define class characteristics, subclass characteristics and individual			
characteristics as they relate to the comparison of cartridge cases.			
11.2 Determine the types of marks that may be left on a cartridge case			
or cartridge during the chambering, extraction and firing. View slow			
motion videos of firing sequences using semi-automatic firearms. Give			
examples of different class characteristics that are specific to particular			
firearms.			

11.3 Obtain a copy of and become familiar with the Firearm and	
Toolmark Unit Policy Manual for the examination of cartridges and	
cartridge cases.	
11.4 Read the following article from the spring 2001 issue of the AFTE	
Journal and discuss manufacturing marks with your trainer: "Overview	
of Manufacturing Marks on Center Fire Cartridges"	
11.5 Review the AFTE Theory of Identification and AFTE Range of	
Conclusions. Determine what conclusions may be reached by the	
Firearm and Toolmark Examiner from our laboratory in relation to	
cartridge case examinations and how conclusions are documented.	
Review conclusions in reports generated by examiners in the Firearms	
and Toolmarks Unit. Discuss these conclusions with your trainer.	
11.6 Discuss the significance of trace evidence as it relates to the	
examination and comparison of cartridge cases.	
11.7 Discuss how to "index" cartridge cases for comparisons.	
Demonstrate for your trainer.	
11.8 Discuss lighting techniques as they relate to the comparison of fired	
cartridge cases with your trainer. Demonstrate your proficiency in using	
these lighting techniques.	
11.9 Test fire a variety of firearms spanning multiple makes, models and	
calibers at least twice each. Be sure to include both centerfire and	
rimfire calibers. Examine markings imparted to the fired cartridge cases.	
Determine which part of the firearm produced these markings. Cycle at	
least two cartridges through each of the same firearms and examine the	
markings imparted to the unfired cartridges. Determine which part of	
the firearm produced these markings. This exercise may require the	
firearms to be field stripped or further disassembly to assess locations	
imparting markings.	
11.10 Using the test fired cartridge cases and cartridges from Exercise 2,	
microscopically compare all markings to each other. Include the	
comparison of firing pin impressions, firing pin drag marks, breechface	
marks, chamber marks, anvil marks, extractor marks, ejector marks,	
feed ramp marks, slide drag marks, slide scuff marks, ejection port	
marks and magazine marks. Photograph the results of your	
comparisons.	
11.11 Test fire 38 Special, 357 Magnum, 9mm Luger and 22 Long Rifle	
revolvers and pistols at least twice using CCI, Remington, Federal, and	
Winchester ammunition with both nickel and brass primers.	
Microscopically examine and photograph the markings.	
11.12 Test fire a 22 Long Rifle Smith & Wesson revolver using six 22 Long	
Rifle cartridges, six 22 Long cartridges and six 22 Short cartridges by the	
same manufacturer. Mark each cartridge to signify which chamber of	
the cylinder it was fired in. Examine and photograph the markings	
imparted to the fired cartridge cases.	
11.13 Become familiar with the AFTE Class Characteristics Matrix	
database.	
11.14 Discuss the possibility of comparing and identifying reloading	
marks on cartridges/cartridge cases. Identify the various types of marks	
that may be indicative of reloaded ammunition. Become familiar with	
commonly used reloading equipment and the procedures used in	
reloading cartridges.	
reloaung carthuges.	

11.15 Discuss the feasibility of comparing and identifying manufacturing		
toolmarks such as bunter marks on a fired cartridge case from a crime		
scene with cartridges associated with a suspect. Identify the various		
types of manufacturing toolmarks that may be present on cartridges or		
cartridge cases.		
11.16 Test fire at least two cartridges from a 30 Carbine U.S., M1		
Carbine rifle (if available) and compare all marks on the test fired		
cartridge cases to each other. Cycle at least two cartridges from this		
same firearm and compare all marks observed.		
11.17 Compare test fires from various firearms prior to and after the		
breech and bore are cleaned.		
11.18 Perform a series of examinations in a mock ongoing investigation		
that incorporates bullets, cartridge cases, firearms and the use of a		
comparison microscope.	┟────┤	
11.19 Determine when Magnesium Smoking would be of value in		
examination and/or comparison of cartridge cases. Determine if the		
OSBI Firearms and Toolmarks Unit has procedures and/or the materials		
needed to conduct Magnesium Smoking on cartridge cases.		
11.20 Compare test fired cartridges from firearms with consecutively		
manufactured breechfaces and/or firing pins. Observe the differences		
and similarities in the stria and discuss this with your trainer.		
11.21 Compile a list of common headstamps. Familiarize yourself with		
the AFTE Headstamp Gallery and commercially available headstamp		
guides. Discuss these with your trainer.		
11.22 Test fire the following 12 Gauge shotguns or similar models using		
at least two shotshells from each shotgun. Microscopically compare the		
marks imparted to these fired shotshells to include the following types		
of marks: firing pin impressions, breechface marks (on primer, battery		
cup and head), extractor marks, ejector marks, chamber marks, shell		
stop marks and any other mechanism marks. Photograph these marks		
and discuss the significance of identifying any of these types of marks		
with your trainer.		
Marlin Model 55 or 50 bolt action		
Remington Model 1100 semi-automatic		
 Mossberg Model 500 pump action 		
• J.C. Higgins Model 1011 top-break single shot		
Stevens Model 311 side-by-side double barrel		
11.23 Cycle three shotshells with a pump action 12 Gauge shotgun.		
Microscopically compare the markings observed and determine whether		
the extractor, ejector and any other marks are identifiable.		
11.24 Research, then discuss with your trainer the extent and limitations		
concerning testimony in cartridge/cartridge case/shotshell examination		
and/or comparison.		
11.25 Research, then discuss with your trainer the administrative and		
technical review(s) of a cartridge/cartridge case/shotshell case. See QP		
31 – Reviews.		

11.0 Cartridge/Cartridge Case/Shotshell Examinations and Comparisons (top 1)

ASSESSMENT

	DATE		TRAINEE	TRAINER
	COMPLETED	SCORE	INITIALS	INITIALS
Completion of all section activities				
Competency test(s)* [to include cartridges, cartridge cases and shotshells together or separately]				
Oral exam**				

*Competency test's expected results shall be established and documented by the FATM Technical Manager or their designee prior to the trainee receiving the competency test.

*This competency test(s) serves to fulfill the assessment for Section 11.0 of the FATM Training Manual, in addition to the required competency test for authorization to perform this function.

**Oral exam questions, acceptable answers and criteria for acceptable performance shall be established and documented by the FATM Technical Manager or their designee prior to the trainee beginning the oral exam.

12.0 Shotshell Component Examinations (top 1)

OBJECTIVES

- Understand the importance and limitations of the types of marks a firearm can leave on shotshell components
- Know the required procedure and documentation for shotshell component examinations
- Be familiar with the types of shotshell components, what they reveal about the shotshell they came from and/or the firearm that fired them

INTRODUCTION

Shotshells and fired shotshells can be treated, examined and compared in the same manner as cartridges and fired cartridge cases. However, the other components of a shotshell (e.g., shot, buffer, wad) have examinations and conclusions all their own.

SHOTSHELL COMPONENT EXAMINATIONS AND COMPARISONS ACTIVITIES

	DATE COMPLETED	TRAINEE INITIALS	TRAINER INITIALS
12.1 Determine what types of examinations may be conducted and what			
conclusions can be reached from an examination of the following			
components.			
Shot, deformed and intact			
Fired cardboard, felt or fiber wads			
Fired plastic wads			
Fired shotshells			
Unfired shotshells			
Shot buffer material			
Shot collar and shot cup			
12.2 Becomes familiar with the use of the laboratory's ammunition			
reference collection regarding the determination of gauge and			
manufacturer of fired shotshell components. Learn the limitations			
regarding making such determinations. Demonstrate proficiency in using			
the ammunition reference collection to your trainer.			
12.3 Test fire one or more sawed off shotguns using various types of			
ammunition with different wad designs to include Remington shotshells			
with Power Piston wads. Alternately, obtain test fired shotshells wads			
from a shotgun with a barrel that was sawed off with a hacksaw or			
similar tool. Microscopically compare marks observed on the test			
shotshell wads.			
12.4 Locate and discuss with your trainer the procedure for 'sampling'			
when doing examinations of shotshell pellets.			

12.5 Using a 12 Gauge Remington, Model 1100 shotgun, obtain at least
two fired shotshells with each of the following types of ammunition.
Recover a representative number of fired shot pellets and fired shot
wads from each type of ammunition. Or use the collection of such fired
shotshells found in the laboratory.
Compare marks observed on the test fired shotshells to each other.
Compare fired components to unfired components of the same
ammunition type. Discuss the significance of your findings with your
trainer.
 12 Gauge Remington, 2 ¾" Magnum, 00 Buck
 12 Gauge Remington, 2 ¾" Shur-Shot, #8 shot
 12 Gauge Federal, 2 ¾" Magnum, 00 Buck
 12 Gauge Federal, 2 ¾" Field Load, #9 shot
 12 Gauge Activ, 2 ¾" Field Load, #7 shot
 12 Gauge Activ, 2 ¾" Magnum, BB shot
 12 Gauge Winchester, 2 ¾" Xpert, #6 shot
 12 Gauge Winchester, 2/34" Super-X, #7 shot
12.6 Discuss in detail the procedures used in reloading shotshells and
become familiar with commonly used shotshell reloading equipment.
Determine how to recognize reloaded shotshells from an examination of
the fired shotshell and/or its components.
12.7 Research the current U.S. shot sizes and weights and obtain a chart
reflecting this data. Become familiar with the variations worldwide in
shot size and composition. Learn the significance of the "Rule of 17" as it
applies to shot size.
12.8 Research, then discuss with your trainer the extent and limitations
concerning testimony in shotshell component examination.
12.9 Research, then discuss with your trainer the administrative and
technical review(s) of a case containing shotshell components. See QP
31 – Reviews.

12.0 Shotshell Component Examinations (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Observation-based competency test*				

*This competency test serves to fulfill the assessment for Section 12.0 of the FATM Training Manual, in addition to the required competency test for authorization to perform this function.

13.0 Gunshot Residue Examinations and Distance Determination (top 1)

OBJECTIVES

- Understand and be able to articulate how and when gunshot residues are deposited.
- Understand, be able to perform and explain the examinations used in the detection of gunshot residues.
- Know the extent and limitations associated with qualitative analysis of gunshot residues.

INTRODUCTION

Various phenomena related to terminal ballistics directly affect the daily work of a firearms examiner. These include the impact of bullets, shot pellets, and gunshot residues projected from the muzzle of a firearm onto the clothing of a shooting victim, or onto other objects. These impacts and residue depositions provide the basis for muzzle-to-target distance determinations, often a critical element in a courtroom presentation. Such distance determinations are also one requirement to determine bullet paths based on bullet holes and impact sites, where they exist. In this section you will become familiar with the determination of muzzle-to-target distances based on gunshot residues and shot pellet patterns, and become proficient in the documentation and detection of gunshot residues.

Your study of the analysis of gunshot residues on clothing or other items will include microscopic and chemical tests to detect physical effects, nitrite compounds, lead, copper and copper alloys (cuprous materials). These physical effects, chemical depositions and patterns of residues can be detected on evidence items and reproduced on test materials at known distances using the suspect's firearm and the same type of ammunition as used in the crime. These techniques have wide application in a variety of shooting scenarios.

At the end of this section, you will consider the mission, role and work of medical experts in his/her work relating to gunshot wound effects. It will be important on a continuing basis for you to understand the normal division of labor between the medical field and firearms examinations. Typically, custom and tradition dictate the medical field's work begins at the plane of the body. In other words, medical personnel don't perform firearms-related examinations, and you don't interpret effects on the human body. This often creates areas of overlapping interest, such as muzzle-to-victim distance determinations. Your distance determinations are based on reproducible residues found on objects such as clothing, whereas the medical examiner's distance determinations are based on analysis of wound effects, that is, effects on the body in the form of trauma.

REQUIRED READING

	DATE	TRAINEE
	COMPLETED	INITIALS
Archived Firearms Examiner Training Module 12: Gunshot Residue and Distance		
Determination National Institute of Justice (ojp.gov) [Use as a resource to		
complete assignments; by end of Section 13.0, you will have completed this required		
reading.]		
AFTE Glossary, 6 th Edition. Sections 3 and 5.		
Bailey – Research Article: Digital infrared photography to develop GSR patterns		
Barnes & Helson - An Empirical Study of Gunpowder Residue Patterns		
Bonfanti & Gallusser - Problems Encountered in the Detection of Gunshot Residues		
Cole, Ross & Thorpe - Gunshot Residue and Bullet Wipe Detection Using a Single Lift		
Technique		
Deobald - Spiral Pattern		
Didson & Stengel - Recognizing Vaporized Lead from Gunshot Residue		
Dillon - A Protocol for Gunshot Residue Examinations in Muzzle-to-Target Distance		
Determinations		

Dillon - A Protocol for Shot Pattern Examinations in Muzzle-to-Target Distance	
Determinations	
Dillon - Black Powder Background	
Dillon - Graphical Analysis of the Shotgun-Shotshell Performance Envelope in	
Distance Determination Cases	
Dillon - Laboratory Examinations Conducted Within the Field of Firearms	
Identification	
Dillon - The Manufacture of Conventional Smokeless Powder	
Dillon - The Modified Griess Test	
Dillon - The Sodium Rhodizonate Test	
Dillon – Gunshot Residues and Shot Patterning Glossary	
Gunshot Residues and Shot Pattern Tests	
Laboratory Examinations conducted Within the Field of Firearms Identification: A	
Tracing of the Acceptance by the Courts of their Use in Expert Testimony	
Hueske - Gunshot Residue Testing of Blood Stained Garments	
Lekstrom & Koors - Copper and Nickel Detection on Gunshot Targets by	
Dithiooxaminde Test	
Lichtenberg - The Ammunition was Leadfree	
Lindman - The Weathering-Time Factor in GSR-Proximity Determinations	
Matty - An Unusual Source of Gunshot Residue Particles	
Nichols - Expectations Regarding Gunpowder Depositions	
Owens & George - Gunshot Residue Examinations- Modification in the Application of	
the Sequence of Chemical Tests	
Schous - A Sequence of Chemically Specific Chromophoric Tests for Nitrite	
Compounds, Copper and Lead in Gunshot Residues	
Shem - Bleeding as a Source of Lead Particulates on Clothing	
Shem - The Vaporization of Bullet Lead by Impact	
Veitch - An Examination of the Variables That May Be Encountered in Gun Shot	
Residue Patterns	
Williams & Koons - Composition of Firearm Ammunition Primer Mixtures	

GUNSHOT RESIDUE EXAMINATION & DISTANCE DETERMINATION ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
13.1 Describe the residues and debris that are projected from the			
muzzle of a firearm (or the cylinder gap of a revolver) when a cartridge is			
fired. Pay particular attention to the relative distance the different			
residues/materials travel.			
13.2 Describe the following tests and methods. Include the specific			
circumstances in which each could be useful.			
 Conventional Modified Griess test 			
Reverse Griess test			
Sodium Rhodizonate test			
Bashinski transfer			
Blotting transfer			
Dithiooxamide test			
2-Nitroso-1-Naphthol test			
Quantofix [®] test			
Diphenylamine test			

13.3 Prepare a written report which describes in detail the chemical		
reactions that take place in the burning of smokeless powder, the		
modified Griess test, the Dithiooxamide test and the Sodium		
Rhodizonate test.		
13.4 When next prepared, aid in the preparation of the chemicals and		
the test papers used in the following tests (review the relevant Safety		
Data Sheets before preparing reagents):		
Modified Griess test		
Dithiooxamide (DTO) test		
Sodium Rhodizonate test		
13.5 Prepare a written report discussing the interpretation and		
reporting of shot pattern distance determination testing results. Include		
in your discussion:		
The limitations of testing procedures		
• The importance of using the same shotshells and firearm		
 The behavior of buffers, wads and shot cups 		
• The definition of and how the evaluate "flyers" on evidence or		
test materials		
13.6 Prepare a written report discussing the interpretation and		
reporting of gunshot residue (GSR) distance determination testing		
results. Include in your discussion:		
The limitations of testing procedures		
• The importance of using the same ammunition and firearm		
The importance of test target material selection		
• The difficulties of interpreting the distance based on the		
absence of GSR around a bullet hole		
13.7 Read the article entitled "Graphical Analysis of the		
Shotgun/Shotshell Performance Envelope in the Distance Determination		
Cases" in the AFTE Journal, October 1989 issue. Discuss this article in a		
short summary.		
13.8 Research and discuss the potential effects of the following on GSR		
testing and distance determinations:		
Distance		
Caliber		
Weapon type		
Chokes		
Barrel length		
Rifled vs. smooth barrels		
Intervening objects		
Bloody garments		
Effects of weather		
Ammunition related phenomena		
• Caliber		
 Propellant type (disk, flake, ball, etc.) 		
 Primer (type, size, age, etc.) 		

13.9 Describe the use of infrared imaging techniques related to the		
visualization of GSR around bullet holes on dark fabrics. If available, use		
infrared imaging to document a GSR pattern on a dark garment. Discuss		
the advantages and disadvantages of the infrared imaging of GSR with		
your trainer.		
13.10 If possible, attend an autopsy or examine photographs/reports of		
shooting victim(s). Observe and note any indications of GSR, as well as		
the physical effects of projectile(s) on the body. Prepare a report on		
your observations and include any information obtained concerning		
distance determination, bullet effects, causes of death, direction of		
bullet travel or other pertinent information.		
13.11 Demonstrate your proficiency in conducting the following tests		
and methods using the Firearms and Toolmarks Policies:		
Conventional Modified Griess test		
Reverse Griess test		
Sodium Rhodizonate test		
Bashinski transfer		
Blotting transfer		
Dithiooxamide test		
13.12 Research cartridge case ejection pattern testing and discuss in a		
written report. Discuss the potential value and limitations of cartridge		
case ejection pattern testing.		
13.13 Using specimens provided by your trainer, demonstrate		
proficiency in conducting "gunshot residue examinations." Include note		
taking, photo-documentation, microscopic and chemical examinations		
and accurately determining the qualitative results of gunshot residue		
examinations.		
13.14 Research, then discuss with your trainer the extent and limitations		
concerning testimony in gunshot residue/distance determination.		
13.15 Research, then discuss with your trainer the administrative and		
technical review(s) of a gunshot residue/distance determination case.		
See QP 31 – Reviews.		

13.0 Gunshot Residue Examination and Distance Determination (top 1)

ASSESSMENT

	DATE		TRAINEE	TRAINER
	COMPLETED	SCORE	INITIALS	INITIALS
Completion of all section activities				
Competency test*				
Oral exam**				

*Competency test's expected results shall be established and documented by the FATM Technical Manager or their designee prior to the trainee receiving the competency test.

*This competency test serves to fulfill the assessment for Section 13.0 of the FATM Training Manual, in addition to the required competency test for authorization to perform this function.

**Oral exam questions, acceptable answers and criteria for acceptable performance shall be established and documented by the FATM Technical Manager or their designee prior to the trainee beginning the oral exam.

14.0 Toolmark Examinations and Comparisons (top 1)

OBJECTIVES

- Be familiar with the types of marks a tool can leave on a softer surface ٠
- Understand the importance and limitations of the types of marks a tool can leave on softer surface •
- Be comfortable with comparing tools and unknown toolmarks, and form conclusions •
- Know the required procedure and documentation for toolmark examinations and comparisons

INTRODUCTION

This section of your training relates to the broad topic of general toolmark examinations, comparisons and identifications. By implication, this also includes consideration of the criteria for making identifications, concerns about the admissibility of expert testimony regarding examination results (the Daubert decision) and study of a wide variety of toolmark examinations. As indicated in Section 6.0, the historically early development of firearms identification pre-dated the recognition of the generalized concept of toolmark identification due to the fact that the early focus was on the crimes of violence involving firearms. With a few early exceptions, most early forensic scientists did not recognize this specialized nature of firearms identification. For several decades of the twentieth century, it was regarded as a stand-alone discipline. Gradually as practitioners and theoreticians began to publish articles in professional journals it became obvious that the specialized equipment and concepts described in Section 7.0 which were developed for firearms identification could also be applied to toolmarks in general, using the same or similar criteria for identifications, and that firearms identification was only one facet of a larger picture. Essentially, theory caught up with actual practice, allowing toolmark work to form the broader umbrella under which forensic firearms examinations have a place.

In this section, the emphasis is on identification criteria, courtroom admissibility issues and exercises which emphasize the diverse nature of toolmark examinations. All of this background is equally applicable to the bullet and cartridge case examinations as we have seen in Section 10.0 and 11.0.


Creating Your Test Cuts / Marks:

Different tools have various working surfaces. Each surface is finished separately, and possibly by different processes. For this reason, it is important to properly label and track the working surfaces and the marks they make. Label the tool and test medium to orient how the tool was used/held when the test toolmark was made.


Example: impressed screwdriver toolmark



If the tool has more than one surface that will leave toolmarks, (i.e. bolt cutters with two, two-sided blades) label each surface and each test toolmark with the corresponding surface. **The opposite side of the bolt cutter would be labeled C and D, and the resulting test toolmarks would also be labeled C and D.



If the working surface of the tool is larger than the test medium, ensure the test toolmarks are labeled to represent which area they were made with.



A way to avoid this issue is to flatten the test medium or use a sheet of test medium as to get the whole working surface on one piece of test medium.

It is best to start in a softer material, like lead. This is because you do not want to change the tool's surface(s) while creating the test toolmarks. If a proper comparison cannot be conducted with the lead test toolmarks, move onto a harder material such as copper or aluminum.

Conducting Your Comparisons:

With so many working surfaces, it may become difficult to keep track of what toolmarks have been compared to which test toolmarks. A helpful way to avoid this confusion is to label each toolmark.


Example:

**The class characteristics of these toolmarks indicate the padlock was cut with a pinching tool. As pinching tools have two opposing blades, there are four working surfaces to evaluate and compare.



Before putting the test toolmarks and evidence toolmark on the comparison microscope, take a step back and evaluate which toolmarks should be compared to one another.

In the figure below, 'Test toolmark A' to 'Evidence toolmark c' and 'Test toolmark B' to 'Evidence toolmark d' are the comparisons to be conducted.



For transparency, and to allow another examiner to come behind you and know exactly how you performed your analysis, make notes, sketch and/or photograph the labeling system you create for the case. When naming photographs, use the labeling system so the photograph can easily be recreated on the comparison microscope.

Use good judgment to decide which toolmarks need to be compared. If the tool cannot physically make the mark, there is no reason to compare the two. An example would be a set of plumber's pliers and a round door knob. If the pliers cannot open widely enough to reach the toolmarks on opposite sides of the knob, those pliers could not have made the toolmarks. However, caution should be taken when comparing class characteristics versus

individual characteristics. There is the potential for class characteristics to not 'transfer' to the marked item. For example, the same punch (tool) made these two toolmarks. The lack of the inner circle cannot be used for elimination, as the diameter of the punch is similar/the same. The presense of the inner circle is the result of more pressure being applied to make the toolmark.



REQUIRED READING

	DATE COMPLETED	TRAINEE INITIALS
Archived Firearms Examiner Training Module 13: Toolmark Identification		
National Institute of Justice (ojp.gov) [Use as a resource to complete assignments;		
by end of Section 14.0, you will have completed this required reading.]		
Baldwin, D., et al. The Forensic Examination and Interpretation of Tool Marks.		
Hoboken, NJ: Wiley-Blackwell, 2013.		
Cochrane, D.W. "Class Characteristics of Cutting Tools and Surface Designations."		
AFTE Journal 17.3 (1985): 73-82.		
Deforest, Peter R., R.E. Gaensslen, and Henry C. Lee. Forensic Science: An		
Introduction to Criminalistics. New York: McGraw-Hill, 1983: pages 383 – 388.		
Miller, Jerry. "An Introduction to the Forensic Examination of Toolmarks." AFTE		
Journal 33.3 (2001): 233-248.		
Miller, Jerry and Glen Beach. "Toolmarks: Examining the Possibility of Subclass		
Characteristics." AFTE Journal 37.4 (2005): 296-345.		

TOOLMARK EXAMINATIONS AND COMPARISONS

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
14.1 Review the section entitled "Manufacture of Modern Firearms"			
(Section 5.0). The machining methods described represent the same basis			
for toolmark identification as for firearm examination. Discuss with your			
trainer.			
14.2 Define terms "tool" and "toolmark identification." Determine the			
range of conclusions that may be reached in toolmark identification and			
discuss the definitions and range of conclusions in detail.			
14.3 Discuss the significance of examining submitted tools first for trace			
evidence. List several types of trace evidence that may be encountered.			
Discuss with your trainer the potential evidentiary value of trace			
evidence observed on tools or evidence displaying toolmarks, and the			
prioritization they should receive in forensic examinations.			
14.4 In a mock case involving a toolmark examination where no tool is			
submitted, determine the types of conclusions that may be reached.			
Consider the type of tool, size of the tool and the action employed by the			
tool. Consider how the quality of the toolmark may impact the			
comparison results. By examining the toolmark, note any unusual tool			
characteristics or features. Discuss a 'no tool' case with your trainer.			
14.5 Define the following words/terms as they relate to toolmark			
examinations and give three examples of tools or maneuvers that could			
produce each category:			
Shearing action			
Pinching action			
Scraping action			
Slicing action			
Gripping action			
Prying action			
Crimping action			
Impressed toolmark			
Striated toolmark			
Fracture			
14.6 Define "class characteristics" as it applies to toolmark identification.			
Considering the types of tool and tool actions from the exercises above,			
describe their respective class characteristics in detail.			
14.7 Obtain at least two tools representative of each tool action category			
listed in #5 above. Produce toolmarks with each tool and determine the			
class characteristics of the toolmarks. When generating toolmarks, vary			
the angle ad force applied with each tool. Evaluate and identify the			
working surface of each tool and potential for individual characteristics.			
14.8 Discuss how subclass characteristics apply to the manufacture of			
different mechanical tools, what they might look like and how they might			
affect comparisons.			

14.9 Using soft copper wire and lead wire with diameters of	
approximately ¼", make cuts with tools that employ a shearing, pinching	
and slicing action. Compare and attempt to identify the toolmarks on the	
copper wire with those on the lead wire for each tool used. Support your	
conclusions with photographs and note any lighting considerations due	
to the reflective properties and color differences of the copper and lead	
wire.	
14.10 Select two flat-bladed tools such as a screwdriver and a pry bar.	
Make both impressed and striated marks on a piece of copper or brass	
sheeting, and on a piece of lead sheeting for each tool. Microscopically	
compare the toolmarks on the brass and copper sheeting with the test	
marks in the lead sheeting. Attempt to identify the appropriate toolmarks	
to the appropriate tools. Photograph your comparisons and document	
differences observed in the quality of the toolmarks made by each tool.	
14.11 Discuss why the orientation of the tool might be important when	
making test marts. Using a flat-bladed screwdriver, produce striated test	
marks at varying 10-degree angles. Microscopically compare the test	
marks to each other and discuss your observations. Explain why the	
orientation of a tool may or may not be important for other types of	
tools.	
14.12 Obtain a doorknob that may be used to make test toolmarks. Have	
your trainer produce impressed and striated marks with a tool that has a	
serrated jaw working surface to simulate a "break-in." With the same	
tool, produce test marks in lead attempting to reproduce the marks using	
a similar tool pressure and orientation. Microscopically compare and	
attempt to identify the toolmarks on the doorknob to those on the lead	
material.	
14.13 Using a drive pin punch, produce impressions in a piece of brass	
sheeting and in a piece of lead sheeting. Compare and attempt to identify	
the toolmarks on the two types of sheeting. Document your conclusions	
using photographs.	
14.14 Using an ax blade with numerous defects intercompare and	
attempt to identify cuts made to a piece of seasoned wood, such as	
dowel rod. Ensure that your cuts are consistent with respect to the	
orientation of the ax to the wood and the direction of the grain.	
Document your conclusions with photographs.	
14.15 Using the same ax as in #14 above, make cuts in a section of large-	
diameter telephone cable. Examine the effects the slicing action has on multi-strandod cable. Note the quality and quantity of the misroscopic	
multi-stranded cable. Note the quality and quantity of the microscopic	
marks on each wire strand, and the challenges involved in this type of	
comparison. Photograph the sliced end of the cable.	
14.16 Describe the class characteristics of toolmarks made by single	
versus double edged knives. Using a fixed blade knife, make multiple cuts	
and stabs into the sidewall of a used tire. Intercompare and attempt to identify the toolmarks produced by the knife and document your	
conclusions with photographs and notes. Discuss with your trainer how the results of your examination might be altered if the knife had been	
sharpened or used for an extended period of time between a questioned	
and a test cut.	
14.17 Discuss why saws, files and abrasive tools cannot be identified to	
the toolmarks they produce when used conventionally. Cite any	
exceptions to this rule.	

14.18 Discuss with your trainer the different types and colors of casting material available. Demonstrate proficiency in making toolmark casts and discuss the advantages and disadvantages of different types and colors over another.	
14.19 Discuss how you would report the various range of conclusions possible on a toolmark examination.	
14.20 Perform a series of inter-comparisons between two known matches and two known non-matches of test standards for each of the tool classes. Document your observations.	
14.21 Describe other types of toolmark exams that may be encountered such as locks and keys, staplers, etc.	
14.22 Conduct examinations of toolmark evidence submitted from crime scenes that are part of a simulated "ongoing investigation."	
14.23 Research, then discuss with your trainer the extent and limitations concerning testimony in toolmark examination and comparison.	
14.24 Research, then discuss with your trainer the administrative and technical review(s) of a toolmark case. See QP 31 – Reviews.	

14.0 Toolmark Examinations and Comparisons (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Written exam				
Competency test*				
Oral exam**				

*Competency test's expected results shall be established and documented by the FATM Technical Manager or their designee prior to the trainee receiving the competency test.

*This competency test serves to fulfill the assessment for Section 14.0 of the FATM Training Manual, in addition to the required competency test for authorization to perform this function.

**Oral exam questions, acceptable answers and criteria for acceptable performance shall be established and documented by the FATM Technical Manager or their designee prior to the trainee beginning the oral exam.

15.0 Serial Number Restoration (top 1)

OBJECTIVES

- Perform serial number restoration through physical and chemical means
- Understand and be able to explain how and why serial number restorations are possible

INTRODUCTION

A serial number is a unique or non-repeating number applied by manufacturers to identify an item or object. Serial number restoration or retrieval is the application of scientific techniques for the retrieval or recovery of the manufacturer's applied number which has been obliterated.

Because of the importance of manufacturer's applied numbers for identification purposes, the criminal element has historically sought out techniques for altering or obliterating them altogether. Common methods employed today include filing, grinding, peening, overstamping, punching, drilling and welding. While these techniques can be successful to some extent, they are counterbalanced by a wide array of forensic techniques used to restore them.

Fortunately for investigative agencies and law enforcement in general, the restoration of obliterated serial numbers to a visible and readable condition can be accomplished by creating a contrast between what remains of the original number and its surrounding area. This is possible due to certain physical qualities and mechanical properties of the crystalline structure of metals. All metals are polycrystalline in structure, incorporating irregularly shaped crystals or grains. These form during the cooling and solidification of metals from the molten state. The size of the metallic crystals is controlled by regulating the cooling rate, with a direct effect on the metal's mechanical properties. When a number is stamped into metal, the crystalline structure surrounding the stamped number will exhibit altered hardness, strength, magnetic, electrical and chemical properties. Just how deep these effects will be dependent on the type of metal and the stress applied by the stamping tool. If a serial number is filed or ground down, often there will be areas remaining which contain the altered crystalline structure which can be treated by various techniques, revealing the original stamped number.

Since the chemical restoration techniques utilized in the Firearms and Toolmarks Unit can cause damage to the firearm, especially if/when it drains into unseen cavities of the firearm, all other functionality testing of the firearm is to be completed before serial number restoration is attempted.

In this section, the principles of how restoration of obliterated marks is possible are explored. In addition, the proper procedure for restoration is researched. This proper procedure emphasizes the use of caution, as any metal removed from the marks cannot be replaced. For this reason, extreme care and patience should be used when prepping the surface through slow and steady polishing (either through manual or mechanical means). This same care and patience should also be used when applying the chemical etchants. Try to prevent excess etchant from draining into cavities within the firearm. Try to avoid pooling of the etchant, as the effectiveness of the etchant is difficult to monitor. Try to remove all etchant prior to packaging, as the etchant will continue to react with the metal if not removed.

REQUIRED READING

	DATE COMPLETED	TRAINEE INITIALS
Treptow, Richard S. "The Handbook of Methods for the Restoration of Obliterated		
Serial Numbers." January 1977.		

SERIAL NUMBER RESTORATION ACTIVITIES

	DATE	TRAINEE	TRAINER
	COMPLETED	INITIALS	INITIALS
15.1 Obtain the proper personal protective equipment (e.g. eyewear,			
masks, gloves and lab coats) before attempting any			
chemical/mechanical restorations. Review the chemical hygiene policies			
to ensure proper safety precautions are used.			
15.2 Define "serial number" and "serial number restoration."			
15.3 Obtain a stamped piece of metal from your trainer and sketch the			
entire stressed area above and below the indented marks. Describe			
what remains when the indented area is removed.			
15.4 List the various methods used by manufacturers to mark products			
we commonly encounter as evidence items. This list should include by			
not be restricted to: casting, stamping, embossing, debossing, coining,			
vibratory pencil, pin stamping, laser and electrical discharge machining.			
 Discuss the effect each of these marking methods has on the 			
subsurface of the marked area			
 Discuss the marking methods used that can directly affect the 			
ability of the examiner to restore obliterated markings and why			
15.5 Define the term "plastic deformation" of metal.			
15.6 Briefly discuss the difference between cold rolled steel and cast			
iron metal.			
15.7 Discuss the effect that the following types of alterations may have			
on the subsurface of marked items and how it may impact an examiner's			
results.			
Grinding			
Over stamping			
Peening			
Gouging			
Heating			
Puddling			
 Welding 			
Removal			
 Scratching / filing 			
• Drilling			
Painting			
Combination of the above			
15.8 Discuss the selection of a specific approach to a restoration			
attempt based on distinct characteristics observed for various alteration			
methods.			
15.19 Discuss various methods of surface preparation, such as sanding			
and polishing, and how they may affect the results in a restoration			
attempt.			
15.10 Discuss the use of various types of chemicals to restore serial			
numbers.			
15.11 Determine whether the reaction rate of the stressed area is faster			
or slower than the etching rate of the remaining surface and explain			
why.			
15.12 Discuss the technique known as Magnetic Particle Inspection			
(MPI) and why the method is nondestructive. Explain what types of			
firearms this method may be used on.			

	r	 1
15.13 Discuss the restoration method of an obliterated Barcode 39 serial		
number using chemical processing, manual decryption and automatic		
decoding.		
15.14 Research relevant peer reviewed journals to determine that best		
techniques to use in the restoration of obliterated serial numbers in		
plastic.		
15.15 Research the effect of direct current (DC) electricity on the		
reaction time of the different chemical reagents available. Include the		
proper polarity and voltage for enhanced etching/development of		
obliterated characters.		
15.16 Discuss any additional equipment that might be used for serial		
number restoration.		
15.17 Discuss the different types of lighting available (e.g., incandescent,		
infrared (IR), ultraviolet (UV) and fluorescent) and how they may		
improve or enhance restoration results. Explain how the angle of		
incidence of these lighting techniques might vary the results.		
15.18 Discuss the appropriate documentation, photography techniques		
and procedures to be used before, during and after attempting to		
restore obliterated serial numbers (e.g., pooling, various preparation		
methods, etc.).		
15.19 Research the various kinds of magnifying and enhancing		
equipment used for serial number restoration and explain when and		
why each would be used.		
15.20 Become familiar with the following chemicals:		
• CuNH4Cl ₂		
• CuCl ₂		
• NaOH		
HCI		
• HNO ₃		
• H ₃ PO ₄		
Aqua Regia		
• H ₂ SO ₄		
● FeCl ₃		
• HF		
15.21 Record how to prepare each of these reagents/solutions as well as		
what types of metal they should be used on:		
Fry's reagent		
Ferric chloride solution		
Turner's reagent		
Davis' reagent		
Acidic ferric chloride solution		
Nitric acid 25% solution		
Sodium hydroxide 10% solution		
15.22 Become familiar with the numbering systems and methods used		
by manufacturers of frequently encountered firearms including, but not		
limited to, Colt, Ruger, Smith & Wesson, Glock, Hi-Point, Beretta,		
Winchester and Remington.		

15.23 Determine the most suitable chemicals and techniques to use in		
an attempted serial number restoration for the following firearms:		
Colt pistol		
Smith & Wesson revolver		
RG Industries revolver		
Ruger stainless steel revolver		
Shotgun alloy receiver		
Chrome/nickel pistol		
Winchester rifle		
Shotgun case hardened receiver		
15.24 Obtain several firearms with serial numbers or stamped pieces of		
metal from your trainer. Alter the serial numbers using different		
methods and then attempt to restore them. Document your results and		
conclusions with notes and photographs.		
15.25 Be prepared to discuss with your trainer the methods used and		
lessons learned during the restoration processes.		
15.26 Discuss the advantages of maintaining a database to record the		
various manufacturer's serial number structures in casework. Become		
familiar with the laboratory's serial number database.		
15.27 Become familiar with the AFTE Serial Number Search database		
and the ATF Serial Number Structure Guide. Discuss with your trainer		
the importance of utilizing the laboratory's firearms reference collection		
and serial number database to research serial number structures and		
font types.		
15.28 Obtain a selection of firearms or other pieces of metal with		
altered serial numbers from your trainer. Determine the appropriate		
technique(s) and equipment that will be utilized and attempt to restore		
the altered serial numbers. Provide documentation (notes and		
photographs) of the restoration attempts and discuss the results with		
your trainer.		
15.29 Research the location and format of secondary or "hidden" serial		
numbers that may be present on various makes and models of firearms.		
Discuss with your trainer.		
15.30 If possible, attend a serial number restoration course/workshop.		
Discuss any differences with the training versus OSBI-specific procedures		
for serial number restoration with your trainer.		
15.31 Research, then discuss with your trainer the extent and limitations		
concerning testimony in serial number restoration.		
15.32 Research, then discuss with your trainer the administrative and		
technical review(s) of a serial number restoration case. See QP 31 –		
Reviews.		

15.0 Serial Number Restoration (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Observation-based competency test**				

**This competency test serves to fulfill the assessment for Section 15.0 of the FATM Training Manual, in addition to the required competency test for authorization to perform this function.

16.0 Expert Testimony (top 1)

OBJECTIVES

- Be familiar with the court system(s) in the state of Oklahoma
- Understand the extent and limitations of firearm and toolmark examination testimony
- Complete moot court scenarios
- Have a greater understanding of how to best present oneself in the courtroom as an expert witness

INTRODUCTION

This section of your training addresses the ultimate service which can be rendered by a forensic laboratory examiner: the presentation of impartial, accurate and credible expert court testimony regarding items of physical evidence. You will be very much involved in this in the future so it is essential that you learn courtroom skills well. The hard fact is that even if your analyses at the laboratory bench are complete, accurate and represent the highest quality work, if you cannot credibly deliver your results on the witness stand, your efforts are too little or no avail. Essentially your role in court is to give voice to the meaning of physical evidence, and that requires good oral communication skills of a specialized type. The previous sections in your training manual have helped you to learn the substance of your forensic field, but this section will focus on the delivery of this substance to a lay jury. Such an environment is often very stressful, and it should always be stressful to at least some degree. This is normal and healthy in that it helps you keep your edge and maintain your alertness on the stand.

The intent of these moot courts is that you learn what to expect when you enter a courtroom as an expert witness, and that you have the confidence and knowledge to perform at your best. Your trainer and/or the FATM Technical Manager will do their utmost to provide you with a positive learning environment, with constructive feedback designed to help you not only survive in court, but to excel. Keep in mind that knowledge builds confidence, and that this is what this section is all about.

	DATE COMPLETED	TRAINEE INITIALS	TRAINER INITIALS
16.1 Develop a system for the administration of your cases. Formulate a			
method for taking and maintaining case notes, documenting essential			
data on which you base your conclusions and maintaining chain of			
custody. Discuss the importance of effective case management, case			
documentation and chain of custody documentation with your trainer.			
16.2 Read through case reports generated by at least two examiners from			
the section. Note the various report formats and wording for the			
different categories of testing within the field of Firearm and Toolmark			
Examination (e.g. firearm examination, bullet/cartridge case examination,			
cartridge case/bullet comparisons, serial number restoration, gunshot			
residue examination, etc.). Discuss with your trainer.			
16.3 Witness the testimony of other examiners (in any forensic discipline)			
and evaluate their strengths and weaknesses regarding courtroom			
demeanor, professionalism and efficiency of communication. Discuss with			
your trainer. (This may be combined with #7 below.)			

EXPERT TESTIMONY ACTIVITIES

16.4 Define the following terms or phrases as they apply to Firearm and		
Toolmark testimony. Discuss their meanings with your trainer.		
Expert witness		
 "Reasonable degree of scientific certainty" 		
Absolute certainty		
Practical certainty		
Hearsay		
Opinion		
Voir dire		
Sustained		
Overruled		
Prosecution		
Defense		
16.5 Prepare a list of "qualification questions" which can be used by a		
prosecutor to qualify an examiner as an expert witness in court.		
Formulate responses to questions pertaining to accreditation,		
certification, proficiency testing, training, technical review, administrative		
review, procedures, etc. Discuss these with your trainer.		
16.6 Witness at least two firearm and toolmark examiners testify as an		
expert witness in a firearm or toolmark case. Discuss their testimonies		
with each examiner. Coordinate this with your trainer.		
16.7 Prepare a list of metaphors/analogies to assist in explaining the		
following technical concepts to a jury. Other examiners in the field may		
be consulted for this exercise. Discuss these metaphors/analogies with		
your trainer.		
Comparison microscope		
Class characteristics		
Subclass characteristics		
Individual characteristics		
Cycle of fire		
Firearm actions		
Trigger pull		
Uncertainty of measurement		
16.8 Using mock casework provided by your trainer, complete moot court		
exercises that encompass the different categories of testing within the		
field of firearm and toolmark examination (e.g. firearm and toolmark		
examination, bullet/cartridge case examinations, bullet/cartridge case		
comparisons, serial number restoration, gunshot residue examination,		
etc.). Consult with other firearm and toolmark examiners regarding		
personal recommendations or advice for courtroom testimony. These		
discussions should be in-depth and cover all aspects of courtroom		
testimony.		
16.9 Become familiar with the AFTE Code of Ethics and the ANAB Guiding		
Principles. Discuss these with your trainer.		
16.10 If able, attend testimony training such as Advanced Expert		
Witnessing for Forensic Laboratory Scientists, as offered by Critical		
Victories.		
16.11 Review the Witness Critique and Qualified Testimony Review forms		
with your trainer. Discuss how to distribute and complete.		

16.0 Expert Testimony (top 1)

ASSESSMENT

	DATE COMPLETED	SCORE	TRAINEE INITIALS	TRAINER INITIALS
Completion of all section activities				
Moot Court*				

*The current Qualified Testimony Review form will be used as the guideline for moot court performance. Any 'disagree' or 'strongly disagree' ratings will result in failure of the moot court.

SECTION APPROVAL SIGN-OFFS (top 1)

SECTION	SUBJECT	DATE	EMPLOYEE INITIALS	MANAGEMENT INITIALS
2.0	Administrative Matters			
3.0	Evolution of Early Firearms and Ammunition			
4.0	Development, Operating Systems and Manufacture of Modern Firearms			
5.0	Modern Ammunition			
6.0	Background/History of Firearm and Toolmark Examination and Current Trends			
7.0	Instrumentation			
8.0	Examination and Test Firing of Firearms			
9.0	Theory of Identification and Range of Conclusions			
10.0	Bullet Examinations and Comparisons			
11.0	Cartridge/Cartridge Case/Shotshell Examinations and Comparisons			
12.0	notshell Component Examinations			
13.0	Gunshot Residue Examinations and Distance Determination			
14.0	Toolmark Examinations and Comparisons			
15.0	Serial Number Restoration			
16.0	Expert Testimony			

APPROVAL (top 1)

Date 08/09/2024 FATM Technical Manager atel n J Millar CSD Division Director

Janice Joslin

Date 08/09/2024

HISTORY

Revision	Effective Date	History	
00	08-01-2022	Reformatted entire training manual to align with ISO/IEC 17025:2017	
		Standards and AR 3125. Additionally, reformatted to include a table of	
		contents and consistent font type/size formatting.	
	12-01-2022	Annual review. No changes made.	
01	10-16-2023	Incorporated deviations and other suggestions [see Track Changes	
		document]	
02	08-12-2024	Incorporated deviations and other suggestions [see Track Changes	
		document]	