



Jesse Martindale
Lead Environmental Engineer

RECEIVED

March 27, 2026

3/27/2026

OKLAHOMA WATER RESOURCES BOARD

Oklahoma Water Resources Board
3800 N. Classen Boulevard
Oklahoma City, OK 73118
Attn: Mr. Jason Tutkowski

TXI

Re: Martin Marietta Mill Creek Limestone Quarry Monitoring Report Q4 and Annual 2025

Dear Mr. Tutkowski:

Attached please find the Q4 and Annual 2025 Quarterly Monitoring Report for Martin Marietta's Mill Creek Limestone quarry. The report is summarized on the table labeled Appendix C. Supporting data is also included.

MEPS for this facility is 128 acre-feet of groundwater per calendar year per permit 2000-533.

Please call if you have any questions or comments.

Sincerely,

A handwritten signature in cursive script that reads 'Jesse Martindale'.

Jesse Martindale
Lead Environmental Engineer

North Texas/Oklahoma District
1503 LBJ Parkway Suite 400, Dallas, Texas 75234
t. (972) 647-3742 m. (817) 307-9128 e. Jesse.Martindale@martinmarietta.com
www.martinmarietta.com

RESULTS FROM RUNOFF MODELLING

2025		Quarry Monthly Totals				FW Pond Monthly Totals		Re-cycle Recharge (Troy) Monthly Totals		MM-Mill Creek Limestone Totals	
	PPT.	Sump Direct ppt	In-Quarry Runoff	Runoff from beyond Quarry	Quarry Totals	Direct ppt	Runoff	Direct ppt	Runoff	Direct ppt	Runoff
	Inches	ac-ft	ac-ft	ac-ft	ac-ft	ac-ft	ac-ft	ac-ft	ac-ft	ac-ft	ac-ft
January	0.36	0.146	10.677	0.088	10.91	2.55	0.00	5.16	0.10	7.85	10.87
February	0.89	0.046	1.444	0.000	1.49	0.80	0.00	1.62	0.00	2.47	1.44
March	4.39	0.366	84.826	7.546	92.74	6.39	7.73	12.93	6.50	19.69	106.61
Q1 Subtotal	5.64	0.56	96.95	7.63	105.14	9.74	7.74	19.71	6.61	30.01	118.92
April	12.97	1.081	308.621	41.477	351.18	18.89	60.18	38.21	33.72	58.18	443.99
May	6.44	0.537	126.651	9.456	136.64	9.38	7.79	18.97	8.42	28.89	152.31
June	7.43	0.619	158.556	18.277	177.45	10.82	24.38	21.89	10.39	33.33	211.60
Q2 Subtotal	26.84	2.24	593.83	69.21	665.28	39.10	92.34	79.06	52.52	120.40	807.90
July	1.71	0.14	20.95	1.01	22.10	2.49	0.26	5.04	0.98	7.67	23.20
August	3.91	0.33	46.40	1.34	48.06	5.70	0.30	11.52	1.39	17.54	49.42
September	1.06	0.09	7.89	0.12	8.11	1.54	0.00	3.12	0.15	4.75	8.17
Q3 Subtotal	6.68	0.56	75.24	2.47	78.27	9.73	0.56	19.68	2.52	29.96	80.79
October	2.76	0.23	48.72	3.05	51.99	4.02	2.18	8.13	2.78	12.38	56.72
November	2.07	0.17	36.65	2.37	39.19	3.02	1.35	6.10	2.18	9.29	42.55
December	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Q4 Subtotal	4.83	0.40	85.36	5.42	91.19	7.04	3.52	14.23	4.96	21.67	99.27
ANNUAL TOTALS	43.99	3.75	851.38	84.74	939.87	65.61	104.16	132.68	66.61	202.04	1106.89

ATTACHMENT 1 (Appendix C)
Martin Marietta Mill Creek Limestone 2025


Appendix C . Consumptive use of Pitwater

Q1 2025 Q2 2025 Q3 2025 Q4 2025 2025 Total

Total volume pumped from producing mine pit(s) (AC-FT)	235.4	214.5	93.6	306.6	850.1
Volume of precipitation that falls onto the surface of producing Mine Pits (AC-FT)	0.6	2.2	0.6	0.4	3.8
Portion of total precipitation that flows over the land surface that drains into the mine pit water (AC-FT)	104.6	663.0	77.7	90.8	936.1
(WATER HELD IN PIT FROM PREVIOUS MONTHS) other non pit waters pumped from the producing mining pit (AC-FT)	0.0	0.0	0.0	0.0	0.0
add lines 2 through 4	105.2	665.3	78.3	91.2	939.9
Pit Groundwater Volume (AC-FT) (line 1 minus Line 5)	130.2	-450.8	15.3	215.4	-89.8
Vol. of pit groundwater that is driven off (by drying) the mined material transp. off of the mine site (AC-FT)	0.00	0.00	0.00	0.00	0.0
Vol. of pit groundwater that is carried away with the the mined material transp. off of the mine site (AC-FT)	0.69	-3.18	0.24	3.84	1.6
Vol. of pit groundwater that evaporates from producing mine pits, process ponds and lined ponds (excluding structures used for augmentation) (AC-FT)	0.00	0.00	0.00	0.00	0.0
Volume of pit groundwater that is used for other beneficial uses off of the mine site (AC-FT) (includes on-site dust control)	2.24	-7.63	0.67	6.03	1.3
DEFINED ELEMENTS OF CONSUMPTIVE USE of Pit groundwater (AC-FT) (add lines 7 through 10)	2.93	-10.80	0.91	9.87	2.9
Lines 6 minus 11	127.28	-439.96	14.42	205.52	-92.7
Groundwater Augmentation Volume of pit water returned to GW Basin or subbasin. (Troy Recharge AC-FT)	1376.41	-910.09	-1655.75	-558.72	-1748.1
Stream Augmentation volume of pit water discharged to a definite Stream, during flow conditions that are less than or equal to the accepted exceedance level (AC-FT)	167.06	630.76	718.69	0.00	1516.5
PPT and Runoff Volume of Precipitation and surface runoff into a recharge pit or holding pond (AC-FT)	26.31	131.58	22.17	19.19	199.3
Recycled Pit Groundwater - Volume of ground water returned to the mine pit or holding basin (AC-FT)	76.98	-429.31	16.95	156.31	-179.1
Other Non-Consumptive GW Losses Including pit GW returned to the land surface from which surface runoff flows into a mine pit and other losses (AC-FT)	0.00	0.00	0.00	0.00	0.0
add lines 13 through 17	1646.76	-577.06	-897.94	-383.21	-211.5
OTHER CONSUMPTIVE USE Line 12 minus Line 18	-1519.48	137.10	912.36	588.74	118.7
TOTAL NET CONSUMPTIVE USE (AC-FT) Line 11 plus line 19	-1516.55	126.30	913.27	598.61	121.6

Water Volume Movement	January	February	March	April	May	June	July	August	September	October	November	December
Pumped from Pit	138.1	55.8	37.4	72.7	72.1	69.7	25.5	3.3	67.8	57.4	101.9	148.2
Groundwater Component of Pitwater	378.6	39.8	340.2	277.2	83.8	106.9	5.8	48.5	81.9	6.7	88.0	149.6
Quarry dust suppression	0.4	0.3	0.1	0.4	0.5	0.6	0.2	0.0	0.2	1.8	3.6	3.5
Q: freshwater pond	131.8	12.5	-76.7	-71.0	-176.2	-170.5	-185.5	-300.8	-143.2	55.5	100.4	147.7
To Secondary FM7	361.5	357.5	579.5	542.9	593.2	526.0	538.6	493.3	615.3	472.0	403.9	489.5
To sand Plant FM8	101.6	99.1	179.3	193.1	172.8	151.9	156.8	154.7	198.3	142.9	101.9	127.7
to radout FM6	165.4	250.4	394.0	337.3	417.7	426.6	435.5	385.8	457.5	317.6	267.5	323.2
To dust control FM5	9.303	9.513	10.555	9.835	10.854	37.390	20.094	10.738	22.511	8.926	7.541	12.926
to Plant FM7/FM8/FM5	628.5	707.1	1253.0	1033.3	1183.7	1104.5	1130.8	1033.7	1311.0	932.5	773.4	842.3
Augmentation	5.3680633	46.385233	1141.07	143.31469	247.84934	239.5941156	206.7282	301.1038074	210.8511397	0	0	0
bypass discharge	1.5154323	1.3558157	0.7577911	0.7824803	0.3950978	0	0.210964	0.757791143	0	0	0	0
To Troy FM3	650.0	668.3	1254.1	1035.3	1202.9	1098.4	1137.2	1018.1	1300.3	977.7	832.7	953.3
To Booster FM2	648.2	691.0	1227.4	1063.8	1229.4	1166.6	250.8	925.4	247.3	293.0	165.1	183.8
from Troy to Freshwater Pond FM4	314.0	314.0	279.0	364.6	1123.4	998.3	1191.0	1131.2	775.3	282.3	322.1	372.3

Mill Creek Water Levels 4th Quarter 2025




Quarter Summary	4th Qtr
Total Tons Shipped	1,080,000
Total Acre Feet	23.34
Average Moisture %	2.94%

MARTIN MARIETTA MILL CREEK LIMESTONE WEATHER – DAILY TOTAL RAIN

Mill Creek Limestone Daily Total Rain

Total Rain: 2.76 (in)




Date	Daily Rain (in)
10/1/2025	0
10/2/2025	0
10/3/2025	0
10/4/2025	0
10/5/2025	0
10/6/2025	0
10/7/2025	0
10/8/2025	0
10/9/2025	0
10/10/2025	0
10/11/2025	0
10/12/2025	0

10/13/2025	0
10/14/2025	0
10/15/2025	0
10/16/2025	0
10/17/2025	0
10/18/2025	0.83
10/19/2025	0
10/20/2025	0
10/21/2025	0
10/22/2025	0
10/23/2025	0.01
10/24/2025	1.67
10/25/2025	0.17

10/26/2025	0.02
10/27/2025	0
10/28/2025	0.06
10/29/2025	0
10/30/2025	0
10/31/2025	0

Mill Creek Limestone Daily Evaporation



Date	Daily Evaporation (in)
10/1/2025	0.1035
10/2/2025	0.1128
10/3/2025	0.108
10/4/2025	0.1208
10/5/2025	0.1145
10/6/2025	0.1013
10/7/2025	0.1166
10/8/2025	0.1193
10/9/2025	0.0941
10/10/2025	0.0752
10/11/2025	0.0899


10/12/2025	0.1094
10/13/2025	0.0855
10/14/2025	0.0772
10/15/2025	0.0834
10/16/2025	0.0998
10/17/2025	0.1006
10/18/2025	0.135
10/19/2025	0.1409
10/20/2025	0.1696
10/21/2025	0.1275
10/22/2025	0.1148
10/23/2025	0.1065

10/24/2025	0.1003
10/25/2025	0.1153
10/26/2025	0.1156
10/27/2025	0.1335
10/28/2025	0.1851
10/29/2025	0.2184
10/30/2025	0.1115
10/31/2025	0.1176

MARTIN MARIETTA MILL CREEK LIMESTONE WEATHER – DAILY TOTAL RAIN

Mill Creek Limestone Daily Total Rain

Total Rain: 2.07 (in)




Created: 11/30/2025 16:00:00 Date: 06/03/2025 Data source:

Date	Daily Rain (in)
11/1/2025	0
11/2/2025	0
11/3/2025	0
11/4/2025	0
11/5/2025	0
11/6/2025	0
11/7/2025	0
11/8/2025	0
11/9/2025	0
11/10/2025	0

11/11/2025	0
11/12/2025	0
11/13/2025	0
11/14/2025	0
11/15/2025	0
11/16/2025	0
11/17/2025	0
11/18/2025	0
11/19/2025	0
11/20/2025	1.09
11/21/2025	0.01

11/22/2025	0
11/23/2025	0.45
11/24/2025	0.37
11/25/2025	0.01
11/26/2025	0
11/27/2025	0
11/28/2025	0.1
11/29/2025	0.04
11/30/2025	0

Mill Creek Limestone Daily Evaporation



Date	Daily Evaporation (in)
11/1/2025	0.1101
11/2/2025	0.1081
11/3/2025	0.1304
11/4/2025	0.1746
11/5/2025	0.1243
11/6/2025	0.1391
11/7/2025	0.1091
11/8/2025	0.158
11/9/2025	0.204
11/10/2025	0.1249


11/11/2025	0.5051
11/12/2025	0.0305
11/13/2025	0.0222
11/14/2025	0.0166
11/15/2025	0.0281
11/16/2025	0.0388
11/17/2025	0.0152
11/18/2025	0.0195
11/19/2025	0.0233
11/20/2025	0.0105
11/21/2025	0.0257

11/22/2025	0.0292
11/23/2025	0.0246
11/24/2025	0.0281
11/25/2025	0.0286
11/26/2025	0.0299
11/27/2025	0.0184
11/28/2025	0.0313
11/29/2025	0.0243
11/30/2025	0.0351

MARTIN MARIETTA MILL CREEK LIMESTONE WEATHER – DAILY TOTAL RAIN

Mill Creek Limestone Daily Total Rain

Total Rain: 0.04 (in)




Date	Daily Rain (in)
12/1/2025	0
12/2/2025	0
12/3/2025	0
12/4/2025	0.03
12/5/2025	0
12/6/2025	0
12/7/2025	0.01
12/8/2025	0
12/9/2025	0
12/10/2025	0
12/11/2025	0
12/12/2025	0

12/13/2025	0
12/14/2025	0
12/15/2025	0
12/16/2025	0
12/17/2025	0
12/18/2025	0
12/19/2025	0
12/20/2025	0
12/21/2025	0
12/22/2025	0
12/23/2025	0
12/24/2025	0
12/25/2025	0

12/26/2025	0
12/27/2025	0
12/28/2025	0
12/29/2025	0
12/30/2025	0
12/31/2025	0

Mill Creek Limestone Daily Evaporation



Date	Daily Evaporation (in)
12/1/2025	0.0196
12/2/2025	0.0259
12/3/2025	0.026
12/4/2025	0.0401
12/5/2025	0.0319
12/6/2025	0.0276
12/7/2025	0.0198
12/8/2025	0.0324
12/9/2025	0.0352
12/10/2025	0.0217
12/11/2025	0.028

12/12/2025	0.0235
12/13/2025	0.0259
12/14/2025	0.0367
12/15/2025	0.0305
12/16/2025	0.0174
12/17/2025	0.0292
12/18/2025	0.0288
12/19/2025	0.0233
12/20/2025	0.0224
12/21/2025	0.0275
12/22/2025	0.0321
12/23/2025	0.0246

12/24/2025	0.0131
12/25/2025	0.0251
12/26/2025	0.0177
12/27/2025	0.0204
12/28/2025	0.0249
12/29/2025	0.0223
12/30/2025	0.0281
12/31/2025	0.031

Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)	Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)
1/1/2025	0.04	0.06	0.05	2/10/2025	0.03	0.05	0.04
1/2/2025	0.05	0.07	0.06	2/11/2025	0.03	0.03	0.03
1/3/2025	0.05	0.08	0.07	2/12/2025	0.02	0.03	0.03
1/4/2025	0.05	0.08	0.07	2/13/2025	0.06	0.08	0.07
1/5/2025	0.1	0.17	0.15	2/14/2025	0.05	0.08	0.07
1/6/2025	0.06	0.09	0.08	2/15/2025	0.05	0.07	0.06
1/7/2025	0.05	0.07	0.06	2/16/2025	0.08	0.12	0.11
1/8/2025	0.05	0.07	0.06	2/17/2025	0.08	0.12	0.11
1/9/2025	0.01	0.01	0.01	2/18/2025	0.04	0.06	0.06
1/10/2025	0.02	0.02	0.02	2/19/2025	0.03	0.04	0.04
1/11/2025	0.04	0.05	0.04	2/20/2025	0.04	0.06	0.06
1/12/2025	0.05	0.08	0.07	2/21/2025	0.04	0.05	0.05
1/13/2025	0.05	0.07	0.06	2/22/2025	0.07	0.09	0.09
1/14/2025	0.05	0.07	0.06	2/23/2025	0.08	0.11	0.1
1/15/2025	0.05	0.06	0.06	2/24/2025	0.1	0.13	0.12
1/16/2025	0.07	0.11	0.09	2/25/2025	0.13	0.17	0.16
1/17/2025	0.1	0.15	0.13	2/26/2025	0.14	0.2	0.18
1/18/2025	0.08	0.12	0.12	2/27/2025	0.16	0.24	0.23
1/19/2025	0.05	0.08	0.08	2/28/2025	0.14	0.21	0.19
1/20/2025	0.04	0.05	0.05	3/1/2025	0.17	0.26	0.25
1/21/2025	0.04	0.06	0.05	3/2/2025	0.16	0.25	0.23
1/22/2025	0.08	0.12	0.11	3/3/2025	0.08	0.12	0.11
1/23/2025	0.07	0.1	0.09	3/4/2025	0.13	0.19	0.18
1/24/2025	0.09	0.14	0.12	3/5/2025	0.14	0.21	0.2
1/25/2025	0.1	0.15	0.13	3/6/2025	0.12	0.18	0.17
1/26/2025	0.05	0.07	0.06	3/7/2025	0.22	0.33	0.31
1/27/2025	0.08	0.11	0.1	3/8/2025	0.07	0.1	0.09
1/28/2025	0.05	0.07	0.07	3/9/2025	0.09	0.13	0.12
1/29/2025	0.02	0.02	0.02	3/10/2025	0.15	0.2	0.19
1/30/2025	0.03	0.03	0.03	3/11/2025	0.18	0.26	0.24
1/31/2025	0.08	0.12	0.11	3/12/2025	0.16	0.23	0.21
2/1/2025	0.1	0.16	0.13	3/13/2025	0.17	0.23	0.22
2/2/2025	0.12	0.19	0.16	3/14/2025	0.28	0.44	0.46
2/3/2025	0.15	0.22	0.19	3/15/2025	0.13	0.19	0.18
2/4/2025	0.05	0.08	0.07	3/16/2025	0.15	0.2	0.21
2/5/2025	0.04	0.05	0.04	3/17/2025	0.24	0.37	0.36
2/6/2025	0.05	0.06	0.06	3/18/2025	0.26	0.39	0.41
2/7/2025	0.03	0.04	0.04	3/19/2025	0.25	0.38	0.42
2/8/2025	0.12	0.17	0.15	3/20/2025	0.15	0.21	0.22
2/9/2025	0.05	0.08	0.07	3/21/2025	0.19	0.28	0.27

Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)	Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)
3/27/2025	0.16	0.21	0.21	5/6/2025	0.04	0.04	0.05
3/28/2025	0.09	0.11	0.11	5/7/2025	0.15	0.17	0.18
3/29/2025	0.13	0.18	0.18	5/8/2025	0.13	0.15	0.15
3/30/2025	0.1	0.13	0.13	5/9/2025	0.17	0.21	0.21
3/31/2025	0.15	0.2	0.19	5/10/2025	0.19	0.24	0.24
4/1/2025	0.11	0.17	0.15	5/11/2025	0.17	0.23	0.23
4/2/2025	0.21	0.3	0.29	5/12/2025	0.19	0.21	0.23
4/3/2025	0.11	0.18	0.16	5/13/2025	0.22	0.27	0.28
4/4/2025	0.04	0.05	0.05	5/14/2025	0.26	0.33	0.34
4/5/2025	0.05	0.07	0.07	5/15/2025	0.09	0.1	0.11
4/6/2025	0.06	0.09	0.08	5/16/2025	0.2	0.23	0.24
4/7/2025	0.14	0.18	0.18	5/17/2025	0.15	0.18	0.18
4/8/2025	0.16	0.21	0.21	5/18/2025	0.11	0.15	0.14
4/9/2025	0.2	0.27	0.27	5/19/2025	0.11	0.15	0.14
4/10/2025	0.19	0.25	0.25	5/20/2025	0.21	0.26	0.27
4/11/2025	0.19	0.26	0.27	5/21/2025	0.22	0.26	0.27
4/12/2025	0.21	0.3	0.3	5/22/2025	0.06	0.06	0.07
4/13/2025	0.29	0.41	0.42	5/23/2025	0.2	0.23	0.24
4/14/2025	0.21	0.28	0.29	5/24/2025	0.14	0.17	0.17
4/15/2025	0.19	0.26	0.27	5/25/2025	0.17	0.21	0.22
4/16/2025	0.19	0.26	0.26	5/26/2025	0.11	0.13	0.14
4/17/2025	0.2	0.28	0.28	5/27/2025	0.15	0.18	0.18
4/18/2025	0.13	0.18	0.17	5/28/2025	0.16	0.18	0.19
4/19/2025	0.05	0.06	0.06	5/29/2025	0.11	0.13	0.13
4/20/2025	0.11	0.13	0.14	5/30/2025	0.2	0.24	0.26
4/21/2025	0.16	0.18	0.19	5/31/2025	0.18	0.2	0.22
4/22/2025	0.18	0.22	0.22	6/1/2025	0.16	0.18	0.19
4/23/2025	0.12	0.15	0.15	6/2/2025	0.21	0.25	0.26
4/24/2025	0.07	0.09	0.09	6/3/2025	0.14	0.19	0.18
4/25/2025	0.11	0.13	0.13	6/4/2025	0.07	0.07	0.08
4/26/2025	0.07	0.09	0.09	6/5/2025	0.11	0.13	0.13
4/27/2025	0.12	0.15	0.15	6/6/2025	0.15	0.17	0.18
4/28/2025	0.1	0.13	0.13	6/7/2025	0.21	0.25	0.26
4/29/2025	0.1	0.12	0.12	6/8/2025	0.2	0.22	0.24
4/30/2025	0.05	0.06	0.06	6/9/2025	0.22	0.26	0.27
5/1/2025	0.17	0.19	0.2	6/10/2025	0.17	0.19	0.2
5/2/2025	0.07	0.08	0.09	6/11/2025	0.07	0.08	0.08
5/3/2025	0.17	0.21	0.21	6/12/2025	0.09	0.1	0.11
5/4/2025	0.15	0.17	0.19	6/13/2025	0.15	0.17	0.18
5/5/2025	0.08	0.09	0.1	6/14/2025	0.16	0.19	0.2

Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)	Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)
6/15/2025	0.13	0.15	0.15	7/26/2025	0.21	0.25	0.26
6/16/2025	0.21	0.22	0.25	7/27/2025	0.19	0.25	0.25
6/17/2025	0.24	0.3	0.31	7/28/2025	0.23	0.28	0.29
6/18/2025	0.18	0.23	0.23	7/29/2025	0.22	0.25	0.27
6/19/2025	0.22	0.24	0.26	7/30/2025	0.22	0.25	0.27
6/20/2025	0.23	0.28	0.29	7/31/2025	0.24	0.3	0.31
6/21/2025	0.26	0.35	0.37	8/1/2025	0.16	0.2	0.2
6/22/2025	0.27	0.35	0.37	8/2/2025	0.16	0.19	0.19
6/23/2025	0.23	0.28	0.3	8/3/2025	0.12	0.14	0.14
6/24/2025	0.23	0.27	0.28	8/4/2025	0.2	0.22	0.24
6/25/2025	0.19	0.22	0.23	8/5/2025	0.19	0.21	0.23
6/26/2025	0.21	0.24	0.25	8/6/2025	0.21	0.25	0.26
6/27/2025	0.16	0.19	0.19	8/7/2025	0.22	0.27	0.28
6/28/2025	0.15	0.18	0.19	8/8/2025	0.24	0.3	0.31
6/29/2025	0.24	0.29	0.31	8/9/2025	0.26	0.33	0.33
6/30/2025	0.2	0.24	0.25	8/10/2025	0.21	0.27	0.27
7/1/2025	0.19	0.22	0.23	8/11/2025	0.21	0.26	0.27
7/2/2025	0.14	0.15	0.16	8/12/2025	0.15	0.19	0.19
7/3/2025	0.11	0.13	0.14	8/13/2025	0.17	0.19	0.2
7/4/2025	0.16	0.19	0.2	8/14/2025	0.2	0.24	0.25
7/5/2025	0.16	0.19	0.2	8/15/2025	0.24	0.3	0.31
7/6/2025	0.18	0.21	0.22	8/16/2025	0.22	0.27	0.27
7/7/2025	0.18	0.2	0.21	8/17/2025	0.15	0.17	0.18
7/8/2025	0.2	0.23	0.24	8/18/2025	0.21	0.26	0.26
7/9/2025	0.18	0.2	0.22	8/19/2025	0.21	0.26	0.27
7/10/2025	0.21	0.25	0.26	8/20/2025	0.2	0.24	0.24
7/11/2025	0.24	0.3	0.31	8/21/2025	0.2	0.25	0.25
7/12/2025	0.13	0.16	0.16	8/22/2025	0.2	0.25	0.26
7/13/2025	0.14	0.15	0.16	8/23/2025	0.25	0.33	0.33
7/14/2025	0.16	0.18	0.19	8/24/2025	0.23	0.3	0.3
7/15/2025	0.2	0.23	0.24	8/25/2025	0.13	0.18	0.17
7/16/2025	0.18	0.21	0.22	8/26/2025	0.04	0.05	0.05
7/17/2025	0.22	0.24	0.26	8/27/2025	0.1	0.12	0.12
7/18/2025	0.22	0.25	0.26	8/28/2025	0.12	0.16	0.15
7/19/2025	0.23	0.28	0.29	8/29/2025	0.05	0.06	0.06
7/20/2025	0.24	0.29	0.3	8/30/2025	0.08	0.09	0.09
7/21/2025	0.24	0.3	0.31	8/31/2025	0.1	0.11	0.11
7/22/2025	0.25	0.31	0.32	9/1/2025	0.12	0.14	0.14
7/23/2025	0.25	0.31	0.32	9/2/2025	0.14	0.16	0.16
7/24/2025	0.25	0.31	0.32	9/3/2025	0.17	0.2	0.2

Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)	Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)
9/4/2025	0.17	0.19	0.2	10/14/2025	0.13	0.16	0.16
9/5/2025	0.1	0.13	0.13	10/15/2025	0.13	0.16	0.16
9/6/2025	0.15	0.2	0.19	10/16/2025	0.12	0.16	0.15
9/7/2025	0.16	0.19	0.19	10/17/2025	0.15	0.2	0.18
9/8/2025	0.15	0.19	0.19	10/18/2025	0.08	0.11	0.1
9/9/2025	0.16	0.2	0.2	10/19/2025	0.14	0.2	0.18
9/10/2025	0.14	0.17	0.17	10/20/2025	0.19	0.29	0.25
9/11/2025	0.17	0.2	0.2	10/21/2025	0.16	0.24	0.22
9/12/2025	0.16	0.19	0.2	10/22/2025	0.12	0.16	0.15
9/13/2025	0.15	0.18	0.18	10/23/2025	0.12	0.17	0.15
9/14/2025	0.15	0.19	0.19	10/24/2025	0.07	0.09	0.08
9/15/2025	0.16	0.19	0.19	10/25/2025	0.07	0.09	0.09
9/16/2025	0.15	0.17	0.18	10/26/2025	0.06	0.06	0.06
9/17/2025	0.16	0.19	0.19	10/27/2025	0.07	0.09	0.09
9/18/2025	0.12	0.14	0.15	10/28/2025	0.06	0.08	0.08
9/19/2025	0.14	0.17	0.17	10/29/2025	0.14	0.21	0.2
9/20/2025	0.16	0.2	0.2	10/30/2025	0.08	0.11	0.1
9/21/2025	0.07	0.09	0.08	10/31/2025	0.08	0.1	0.1
9/22/2025	0.15	0.17	0.18	11/1/2025	0.09	0.12	0.11
9/23/2025	0.17	0.22	0.21	11/2/2025	0.08	0.11	0.1
9/24/2025	0.12	0.16	0.15	11/3/2025	0.11	0.15	0.13
9/25/2025	0.13	0.16	0.15	11/4/2025	0.12	0.17	0.15
9/26/2025	0.13	0.15	0.15	11/5/2025	0.1	0.13	0.12
9/27/2025	0.14	0.16	0.16	11/6/2025	0.11	0.15	0.14
9/28/2025	0.12	0.14	0.14	11/7/2025	0.12	0.16	0.14
9/29/2025	0.13	0.15	0.16	11/8/2025	0.15	0.23	0.2
9/30/2025	0.1	0.12	0.12	11/9/2025	0.11	0.17	0.16
10/1/2025	0.13	0.16	0.16	11/10/2025	0.07	0.1	0.09
10/2/2025	0.14	0.17	0.17	11/11/2025	0.14	0.22	0.19
10/3/2025	0.14	0.18	0.17	11/12/2025	0.08	0.11	0.1
10/4/2025	0.16	0.21	0.2	11/13/2025	0.11	0.15	0.13
10/5/2025	0.16	0.21	0.2	11/14/2025	0.11	0.16	0.14
10/6/2025	0.13	0.15	0.15	11/15/2025	0.13	0.2	0.17
10/7/2025	0.13	0.16	0.16	11/16/2025	0.1	0.15	0.13
10/8/2025	0.14	0.19	0.17	11/17/2025	0.12	0.18	0.16
10/9/2025	0.12	0.15	0.15	11/18/2025	0.15	0.24	0.2
#####	0.12	0.15	0.15	11/19/2025	0.09	0.13	0.11
#####	0.13	0.17	0.16	11/20/2025	0.03	0.03	0.03
#####	0.16	0.23	0.2	11/21/2025	0.09	0.13	0.11
#####	0.13	0.18	0.17	11/22/2025	0.05	0.07	0.06

Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)
#####	0.04	0.05	0.05
#####	0.02	0.02	0.03
#####	0.07	0.1	0.09
#####	0.09	0.14	0.12
#####	0.06	0.09	0.08
#####	0.07	0.1	0.08
#####	0.04	0.05	0.05
#####	0.05	0.08	0.07
12/1/2025	0.02	0.03	0.03
12/2/2025	0.05	0.07	0.06
12/3/2025	0.06	0.1	0.08
12/4/2025	0.03	0.04	0.04
12/5/2025	0.03	0.05	0.04
12/6/2025	0.02	0.02	0.02
12/7/2025	0.04	0.06	0.05
12/8/2025	0.05	0.07	0.06
12/9/2025	0.08	0.13	0.1
#####	0.1	0.17	0.15
#####	0.09	0.14	0.11
#####	0.09	0.14	0.11
#####	0.08	0.12	0.1
#####	0.05	0.08	0.07
#####	0.05	0.08	0.07
#####	0.08	0.12	0.1
#####	0.02	0.02	0.02
#####	0.11	0.18	0.16
#####	0.09	0.14	0.12
#####	0.15	0.24	0.21
#####	0.09	0.14	0.12
#####	0.1	0.15	0.13
#####	0.07	0.1	0.09
#####	0.07	0.1	0.09
#####	0.08	0.12	0.1
#####	0.09	0.13	0.11
#####	0.09	0.14	0.12
#####	0.15	0.24	0.21
#####	0.06	0.1	0.09
#####	0.05	0.08	0.06
#####	0.05	0.08	0.07

Date	Reference ET, Short (in.)	Reference ET, Tall (in.)	Pan Evapotranspiration (in.)
------	------------------------------	-----------------------------	---------------------------------

MESONET CLIMATOLOGICAL DATA SUMMARY
(TISH) Tishomingo
Latitude: 34-19-57

October 2025
Nearest City: 6.0 N Tishomingo
Longitude: 96-40-44

Time Zone: Midnight-Midnight CST
County: Johnston
Elevation: 879 feet

DAY	TEMPERATURE (F)				DEG DAYS		HUMIDITY (%)			RAIN (in)	PRESSURE (in)		WIND SPEED (mph)			SOLAR (MJ/m2)	4" SOIL TEMPERATURES				
	MAX	MIN	AVG	DEWPT	HDD	CDD	MAX	MIN	AVG		STN	MSL	DIR	AVG	MAX		SOD	BARE	MAX	MIN	
1	88	56	70.9	58.6	0	7	98	36	70	0.00	29.11	30.05	S	3.4	14.0	17.80	71.6	78.0	91	68	
2	89	57	72.6	59.6	0	8	96	35	68	0.00	29.18	30.12	ENE	3.9	14.5	17.33	71.9	78.8	91	70	
3	89	61	74.4	62.4	0	10	95	40	69	0.00	29.18	30.13	ESE	5.1	16.4	16.50	72.7	79.7	91	71	
4	87	57	71.8	56.4	0	7	97	28	63	0.00	29.08	30.02	ESE	6.0	20.0	17.77	72.3	78.2	90	70	
5	88	61	72.5	60.1	0	9	93	41	68	0.00	29.01	29.95	ESE	6.3	20.5	17.65	72.4	78.2	91	70	
6	90	59	72.8	62.1	0	9	98	36	73	0.00	29.04	29.98	E	3.5	12.1	16.15	72.7	79.0	92	70	
7	86	59	70.3	62.1	0	7	98	47	78	0.00	29.16	30.10	NNE	6.0	21.2	15.20	72.3	78.2	89	71	
8	86	61	70.7	62.2	0	8	94	49	76	0.00	29.26	30.20	NNE	6.8	16.3	14.24	72.6	78.2	89	71	
9	86	61	72.6	61.9	0	9	95	43	72	0.00	29.29	30.24	ESE	3.9	12.4	15.57	73.2	79.4	90	72	
10	86	55	68.3	56.3	0	6	96	37	70	0.00	29.23	30.18	S	3.9	15.7	16.77	72.1	77.1	89	69	
11	90	53	69.0	55.5	0	6	98	29	69	0.00	29.05	29.99	SSE	3.9	18.9	16.65	71.4	76.4	89	67	
12	91	54	72.5	56.2	0	7	98	29	62	0.00	28.89	29.82	SSE	7.5	24.6	15.05	71.2	75.9	86	67	
13	90	63	75.4	58.5	0	12	85	33	58	0.00	29.02	29.96	ESE	5.2	20.3	11.35	72.6	78.1	87	73	
14	87	60	71.5	58.3	0	9	93	36	67	0.00	29.19	30.14	ENE	4.8	20.7	15.57	72.5	77.9	89	70	
15	87	57	70.7	54.2	0	7	94	28	61	0.00	29.13	30.07	E	4.5	16.1	15.93	72.0	77.2	89	69	
16	85	54	68.6	54.0	0	5	88	34	62	0.00	29.00	29.94	SE	5.4	20.1	12.27	70.8	74.3	84	67	
17	87	62	73.8	60.1	0	9	88	40	65	0.00	28.90	29.83	SSE	7.4	23.7	15.14	72.0	77.0	87	70	
18	78	63	69.2	62.9	0	6	96	58	81	1.21	28.86	29.79	SW	7.9	33.5	6.81	71.3	72.1	76	66	
19	74	47	60.0	39.4	5	0	93	20	51	0.00	29.18	30.12	N	7.2	30.3	16.36	68.2	65.0	75	58	
20	88	45	67.7	49.4	0	2	86	32	55	0.00	28.99	29.93	SSW	10.5	31.7	15.66	66.4	64.6	75	56	
21	77*	44*	63.1*	38.9*	4*	0*	89*	18*	46*	0.00*	29.19*	30.14*	NNE*	7.7*	29.6*	NA	67.0*	66.0*	77*	59*	
22	80	40	58.0	39.6	5	0	95	16	61	0.00	29.18	30.13	NW	4.9	20.8	18.27	64.1	64.2	77	55	
23	81	44	63.2	50.3	3	0	93	47	65	0.03	29.13	30.07	SE	6.1	19.9	14.43	64.2	66.0	77	56	
24	68	58	62.0	55.7	2	0	98	68	80	2.03	29.07	30.01	ENE	8.0	21.7	4.98	65.5	65.0	68	62	
25	74	59	64.0	60.6	0	2	98	62	89	0.21	28.97	29.91	E	4.8	20.3	8.96	65.4	66.8	73	63	
26	70	57	62.3	59.7	1	0	99	64	92	0.03	29.01	29.95	NE	3.8	13.2	7.95	66.8	67.4	73	64	
27	73	56	63.5	59.4	0	0	98	66	87	0.00	28.97	29.91	E	6.8	18.0	8.85	66.5	66.1	72	62	
28	64	49	59.1	51.7	8	0	97	55	78	0.03	29.06	30.00	NNW	11.7	34.7	6.81	66.3	63.0	66	55	
29	62	43	51.9	35.3	12	0	82	39	54	0.00	29.20	30.15	NW	13.8	41.0	15.05	62.7	54.0	59	49	
30	65	35	48.3	36.6	15	0	96	28	70	0.00	29.16	30.10	NW	4.5	14.1	16.98	60.4	54.5	65	46	
31	70	35	51.6	38.0	13	0	95	28	66	0.00	29.14	30.08	NW	3.9	14.7	16.02	59.3	55.3	66	47	
	81*	54*	66.5*	54.1*	<- Monthly Averages ->						29.09* 30.03*		ESE* 6.1* 41.0*			14.14*	69.0* 71.3* 81* 64*				
Temperature - Highest: 91*							Degree Days - Total HDD: 68*					Number of Days With: Tmax ≥ 90: 4* Rainfall ≥ 0.01 inch: 6* Tmax ≤ 32: 0* Rainfall ≥ 0.10 inch: 3* Tmin ≤ 32: 0* Avg Wind Speed ≥ 10 mph: 3* Tmin ≤ 0: 0* Max Wind Speed ≥ 30 mph: 5*									
Lowest: 35*							Total CDD: 144*														
Rainfall: Monthly Total: 3.54* in.							Humidity - Highest: 99*														
Greatest 24 Hr: 2.03* in.							Lowest: 16*														

MESONET CLIMATOLOGICAL DATA SUMMARY
(TISH) Tishomingo
Latitude: 34-19-57

November 2025
Nearest City: 6.0 N Tishomingo
Longitude: 96-40-44

Time Zone: Midnight-Midnight CST
County: Johnston
Elevation: 879 feet

DAY	TEMPERATURE (F)				DEG DAYS		HUMIDITY (%)			RAIN (in)	PRESSURE (in)		WIND SPEED (mph)			SOLAR (MJ/m2)	4" SOIL TEMPERATURES			
	MAX	MIN	AVG	DEWPT	HDD	CDD	MAX	MIN	AVG		STN	MSL	DIR	AVG	MAX		SOD	BARE	MAX	MIN
1	67	42	54.0	41.0	11	0	83	39	63	0.00	29.19	30.13	N	6.2	19.4	12.59	60.1	57.3	65	52
2	67	33	49.6	36.9	15	0	96	33	66	0.00	29.28	30.22	SSE	4.6	15.7	16.39	58.5	54.0	64	46
3	77	37	56.6	44.6	8	0	97	35	69	0.00	29.28	30.23	S	6.4	19.7	16.03	58.5	55.7	66	47
4	76	43	59.9	48.1	5	0	98	36	69	0.00	29.22	30.16	S	9.2	28.0	15.92	59.4	57.3	66	50
5	79	48	62.2	51.7	1	0	89	42	71	0.00	29.15	30.09	S	5.3	13.7	15.33	60.3	60.4	72	52
6	79	52	64.5	55.7	0	1	97	46	76	0.00	29.00	29.94	SSE	7.8	25.8	14.99	61.5	62.4	72	55
7	81	50	64.2	50.1	0	0	98	24	66	0.00	28.86	29.79	NNW	6.5	21.9	14.98	62.2	63.2	73	57
8	80	41	60.6	40.1	5	0	95	26	53	0.00	28.96	29.90	N	8.1	27.3	15.09	60.8	60.5	72	51
9	56	32	47.2	26.4	21	0	64	26	45	0.00	29.42	30.37	N	13.4	33.2	15.09	59.1	56.1	65	48
10	52	23	38.1	17.8	27	0	79	20	47	0.00	29.54	30.49	N	4.9	16.9	15.09	54.7	49.5	61	41
11	70	29	51.1	27.8	16	0	88	21	45	0.00	29.18	30.12	S	10.5	29.6	13.63	53.7	51.5	62	43
12	74	39	56.4	40.6	8	0	87	32	58	0.00	29.17	30.11	S	4.5	13.6	14.39	55.1	56.2	69	47
13	80	49	63.3	54.3	0	0	97	43	75	0.00	29.15	30.09	SSE	7.5	23.3	13.56	57.3	60.3	71	51
14	80	56	66.4	59.2	0	3	98	53	79	0.00	29.04	29.98	SSE	10.0	27.8	12.18	60.0	63.8	73	57
15	86	55	68.0	56.2	0	5	94	35	70	0.00	28.89	29.83	S	8.7	26.9	13.89	61.0	65.0	76	57
16	81	51	65.2	56.7	0	1	94	52	75	0.00	28.91	29.84	ESE	7.4	17.7	12.31	61.3	64.8	75	57
17	84	63	70.9	62.1	0	8	93	44	76	0.00	28.86	29.80	SSE	9.6	23.5	10.71	63.2	67.8	77	62
18	87	61	71.7	52.8	0	9	95	21	57	0.00	28.97	29.91	SW	8.6	21.0	13.55	64.5	69.6	80	64
19	82	58	69.8	56.1	0	5	87	50	63	0.00	29.11	30.05	S	5.4	18.2	9.75	63.8	68.1	76	61
20	69	57	64.0	62.4	2	0	98	86	95	1.07	29.01	29.95	S	5.9	22.4	2.09	64.7	66.0	68	63
21	75	50	62.9	53.5	3	0	99	33	76	0.00	28.99	29.93	SW	7.7	25.5	12.72	63.9	64.0	70	58
22	61	41	50.0	43.7	14	0	97	56	80	0.00	29.22	30.16	NW	5.2	17.0	10.33	60.9	57.0	64	53
23	61	39	49.5	46.5	15	0	99	66	90	0.68	29.19	30.14	E	5.2	17.0	9.03	58.2	54.9	62	49
24	58	52	55.5	54.6	10	0	99	94	97	0.85	28.95	29.89	SSE	8.6	27.6	2.16	58.5	57.4	59	56
25	68	46	54.6	47.0	8	0	99	51	78	0.01	29.09	30.03	NNW	6.9	19.6	8.77	59.0	57.5	63	52
26	55	36	45.3	24.8	20	0	65	23	46	0.00	29.42	30.37	N	8.0	21.8	12.97	56.4	50.1	58	44
27	59	32	45.2	25.0	19	0	89	19	51	0.00	29.46	30.41	NE	3.9	12.4	12.89	54.4	49.6	58	43
28	58	32	45.2	33.7	20	0	92	34	68	0.22	29.31	30.25	SE	7.3	23.9	6.50	52.6	47.0	51	42
29	54	33	46.0	40.8	21	0	97	58	83	0.09	29.13	30.07	SSE	12.6	28.3	2.19	53.1	48.9	53	43
30	38	26	32.6	19.6	33	0	71	47	59	0.00	29.42	30.37	NNE	10.4	23.3	8.37	50.1	41.0	44	39
	70	43	56.3	44.3	<- Monthly Averages ->						29.15	30.09	S	7.5	33.2	11.78	58.9	57.9	66	51

Temperature - Highest: 87
Lowest: 23

Degree Days - Total HDD: 283
Total CDD: 33

Number of Days With:

Tmax ≥ 90: 0 Rainfall ≥ 0.01 inch: 6
Tmax ≤ 32: 0 Rainfall ≥ 0.10 inch: 4
Tmin ≤ 32: 6 Avg Wind Speed ≥ 10 mph: 5
Tmin ≤ 0: 0 Max Wind Speed ≥ 30 mph: 1

Rainfall: Monthly Total: 2.92 in.
Greatest 24 Hr: 1.07 in.

Humidity - Highest: 99
Lowest: 19

MESONET CLIMATOLOGICAL DATA SUMMARY
(TISH) Tishomingo
Latitude: 34-19-57

December 2025
Nearest City: 6.0 N Tishomingo
Longitude: 96-40-44

Time Zone: Midnight-Midnight CST
County: Johnston
Elevation: 879 feet

DAY	TEMPERATURE (F)				DEG DAYS		HUMIDITY (%)			RAIN (in)	PRESSURE (in)		WIND SPEED (mph)			SOLAR (MJ/m2)	4" SOIL TEMPERATURES			
	MAX	MIN	AVG	DEWPT	HDD	CDD	MAX	MIN	AVG		STN	MSL	DIR	AVG	MAX		SOD	BARE	MAX	MIN
1	36	28	34.8	27.4	33	0	94	61	75	0.00	29.23	30.18	NNW	5.7	16.4	2.23	49.0	40.7	43	39
2	50	19	33.9	23.6	30	0	93	36	69	0.00	29.14	30.08	SE	4.7	14.8	12.84	47.1	40.6	49	36
3	57	32	41.0	34.5	20	0	96	45	80	0.00	29.07	30.01	SE	7.2	19.7	10.93	47.7	43.1	53	37
4	40	35	36.7	32.2	28	0	94	75	84	0.07	29.28	30.22	NNE	8.1	23.0	3.05	48.1	42.0	43	41
5	48	30	37.9	34.0	26	0	97	65	86	0.00	29.10	30.04	SSW	5.4	15.9	8.83	47.5	42.7	49	38
6	44	32	38.8	38.3	27	0	99	94	98	0.00	28.96	29.90	SE	4.6	15.3	2.90	47.2	42.6	45	39
7	47	36	41.4	36.3	24	0	99	64	83	0.01	29.13	30.08	N	10.9	25.7	4.69	48.1	43.8	47	41
8	53	29	38.5	30.4	24	0	93	45	74	0.00	29.32	30.26	N	4.9	17.0	11.75	47.2	43.4	53	37
9	64	27	45.5	33.4	20	0	97	35	67	0.00	29.04	29.98	S	8.1	26.5	11.51	46.8	43.6	52	37
10	61	32	48.5	26.1	18	0	85	17	46	0.00	29.10	30.04	N	10.0	33.5	11.48	48.0	45.3	52	41
11	66*	28*	45.5*	27.6*	18*	0*	90*	22*	56*	0.00*	29.04*	29.98*	SSW*	7.1*	28.5*	NA	47.0*	43.4*	51*	37*
12	67	35	49.2	32.8	14	0	84	30	56	0.00	29.05	29.99	NNE	6.9	20.2	11.93	47.8	45.7	55	39
13	61	31	42.8	34.6	19	0	90	55	73	0.00	29.18	30.12	NNE	8.8	33.7	9.01	48.3	45.5	55	39
14	36	21	27.8	14.2	36	0	78	32	58	0.00	29.61	30.56	NNE	10.5	33.6	12.08	45.7	38.7	44	36
15	48	18	33.0	18.4	32	0	88	32	57	0.00	29.40	30.35	SSE	6.2	18.1	9.38	42.9	37.1	42	34
16	61	34	47.1	32.8	17	0	94	42	59	0.00	29.09	30.03	S	8.1	24.3	8.33	44.9	41.9	49	36
17	60	36	51.5	49.7	17	0	97	86	93	0.00	28.98	29.92	SSE	6.3	23.2	2.52	47.1	46.6	52	41
18	64	40	56.9	35.6	13	0	93	16	53	0.00	28.92	29.85	NNW	13.2	36.8	11.90	50.8	51.8	56	43
19	61	24	44.0	22.2	23	0	88	17	47	0.00	29.10	30.05	SSE	8.2	24.8	10.57	47.4	42.7	49	37
20	74	47	56.9	34.9	5	0	62	27	45	0.00	28.92	29.86	NNE	10.4	24.8	11.32	48.8	47.5	57	41
21	64	42	53.2	38.4	12	0	66	49	57	0.00	29.25	30.20	NNE	8.7	21.1	9.94	49.9	49.0	57	42
22	73	52	59.7	50.2	3	0	98	51	72	0.00	29.19	30.14	SSE	9.9	31.6	10.25	52.2	53.9	60	50
23	79	48	64.7	59.8	1	0	100	57	86	0.00	29.19	30.13	SSW	8.9	24.1	7.39	54.4	57.5	64	51
24	77	54	64.1	59.5	0	1	99	62	86	0.01	29.22	30.17	S	8.1	24.5	8.96	56.2	59.1	65	54
25	77	52	64.5	58.5	1	0	99	58	82	0.01	29.08	30.03	SSW	10.1	23.7	11.59	56.8	59.2	66	53
26	81	48	64.4	51.0	1	0	95	27	67	0.00	28.95	29.89	WSW	5.8	19.4	11.96	58.0	60.3	67	55
27	81	45	63.3	55.8	2	0	99	50	79	0.00	28.89	29.83	S	8.6	23.8	11.17	57.0	58.7	67	51
28	78	27	56.2	44.0	12	0	92	32	65	0.00	29.05	29.99	NNW	14.6	35.9	8.75	58.7	58.6	67	45
29	42	22	31.3	12.8	33	0	66	32	47	0.00	29.54	30.49	NNW	8.7	26.7	12.10	51.3	42.7	50	38
30	52	19	33.7	16.8	29	0	81	23	54	0.00	29.47	30.42	SW	4.6	13.9	12.37	47.4	41.2	51	35
31	66	26	44.2	25.7	19	0	84	21	53	0.00	29.22	30.16	WNW	3.7	12.4	12.09	47.3	44.5	57	36

60* 34* 46.8* 35.2*	<- Monthly Averages ->					29.15* 30.10*	NNE*	8.0* 36.8*	9.46*	49.6* 46.9* 54* 41*
---------------------	------------------------	--	--	--	--	---------------	------	------------	-------	---------------------

Temperature - Highest: 81* Lowest: 18*				Degree Days - Total HDD: 556* Total CDD: 1*				Number of Days With:			
Rainfall: Monthly Total: 0.10* in. Greatest 24 Hr: 0.07* in.				Humidity - Highest: 100* Lowest: 16*				Tmax ≥ 90: 0* Rainfall ≥ 0.01 inch: 4*			
								Tmax ≤ 32: 0* Rainfall ≥ 0.10 inch: 0*			
								Tmin ≤ 32: 17* Avg Wind Speed ≥ 10 mph: 7*			
								Tmin ≤ 0: 0* Max Wind Speed ≥ 30 mph: 6*			