



BASIN 53

Upper North Canadian River - 2 Northwest Region



Surface Water Legend
 □ Planning Basin
 — OWRB Major Streams
 ■ OWRB Lakes



Groundwater Legend
 □ Planning Basin
 Major Bedrock Aquifer
 ■ Ogallala (Og)
 Major Alluvial Aquifer
 ■ North Canadian River (NC)

Interactive maps can be viewed through the OCWP dashboards, accessible at oklahoma.gov/owrb/water-planning

SUMMARY

- Basin 53 - Upper North Canadian River - 2 demands are supplied by a combination of surface water and groundwater.
- Water demand (withdrawal) is projected to increase by 15,965 acre-feet per year (28%) between 2020 and 2075.
- No surface water gaps are projected.
- Physical alluvial groundwater depletions are projected in Basin 53 as early as 2030 and will continue through 2075.
- Physical bedrock groundwater depletions are projected in Basin 53 as early as 2030 and will continue through 2075.
- Surface water is fully allocated, limiting diversions to existing permitted amounts.
- Basin 53 is projected to have groundwater available for appropriation through 2075.
- To mitigate projected water supply shortages in this basin, the following strategies will typically be most effective:
 - Reduce water demand through conservation, water loss reduction, and other activities (PS, SSI, OG, TE). **WSS**
 - Reduce water demands through agricultural water saving options (CI, LS). **WSS**
 - Water reuse (PS, SSI). **WM WSS**
 - Water transfers (all sectors). **WM WSS**



Refer to the **“Guide to Region and Basin Fact Sheets”** for a description of the types of information detailed in this fact sheet.

Water Demand Sectors: PS = Public Supply, SSI = Self-supplied Industrial, OG = Oil & Gas, TE = Thermoelectric Power, CI = Crop Irrigation, LS = Livestock, SSD = Self-supplied Domestic

OCWP Statewide Recommendations are designed to address current and anticipated water supply challenges and are noted throughout this fact sheet with the following icons: **WIW** Water Infrastructure & Workforce, **WM** Water Management, **WSS** Water Supplies & Storage, and **WDI** Water Data & Information

Population


How is the population expected to change in the future?

2020	2030	2035	2045	2060	2075
7,005	7,250	7,169	7,119	7,300	7,302

Water Demand Projections

How much water is needed to meet Oklahomans' needs?

Basin 53 accounts for approximately 11% of the overall water demands of the Northwest Region.



Total Demand by Sector (AFY)

	2020	2030	2035	2045	2060	2075
Self-supplied Domestic	158	164	161	157	158	155
Self-supplied Industrial	-	-	-	-	-	-
Crop Irrigation	47,016	52,120	53,912	57,097	60,562	62,059
Livestock	1,682	1,684	1,698	1,706	1,721	1,748
Oil & Gas	189	189	189	189	189	189
Public Supply	7,919	8,051	8,054	8,181	8,591	8,779
Thermoelectric Power	-	-	-	-	-	-
Total	56,964	62,207	64,014	67,330	71,221	72,929

AFY = acre-feet per year; Small differences may result due to rounding.

Physical Water Shortages

Will there be enough "wet water" physically available to meet anticipated needs?

WIW WM WSS

	Magnitude (AFY)					Frequency ¹
	2030	2035	2045	2060	2075	2075
Surface Water Gap	-	-	-	-	-	0%
Alluvial Groundwater Depletion	497	761	1,236	1,867	2,146	59%
Bedrock Groundwater Depletion	37,067	38,367	40,722	43,399	44,620	N/A

1. Probability of a water shortage occurring in at least one month of the year.

Legal Water Availability

Will there be water available for permitting after meeting 2075 demands?

WM WSS

Estimated Surface Water available for appropriation in 2075 (AFY)	Inside 2016 Water Settlement Area? ¹	Is there a downstream mainstem restriction? ²	Estimated Groundwater available for appropriation in 2075 (AFY)
-	No	No	1,239,200

1. Yes – basin wholly or partially subject to the provisions of the 2016 Water Settlement Agreement.

2. Yes – mainstem restriction may impact water available for appropriation within the basin.

Water Management Strategies

What approaches are most viable for meeting future needs and mitigating shortages?

WSS WDI WIW WM

Water Management Category	Demand Sector	Basin 53 Evaluation
Demand Management	PS, SSI, OG, TE	Partially Effective - Shortages Remain
Agriculture Options	CI, LS	Partially Effective - Shortages Remain
Increase Reliance on In-Basin Surface Water	All sectors	Ineffective at Meeting Future Demands
Increase Reliance on In-Basin Groundwater	All sectors	May Increase Shortages - Use with Other Strategies
Stormwater Capture & Use	PS, SSI	Ineffective at Meeting Future Demands
Reuse	PS, SSI	Partially Effective - Shortages Remain
Water Transfers	All sectors	Potentially Effective with Local Variability

In addition to the water management strategies, water users need:

- Options to address water quality concerns, which could include expanding source water protection programs and expanding water quality studies.
- Ways to address infrastructure limitations, which could include additional water funding from the State, Federal, and/or public-private partnerships, and by providers setting water rates that fully fund system operation and maintenance.